




# Conducted Spurious Emission


## LTE Band 71 / 5MHz

### Lowest Channel / QPSK




Date: 15 JUL 2025 06:28:57

### Middle Channel / QPSK



Date: 15 JUL 2025 06:29:59

### Highest Channel / QPSK




Date: 15 JUL 2025 06:38:09




## LTE Band 71 / 10MHz

## Lowest Channel / QPSK




Date: 15 JUL 2025 06:44:17

## Middle Channel / QPSK



Date: 15 JUL 2025 06:45:19

## Highest Channel / QPSK




Date: 15 JUL 2025 08:03:43




## LTE Band 71 / 15MHz

## Lowest Channel / QPSK




Date: 15 JUL 2025 08:10:14

## Middle Channel / QPSK



Date: 15 JUL 2025 08:11:17

## Highest Channel / QPSK




Date: 15 JUL 2025 08:19:12




## LTE Band 71 / 20MHz

## Lowest Channel / QPSK




Date: 15 JUL 2025 08:25:45

## Middle Channel / QPSK



Date: 15 JUL 2025 08:26:48

## Highest Channel / QPSK



Date: 15 JUL 2025 08:36:13

## Frequency Stability

| Test Conditions  |                   | LTE Band 71 (QPSK) / Middle Channel  | Limit   |
|------------------|-------------------|--------------------------------------|---------|
| Temperature (°C) | Voltage (Volt)    | BW 5MHz                              | Note 2. |
|                  |                   | Frequency Offset ( $\Delta f$ ) (Hz) | Result  |
| 50               | Normal Voltage    | -3.4                                 | PASS    |
| 40               | Normal Voltage    | 2.4                                  |         |
| 30               | Normal Voltage    | -2.1                                 |         |
| 20(Ref.)         | Normal Voltage    | -4.6                                 |         |
| 10               | Normal Voltage    | -1.7                                 |         |
| 0                | Normal Voltage    | -3.7                                 |         |
| -10              | Normal Voltage    | -2.1                                 |         |
| -20              | Normal Voltage    | -1.4                                 |         |
| -30              | Normal Voltage    | 2.5                                  |         |
| 20               | Maximum Voltage   | 3.2                                  |         |
| 20               | Normal Voltage    | -4.6                                 |         |
| 20               | Battery End Point | 2.3                                  |         |

**Note:**

1. Normal Voltage = 8 V. ; Battery End Point (BEP) = 7.2 V. ; Maximum Voltage = 9 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

$$|\text{MAX}(\Delta f)| = 4.6\text{Hz}$$



| Frequency Stability            | Frequency (MHz) | Limit Line             | Result |
|--------------------------------|-----------------|------------------------|--------|
| $f_L -  \text{MAX}(\Delta f) $ | 663.232265      | $\geq 663 \text{ MHz}$ | PASS   |
| $f_H +  \text{MAX}(\Delta f) $ | 697.747755      | $\leq 698 \text{ MHz}$ |        |



## LTE Band 12B

## 26dB Bandwidth


| Mode      | LTE Band 12B : 26dB BW(MHz) |            |
|-----------|-----------------------------|------------|
|           | QPSK                        | 16QAM      |
| BW        | 5MHz+5MHz                   | 5MHz+5MHz  |
| Middle CH | 10.17                       | 10.07      |
| BW        | 5MHz+10MHz                  | 5MHz+10MHz |
| Middle CH | 14.90                       | 14.87      |





## Occupied Bandwidth

| Mode      | LTE Band 12B : 99%OBW(MHz) |            |
|-----------|----------------------------|------------|
|           | QPSK                       | 16QAM      |
| BW        | 5MHz+5MHz                  | 5MHz+5MHz  |
| Middle CH | 9.29                       | 9.31       |
| BW        | 5MHz+10MHz                 | 5MHz+10MHz |
| Middle CH | 13.94                      | 13.97      |






# Conducted Band Edge


## LTE Band 12B / 5MHz+5MHz

### QPSK


#### Lowest Band Edge / 1RB0 and 1RB24




#### Highest Band Edge / 1RB0 and 1RB24




#### Lowest Band Edge / 1RB24 and 1RB0



#### Highest Band Edge / 1RB24 and 1RB0



#### Lowest Band Edge / Full RB



#### Highest Band Edge / Full RB







## LTE Band 12B / 5MHz+10MHz

## QPSK


## Lowest Band Edge / 1RB0 and 1RB49




## Highest Band Edge / 1RB0 and 1RB49




## Lowest Band Edge / 1RB49 and 1RB0




## Highest Band Edge / 1RB49 and 1RB0



## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## LTE Band 12B / 5MHz+5MHz

## 16QAM


## Lowest Band Edge / 1RB0 and 1RB24




## Highest Band Edge / 1RB0 and 1RB24




## Lowest Band Edge / 1RB24 and 1RB0




## Highest Band Edge / 1RB24 and 1RB0



## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## LTE Band 12B / 5MHz+10MHz

## 16QAM


## Lowest Band Edge / 1RB0 and 1RB49




## Highest Band Edge / 1RB0 and 1RB49




## Lowest Band Edge / 1RB49 and 1RB0




## Highest Band Edge / 1RB49 and 1RB0



## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## LTE Band 12B / 5MHz+5MHz

## 64QAM


## Lowest Band Edge / 1RB0 and 1RB24




## Highest Band Edge / 1RB0 and 1RB24




## Lowest Band Edge / 1RB24 and 1RB0




## Highest Band Edge / 1RB24 and 1RB0



## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## LTE Band 12B / 5MHz+10MHz

## 64QAM


## Lowest Band Edge / 1RB0 and 1RB49




## Highest Band Edge / 1RB0 and 1RB49




## Lowest Band Edge / 1RB49 and 1RB0




## Highest Band Edge / 1RB49 and 1RB0



## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB






## Conducted Spurious Emission

LTE Band 12B / 5MHz+5MHz


QPSK

Lowest Channel / 1RB24 and 1RB0

Middle Channel / 1RB24 and 1RB0




Date: 18.JUL.2025 23:31:03



Date: 18.JUL.2025 23:37:35

Highest Channel / 1RB24 and 1RB0



Date: 18.JUL.2025 23:51:41




## LTE Band 12B / 5MHz+10MHz


## QPSK

## Lowest Channel / 1RB49 and 1RB0

## Middle Channel / 1RB49 and 1RB0




Date: 28.JUL.2025 12:06:41



Date: 28.JUL.2025 13:06:34

## Highest Channel / 1RB49 and 1RB0



Date: 28.JUL.2025 13:19:41



## Appendix B. Test Results of Radiated Test

### Radiated Spurious Emission

|                 |                |                     |        |
|-----------------|----------------|---------------------|--------|
| Test Engineer : | Liangping Zhou | Temperature :       | 22~25℃ |
|                 |                | Relative Humidity : | 48~52% |

Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test and record in the report.

| LTE Band 12 / 10MHz / QPSK /Ant. 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|------------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                            | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                             | 1399              | -64.96      | -13           | -51.96            | -74.91            | -68.19             | 3.98                 | 9.36                  | H                  |
|                                    | 2098.5            | -64.09      | -13           | -51.09            | -76.92            | -67.64             | 4.85                 | 10.55                 | H                  |
|                                    | 2798              | -62.70      | -13           | -49.70            | -77.97            | -67.63             | 5.50                 | 12.58                 | H                  |
|                                    | 1399              | -65.52      | -13           | -52.52            | -75.04            | -68.75             | 3.98                 | 9.36                  | V                  |
|                                    | 2098.5            | -64.45      | -13           | -51.45            | -77.23            | -68.00             | 4.85                 | 10.55                 | V                  |
|                                    | 2798              | -62.59      | -13           | -49.59            | -78.05            | -67.52             | 5.50                 | 12.58                 | V                  |
| Middle                             | 1406              | -65.19      | -13           | -52.19            | -75.27            | -68.44             | 4.00                 | 9.40                  | H                  |
|                                    | 2109              | -63.58      | -13           | -50.58            | -76.41            | -67.15             | 4.88                 | 10.60                 | H                  |
|                                    | 2812              | -62.53      | -13           | -49.53            | -77.83            | -67.46             | 5.52                 | 12.60                 | H                  |
|                                    | 1406              | -65.71      | -13           | -52.71            | -75.35            | -68.96             | 4.00                 | 9.40                  | V                  |
|                                    | 2109              | -64.23      | -13           | -51.23            | -77.01            | -67.80             | 4.88                 | 10.60                 | V                  |
|                                    | 2812              | -62.67      | -13           | -49.67            | -78.16            | -67.60             | 5.52                 | 12.60                 | V                  |
| Highest                            | 1413              | -65.06      | -13           | -52.06            | -75.14            | -68.23             | 4.10                 | 9.42                  | H                  |
|                                    | 2119.5            | -64.35      | -13           | -51.35            | -77.50            | -67.93             | 4.90                 | 10.63                 | H                  |
|                                    | 2826              | -62.56      | -13           | -49.56            | -77.87            | -67.48             | 5.55                 | 12.62                 | H                  |
|                                    | 1413              | -65.93      | -13           | -52.93            | -75.57            | -69.10             | 4.10                 | 9.42                  | V                  |
|                                    | 2119.5            | -64.03      | -13           | -51.03            | -77.14            | -67.61             | 4.90                 | 10.63                 | V                  |
|                                    | 2826              | -62.68      | -13           | -49.68            | -78.18            | -67.60             | 5.55                 | 12.62                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 13 / 5MHz / QPSK / Ant. 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|------------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                            | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                             | 1554.5            | -64.94      | -13           | -51.94            | -74.49            | -68.17             | 3.98                 | 9.36                  | H                  |
|                                    | 2331.75           | -62.52      | -13           | -49.52            | -76.89            | -66.07             | 4.85                 | 10.55                 | H                  |
|                                    | 3109              | -61.06      | -13           | -48.06            | -77.44            | -65.99             | 5.50                 | 12.58                 | H                  |
|                                    | 1554.5            | -65.56      | -13           | -52.56            | -75.19            | -68.79             | 3.98                 | 9.36                  | V                  |
|                                    | 2331.75           | -62.33      | -13           | -49.33            | -76.70            | -65.88             | 4.85                 | 10.55                 | V                  |
|                                    | 3109              | -60.25      | -13           | -47.25            | -76.69            | -65.18             | 5.50                 | 12.58                 | V                  |
| Middle                             | 1559.5            | -65.30      | -42.15        | -23.15            | -74.85            | -68.55             | 4.00                 | 9.40                  | H                  |
|                                    | 2339.25           | -61.70      | -13           | -48.70            | -76.02            | -65.27             | 4.88                 | 10.60                 | H                  |
|                                    | 3119              | -60.95      | -13           | -47.95            | -77.43            | -65.88             | 5.52                 | 12.60                 | H                  |
|                                    | 1559.5            | -65.33      | -42.15        | -23.18            | -74.96            | -68.58             | 4.00                 | 9.40                  | V                  |
|                                    | 2339.25           | -62.77      | -13           | -49.77            | -77.09            | -66.34             | 4.88                 | 10.60                 | V                  |
|                                    | 3119              | -60.89      | -13           | -47.89            | -77.41            | -65.82             | 5.52                 | 12.60                 | V                  |
| Highest                            | 1564.5            | -65.89      | -42.15        | -23.74            | -75.44            | -69.06             | 4.10                 | 9.42                  | H                  |
|                                    | 2346.75           | -62.70      | -13           | -49.70            | -77.02            | -66.28             | 4.90                 | 10.63                 | H                  |
|                                    | 3129              | -60.93      | -13           | -47.93            | -77.41            | -65.85             | 5.55                 | 12.62                 | H                  |
|                                    | 1564.5            | -65.36      | -42.15        | -23.21            | -74.99            | -68.53             | 4.10                 | 9.42                  | V                  |
|                                    | 2346.75           | -62.78      | -13           | -49.78            | -77.10            | -66.36             | 4.90                 | 10.63                 | V                  |
|                                    | 3129              | -61.30      | -13           | -48.30            | -77.82            | -66.22             | 5.55                 | 12.62                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 13 / 10MHz / QPSK / Ant. 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|-------------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                             | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                              | 1564              | -65.64      | -42.15        | -23.49            | -75.19            | -68.89             | 4.00                 | 9.40                  | H                  |
|                                     | 2346              | -62.68      | -13           | -49.68            | -77.00            | -66.25             | 4.88                 | 10.60                 | H                  |
|                                     | 3128              | -61.09      | -13           | -48.09            | -77.57            | -66.02             | 5.52                 | 12.60                 | H                  |
|                                     | 1564              | -65.44      | -42.15        | -23.29            | -75.07            | -68.69             | 4.00                 | 9.40                  | V                  |
|                                     | 2346              | -62.82      | -13           | -49.82            | -77.14            | -66.39             | 4.88                 | 10.60                 | V                  |
|                                     | 3128              | -61.28      | -13           | -48.28            | -77.80            | -66.21             | 5.52                 | 12.60                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 26 / 15MHz / QPSK / Ant. 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|-------------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                             | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                              | 1649.5            | -64.92      | -13           | -51.92            | -74.43            | -68.15             | 3.98                 | 9.36                  | H                  |
|                                     | 2474.25           | -61.92      | -13           | -48.92            | -75.82            | -65.47             | 4.85                 | 10.55                 | H                  |
|                                     | 3299              | -60.88      | -13           | -47.88            | -76.94            | -65.81             | 5.50                 | 12.58                 | H                  |
|                                     | 1649.5            | -65.64      | -13           | -52.64            | -74.89            | -68.87             | 3.98                 | 9.36                  | V                  |
|                                     | 2474.25           | -62.18      | -13           | -49.18            | -76.05            | -65.73             | 4.85                 | 10.55                 | V                  |
|                                     | 3299              | -61.24      | -13           | -48.24            | -77.11            | -66.17             | 5.50                 | 12.58                 | V                  |
| Middle                              | 1659.5            | -64.36      | -13           | -51.36            | -73.92            | -67.61             | 4.00                 | 9.40                  | H                  |
|                                     | 2489.25           | -61.98      | -13           | -48.98            | -75.82            | -65.55             | 4.88                 | 10.60                 | H                  |
|                                     | 3319              | -60.73      | -13           | -47.73            | -76.65            | -65.66             | 5.52                 | 12.60                 | H                  |
|                                     | 1659.5            | -65.60      | -13           | -52.60            | -74.76            | -68.85             | 4.00                 | 9.40                  | V                  |
|                                     | 2489.25           | -62.05      | -13           | -49.05            | -75.85            | -65.62             | 4.88                 | 10.60                 | V                  |
|                                     | 3319              | -62.00      | -13           | -49.00            | -77.70            | -66.93             | 5.52                 | 12.60                 | V                  |
| Highest                             | 1669.5            | -64.80      | -13           | -51.80            | -74.36            | -67.97             | 4.10                 | 9.42                  | H                  |
|                                     | 2504.25           | -62.34      | -13           | -49.34            | -76.19            | -65.92             | 4.90                 | 10.63                 | H                  |
|                                     | 3339              | -61.90      | -13           | -48.90            | -77.51            | -66.82             | 5.55                 | 12.62                 | H                  |
|                                     | 1669.5            | -65.23      | -13           | -52.23            | -74.39            | -68.40             | 4.10                 | 9.42                  | V                  |
|                                     | 2504.25           | -61.93      | -13           | -48.93            | -75.74            | -65.51             | 4.90                 | 10.63                 | V                  |
|                                     | 3339              | -61.76      | -13           | -48.76            | -77.10            | -66.68             | 5.55                 | 12.62                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 71 / 20MHz / QPSK / Ant. 0 |                   |             |               |                   |                   |                    |                      |                       |                    |
|-------------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                             | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                              | 1328              | -65.83      | -13           | -52.83            | -74.98            | -69.06             | 3.98                 | 9.36                  | H                  |
|                                     | 1992              | -65.59      | -13           | -52.59            | -76.48            | -69.14             | 4.85                 | 10.55                 | H                  |
|                                     | 2656              | -63.05      | -13           | -50.05            | -77.43            | -67.98             | 5.50                 | 12.58                 | H                  |
|                                     | 1328              | -66.15      | -13           | -53.15            | -74.94            | -69.38             | 3.98                 | 9.36                  | V                  |
|                                     | 1992              | -65.67      | -13           | -52.67            | -76.41            | -69.22             | 4.85                 | 10.55                 | V                  |
|                                     | 2656              | -63.17      | -13           | -50.17            | -77.52            | -68.10             | 5.50                 | 12.58                 | V                  |
| Middle                              | 1348              | -65.15      | -13           | -52.15            | -74.52            | -68.40             | 4.00                 | 9.40                  | H                  |
|                                     | 2022              | -65.40      | -13           | -52.40            | -76.65            | -68.97             | 4.88                 | 10.60                 | H                  |
|                                     | 2696              | -62.46      | -13           | -49.46            | -77.13            | -67.39             | 5.52                 | 12.60                 | H                  |
|                                     | 1348              | -65.63      | -13           | -52.63            | -74.63            | -68.88             | 4.00                 | 9.40                  | V                  |
|                                     | 2022              | -65.42      | -13           | -52.42            | -76.56            | -68.99             | 4.88                 | 10.60                 | V                  |
|                                     | 2696              | -62.63      | -13           | -49.63            | -77.34            | -67.56             | 5.52                 | 12.60                 | V                  |
| Highest                             | 1358              | -65.46      | -13           | -52.46            | -74.96            | -68.63             | 4.10                 | 9.42                  | H                  |
|                                     | 2037              | -65.22      | -13           | -52.22            | -76.79            | -68.80             | 4.90                 | 10.63                 | H                  |
|                                     | 2716              | -62.93      | -13           | -49.93            | -77.70            | -67.85             | 5.55                 | 12.62                 | H                  |
|                                     | 1358              | -65.69      | -13           | -52.69            | -74.80            | -68.86             | 4.10                 | 9.42                  | V                  |
|                                     | 2037              | -65.47      | -13           | -52.47            | -76.94            | -69.05             | 4.90                 | 10.63                 | V                  |
|                                     | 2716              | -62.48      | -13           | -49.48            | -77.31            | -67.40             | 5.55                 | 12.62                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band CA_12B / 5MHz+5MHz / QPSK / Ant.0 |                      |                |                  |                         |                         |                          |                            |                             |                       |
|--------------------------------------------|----------------------|----------------|------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------|
| Channel                                    | Frequency<br>( MHz ) | ERP<br>( dBm ) | Limit<br>( dBm ) | Over<br>Limit<br>( dB ) | SPA<br>Reading<br>(dBm) | S.G.<br>Power<br>( dBm ) | TX Cable<br>loss<br>( dB ) | TX Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) |
| Lowest                                     | 1407.8               | -65.25         | -13              | -52.25                  | -75.33                  | -68.48                   | 3.98                       | 9.36                        | H                     |
|                                            | 2111.7               | -64.01         | -13              | -51.01                  | -76.85                  | -67.56                   | 4.85                       | 10.55                       | H                     |
|                                            | 2815.6               | -62.36         | -13              | -49.36                  | -77.66                  | -67.29                   | 5.50                       | 12.58                       | H                     |
|                                            | 1407.8               | -65.86         | -13              | -52.86                  | -75.50                  | -69.09                   | 3.98                       | 9.36                        | V                     |
|                                            | 2111.7               | -63.73         | -13              | -50.73                  | -76.52                  | -67.28                   | 4.85                       | 10.55                       | V                     |
|                                            | 2815.6               | -62.03         | -13              | -49.03                  | -77.52                  | -66.96                   | 5.50                       | 12.58                       | V                     |
| Middle                                     | 1415                 | -65.41         | -13              | -52.41                  | -75.49                  | -68.66                   | 4.00                       | 9.40                        | H                     |
|                                            | 2122.5               | -63.92         | -13              | -50.92                  | -77.07                  | -67.49                   | 4.88                       | 10.60                       | H                     |
|                                            | 2830                 | -62.85         | -13              | -49.85                  | -78.18                  | -67.78                   | 5.52                       | 12.60                       | H                     |
|                                            | 1415                 | -65.78         | -13              | -52.78                  | -75.42                  | -69.03                   | 4.00                       | 9.40                        | V                     |
|                                            | 2122.5               | -64.20         | -13              | -51.20                  | -77.31                  | -67.77                   | 4.88                       | 10.60                       | V                     |
|                                            | 2830                 | -62.22         | -13              | -49.22                  | -77.74                  | -67.15                   | 5.52                       | 12.60                       | V                     |
| Highest                                    | 1422.2               | -65.03         | -13              | -52.03                  | -75.09                  | -68.20                   | 4.10                       | 9.42                        | H                     |
|                                            | 2133.3               | -63.06         | -13              | -50.06                  | -76.52                  | -66.64                   | 4.90                       | 10.63                       | H                     |
|                                            | 2844.4               | -62.88         | -13              | -49.88                  | -78.21                  | -67.80                   | 5.55                       | 12.62                       | H                     |
|                                            | 1422.2               | -66.08         | -13              | -53.08                  | -75.76                  | -69.25                   | 4.10                       | 9.42                        | V                     |
|                                            | 2133.3               | -63.44         | -13              | -50.44                  | -76.87                  | -67.02                   | 4.90                       | 10.63                       | V                     |
|                                            | 2844.4               | -61.96         | -13              | -48.96                  | -77.48                  | -66.88                   | 5.55                       | 12.62                       | V                     |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.