




















11BE320MIMO_Ant9_6105_Large RU 996*2+484_6




11BE320MIMO_Ant9_6105_Large RU 996*3_4









11BE320MIMO_Ant9_6105_Large RU 996*3+484_8







11BE320MIMO_Ant9_6105_Puncturing 80M+40M_6





































In-Band Emissions

Test Result


TestMode	Antenna	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20MIMO	Ant9	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant8	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant9	6855	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant8	6855	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
11BE80MIMO	Ant9	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant8	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant9	6785	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant8	6785	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE160MIMO	Ant9	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant8	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant9	6665	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant8	6665	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE320MIMO	Ant9	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS






			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant8	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant9	6265	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant8	6265	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS






Test Graphs





























































11BE320MIMO_Ant9_6105_Puncturing 80M_4





11BE320MIMO_Ant9_6105_Puncturing 40M_8

















11BE320MIMO_Ant9_6265_Large RU 996*2+484_7






11BE320MIMO_Ant9_6265_Large RU 996*3_1


















Appendix B. AC Conducted Emission Test Results





Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN-N_2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	34.97	-20.77	55.74	14.99	9.79	10.19	Average
2 *	0.15	51.97	-13.77	65.74	31.99	9.79	10.19	QP
3	0.24	29.47	-22.57	52.04	9.50	9.78	10.19	Average
4	0.24	42.57	-19.47	62.04	22.60	9.78	10.19	QP
5	0.27	27.98	-23.14	51.12	8.00	9.78	10.20	Average
6	0.27	40.88	-20.24	61.12	20.90	9.78	10.20	QP
7	0.38	30.00	-18.30	48.30	10.01	9.77	10.22	Average
8	0.38	41.60	-16.70	58.30	21.61	9.77	10.22	QP
9	0.56	30.99	-15.01	46.00	11.00	9.75	10.24	Average
10	0.56	39.19	-16.81	56.00	19.20	9.75	10.24	QP
11	0.85	25.00	-21.00	46.00	5.00	9.77	10.23	Average
12	0.85	33.60	-22.40	56.00	13.60	9.77	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Zhaohui Liang	Relative Humidity :	50%
		Temperature :	20-22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5925-6425	9+8	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5925-6425	9+8	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5925-6425	9+8	802.11a	93	6415	6Mbps	-	-
Mode 7	U-NII-7	6525-6875	9+8	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6525-6875	9+8	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6525-6875	9+8	802.11a	181	6855	6Mbps	-	-
Mode 13	U-NII-5	5925-6425	9+8	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5925-6425	9+8	802.11ax HE20	45	6175	MCS0	-	-
Mode 15	U-NII-5	5925-6425	9+8	802.11ax HE20	93	6415	MCS0	-	-
Mode 19	U-NII-7	6525-6875	9+8	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	6525-6875	9+8	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6525-6875	9+8	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-5	5925-6425	9+8	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5925-6425	9+8	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5925-6425	9+8	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 30	U-NII-7	6525-6875	9+8	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	6525-6875	9+8	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6525-6875	9+8	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 36	U-NII-5	5925-6425	9+8	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5925-6425	9+8	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5925-6425	9+8	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 40	U-NII-7	6525-6875	9+8	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6525-6875	9+8	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6525-6875	9+8	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 45	U-NII-5	5925-6425	9+8	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5925-6425	9+8	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5925-6425	9+8	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6525-6875	9+8	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 57	U-NII-5	5925-6425	9+8	802.11ax HE20	1	5955	MCS0	Partial RU	26RU0
Mode 59	U-NII-5	5925-6425	9+8	802.11be EHT20	1	5955	MCS0	-	-



Mode 60	U-NII-5	5925-6425	9+8	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	5925-6425	9+8	802.11be EHT20	93	6415	MCS0	-	-
Mode 65	U-NII-7	6525-6875	9+8	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	6525-6875	9+8	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	6525-6875	9+8	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 71	U-NII-5	5925-6425	9+8	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	5925-6425	9+8	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	5925-6425	9+8	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 76	U-NII-7	6525-6875	9+8	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	6525-6875	9+8	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	6525-6875	9+8	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 82	U-NII-5	5925-6425	9+8	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	5925-6425	9+8	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	5925-6425	9+8	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 86	U-NII-7	6525-6875	9+8	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 87	U-NII-7	6525-6875	9+8	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	6525-6875	9+8	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 91	U-NII-5	5925-6425	9+8	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	5925-6425	9+8	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	5925-6425	9+8	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	6525-6875	9+8	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 95	U-NII-8	6875-7125	9+8	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 96	U-NII-5	5925-6425	9+8	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	5925-6425	9+8	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 110	U-NII-5	5925-6425	9+8	802.11be EHT20	1	5955	MCS0	Single RU	26RU0
Mode 112	U-NII-5	5925-6425	9+8	802.11be EHT20	1	5955	MCS0	Small RU	106+26_OFDMA-1
Mode 114	U-NII-5	5925-6425	9+8	802.11be EHT80	7	5985	MCS0	Large RU 484+242	④
Mode 116	U-NII-5	5925-6425	9+8	802.11be EHT160	15	6025	MCS0	Large RU 996+484	④
Mode 118	U-NII-5	5925-6425	9+8	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484	⑥
Mode 120	U-NII-5	5925-6425	9+8	802.11be EHT320	31	6105	MCS0	Large RU 996*3	④
Mode 122	U-NII-5	5925-6425	9+8	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484	⑧
Mode 124	U-NII-5	5925-6425	9+8	802.11be EHT80	7	5985	MCS0	Puncturing 20M	④
Mode 126	U-NII-5	5925-6425	9+8	802.11be EHT160	15	6025	MCS0	Puncturing 40M	④
Mode 128	U-NII-5	5925-6425	9+8	802.11be EHT160	15	6025	MCS0	Puncturing 20M	⑧
Mode 130	U-NII-5	5925-6425	9+8	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M	⑥
Mode 132	U-NII-5	5925-6425	9+8	802.11be EHT320	31	6105	MCS0	Puncturing 80M	④



Mode 134	U-NII-5	5925-6425	9+8	802.11be EHT320	31	6105	MCS0	Puncturing 40M	⑧
----------	---------	-----------	-----	-----------------	----	------	------	----------------	---

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5903.82	42.93	68.20	-25.27	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	47.60	74.00	-26.40	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	47.95	74.00	-26.05	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.97	88.20	-40.23	H	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.82	88.20	-40.38	H	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.53	74.00	-26.47	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.83	88.20	-40.37	H	Peak	Pass	Harmonic
13	802.11ax HE20	1	5910.54	43.02	68.20	-25.18	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	47.91	74.00	-26.09	H	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	47.85	74.00	-26.15	V	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	47.97	88.20	-40.23	H	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	47.85	88.20	-40.35	H	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	47.51	74.00	-26.49	V	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.55	88.20	-40.65	V	Peak	Pass	Harmonic
25	802.11ax HE40	3	5921.32	42.96	68.20	-25.24	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	11930.00	47.99	74.00	-26.01	V	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	47.73	74.00	-26.27	H	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	47.80	88.20	-40.40	H	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.38	88.20	-40.82	H	Peak	Pass	Harmonic



31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	47.30	74.00	-26.70	H	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.70	88.20	-40.50	V	Peak	Pass	Harmonic
36	802.11ax HE80	7	5924.04	43.11	68.20	-25.09	H	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	17955.00	47.86	74.00	-26.14	V	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	45.97	74.00	-28.03	V	Peak	Pass	Harmonic
38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	46.87	88.20	-41.33	V	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	47.83	74.00	-26.17	V	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	46.79	88.20	-41.41	V	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	46.85	88.20	-41.35	V	Peak	Pass	Harmonic
45	802.11ax HE160	15	5916.56	42.79	68.20	-25.41	V	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12050.00	47.34	74.00	-26.66	H	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	47.82	74.00	-26.18	V	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	47.98	74.00	-26.02	V	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	47.88	74.00	-26.12	V	Peak	Pass	Harmonic
57	802.11ax HE20	1	5912.08	42.98	68.20	-25.22	H	AVERAGE	Pass	Band Edge
57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	1	5905.78	42.63	68.20	-25.57	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	11910.00	47.91	74.00	-26.09	V	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	47.33	74.00	-26.67	V	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	47.51	88.20	-40.69	H	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	47.55	88.20	-40.65	H	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	47.42	74.00	-26.58	V	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	47.45	88.20	-40.75	V	Peak	Pass	Harmonic
71	802.11be EHT40	3	5903.88	42.74	68.20	-25.46	H	AVERAGE	Pass	Band Edge



71	802.11be EHT40	3	17895.00	47.96	74.00	-26.04	V	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	47.40	74.00	-26.60	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.70	88.20	-40.50	H	Peak	Pass	Harmonic
76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	47.46	88.20	-40.74	H	Peak	Pass	Harmonic
77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	47.15	74.00	-26.85	V	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	47.57	88.20	-40.63	V	Peak	Pass	Harmonic
82	802.11be EHT80	7	5921.80	42.72	68.20	-25.48	H	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	17955.00	47.95	74.00	-26.05	H	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	47.73	74.00	-26.27	H	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.93	88.20	-40.27	H	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	47.78	74.00	-26.22	H	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	47.14	88.20	-41.06	H	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	47.71	88.20	-40.49	V	Peak	Pass	Harmonic
91	802.11be EHT160	15	5920.48	42.91	68.20	-25.29	V	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	47.55	74.00	-26.45	V	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	47.61	74.00	-26.39	V	Peak	Pass	Harmonic
93	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	79	12690.00	47.11	74.00	-26.89	H	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	47.08	74.00	-26.92	V	Peak	Pass	Harmonic
95	802.11be EHT160	207	7288.13	43.25	54.00	-10.75	H	AVERAGE	Pass	Band Edge
95	802.11be EHT160	207	13970.00	47.28	88.20	-40.92	V	Peak	Pass	Harmonic
96	802.11be EHT320	31	5760.10	43.86	68.20	-24.34	V	AVERAGE	Pass	Band Edge
96	802.11be EHT320	31	12210.00	47.51	74.00	-26.49	H	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	47.47	74.00	-26.53	V	Peak	Pass	Harmonic
110	802.11be EHT20	1	5917.82	43.06	68.20	-25.14	H	AVERAGE	Pass	Band Edge
110	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic







112	802.11be EHT20	1	5924.12	42.95	68.20	-25.25	V	AVERAGE	Pass	Band Edge
112	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	7	5925.00	43.80	68.20	-24.40	H	AVERAGE	Pass	Band Edge
114	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT160	15	5924.96	43.87	68.20	-24.33	H	AVERAGE	Pass	Band Edge
116	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT320	31	5848.08	44.40	68.20	-23.80	H	AVERAGE	Pass	Band Edge
118	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT320	31	5924.58	43.86	68.20	-24.34	V	AVERAGE	Pass	Band Edge
120	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT320	31	5923.05	44.19	68.20	-24.01	V	AVERAGE	Pass	Band Edge
122	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT80	7	5921.80	42.84	68.20	-25.36	V	AVERAGE	Pass	Band Edge
124	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	15	5923.84	44.15	68.20	-24.05	H	AVERAGE	Pass	Band Edge
126	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT160	15	5916.00	43.83	68.20	-24.37	H	AVERAGE	Pass	Band Edge
128	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT320	31	5901.63	43.14	68.20	-25.06	H	AVERAGE	Pass	Band Edge
130	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT320	31	5760.10	43.57	68.20	-24.63	V	AVERAGE	Pass	Band Edge
132	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT320	31	5760.10	43.58	68.20	-24.62	V	AVERAGE	Pass	Band Edge
134	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11a_CH1_5955MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-21 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.98</td><td>52.62</td><td>88.20</td><td>-35.58</td><td>37.99</td><td>36.64</td><td>10.85</td><td>32.86</td><td>230</td><td>296</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5902.98	52.62	88.20	-35.58	37.99	36.64	10.85	32.86	230	296	PEAK	Level (dBuV/m) Date: 2025-10-21 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.15</td><td>-----</td><td>-----</td><td>71.37</td><td>36.73</td><td>10.93</td><td>32.88</td><td>230</td><td>296</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.15	-----	-----	71.37	36.73	10.93	32.88	230	296	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5902.98	52.62	88.20	-35.58	37.99	36.64	10.85	32.86	230	296	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	86.15	-----	-----	71.37	36.73	10.93	32.88	230	296	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-10-21 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.82</td><td>42.93</td><td>68.20</td><td>-25.27</td><td>28.29</td><td>36.65</td><td>10.85</td><td>32.86</td><td>230</td><td>296</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5903.82	42.93	68.20	-25.27	28.29	36.65	10.85	32.86	230	296	AVERAGE	Level (dBuV/m) Date: 2025-10-21 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>79.34</td><td>-----</td><td>-----</td><td>64.56</td><td>36.73</td><td>10.93</td><td>32.88</td><td>230</td><td>296</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.34	-----	-----	64.56	36.73	10.93	32.88	230	296	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5903.82	42.93	68.20	-25.27	28.29	36.65	10.85	32.86	230	296	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	79.34	-----	-----	64.56	36.73	10.93	32.88	230	296	AVERAGE																																																																							





Mode	1																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11a_CH1_5955MHz																																																																									
ANT	9+8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Date: 2025-10-21 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5967.00</td><td>86.61</td><td>88.20</td><td>-35.60</td><td>38.03</td><td>36.59</td><td>10.83</td><td>32.85</td><td>100 72 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5967.00	86.61	88.20	-35.60	38.03	36.59	10.83	32.85	100 72 PEAK	Date: 2025-10-21 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>86.61</td><td>-----</td><td>-----</td><td>71.83</td><td>36.73</td><td>10.93</td><td>32.88</td><td>100 72 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	86.61	-----	-----	71.83	36.73	10.93	32.88	100 72 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5967.00	86.61	88.20	-35.60	38.03	36.59	10.83	32.85	100 72 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	86.61	-----	-----	71.83	36.73	10.93	32.88	100 72 PEAK																																																																		
Avg	Date: 2025-10-21 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.02</td><td>42.92</td><td>68.20</td><td>-25.28</td><td>28.23</td><td>36.68</td><td>10.88</td><td>32.87</td><td>100 72 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5922.02	42.92	68.20	-25.28	28.23	36.68	10.88	32.87	100 72 AVERAGE	Date: 2025-10-21 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>79.45</td><td>-----</td><td>-----</td><td>64.65</td><td>36.74</td><td>10.94</td><td>32.88</td><td>100 72 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	79.45	-----	-----	64.65	36.74	10.94	32.88	100 72 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5922.02	42.92	68.20	-25.28	28.23	36.68	10.88	32.87	100 72 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	79.45	-----	-----	64.65	36.74	10.94	32.88	100 72 AVERAGE																																																																		





Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>43.62</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>40.47</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	47.37	74.00	-26.63	43.62	38.54	15.18	49.97	---	Peak	2	17865.00	47.17	74.00	-26.83	40.47	42.89	17.85	54.04	---	Peak	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>43.85</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>40.09</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	47.60	74.00	-26.40	43.85	38.54	15.18	49.97	---	Peak	2	17865.00	46.79	74.00	-27.21	40.09	42.89	17.85	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11910.00	47.37	74.00	-26.63	43.62	38.54	15.18	49.97	---	Peak																																																																																												
2	17865.00	47.17	74.00	-26.83	40.47	42.89	17.85	54.04	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11910.00	47.60	74.00	-26.40	43.85	38.54	15.18	49.97	---	Peak																																																																																												
2	17865.00	46.79	74.00	-27.21	40.09	42.89	17.85	54.04	---	Peak																																																																																												





Mode	2																																																																																												
	Harmonic																																																																																												
	U-NII-5_5925-6425_802.11a_CH45_6175MHz																																																																																												
ANT	9+8																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-10-22  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-10-22  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>44.22</td><td>38.74</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.95	74.00	-26.05	44.22	38.74	15.59	50.60	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>43.71</td><td>38.74</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.44	74.00	-26.56	43.71	38.74	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	47.95	74.00	-26.05	44.22	38.74	15.59	50.60	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	47.44	74.00	-26.56	43.71	38.74	15.59	50.60	---	---	Peak																																																																																		





Mode	3																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11a_CH93_6415MHz																																																																																																									
ANT	9+8																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>43.99</td><td>38.93</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.97	88.20	-40.23	43.99	38.93	16.08	51.03	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>43.98</td><td>38.93</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.96	88.20	-40.24	43.98	38.93	16.08	51.03	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12830.00	47.97	88.20	-40.23	43.99	38.93	16.08	51.03	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12830.00	47.96	88.20	-40.24	43.98	38.93	16.08	51.03	---	---	Peak																																																																																															



Mode	7																																																																																															
	Harmonic																																																																																															
	U-NII-7_6525-6875_802.11a_CH117_6535MHz																																																																																															
ANT	9+8																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>43.77</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	47.82	88.20	-40.38	43.77	39.05	16.27	51.27	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>43.65</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	47.70	88.20	-40.50	43.65	39.05	16.27	51.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13070.00	47.82	88.20	-40.38	43.77	39.05	16.27	51.27	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13070.00	47.70	88.20	-40.50	43.65	39.05	16.27	51.27	---	---	Peak																																																																																					



Mode	8																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-6875_802.11a_CH149_6695MHz																																																																																												
ANT	9+8																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	 Date: 2025-10-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>42.72</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.31	74.00	-27.69	42.72	39.27	16.36	52.04	---	---	Peak	 Date: 2025-10-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>43.94</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.53	74.00	-26.47	43.94	39.27	16.36	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	46.31	74.00	-27.69	42.72	39.27	16.36	52.04	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	47.53	74.00	-26.47	43.94	39.27	16.36	52.04	---	---	Peak																																																																																		



Mode	9																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-6875_802.11a_CH181_6855MHz																																																																																												
ANT	9+8																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>44.10</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.83	88.20	-40.37	44.10	39.50	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>43.65</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.38	88.20	-40.82	43.65	39.50	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13710.00	47.83	88.20	-40.37	44.10	39.50	16.45	52.22	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13710.00	47.38	88.20	-40.82	43.65	39.50	16.45	52.22	---	---	Peak																																																																																		





Mode	13																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5853 5881 5909 5937 5965 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5841.80</td><td>53.17</td><td>88.20</td><td>-35.03</td><td>38.63</td><td>36.55</td><td>10.83</td><td>32.84</td><td>237 305 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5841.80	53.17	88.20	-35.03	38.63	36.55	10.83	32.84	237 305 PEAK	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>88.69</td><td>-----</td><td>-----</td><td>73.89</td><td>36.74</td><td>10.94</td><td>32.88</td><td>237 305 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	88.69	-----	-----	73.89	36.74	10.94	32.88	237 305 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5841.80	53.17	88.20	-35.03	38.63	36.55	10.83	32.84	237 305 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	88.69	-----	-----	73.89	36.74	10.94	32.88	237 305 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5853 5881 5909 5937 5965 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5902.14</td><td>42.92</td><td>68.20</td><td>-25.28</td><td>28.29</td><td>36.64</td><td>10.85</td><td>32.86</td><td>237 305 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5902.14	42.92	68.20	-25.28	28.29	36.64	10.85	32.86	237 305 AVERAGE	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>78.60</td><td>-----</td><td>-----</td><td>63.80</td><td>36.74</td><td>10.94</td><td>32.88</td><td>237 305 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	78.60	-----	-----	63.80	36.74	10.94	32.88	237 305 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5902.14	42.92	68.20	-25.28	28.29	36.64	10.85	32.86	237 305 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	78.60	-----	-----	63.80	36.74	10.94	32.88	237 305 AVERAGE																																																																		





		13									
Mode		Band Edge									
		U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz									
ANT		9+8									
Pol.		Vertical					Fundamental				
Peak		</									





Mode	13																																																																																																
	Harmonic																																																																																																
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																																
ANT	9+8																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-10-22  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>44.16</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>40.62</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-10-22  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>43.93</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>40.67</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.91	74.00	-26.09	44.16	38.54	15.18	49.97	---	Peak	2 17865.00	47.32	74.00	-26.68	40.62	42.89	17.85	54.04	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.68	74.00	-26.32	43.93	38.54	15.18	49.97	---	Peak	2 17865.00	47.37	74.00	-26.63	40.67	42.89	17.85	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11910.00	47.91	74.00	-26.09	44.16	38.54	15.18	49.97	---	Peak																																																																																								
2 17865.00	47.32	74.00	-26.68	40.62	42.89	17.85	54.04	---	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11910.00	47.68	74.00	-26.32	43.93	38.54	15.18	49.97	---	Peak																																																																																								
2 17865.00	47.37	74.00	-26.63	40.67	42.89	17.85	54.04	---	Peak																																																																																								





Mode	14																																											
	Harmonic																																											
	U-NII-5_5925-6425_802.11ax HE20_CH45_6175MHz																																											
ANT	9+8																																											
Pol.	Horizontal						Vertical																																					
Peak Avg																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																					
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1 12350.00 47.85 74.00 -26.15 44.12 38.74 15.59 50.60 --- --- Peak						1 12350.00 47.85 74.00 -26.15 44.12 38.74 15.59 50.60 --- --- Peak																																						



Mode	15																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE20_CH93_6415MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>43.99</td><td>38.93</td><td>16.08</td><td>51.03</td><td>148</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	47.97	88.20	-40.23	43.99	38.93	16.08	51.03	148	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>43.28</td><td>38.93</td><td>16.08</td><td>51.03</td><td>148</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	47.26	88.20	-40.94	43.28	38.93	16.08	51.03	148	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	47.97	88.20	-40.23	43.99	38.93	16.08	51.03	148	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	47.26	88.20	-40.94	43.28	38.93	16.08	51.03	148	---	Peak																																																																																	



Mode	19																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																								
ANT	9+8																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-10-22  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>43.80</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	47.85	88.20	-40.35	43.80	39.05	16.27	51.27	---	---	Peak	Level (dBuV/m) Date: 2025-10-22  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>43.47</td><td>39.05</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	47.52	88.20	-40.68	43.47	39.05	16.27	51.27	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	47.85	88.20	-40.35	43.80	39.05	16.27	51.27	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	47.52	88.20	-40.68	43.47	39.05	16.27	51.27	---	---	Peak																																																																																														







Mode	20																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>43.38</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	46.97	74.00	-27.03	43.38	39.27	16.36	52.04	---	---	Peak	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>43.92</td><td>39.27</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	47.51	74.00	-26.49	43.92	39.27	16.36	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13390.00	46.97	74.00	-27.03	43.38	39.27	16.36	52.04	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13390.00	47.51	74.00	-26.49	43.92	39.27	16.36	52.04	---	---	Peak																																																																																	



Mode	21																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.21</td><td>88.20</td><td>-40.99</td><td>43.48</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.21	88.20	-40.99	43.48	39.50	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>43.82</td><td>39.50</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.55	88.20	-40.65	43.82	39.50	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.21	88.20	-40.99	43.48	39.50	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.55	88.20	-40.65	43.82	39.50	16.45	52.22	---	---	Peak																																																																																	



Mode	25																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Date: 2025-10-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.16</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>38.42</td><td>36.67</td><td>10.87</td><td>32.87</td><td>326</td><td>298 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5917.16	53.09	88.20	-35.11	38.42	36.67	10.87	32.87	326	298 PEAK	Date: 2025-10-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>86.33</td><td>-----</td><td>-----</td><td>71.57</td><td>36.72</td><td>10.92</td><td>32.88</td><td>326</td><td>298 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5965.00	86.33	-----	-----	71.57	36.72	10.92	32.88	326	298 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5917.16	53.09	88.20	-35.11	38.42	36.67	10.87	32.87	326	298 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	86.33	-----	-----	71.57	36.72	10.92	32.88	326	298 PEAK																																																																									
Avg	Date: 2025-10-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5921.32</td><td>42.96</td><td>68.20</td><td>-25.24</td><td>28.28</td><td>36.67</td><td>10.88</td><td>32.87</td><td>326</td><td>298 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5921.32	42.96	68.20	-25.24	28.28	36.67	10.88	32.87	326	298 AVERAGE	Date: 2025-10-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>77.75</td><td>-----</td><td>-----</td><td>62.97</td><td>36.73</td><td>10.93</td><td>32.88</td><td>326</td><td>298 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5965.00	77.75	-----	-----	62.97	36.73	10.93	32.88	326	298 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5921.32	42.96	68.20	-25.24	28.28	36.67	10.88	32.87	326	298 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	77.75	-----	-----	62.97	36.73	10.93	32.88	326	298 AVERAGE																																																																									





		25																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																
ANT		9+8																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Date: 2025-10-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5913.64</td><td>53.48</td><td>88.20</td><td>-34.72</td><td>38.82</td><td>36.66</td><td>10.87</td><td>32.87</td><td>241 9 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5913.64	53.48	88.20	-34.72	38.82	36.66	10.87	32.87	241 9 PEAK	Date: 2025-10-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>86.46</td><td>-----</td><td>-----</td><td>71.65</td><td>36.75</td><td>10.95</td><td>32.89</td><td>241 9 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5965.00	86.46	-----	-----	71.65	36.75	10.95	32.89	241 9 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 5913.64	53.48	88.20	-34.72	38.82	36.66	10.87	32.87	241 9 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 5965.00	86.46	-----	-----	71.65	36.75	10.95	32.89	241 9 PEAK																																																																										
Avg	Date: 2025-10-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5916.20</td><td>42.87</td><td>68.20</td><td>-25.33</td><td>28.20</td><td>36.67</td><td>10.87</td><td>32.87</td><td>241 9 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5916.20	42.87	68.20	-25.33	28.20	36.67	10.87	32.87	241 9 AVERAGE	Date: 2025-10-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>78.65</td><td>-----</td><td>-----</td><td>63.84</td><td>36.75</td><td>10.95</td><td>32.89</td><td>241 9 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5965.00	78.65	-----	-----	63.84	36.75	10.95	32.89	241 9 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 5916.20	42.87	68.20	-25.33	28.20	36.67	10.87	32.87	241 9 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 5965.00	78.65	-----	-----	63.84	36.75	10.95	32.89	241 9 AVERAGE																																																																										



Mode	25																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																	
ANT	9+8																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>44.13</td><td>38.55</td><td>15.19</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>41.02</td><td>42.89</td><td>17.84</td><td>54.07</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.91	74.00	-26.09	44.13	38.55	15.19	49.96	---	Peak	2 17895.00	47.68	74.00	-26.32	41.02	42.89	17.84	54.07	---	Peak	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>44.21</td><td>38.55</td><td>15.19</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>41.23</td><td>42.89</td><td>17.84</td><td>54.07</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.99	74.00	-26.01	44.21	38.55	15.19	49.96	---	Peak	2 17895.00	47.89	74.00	-26.11	41.23	42.89	17.84	54.07	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	47.91	74.00	-26.09	44.13	38.55	15.19	49.96	---	Peak																																																																																									
2 17895.00	47.68	74.00	-26.32	41.02	42.89	17.84	54.07	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	47.99	74.00	-26.01	44.21	38.55	15.19	49.96	---	Peak																																																																																									
2 17895.00	47.89	74.00	-26.11	41.23	42.89	17.84	54.07	---	Peak																																																																																									



Mode	26																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE40_CH43_Full RU_6165MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>43.99</td><td>38.73</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	47.73	74.00	-26.27	43.99	38.73	15.57	50.56	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>43.81</td><td>38.73</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	47.55	74.00	-26.45	43.81	38.73	15.57	50.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	47.73	74.00	-26.27	43.99	38.73	15.57	50.56	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	47.55	74.00	-26.45	43.81	38.73	15.57	50.56	---	---	Peak																																																																																	





Mode	27																																																																																										
	Harmonic																																																																																										
	U-NII-5_5925-6425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>43.85</td><td>38.92</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.80	88.20	-40.40	43.85	38.92	16.05	51.02	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>43.59</td><td>38.92</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.54	88.20	-40.66	43.59	38.92	16.05	51.02	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 12810.00	47.80	88.20	-40.40	43.85	38.92	16.05	51.02	---	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 12810.00	47.54	88.20	-40.66	43.59	38.92	16.05	51.02	---	---	Peak																																																																																	





Mode	30																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-7_6525-6875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																																											
ANT	9+8																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-10-22 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13130.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>43.41</td><td>39.09</td><td>16.29</td><td>51.41</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>cm</td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	47.38	88.20	-40.82	43.41	39.09	16.29	51.41						cm		deg							---	---								Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13130.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>43.11</td><td>39.09</td><td>16.29</td><td>51.41</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>cm</td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	47.08	88.20	-41.12	43.11	39.09	16.29	51.41						cm		deg							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 13130.00	47.38	88.20	-40.82	43.41	39.09	16.29	51.41																																																																																																																					
					cm		deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 13130.00	47.08	88.20	-41.12	43.11	39.09	16.29	51.41																																																																																																																					
					cm		deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					



Mode	31																																																																																															
	Harmonic																																																																																															
	U-NII-7_6525-6875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																															
ANT	9+8																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>43.67</td><td>39.26</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.30	74.00	-26.70	43.67	39.26	16.36	51.99	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>42.99</td><td>39.26</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.62	74.00	-27.38	42.99	39.26	16.36	51.99	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	47.30	74.00	-26.70	43.67	39.26	16.36	51.99	---	---	Peak																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	46.62	74.00	-27.38	42.99	39.26	16.36	51.99	---	---	Peak																																																																																					







Mode	32																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-10-22  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-10-22  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>43.23</td><td>39.48</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	46.94	88.20	-41.26	43.23	39.48	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>43.99</td><td>39.48</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	47.70	88.20	-40.50	43.99	39.48	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	46.94	88.20	-41.26	43.23	39.48	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	47.70	88.20	-40.50	43.99	39.48	16.45	52.22	---	---	Peak																																																																																	





Mode	36																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5879.24</td><td>53.06</td><td>88.20</td><td>-35.14</td><td>38.46</td><td>36.61</td><td>10.84</td><td>32.85</td><td>260 297 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5879.24	53.06	88.20	-35.14	38.46	36.61	10.84	32.85	260 297 PEAK	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>91.29</td><td>-----</td><td>-----</td><td>76.41</td><td>36.79</td><td>10.99</td><td>32.90</td><td>260 297 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	91.29	-----	-----	76.41	36.79	10.99	32.90	260 297 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5879.24	53.06	88.20	-35.14	38.46	36.61	10.84	32.85	260 297 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	91.29	-----	-----	76.41	36.79	10.99	32.90	260 297 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.04</td><td>43.11</td><td>68.20</td><td>-25.09</td><td>28.42</td><td>36.68</td><td>10.88</td><td>32.87</td><td>260 297 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.04	43.11	68.20	-25.09	28.42	36.68	10.88	32.87	260 297 AVERAGE	Level (dBuV/m) Date: 2025-10-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>82.55</td><td>-----</td><td>-----</td><td>67.79</td><td>36.72</td><td>10.92</td><td>32.88</td><td>260 297 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	82.55	-----	-----	67.79	36.72	10.92	32.88	260 297 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.04	43.11	68.20	-25.09	28.42	36.68	10.88	32.87	260 297 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	82.55	-----	-----	67.79	36.72	10.92	32.88	260 297 AVERAGE																																																																		





		36																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																									
ANT		9+8																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.32</td><td>52.97</td><td>88.20</td><td>-35.23</td><td>38.37</td><td>36.61</td><td>10.84</td><td>32.85</td><td>251</td><td>15 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5881.32	52.97	88.20	-35.23	38.37	36.61	10.84	32.85	251	15 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.14</td><td>-----</td><td>-----</td><td>77.38</td><td>36.72</td><td>10.92</td><td>32.88</td><td>251</td><td>15 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.14	-----	-----	77.38	36.72	10.92	32.88	251
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5881.32	52.97	88.20	-35.23	38.37	36.61	10.84	32.85	251	15 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	92.14	-----	-----	77.38	36.72	10.92	32.88	251	15 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.36</td><td>42.88</td><td>68.20</td><td>-25.32</td><td>28.24</td><td>36.65</td><td>10.85</td><td>32.86</td><td>251</td><td>15 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5904.36	42.88	68.20	-25.32	28.24	36.65	10.85	32.86	251	15 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>82.40</td><td>-----</td><td>-----</td><td>67.64</td><td>36.72</td><td>10.92</td><td>32.88</td><td>251</td><td>15 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5985.00	82.40	-----	-----	67.64	36.72	10.92	32.88	251
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5904.36	42.88	68.20	-25.32	28.24	36.65	10.85	32.86	251	15 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	82.40	-----	-----	67.64	36.72	10.92	32.88	251	15 AVERAGE																																																																																	





Mode	36																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																			
ANT	9+8																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-10-23 								Level (dBuV/m) Date: 2025-10-23 																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>42.33</td><td>38.58</td><td>15.21</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>40.25</td><td>42.90</td><td>17.82</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	46.20	74.00	-27.80	42.33	38.58	15.21	49.92	---	---	Peak	2 17955.00	46.82	74.00	-27.18	40.25	42.90	17.82	54.15	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>42.46</td><td>38.58</td><td>15.21</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>41.29</td><td>42.90</td><td>17.82</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	46.33	74.00	-27.67	42.46	38.58	15.21	49.92	---	---	Peak	2 17955.00	47.86	74.00	-26.14	41.29	42.90	17.82	54.15	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11970.00	46.20	74.00	-27.80	42.33	38.58	15.21	49.92	---	---	Peak																																																																																																										
2 17955.00	46.82	74.00	-27.18	40.25	42.90	17.82	54.15	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11970.00	46.33	74.00	-27.67	42.46	38.58	15.21	49.92	---	---	Peak																																																																																																										
2 17955.00	47.86	74.00	-26.14	41.29	42.90	17.82	54.15	---	---	Peak																																																																																																										





Mode	37																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11ax HE80_CH39_Full RU_6145MHz																																																																																																									
ANT	9+8																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12290.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>42.03</td><td>38.72</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12290.00	45.80	74.00	-28.20	42.03	38.72	15.53	50.48	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12290.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>42.20</td><td>38.72</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12290.00	45.97	74.00	-28.03	42.20	38.72	15.53	50.48	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12290.00	45.80	74.00	-28.20	42.03	38.72	15.53	50.48	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12290.00	45.97	74.00	-28.03	42.20	38.72	15.53	50.48	---	---	Peak																																																																																																





Mode	38																																																																																					
	Harmonic																																																																																					
	U-NII-5_5925-6425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																					
ANT	9+8																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg																																																																																						
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>46.75</td><td>88.20</td><td>-41.45</td><td>42.84</td><td>38.91</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	46.75	88.20	-41.45	42.84	38.91	16.01	51.01	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>42.96</td><td>38.91</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	46.87	88.20	-41.33	42.96	38.91	16.01	51.01	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12770.00	46.75	88.20	-41.45	42.84	38.91	16.01	51.01	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12770.00	46.87	88.20	-41.33	42.96	38.91	16.01	51.01	---	---	Peak																																																																												







Mode	40																																																																			
	Harmonic																																																																			
	U-NII-7_6525-6875_802.11ax HE80_CH135_Full RU_6625MHz																																																																			
ANT	9+8																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13250.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>42.70</td><td>39.17</td><td>16.32 51.70</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13250.00	46.49	74.00	-27.51	42.70	39.17	16.32 51.70	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13250.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>44.04</td><td>39.17</td><td>16.32 51.70</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13250.00	47.83	74.00	-26.17	44.04	39.17	16.32 51.70
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13250.00	46.49	74.00	-27.51	42.70	39.17	16.32 51.70																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13250.00	47.83	74.00	-26.17	44.04	39.17	16.32 51.70																																																														
Peak						Peak																																																														



Mode	41																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-6875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																												
ANT	9+8																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-10-23  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13410.00</td><td>46.73</td><td>88.20</td><td>-41.47</td><td>43.15</td><td>39.29</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	46.73	88.20	-41.47	43.15	39.29	16.37	52.08	---	---	Peak	Level (dBuV/m) Date: 2025-10-23  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13410.00</td><td>46.79</td><td>88.20</td><td>-41.41</td><td>43.21</td><td>39.29</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	46.79	88.20	-41.41	43.21	39.29	16.37	52.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	46.73	88.20	-41.47	43.15	39.29	16.37	52.08	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	46.79	88.20	-41.41	43.21	39.29	16.37	52.08	---	---	Peak																																																																																		



Mode	42																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Date: 2025-10-23 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13570.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>42.81</td><td>39.40</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.35	88.20	-41.85	42.81	39.40	16.41	52.27	---	---	Peak	 Date: 2025-10-23 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13570.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>42.81</td><td>39.40</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.35	88.20	-41.85	42.81	39.40	16.41	52.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	46.35	88.20	-41.85	42.81	39.40	16.41	52.27	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	46.35	88.20	-41.85	42.81	39.40	16.41	52.27	---	---	Peak																																																																																	
	 Date: 2025-10-23 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13570.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.31</td><td>39.40</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.85	88.20	-41.35	43.31	39.40	16.41	52.27	---	---	Peak	 Date: 2025-10-23 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13570.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.31</td><td>39.40</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.85	88.20	-41.35	43.31	39.40	16.41	52.27	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	46.85	88.20	-41.35	43.31	39.40	16.41	52.27	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	46.85	88.20	-41.35	43.31	39.40	16.41	52.27	---	---	Peak																																																																																	



Mode	45																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-21 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5875.12</td><td>52.67</td><td>88.20</td><td>-35.53</td><td>38.08</td><td>36.60</td><td>10.84</td><td>32.85</td><td>327 299 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5875.12	52.67	88.20	-35.53	38.08	36.60	10.84	32.85	327 299 PEAK	Level (dBuV/m) Date: 2025-10-21 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>89.58</td><td>-----</td><td>-----</td><td>74.80</td><td>36.73</td><td>10.93</td><td>32.88</td><td>327 299 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	89.58	-----	-----	74.80	36.73	10.93	32.88	327 299 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5875.12	52.67	88.20	-35.53	38.08	36.60	10.84	32.85	327 299 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	89.58	-----	-----	74.80	36.73	10.93	32.88	327 299 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-21 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5913.20</td><td>42.77</td><td>68.20</td><td>-25.43</td><td>28.11</td><td>36.66</td><td>10.87</td><td>32.87</td><td>327 299 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5913.20	42.77	68.20	-25.43	28.11	36.66	10.87	32.87	327 299 AVERAGE	Level (dBuV/m) Date: 2025-10-21 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>80.52</td><td>-----</td><td>-----</td><td>65.74</td><td>36.73</td><td>10.93</td><td>32.88</td><td>327 299 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	80.52	-----	-----	65.74	36.73	10.93	32.88	327 299 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5913.20	42.77	68.20	-25.43	28.11	36.66	10.87	32.87	327 299 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	80.52	-----	-----	65.74	36.73	10.93	32.88	327 299 AVERAGE																																																																		





Mode	45	
	Band Edge	
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	9+8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-10-21 1 5915.16 52.43 88.20 -35.77 37.77 36.66 10.87 32.87 100 47 PEAK	Level (dBuV/m) Date: 2025-10-21 1 6025.00 88.38 ----- 73.60 36.73 10.93 32.88 100 47 PEAK
	Level (dBuV/m) Date: 2025-10-21 1 5916.56 42.79 68.20 -25.41 28.12 36.67 10.87 32.87 100 47 AVERAGE	Level (dBuV/m) Date: 2025-10-21 1 6025.00 80.17 ----- 65.37 36.74 10.94 32.88 100 47 AVERAGE





Mode	45																																																																			
	Harmonic																																																																			
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																			
ANT	9+8																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg	Level (dBuV/m) Date: 2025-10-23 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12050.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>43.44</td><td>38.62</td><td>15.28 50.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12050.00	47.34	74.00	-26.66	43.44	38.62	15.28 50.00	Level (dBuV/m) Date: 2025-10-23 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12050.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>42.96</td><td>38.62</td><td>15.28 50.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12050.00	46.86	74.00	-27.14	42.96	38.62	15.28 50.00
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12050.00	47.34	74.00	-26.66	43.44	38.62	15.28 50.00																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12050.00	46.86	74.00	-27.14	42.96	38.62	15.28 50.00																																																														





Mode	46																																																																													
	Harmonic																																																																													
	U-NII-5_5925-6425_802.11ax HE160_CH47_Full RU_6185MHz																																																																													
ANT	9+8																																																																													
Pol.	Horizontal							Vertical																																																																						
Peak Avg	 Date: 2025-10-23 Level (dBuV/m) vs Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)							 Date: 2025-10-23 Level (dBuV/m) vs Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12370.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>43.51</td><td>38.75</td><td>15.61</td><td>50.64</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	47.23	74.00	-26.77	43.51	38.75	15.61	50.64	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12370.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>44.10</td><td>38.75</td><td>15.61</td><td>50.64</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	47.82	74.00	-26.18	44.10	38.75	15.61	50.64
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 12370.00	47.23	74.00	-26.77	43.51	38.75	15.61	50.64																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 12370.00	47.82	74.00	-26.18	44.10	38.75	15.61	50.64																																																																							
--- Peak							--- Peak																																																																							







Mode	47																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>43.97</td><td>38.88</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	47.80	74.00	-26.20	43.97	38.88	15.93	50.98	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>44.15</td><td>38.88</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	47.98	74.00	-26.02	44.15	38.88	15.93	50.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	47.80	74.00	-26.20	43.97	38.88	15.93	50.98	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	47.98	74.00	-26.02	44.15	38.88	15.93	50.98	---	---	Peak																																																																																	



Mode	48																																																											
	Harmonic																																																											
	U-NII-7_6525-6875_802.11ax HE160_CH143_Full RU_6665MHz																																																											
ANT	9+8																																																											
Pol.	Horizontal						Vertical																																																					
Peak Avg																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.39</td><td>39.23</td><td>16.34</td><td>51.89</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13330.00	47.07	74.00	-26.93	43.39	39.23	16.34	51.89	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>44.20</td><td>39.23</td><td>16.34</td><td>51.89</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13330.00	47.88	74.00	-26.12	44.20	39.23	16.34	51.89
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																					
1 13330.00	47.07	74.00	-26.93	43.39	39.23	16.34	51.89																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																					
1 13330.00	47.88	74.00	-26.12	44.20	39.23	16.34	51.89																																																					
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	---	---	---	---	---	---	---	---	---	---	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	---	---	---	---	---	---	---	---	---	---									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
---	---	---	---	---	---	---	---	---	---																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
---	---	---	---	---	---	---	---	---	---																																																			







		57																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																						
ANT		9+8																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.54</td><td>53.35</td><td>88.20</td><td>-34.85</td><td>38.78</td><td>36.59</td><td>10.83</td><td>32.85</td><td>220 12 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5868.54	53.35	88.20	-34.85	38.78	36.59	10.83	32.85	220 12 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.55</td><td>-----</td><td>76.79</td><td>36.72</td><td>10.92</td><td>32.88</td><td>220 12 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.55	-----	76.79	36.72	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5868.54	53.35	88.20	-34.85	38.78	36.59	10.83	32.85	220 12 PEAK																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5955.00	91.55	-----	76.79	36.72	10.92	32.88	220 12 PEAK																																																																																
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.08</td><td>42.98</td><td>68.20</td><td>-25.22</td><td>28.31</td><td>36.66</td><td>10.87</td><td>32.86</td><td>220 12 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5912.08	42.98	68.20	-25.22	28.31	36.66	10.87	32.86	220 12 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.42</td><td>-----</td><td>68.66</td><td>36.72</td><td>10.92</td><td>32.88</td><td>220 12 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.42	-----	68.66	36.72	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5912.08	42.98	68.20	-25.22	28.31	36.66	10.87	32.86	220 12 AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5955.00	83.42	-----	68.66	36.72	10.92	32.88	220 12 AVERAGE																																																																																



		57																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																		
ANT		9+8																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-10-23 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.12</td><td>53.17</td><td>88.20</td><td>-35.03</td><td>38.51</td><td>36.66</td><td>10.86</td><td>32.86</td><td>100 62 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.12	53.17	88.20	-35.03	38.51	36.66	10.86	32.86	100 62 PEAK	Level (dBuV/m) Date: 2025-10-23 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.02</td><td>-----</td><td>-----</td><td>76.26</td><td>36.72</td><td>10.92</td><td>32.88</td><td>100 62 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.02	-----	-----	76.26	36.72	10.92	32.88	100 62 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5910.12	53.17	88.20	-35.03	38.51	36.66	10.86	32.86	100 62 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5955.00	91.02	-----	-----	76.26	36.72	10.92	32.88	100 62 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-10-23 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.26</td><td>42.87</td><td>68.20</td><td>-25.33</td><td>28.18</td><td>36.68</td><td>10.88</td><td>32.87</td><td>100 62 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	42.87	68.20	-25.33	28.18	36.68	10.88	32.87	100 62 AVERAGE	Level (dBuV/m) Date: 2025-10-23 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.48</td><td>-----</td><td>-----</td><td>69.72</td><td>36.72</td><td>10.92</td><td>32.88</td><td>100 62 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.48	-----	-----	69.72	36.72	10.92	32.88	100 62 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5924.26	42.87	68.20	-25.33	28.18	36.68	10.88	32.87	100 62 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5955.00	84.48	-----	-----	69.72	36.72	10.92	32.88	100 62 AVERAGE																																																																											





Mode	59																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Date: 2025-10-22 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5910.68</td><td>52.84</td><td>88.20</td><td>-35.36</td><td>38.18</td><td>36.66</td><td>10.86</td><td>32.86</td><td>230 305 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5910.68	52.84	88.20	-35.36	38.18	36.66	10.86	32.86	230 305 PEAK	Date: 2025-10-22 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>87.06</td><td>-----</td><td>-----</td><td>72.26</td><td>36.74</td><td>10.94</td><td>32.88</td><td>230 305 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	87.06	-----	-----	72.26	36.74	10.94	32.88	230 305 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5910.68	52.84	88.20	-35.36	38.18	36.66	10.86	32.86	230 305 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	87.06	-----	-----	72.26	36.74	10.94	32.88	230 305 PEAK																																																																		
Avg	Date: 2025-10-22 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5905.78</td><td>42.63</td><td>68.20</td><td>-25.57</td><td>27.98</td><td>36.65</td><td>10.86</td><td>32.86</td><td>230 305 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5905.78	42.63	68.20	-25.57	27.98	36.65	10.86	32.86	230 305 AVERAGE	Date: 2025-10-22 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>78.48</td><td>-----</td><td>-----</td><td>63.68</td><td>36.74</td><td>10.94</td><td>32.88</td><td>230 305 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	78.48	-----	-----	63.68	36.74	10.94	32.88	230 305 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5905.78	42.63	68.20	-25.57	27.98	36.65	10.86	32.86	230 305 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	78.48	-----	-----	63.68	36.74	10.94	32.88	230 305 AVERAGE																																																																		



Mode	59	
	Band Edge	
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz	
ANT	9+8	
Pol.	Vertical	Fundamental
Peak	<	



Mode	59																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																																																															
ANT	9+8																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>43.87</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>40.60</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg		1	11910.00	47.62	74.00	-26.38	43.87	38.54	15.18	49.97	---	---	Peak	2	17865.00	47.30	74.00	-26.70	40.60	42.89	17.85	54.04	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>44.16</td><td>38.54</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>41.18</td><td>42.89</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg		1	11910.00	47.91	74.00	-26.09	44.16	38.54	15.18	49.97	---	---	Peak	2	17865.00	47.88	74.00	-26.12	41.18	42.89	17.85	54.04	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																							
1	11910.00	47.62	74.00	-26.38	43.87	38.54	15.18	49.97	---	---	Peak																																																																																																																					
2	17865.00	47.30	74.00	-26.70	40.60	42.89	17.85	54.04	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																							
1	11910.00	47.91	74.00	-26.09	44.16	38.54	15.18	49.97	---	---	Peak																																																																																																																					
2	17865.00	47.88	74.00	-26.12	41.18	42.89	17.85	54.04	---	---	Peak																																																																																																																					



Mode	60																																																			
	Harmonic																																																			
	U-NII-5_5925-6425_802.11be EHT20_CH45_6175MHz																																																			
ANT	9+8																																																			
Pol.	Horizontal																																																			
Peak Avg	Level (dBuV/m) Date: 2025-10-23 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>43.28</td><td>38.74</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.01	74.00	-26.99	43.28	38.74	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	12350.00	47.01	74.00	-26.99	43.28	38.74	15.59	50.60	---	---	Peak																																									
Level (dBuV/m) Date: 2025-10-23 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>43.60</td><td>38.74</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.33	74.00	-26.67	43.60	38.74	15.59	50.60	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	12350.00	47.33	74.00	-26.67	43.60	38.74	15.59	50.60	---	---	Peak																																									