











Mode	114																																									
	Band Edge																																									
	U-NII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																									
ANT	9+8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-10-24  PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5915.72</td><td>52.88</td><td>88.20 -35.32</td><td>38.21</td><td>36.67</td><td>10.87</td><td>32.87</td><td>250</td><td>328</td><td>PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5915.72	52.88	88.20 -35.32	38.21	36.67	10.87	32.87	250	328	PEAK	Level (dBuV/m) Date: 2025-10-24  PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>79.02</td><td>-----</td><td>64.22</td><td>36.74</td><td>10.94</td><td>32.88</td><td>250</td><td>328</td><td>PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	79.02	-----	64.22	36.74	10.94	32.88	250	328	PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1 5915.72	52.88	88.20 -35.32	38.21	36.67	10.87	32.87	250	328	PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1 5985.00	79.02	-----	64.22	36.74	10.94	32.88	250	328	PEAK																																	
Avg	Level (dBuV/m) Date: 2025-10-24  AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5924.68</td><td>43.91</td><td>68.20 -24.29</td><td>29.22</td><td>36.68</td><td>10.88</td><td>32.87</td><td>250</td><td>328</td><td>AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5924.68	43.91	68.20 -24.29	29.22	36.68	10.88	32.87	250	328	AVERAGE	Level (dBuV/m) Date: 2025-10-24  AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>71.62</td><td>-----</td><td>56.86</td><td>36.72</td><td>10.92</td><td>32.88</td><td>250</td><td>328</td><td>AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	71.62	-----	56.86	36.72	10.92	32.88	250	328	AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1 5924.68	43.91	68.20 -24.29	29.22	36.68	10.88	32.87	250	328	AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1 5985.00	71.62	-----	56.86	36.72	10.92	32.88	250	328	AVERAGE																																	



Mode	114																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																									
ANT	9+8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-24 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.12</td><td>53.17</td><td>88.20</td><td>-35.03</td><td>38.48</td><td>36.68</td><td>10.88</td><td>32.87</td><td>100 64 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5922.12	53.17	88.20	-35.03	38.48	36.68	10.88	32.87	100 64 PEAK	Level (dBuV/m) Date: 2025-10-24 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>81.63</td><td>-----</td><td>-----</td><td>66.80</td><td>36.76</td><td>10.96</td><td>32.89</td><td>100 64 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	81.63	-----	-----	66.80	36.76	10.96	32.89	100 64 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5922.12	53.17	88.20	-35.03	38.48	36.68	10.88	32.87	100 64 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	81.63	-----	-----	66.80	36.76	10.96	32.89	100 64 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-24 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5906.28</td><td>43.81</td><td>68.20</td><td>-24.39</td><td>29.16</td><td>36.65</td><td>10.86</td><td>32.86</td><td>100 64 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5906.28	43.81	68.20	-24.39	29.16	36.65	10.86	32.86	100 64 AVERAGE	Level (dBuV/m) Date: 2025-10-24 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>73.24</td><td>-----</td><td>-----</td><td>58.41</td><td>36.76</td><td>10.96</td><td>32.89</td><td>100 64 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	73.24	-----	-----	58.41	36.76	10.96	32.89	100 64 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5906.28	43.81	68.20	-24.39	29.16	36.65	10.86	32.86	100 64 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	73.24	-----	-----	58.41	36.76	10.96	32.89	100 64 AVERAGE																																																																		



Mode	115																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																			
ANT	9+8																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7237.58</td><td>53.00</td><td>88.20</td><td>-35.20</td><td>37.87</td><td>36.39</td><td>11.89</td><td>33.15</td><td>221 48 PEAK</td></tr><tr><td>2</td><td>7256.20</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>38.51</td><td>36.41</td><td>11.92</td><td>33.15</td><td>221 48 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7237.58	53.00	88.20	-35.20	37.87	36.39	11.89	33.15	221 48 PEAK	2	7256.20	53.69	74.00	-20.31	38.51	36.41	11.92	33.15	221 48 PEAK	 Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>78.43</td><td>-----</td><td>-----</td><td>63.99</td><td>36.12</td><td>11.42</td><td>33.10</td><td>221 48 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	78.43	-----	-----	63.99	36.12	11.42	33.10	221 48 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7237.58	53.00	88.20	-35.20	37.87	36.39	11.89	33.15	221 48 PEAK																																																																																											
2	7256.20	53.69	74.00	-20.31	38.51	36.41	11.92	33.15	221 48 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	78.43	-----	-----	63.99	36.12	11.42	33.10	221 48 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7217.51</td><td>44.08</td><td>68.20</td><td>-24.12</td><td>29.01</td><td>36.36</td><td>11.85</td><td>33.14</td><td>221 48 AVERAGE</td></tr><tr><td>2</td><td>7340.88</td><td>44.28</td><td>54.00</td><td>-9.72</td><td>28.94</td><td>36.51</td><td>12.00</td><td>33.17</td><td>221 48 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7217.51	44.08	68.20	-24.12	29.01	36.36	11.85	33.14	221 48 AVERAGE	2	7340.88	44.28	54.00	-9.72	28.94	36.51	12.00	33.17	221 48 AVERAGE	 Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>69.44</td><td>-----</td><td>-----</td><td>54.94</td><td>36.16</td><td>11.45</td><td>33.11</td><td>221 48 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	69.44	-----	-----	54.94	36.16	11.45	33.11	221 48 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7217.51	44.08	68.20	-24.12	29.01	36.36	11.85	33.14	221 48 AVERAGE																																																																																											
2	7340.88	44.28	54.00	-9.72	28.94	36.51	12.00	33.17	221 48 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	69.44	-----	-----	54.94	36.16	11.45	33.11	221 48 AVERAGE																																																																																											



Mode	115																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7211.30</td><td>52.80</td><td>88.20</td><td>-35.40</td><td>37.75</td><td>36.35</td><td>11.84</td><td>33.14</td><td>210 349 PEAK</td></tr><tr><td>2</td><td>7256.93</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>38.27</td><td>36.41</td><td>11.92</td><td>33.15</td><td>210 349 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7211.30	52.80	88.20	-35.40	37.75	36.35	11.84	33.14	210 349 PEAK	2	7256.93	53.45	74.00	-20.55	38.27	36.41	11.92	33.15	210 349 PEAK	Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>77.96</td><td>-----</td><td>-----</td><td>63.45</td><td>36.17</td><td>11.45</td><td>33.11</td><td>210 349 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	77.96	-----	-----	63.45	36.17	11.45	33.11	210 349 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7211.30	52.80	88.20	-35.40	37.75	36.35	11.84	33.14	210 349 PEAK																																																																																			
2	7256.93	53.45	74.00	-20.55	38.27	36.41	11.92	33.15	210 349 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	77.96	-----	-----	63.45	36.17	11.45	33.11	210 349 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7222.62</td><td>44.03</td><td>68.20</td><td>-24.17</td><td>28.94</td><td>36.37</td><td>11.86</td><td>33.14</td><td>210 349 AVERAGE</td></tr><tr><td>2</td><td>7296.35</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>28.88</td><td>36.46</td><td>11.99</td><td>33.16</td><td>210 349 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.62	44.03	68.20	-24.17	28.94	36.37	11.86	33.14	210 349 AVERAGE	2	7296.35	44.17	54.00	-9.83	28.88	36.46	11.99	33.16	210 349 AVERAGE	Level (dBuV/m) Date: 2025-10-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>69.95</td><td>-----</td><td>-----</td><td>55.44</td><td>36.17</td><td>11.45</td><td>33.11</td><td>210 349 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	69.95	-----	-----	55.44	36.17	11.45	33.11	210 349 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7222.62	44.03	68.20	-24.17	28.94	36.37	11.86	33.14	210 349 AVERAGE																																																																																			
2	7296.35	44.17	54.00	-9.83	28.88	36.46	11.99	33.16	210 349 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	69.95	-----	-----	55.44	36.17	11.45	33.11	210 349 AVERAGE																																																																																			



Mode	116																																																																																									
	Band Edge																																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-24 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.40</td><td>52.25</td><td>88.20</td><td>-35.95</td><td>37.59</td><td>36.66</td><td>10.86</td><td>32.86</td><td>231</td><td>62</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5910.40	52.25	88.20	-35.95	37.59	36.66	10.86	32.86	231	62	PEAK	Level (dBuV/m) Date: 2025-10-24 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>86.58</td><td>-----</td><td>-----</td><td>71.75</td><td>36.76</td><td>10.96</td><td>32.89</td><td>231</td><td>62</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	86.58	-----	-----	71.75	36.76	10.96	32.89	231	62	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5910.40	52.25	88.20	-35.95	37.59	36.66	10.86	32.86	231	62	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	86.58	-----	-----	71.75	36.76	10.96	32.89	231	62	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-10-24 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>43.83</td><td>68.20</td><td>-24.37</td><td>29.13</td><td>36.68</td><td>10.89</td><td>32.87</td><td>231</td><td>62</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.96	43.83	68.20	-24.37	29.13	36.68	10.89	32.87	231	62	AVERAGE	Level (dBuV/m) Date: 2025-10-24 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>78.06</td><td>-----</td><td>-----</td><td>63.23</td><td>36.76</td><td>10.96</td><td>32.89</td><td>231</td><td>62</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	78.06	-----	-----	63.23	36.76	10.96	32.89	231	62	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5924.96	43.83	68.20	-24.37	29.13	36.68	10.89	32.87	231	62	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	78.06	-----	-----	63.23	36.76	10.96	32.89	231	62	AVERAGE																																																																															



Mode	116																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																									
ANT	9+8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-24 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.36</td><td>53.40</td><td>88.20</td><td>-34.80</td><td>38.72</td><td>36.67</td><td>10.88</td><td>32.87</td><td>240 4 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5919.36	53.40	88.20	-34.80	38.72	36.67	10.88	32.87	240 4 PEAK	Level (dBuV/m) Date: 2025-10-24 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>84.70</td><td>-----</td><td>-----</td><td>69.94</td><td>36.72</td><td>10.92</td><td>32.88</td><td>240 4 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	84.70	-----	-----	69.94	36.72	10.92	32.88	240 4 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5919.36	53.40	88.20	-34.80	38.72	36.67	10.88	32.87	240 4 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	84.70	-----	-----	69.94	36.72	10.92	32.88	240 4 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-24 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5909.56</td><td>43.67</td><td>68.20</td><td>-24.53</td><td>29.01</td><td>36.66</td><td>10.86</td><td>32.86</td><td>240 4 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5909.56	43.67	68.20	-24.53	29.01	36.66	10.86	32.86	240 4 AVERAGE	Level (dBuV/m) Date: 2025-10-24 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>76.54</td><td>-----</td><td>-----</td><td>61.78</td><td>36.72</td><td>10.92</td><td>32.88</td><td>240 4 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	76.54	-----	-----	61.78	36.72	10.92	32.88	240 4 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5909.56	43.67	68.20	-24.53	29.01	36.66	10.86	32.86	240 4 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	76.54	-----	-----	61.78	36.72	10.92	32.88	240 4 AVERAGE																																																																		







Mode	117																																																																																										
	Band Edge																																																																																										
	U-NII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7230.00</td><td>52.91</td><td>88.20</td><td>-35.29</td><td>37.81</td><td>36.38</td><td>11.87</td><td>33.15</td><td>212</td><td>40 PEAK</td></tr><tr><td>2</td><td>7335.00</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>37.78</td><td>36.50</td><td>12.00</td><td>33.17</td><td>212</td><td>40 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7230.00	52.91	88.20	-35.29	37.81	36.38	11.87	33.15	212	40 PEAK	2	7335.00	53.11	74.00	-20.89	37.78	36.50	12.00	33.17	212	40 PEAK	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>80.64</td><td>-----</td><td>-----</td><td>66.25</td><td>36.13</td><td>11.35</td><td>33.09</td><td>212</td><td>40 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.64	-----	-----	66.25	36.13	11.35	33.09	212	40 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7230.00	52.91	88.20	-35.29	37.81	36.38	11.87	33.15	212	40 PEAK																																																																																	
2	7335.00	53.11	74.00	-20.89	37.78	36.50	12.00	33.17	212	40 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6985.00	80.64	-----	-----	66.25	36.13	11.35	33.09	212	40 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7213.13</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>29.01</td><td>36.36</td><td>11.84</td><td>33.14</td><td>212</td><td>40 AVERAGE</td></tr><tr><td>2</td><td>7270.63</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>29.16</td><td>36.42</td><td>11.95</td><td>33.15</td><td>212</td><td>40 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7213.13	44.07	68.20	-24.13	29.01	36.36	11.84	33.14	212	40 AVERAGE	2	7270.63	44.38	54.00	-9.62	29.16	36.42	11.95	33.15	212	40 AVERAGE	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>71.67</td><td>-----</td><td>-----</td><td>57.28</td><td>36.14</td><td>11.34</td><td>33.09</td><td>212</td><td>40 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	71.67	-----	-----	57.28	36.14	11.34	33.09	212	40 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7213.13	44.07	68.20	-24.13	29.01	36.36	11.84	33.14	212	40 AVERAGE																																																																																	
2	7270.63	44.38	54.00	-9.62	29.16	36.42	11.95	33.15	212	40 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6985.00	71.67	-----	-----	57.28	36.14	11.34	33.09	212	40 AVERAGE																																																																																	



Mode	117																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																																						
ANT	9+8																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7236.25</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>38.54</td><td>36.38</td><td>11.89</td><td>33.15</td><td>215</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>7321.88</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>38.73</td><td>36.49</td><td>12.00</td><td>33.16</td><td>215</td><td>346</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7236.25	53.66	88.20	-34.54	38.54	36.38	11.89	33.15	215	346	PEAK	2	7321.88	54.06	74.00	-19.94	38.73	36.49	12.00	33.16	215	346	PEAK	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>80.76</td><td>-----</td><td>-----</td><td>66.36</td><td>36.10</td><td>11.40</td><td>33.10</td><td>215</td><td>346</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.76	-----	-----	66.36	36.10	11.40	33.10	215	346	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7236.25	53.66	88.20	-34.54	38.54	36.38	11.89	33.15	215	346	PEAK																																																																																												
2	7321.88	54.06	74.00	-19.94	38.73	36.49	12.00	33.16	215	346	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	80.76	-----	-----	66.36	36.10	11.40	33.10	215	346	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.50</td><td>44.15</td><td>68.20</td><td>-24.05</td><td>29.43</td><td>36.26</td><td>11.59</td><td>33.13</td><td>215</td><td>346</td><td>AVERAGE</td></tr><tr><td>2</td><td>7276.88</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>29.16</td><td>36.43</td><td>11.96</td><td>33.16</td><td>215</td><td>346</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7132.50	44.15	68.20	-24.05	29.43	36.26	11.59	33.13	215	346	AVERAGE	2	7276.88	44.39	54.00	-9.61	29.16	36.43	11.96	33.16	215	346	AVERAGE	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>71.31</td><td>-----</td><td>-----</td><td>56.91</td><td>36.10</td><td>11.40</td><td>33.10</td><td>215</td><td>346</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	71.31	-----	-----	56.91	36.10	11.40	33.10	215	346	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7132.50	44.15	68.20	-24.05	29.43	36.26	11.59	33.13	215	346	AVERAGE																																																																																												
2	7276.88	44.39	54.00	-9.61	29.16	36.43	11.96	33.16	215	346	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	71.31	-----	-----	56.91	36.10	11.40	33.10	215	346	AVERAGE																																																																																												



Mode	118																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5822.07</td><td>53.12</td><td>88.20</td><td>-35.08</td><td>38.60</td><td>36.52</td><td>10.83</td><td>32.83</td><td>235</td><td>309 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5822.07	53.12	88.20	-35.08	38.60	36.52	10.83	32.83	235	309 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>83.94</td><td>-----</td><td>-----</td><td>69.13</td><td>36.75</td><td>10.95</td><td>32.89</td><td>235</td><td>309 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.94	-----	-----	69.13	36.75	10.95	32.89	235
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5822.07	53.12	88.20	-35.08	38.60	36.52	10.83	32.83	235	309 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	83.94	-----	-----	69.13	36.75	10.95	32.89	235	309 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.99</td><td>43.79</td><td>68.20</td><td>-24.41</td><td>29.11</td><td>36.67</td><td>10.88</td><td>32.87</td><td>235</td><td>309 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5919.99	43.79	68.20	-24.41	29.11	36.67	10.88	32.87	235	309 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>75.65</td><td>-----</td><td>-----</td><td>60.89</td><td>36.72</td><td>10.92</td><td>32.88</td><td>235</td><td>309 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	75.65	-----	-----	60.89	36.72	10.92	32.88	235
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5919.99	43.79	68.20	-24.41	29.11	36.67	10.88	32.87	235	309 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	75.65	-----	-----	60.89	36.72	10.92	32.88	235	309 AVERAGE																																																																																	



		118																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																																							
ANT		9+8																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5903.92</td><td>53.44</td><td>88.20</td><td>-34.76</td><td>38.80</td><td>36.65</td><td>10.85</td><td>32.86</td><td>234</td><td>0 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5903.92	53.44	88.20	-34.76	38.80	36.65	10.85	32.86	234	0 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>86.49</td><td>-----</td><td>-----</td><td>71.61</td><td>36.79</td><td>10.99</td><td>32.90</td><td>234</td><td>0 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	86.49	-----	-----	71.61	36.79	10.99	32.90	234
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5903.92	53.44	88.20	-34.76	38.80	36.65	10.85	32.86	234	0 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6105.00	86.49	-----	-----	71.61	36.79	10.99	32.90	234	0 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5885.56</td><td>44.22</td><td>68.20</td><td>-23.98</td><td>29.61</td><td>36.62</td><td>10.84</td><td>32.85</td><td>234</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5885.56	44.22	68.20	-23.98	29.61	36.62	10.84	32.85	234	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>77.29</td><td>-----</td><td>-----</td><td>62.41</td><td>36.79</td><td>10.99</td><td>32.90</td><td>234</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	77.29	-----	-----	62.41	36.79	10.99	32.90	234
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5885.56	44.22	68.20	-23.98	29.61	36.62	10.84	32.85	234	0 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6105.00	77.29	-----	-----	62.41	36.79	10.99	32.90	234	0 AVERAGE																																																																																



Mode	119																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																																						
ANT	9+8																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7157.61</td><td>53.03</td><td>88.20</td><td>-35.17</td><td>38.20</td><td>36.29</td><td>11.67</td><td>33.13</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>7334.88</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>37.53</td><td>36.50</td><td>12.00</td><td>33.17</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7157.61	53.03	88.20	-35.17	38.20	36.29	11.67	33.13	100	300	PEAK	2	7334.88	52.86	74.00	-21.14	37.53	36.50	12.00	33.17	100	300	PEAK	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.33</td><td>-----</td><td>-----</td><td>67.92</td><td>36.20</td><td>11.28</td><td>33.07</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.33	-----	-----	67.92	36.20	11.28	33.07	100	300	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7157.61	53.03	88.20	-35.17	38.20	36.29	11.67	33.13	100	300	PEAK																																																																																												
2	7334.88	52.86	74.00	-21.14	37.53	36.50	12.00	33.17	100	300	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	82.33	-----	-----	67.92	36.20	11.28	33.07	100	300	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7227.79</td><td>43.81</td><td>68.20</td><td>-24.39</td><td>28.72</td><td>36.37</td><td>11.87</td><td>33.15</td><td>100</td><td>300</td><td>AVERAGE</td></tr><tr><td>2</td><td>7258.65</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>29.12</td><td>36.41</td><td>11.92</td><td>33.15</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7227.79	43.81	68.20	-24.39	28.72	36.37	11.87	33.15	100	300	AVERAGE	2	7258.65	44.30	54.00	-9.70	29.12	36.41	11.92	33.15	100	300	AVERAGE	Level (dBuV/m) Date: 2025-10-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>73.83</td><td>-----</td><td>-----</td><td>59.42</td><td>36.20</td><td>11.28</td><td>33.07</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	73.83	-----	-----	59.42	36.20	11.28	33.07	100	300	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7227.79	43.81	68.20	-24.39	28.72	36.37	11.87	33.15	100	300	AVERAGE																																																																																												
2	7258.65	44.30	54.00	-9.70	29.12	36.41	11.92	33.15	100	300	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	73.83	-----	-----	59.42	36.20	11.28	33.07	100	300	AVERAGE																																																																																												



Mode	119																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																																			
ANT	9+8																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7238.68</td><td>53.22</td><td>88.20</td><td>-34.98</td><td>38.09</td><td>36.39</td><td>11.89</td><td>33.15</td><td>100 353 PEAK</td></tr><tr><td>2</td><td>7347.58</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>38.20</td><td>36.52</td><td>12.00</td><td>33.17</td><td>100 353 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7238.68	53.22	88.20	-34.98	38.09	36.39	11.89	33.15	100 353 PEAK	2	7347.58	53.55	74.00	-20.45	38.20	36.52	12.00	33.17	100 353 PEAK	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.29</td><td>-----</td><td>-----</td><td>67.88</td><td>36.20</td><td>11.28</td><td>33.07</td><td>100 353 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.29	-----	-----	67.88	36.20	11.28	33.07	100 353 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7238.68	53.22	88.20	-34.98	38.09	36.39	11.89	33.15	100 353 PEAK																																																																																											
2	7347.58	53.55	74.00	-20.45	38.20	36.52	12.00	33.17	100 353 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	82.29	-----	-----	67.88	36.20	11.28	33.07	100 353 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7206.62</td><td>43.89</td><td>68.20</td><td>-24.31</td><td>28.85</td><td>36.35</td><td>11.83</td><td>33.14</td><td>100 353 AVERAGE</td></tr><tr><td>2</td><td>7294.34</td><td>44.28</td><td>54.00</td><td>-9.72</td><td>29.00</td><td>36.45</td><td>11.99</td><td>33.16</td><td>100 353 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7206.62	43.89	68.20	-24.31	28.85	36.35	11.83	33.14	100 353 AVERAGE	2	7294.34	44.28	54.00	-9.72	29.00	36.45	11.99	33.16	100 353 AVERAGE	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>73.88</td><td>-----</td><td>-----</td><td>59.47</td><td>36.20</td><td>11.28</td><td>33.07</td><td>100 353 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	73.88	-----	-----	59.47	36.20	11.28	33.07	100 353 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7206.62	43.89	68.20	-24.31	28.85	36.35	11.83	33.14	100 353 AVERAGE																																																																																											
2	7294.34	44.28	54.00	-9.72	29.00	36.45	11.99	33.16	100 353 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	73.88	-----	-----	59.47	36.20	11.28	33.07	100 353 AVERAGE																																																																																											







Mode	120																																																													
	Band Edge																																																													
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																													
ANT	9+8																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.28</td><td>53.68</td><td>88.20</td><td>-34.52</td><td>39.03</td><td>36.65</td><td>10.86</td><td>32.86</td><td>246</td><td>309 PEAK</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5909.28	53.68	88.20	-34.52	39.03	36.65	10.86	32.86	246	309 PEAK	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>85.98</td><td>-----</td><td>-----</td><td>71.15</td><td>36.76</td><td>10.96</td><td>32.89</td><td>246</td><td>309 PEAK</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	85.98	-----	-----	71.15	36.76	10.96	32.89	246	309 PEAK
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																					
1 5909.28	53.68	88.20	-34.52	39.03	36.65	10.86	32.86	246	309 PEAK																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																					
1 6105.00	85.98	-----	-----	71.15	36.76	10.96	32.89	246	309 PEAK																																																					
Avg	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.58</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>29.15</td><td>36.68</td><td>10.88</td><td>32.87</td><td>246</td><td>309 AVERAGE</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.58	43.84	68.20	-24.36	29.15	36.68	10.88	32.87	246	309 AVERAGE	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>77.56</td><td>-----</td><td>-----</td><td>62.73</td><td>36.76</td><td>10.96</td><td>32.89</td><td>246</td><td>309 AVERAGE</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	77.56	-----	-----	62.73	36.76	10.96	32.89	246	309 AVERAGE
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																					
1 5924.58	43.84	68.20	-24.36	29.15	36.68	10.88	32.87	246	309 AVERAGE																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																					
1 6105.00	77.56	-----	-----	62.73	36.76	10.96	32.89	246	309 AVERAGE																																																					



Mode	120																																																																																									
	Band Edge																																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5585.68</td><td>54.10</td><td>88.20</td><td>-34.10</td><td>40.01</td><td>36.14</td><td>10.68</td><td>32.73</td><td>252</td><td>360</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5585.68	54.10	88.20	-34.10	40.01	36.14	10.68	32.73	252	360	PEAK	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>87.92</td><td>-----</td><td>-----</td><td>72.98</td><td>36.76</td><td>11.09</td><td>32.91</td><td>252</td><td>360</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	87.92	-----	-----	72.98	36.76	11.09	32.91	252	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5585.68	54.10	88.20	-34.10	40.01	36.14	10.68	32.73	252	360	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	87.92	-----	-----	72.98	36.76	11.09	32.91	252	360	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.10</td><td>43.98</td><td>68.20</td><td>-24.22</td><td>29.51</td><td>36.42</td><td>10.85</td><td>32.80</td><td>252</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5760.10	43.98	68.20	-24.22	29.51	36.42	10.85	32.80	252	360	AVERAGE	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>78.60</td><td>-----</td><td>-----</td><td>63.84</td><td>36.72</td><td>10.92</td><td>32.88</td><td>252</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	78.60	-----	-----	63.84	36.72	10.92	32.88	252	360	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5760.10	43.98	68.20	-24.22	29.51	36.42	10.85	32.80	252	360	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	78.60	-----	-----	63.84	36.72	10.92	32.88	252	360	AVERAGE																																																																															



Mode	121																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																													
ANT	9+8																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Date: 2025-10-25 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6745 6866. 6987. 7108. 7229. 7350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7210.85</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>38.22</td><td>36.35</td><td>11.84</td><td>33.14</td><td>100</td><td>303 PEAK</td></tr><tr><td>2</td><td>7322.78</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>37.38</td><td>36.49</td><td>12.00</td><td>33.16</td><td>100</td><td>303 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7210.85	53.27	88.20	-34.93	38.22	36.35	11.84	33.14	100	303 PEAK	2	7322.78	52.71	74.00	-21.29	37.38	36.49	12.00	33.16	100	303 PEAK	 Level (dBuV/m) Date: 2025-10-25 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>84.45</td><td>-----</td><td>-----</td><td>70.04</td><td>36.20</td><td>11.28</td><td>33.07</td><td>100</td><td>303 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6905.00	84.45	-----	-----	70.04	36.20	11.28	33.07	100	303 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7210.85	53.27	88.20	-34.93	38.22	36.35	11.84	33.14	100	303 PEAK																																																																																																				
2	7322.78	52.71	74.00	-21.29	37.38	36.49	12.00	33.16	100	303 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	84.45	-----	-----	70.04	36.20	11.28	33.07	100	303 PEAK																																																																																																				
Avg	 Level (dBuV/m) Date: 2025-10-25 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6745 6866. 6987. 7108. 7229. 7350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7142.49</td><td>44.37</td><td>68.20</td><td>-23.83</td><td>29.61</td><td>36.27</td><td>11.62</td><td>33.13</td><td>100</td><td>303 AVERAGE</td></tr><tr><td>2</td><td>7290.71</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>28.82</td><td>36.45</td><td>11.98</td><td>33.16</td><td>100</td><td>303 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7142.49	44.37	68.20	-23.83	29.61	36.27	11.62	33.13	100	303 AVERAGE	2	7290.71	44.09	54.00	-9.91	28.82	36.45	11.98	33.16	100	303 AVERAGE	 Level (dBuV/m) Date: 2025-10-25 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>76.77</td><td>-----</td><td>-----</td><td>62.32</td><td>36.24</td><td>11.28</td><td>33.07</td><td>100</td><td>303 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6905.00	76.77	-----	-----	62.32	36.24	11.28	33.07	100	303 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7142.49	44.37	68.20	-23.83	29.61	36.27	11.62	33.13	100	303 AVERAGE																																																																																																				
2	7290.71	44.09	54.00	-9.91	28.82	36.45	11.98	33.16	100	303 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	76.77	-----	-----	62.32	36.24	11.28	33.07	100	303 AVERAGE																																																																																																				



Mode	121																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																			
ANT	9+8																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7153.98</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>38.04</td><td>36.28</td><td>11.66</td><td>33.13</td><td>100 355 PEAK</td></tr><tr><td>2</td><td>7339.72</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>38.12</td><td>36.51</td><td>12.00</td><td>33.17</td><td>100 355 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7153.98	52.85	88.20	-35.35	38.04	36.28	11.66	33.13	100 355 PEAK	2	7339.72	53.46	74.00	-20.54	38.12	36.51	12.00	33.17	100 355 PEAK	Level (dBuV/m) Date: 2025-10-25 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>86.32</td><td>-----</td><td>-----</td><td>71.87</td><td>36.24</td><td>11.28</td><td>33.07</td><td>100 355 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	86.32	-----	-----	71.87	36.24	11.28	33.07	100 355 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7153.98	52.85	88.20	-35.35	38.04	36.28	11.66	33.13	100 355 PEAK																																																																																											
2	7339.72	53.46	74.00	-20.54	38.12	36.51	12.00	33.17	100 355 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	86.32	-----	-----	71.87	36.24	11.28	33.07	100 355 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7202.38</td><td>43.94</td><td>68.20</td><td>-24.26</td><td>28.92</td><td>36.34</td><td>11.82</td><td>33.14</td><td>100 355 AVERAGE</td></tr><tr><td>2</td><td>7288.29</td><td>44.28</td><td>54.00</td><td>-9.72</td><td>29.01</td><td>36.45</td><td>11.98</td><td>33.16</td><td>100 355 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7202.38	43.94	68.20	-24.26	28.92	36.34	11.82	33.14	100 355 AVERAGE	2	7288.29	44.28	54.00	-9.72	29.01	36.45	11.98	33.16	100 355 AVERAGE	Level (dBuV/m) Date: 2025-10-25 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>78.06</td><td>-----</td><td>-----</td><td>63.61</td><td>36.24</td><td>11.28</td><td>33.07</td><td>100 355 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	78.06	-----	-----	63.61	36.24	11.28	33.07	100 355 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7202.38	43.94	68.20	-24.26	28.92	36.34	11.82	33.14	100 355 AVERAGE																																																																																											
2	7288.29	44.28	54.00	-9.72	29.01	36.45	11.98	33.16	100 355 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	78.06	-----	-----	63.61	36.24	11.28	33.07	100 355 AVERAGE																																																																																											



Mode	122																																																																											
	Band Edge																																																																											
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																											
ANT	9+8																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.98</td><td>53.37</td><td>88.20</td><td>-34.83</td><td>38.72</td><td>36.65</td><td>10.86</td><td>32.86</td><td>226 354 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5906.98	53.37	88.20	-34.83	38.72	36.65	10.86	32.86	226 354 PEAK	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>85.89</td><td>-----</td><td>-----</td><td>70.97</td><td>36.78</td><td>11.05</td><td>32.91</td><td>226 354 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	85.89	-----	-----	70.97	36.78	11.05	32.91	226 354 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5906.98	53.37	88.20	-34.83	38.72	36.65	10.86	32.86	226 354 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	85.89	-----	-----	70.97	36.78	11.05	32.91	226 354 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>29.15</td><td>36.68</td><td>10.88</td><td>32.87</td><td>226 354 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	43.84	68.20	-24.36	29.15	36.68	10.88	32.87	226 354 AVERAGE	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>77.76</td><td>-----</td><td>-----</td><td>62.98</td><td>36.73</td><td>10.93</td><td>32.88</td><td>226 354 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	77.76	-----	-----	62.98	36.73	10.93	32.88	226 354 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5924.58	43.84	68.20	-24.36	29.15	36.68	10.88	32.87	226 354 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	77.76	-----	-----	62.98	36.73	10.93	32.88	226 354 AVERAGE																																																																			



Mode	122																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																									
ANT	9+8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(U)NI_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5758.57</td><td>53.47</td><td>88.20</td><td>-34.73</td><td>39.01</td><td>36.41</td><td>10.85</td><td>32.80</td><td>100 47 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5758.57	53.47	88.20	-34.73	39.01	36.41	10.85	32.80	100 47 PEAK	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(U)NI_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>85.15</td><td>-----</td><td>-----</td><td>70.25</td><td>36.80</td><td>11.00</td><td>32.90</td><td>100 47 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	85.15	-----	-----	70.25	36.80	11.00	32.90	100 47 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5758.57	53.47	88.20	-34.73	39.01	36.41	10.85	32.80	100 47 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	85.15	-----	-----	70.25	36.80	11.00	32.90	100 47 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-26 AVG_BE(U)NI_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5624.70</td><td>43.93</td><td>68.20</td><td>-24.27</td><td>29.73</td><td>36.20</td><td>10.75</td><td>32.75</td><td>100 47 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5624.70	43.93	68.20	-24.27	29.73	36.20	10.75	32.75	100 47 AVERAGE	Level (dBuV/m) Date: 2025-10-26 AVG_BE(U)NI_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>77.23</td><td>-----</td><td>-----</td><td>62.45</td><td>36.73</td><td>10.93</td><td>32.88</td><td>100 47 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	77.23	-----	-----	62.45	36.73	10.93	32.88	100 47 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5624.70	43.93	68.20	-24.27	29.73	36.20	10.75	32.75	100 47 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	77.23	-----	-----	62.45	36.73	10.93	32.88	100 47 AVERAGE																																																																		



Mode	123																																																																																													
	Band Edge																																																																																													
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																													
ANT	9+8																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.90</td><td>52.86</td><td>88.20</td><td>-35.34</td><td>37.79</td><td>36.36</td><td>11.85</td><td>33.14</td><td>228</td><td>34</td><td>PEAK</td></tr><tr><td>2</td><td>7251.39</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>38.28</td><td>36.40</td><td>11.91</td><td>33.15</td><td>228</td><td>34</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.90	52.86	88.20	-35.34	37.79	36.36	11.85	33.14	228	34	PEAK	2	7251.39	53.44	74.00	-20.56	38.28	36.40	11.91	33.15	228	34	PEAK	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>83.30</td><td>-----</td><td>-----</td><td>68.93</td><td>36.18</td><td>11.27</td><td>33.08</td><td>228</td><td>34</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.30	-----	-----	68.93	36.18	11.27	33.08	228	34	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7216.90	52.86	88.20	-35.34	37.79	36.36	11.85	33.14	228	34	PEAK																																																																																			
2	7251.39	53.44	74.00	-20.56	38.28	36.40	11.91	33.15	228	34	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	83.30	-----	-----	68.93	36.18	11.27	33.08	228	34	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.48</td><td>43.93</td><td>68.20</td><td>-24.27</td><td>28.86</td><td>36.36</td><td>11.85</td><td>33.14</td><td>228</td><td>34</td><td>AVERAGE</td></tr><tr><td>2</td><td>7277.40</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>28.98</td><td>36.43</td><td>11.96</td><td>33.16</td><td>228</td><td>34</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.48	43.93	68.20	-24.27	28.86	36.36	11.85	33.14	228	34	AVERAGE	2	7277.40	44.21	54.00	-9.79	28.98	36.43	11.96	33.16	228	34	AVERAGE	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>74.40</td><td>-----</td><td>-----</td><td>59.89</td><td>36.27</td><td>11.30</td><td>33.06</td><td>228</td><td>34</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	74.40	-----	-----	59.89	36.27	11.30	33.06	228	34	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7214.48	43.93	68.20	-24.27	28.86	36.36	11.85	33.14	228	34	AVERAGE																																																																																			
2	7277.40	44.21	54.00	-9.79	28.98	36.43	11.96	33.16	228	34	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	74.40	-----	-----	59.89	36.27	11.30	33.06	228	34	AVERAGE																																																																																			



Mode	123																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7229.61</td><td>53.44</td><td>88.20</td><td>-34.76</td><td>38.34</td><td>36.38</td><td>11.87</td><td>33.15</td><td>100 356 PEAK</td></tr><tr><td>2</td><td>7264.70</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>38.43</td><td>36.42</td><td>11.94</td><td>33.15</td><td>100 356 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7229.61	53.44	88.20	-34.76	38.34	36.38	11.87	33.15	100 356 PEAK	2	7264.70	53.64	74.00	-20.36	38.43	36.42	11.94	33.15	100 356 PEAK	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>85.98</td><td>-----</td><td>-----</td><td>71.53</td><td>36.24</td><td>11.28</td><td>33.07</td><td>100 356 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	85.98	-----	-----	71.53	36.24	11.28	33.07	100 356 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7229.61	53.44	88.20	-34.76	38.34	36.38	11.87	33.15	100 356 PEAK																																																																																			
2	7264.70	53.64	74.00	-20.36	38.43	36.42	11.94	33.15	100 356 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	85.98	-----	-----	71.53	36.24	11.28	33.07	100 356 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7211.46</td><td>44.01</td><td>68.20</td><td>-24.19</td><td>28.96</td><td>36.35</td><td>11.84</td><td>33.14</td><td>100 356 AVERAGE</td></tr><tr><td>2</td><td>7303.42</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>28.82</td><td>36.46</td><td>12.00</td><td>33.16</td><td>100 356 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7211.46	44.01	68.20	-24.19	28.96	36.35	11.84	33.14	100 356 AVERAGE	2	7303.42	44.12	54.00	-9.88	28.82	36.46	12.00	33.16	100 356 AVERAGE	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.14</td><td>-----</td><td>-----</td><td>63.63</td><td>36.27</td><td>11.30</td><td>33.06</td><td>100 356 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	78.14	-----	-----	63.63	36.27	11.30	33.06	100 356 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7211.46	44.01	68.20	-24.19	28.96	36.35	11.84	33.14	100 356 AVERAGE																																																																																			
2	7303.42	44.12	54.00	-9.88	28.82	36.46	12.00	33.16	100 356 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	78.14	-----	-----	63.63	36.27	11.30	33.06	100 356 AVERAGE																																																																																			



Mode	124																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M_5985MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5912.84</td><td>52.63</td><td>88.20</td><td>-35.57</td><td>37.97</td><td>36.66</td><td>10.87</td><td>32.87</td><td>245 319 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5912.84	52.63	88.20	-35.57	37.97	36.66	10.87	32.87	245 319 PEAK	Level (dBuV/m) Date: 2025-10-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>82.19</td><td>-----</td><td>-----</td><td>67.43</td><td>36.72</td><td>10.92</td><td>32.88</td><td>245 319 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	82.19	-----	-----	67.43	36.72	10.92	32.88	245 319 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5912.84	52.63	88.20	-35.57	37.97	36.66	10.87	32.87	245 319 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	82.19	-----	-----	67.43	36.72	10.92	32.88	245 319 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.72</td><td>42.77</td><td>68.20</td><td>-25.43</td><td>28.08</td><td>36.68</td><td>10.88</td><td>32.87</td><td>245 319 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5923.72	42.77	68.20	-25.43	28.08	36.68	10.88	32.87	245 319 AVERAGE	Level (dBuV/m) Date: 2025-10-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>72.40</td><td>-----</td><td>-----</td><td>57.64</td><td>36.72</td><td>10.92</td><td>32.88</td><td>245 319 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	72.40	-----	-----	57.64	36.72	10.92	32.88	245 319 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5923.72	42.77	68.20	-25.43	28.08	36.68	10.88	32.87	245 319 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	72.40	-----	-----	57.64	36.72	10.92	32.88	245 319 AVERAGE																																																																		



Mode	124																																																																													
	Band Edge																																																																													
	U-NII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M_5985MHz																																																																													
ANT	9+8																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.84</td><td>53.17</td><td>88.20</td><td>-35.03</td><td>38.47</td><td>36.68</td><td>10.89</td><td>32.87</td><td>100</td><td>45 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.84	53.17	88.20	-35.03	38.47	36.68	10.89	32.87	100	45 PEAK	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>81.43</td><td>-----</td><td>-----</td><td>66.63</td><td>36.74</td><td>10.94</td><td>32.88</td><td>100</td><td>45 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	81.43	-----	-----	66.63	36.74	10.94	32.88	100	45 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.84	53.17	88.20	-35.03	38.47	36.68	10.89	32.87	100	45 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5985.00	81.43	-----	-----	66.63	36.74	10.94	32.88	100	45 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5910.92</td><td>42.86</td><td>68.20</td><td>-25.34</td><td>28.20</td><td>36.66</td><td>10.86</td><td>32.86</td><td>100</td><td>45 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5910.92	42.86	68.20	-25.34	28.20	36.66	10.86	32.86	100	45 AVERAGE	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>72.87</td><td>-----</td><td>-----</td><td>58.09</td><td>36.73</td><td>10.93</td><td>32.88</td><td>100</td><td>45 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	72.87	-----	-----	58.09	36.73	10.93	32.88	100	45 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5910.92	42.86	68.20	-25.34	28.20	36.66	10.86	32.86	100	45 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5985.00	72.87	-----	-----	58.09	36.73	10.93	32.88	100	45 AVERAGE																																																																					







Mode	125																																																																																					
	Band Edge																																																																																					
	U-NII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																					
ANT	9+8																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7224.08</td><td>53.30</td><td>88.20</td><td>-34.90</td><td>38.21</td><td>36.37</td><td>11.86</td><td>33.14</td><td>216 41 PEAK</td></tr><tr><td>2</td><td>7342.70</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>38.11</td><td>36.51</td><td>12.00</td><td>33.17</td><td>216 41 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7224.08	53.30	88.20	-34.90	38.21	36.37	11.86	33.14	216 41 PEAK	2	7342.70	53.45	74.00	-20.55	38.11	36.51	12.00	33.17	216 41 PEAK	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>75.94</td><td>-----</td><td>-----</td><td>61.48</td><td>36.14</td><td>11.43</td><td>33.11</td><td>216 41 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	75.94	-----	-----	61.48	36.14	11.43	33.11	216 41 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	7224.08	53.30	88.20	-34.90	38.21	36.37	11.86	33.14	216 41 PEAK																																																																													
2	7342.70	53.45	74.00	-20.55	38.11	36.51	12.00	33.17	216 41 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	7025.00	75.94	-----	-----	61.48	36.14	11.43	33.11	216 41 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7217.51</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>28.30</td><td>36.36</td><td>11.85</td><td>33.14</td><td>216 41 AVERAGE</td></tr><tr><td>2</td><td>7345.26</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>28.14</td><td>36.51</td><td>12.00</td><td>33.17</td><td>216 41 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7217.51	43.37	68.20	-24.83	28.30	36.36	11.85	33.14	216 41 AVERAGE	2	7345.26	43.48	54.00	-10.52	28.14	36.51	12.00	33.17	216 41 AVERAGE	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>67.13</td><td>-----</td><td>-----</td><td>52.69</td><td>36.12</td><td>11.42</td><td>33.10</td><td>216 41 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	67.13	-----	-----	52.69	36.12	11.42	33.10	216 41 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	7217.51	43.37	68.20	-24.83	28.30	36.36	11.85	33.14	216 41 AVERAGE																																																																													
2	7345.26	43.48	54.00	-10.52	28.14	36.51	12.00	33.17	216 41 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	7025.00	67.13	-----	-----	52.69	36.12	11.42	33.10	216 41 AVERAGE																																																																													







Mode	125																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																																	
ANT	9+8																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.72</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>38.67</td><td>36.25</td><td>11.57</td><td>33.13</td><td>227</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>7307.30</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>38.28</td><td>36.47</td><td>12.01</td><td>33.16</td><td>227</td><td>339</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7127.72	53.36	88.20	-34.84	38.67	36.25	11.57	33.13	227	339	PEAK	2	7307.30	53.60	74.00	-20.40	38.28	36.47	12.01	33.16	227	339	PEAK	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>77.61</td><td>-----</td><td>-----</td><td>63.10</td><td>36.17</td><td>11.45</td><td>33.11</td><td>227</td><td>339</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	77.61	-----	-----	63.10	36.17	11.45	33.11	227	339	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																										
1	7127.72	53.36	88.20	-34.84	38.67	36.25	11.57	33.13	227	339	PEAK																																																																																							
2	7307.30	53.60	74.00	-20.40	38.28	36.47	12.01	33.16	227	339	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																										
1	7025.00	77.61	-----	-----	63.10	36.17	11.45	33.11	227	339	PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7225.90</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>28.25</td><td>36.37</td><td>11.87</td><td>33.15</td><td>227</td><td>339</td><td>AVERAGE</td></tr><tr><td>2</td><td>7338.69</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>28.06</td><td>36.51</td><td>12.00</td><td>33.17</td><td>227</td><td>339</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7225.90	43.34	68.20	-24.86	28.25	36.37	11.87	33.15	227	339	AVERAGE	2	7338.69	43.40	54.00	-10.60	28.06	36.51	12.00	33.17	227	339	AVERAGE	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>68.74</td><td>-----</td><td>-----</td><td>54.23</td><td>36.17</td><td>11.45</td><td>33.11</td><td>227</td><td>339</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	68.74	-----	-----	54.23	36.17	11.45	33.11	227	339	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																										
1	7225.90	43.34	68.20	-24.86	28.25	36.37	11.87	33.15	227	339	AVERAGE																																																																																							
2	7338.69	43.40	54.00	-10.60	28.06	36.51	12.00	33.17	227	339	AVERAGE																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																										
1	7025.00	68.74	-----	-----	54.23	36.17	11.45	33.11	227	339	AVERAGE																																																																																							



Mode	126																																																																																									
	Band Edge																																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-26  PEAK_BE(UNII)_6E Freq 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5830.32</td><td>52.47</td><td>88.20</td><td>-35.73</td><td>37.94</td><td>36.53</td><td>10.83</td><td>32.83</td><td>231 66 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5830.32	52.47	88.20	-35.73	37.94	36.53	10.83	32.83	231 66 PEAK	Level (dBuV/m) Date: 2025-10-26  PEAK_BE(UNII)_6E Freq 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>85.16</td><td>-----</td><td>-----</td><td>70.33</td><td>36.76</td><td>10.96</td><td>32.89</td><td>231 66 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.16	-----	-----	70.33	36.76	10.96	32.89	231 66 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5830.32	52.47	88.20	-35.73	37.94	36.53	10.83	32.83	231 66 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	85.16	-----	-----	70.33	36.76	10.96	32.89	231 66 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-26  AVG_BE(UNII)_6E Freq 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>42.82</td><td>68.20</td><td>-25.38</td><td>28.13</td><td>36.68</td><td>10.88</td><td>32.87</td><td>231 66 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	42.82	68.20	-25.38	28.13	36.68	10.88	32.87	231 66 AVERAGE	Level (dBuV/m) Date: 2025-10-26  AVG_BE(UNII)_6E Freq 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>75.83</td><td>-----</td><td>-----</td><td>61.00</td><td>36.76</td><td>10.96</td><td>32.89</td><td>231 66 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	75.83	-----	-----	61.00	36.76	10.96	32.89	231 66 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5924.68	42.82	68.20	-25.38	28.13	36.68	10.88	32.87	231 66 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	75.83	-----	-----	61.00	36.76	10.96	32.89	231 66 AVERAGE																																																																																	



Mode	126																																																																																									
	Band Edge																																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2025-10-26 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.04</td><td>53.33</td><td>88.20</td><td>-34.87</td><td>38.65</td><td>36.67</td><td>10.88</td><td>32.87</td><td>224</td><td>355</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5921.04	53.33	88.20	-34.87	38.65	36.67	10.88	32.87	224	355	PEAK	 Date: 2025-10-26 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>85.83</td><td>-----</td><td>-----</td><td>70.93</td><td>36.79</td><td>11.01</td><td>32.90</td><td>224</td><td>355</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.83	-----	-----	70.93	36.79	11.01	32.90	224	355	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5921.04	53.33	88.20	-34.87	38.65	36.67	10.88	32.87	224	355	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	85.83	-----	-----	70.93	36.79	11.01	32.90	224	355	PEAK																																																																															
Avg	 Date: 2025-10-26 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.00</td><td>43.00</td><td>68.20</td><td>-25.20</td><td>28.31</td><td>36.68</td><td>10.88</td><td>32.87</td><td>224</td><td>355</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5923.00	43.00	68.20	-25.20	28.31	36.68	10.88	32.87	224	355	AVERAGE	 Date: 2025-10-26 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>76.02</td><td>-----</td><td>-----</td><td>61.12</td><td>36.79</td><td>11.01</td><td>32.90</td><td>224</td><td>355</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	76.02	-----	-----	61.12	36.79	11.01	32.90	224	355	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5923.00	43.00	68.20	-25.20	28.31	36.68	10.88	32.87	224	355	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	76.02	-----	-----	61.12	36.79	11.01	32.90	224	355	AVERAGE																																																																															







Mode	127																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																																										
ANT	9+8																																																																																																										
Pol.	Horizontal					Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7146.25</td><td>53.51</td><td>88.20</td><td>-34.69</td><td>38.73</td><td>36.28</td><td>11.63</td><td>33.13</td><td>216</td><td>248 PEAK</td></tr><tr><td>2</td><td>7349.38</td><td>54.33</td><td>74.00</td><td>-19.67</td><td>38.98</td><td>36.52</td><td>12.00</td><td>33.17</td><td>216</td><td>248 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7146.25	53.51	88.20	-34.69	38.73	36.28	11.63	33.13	216	248 PEAK	2	7349.38	54.33	74.00	-19.67	38.98	36.52	12.00	33.17	216	248 PEAK	Level (dBuV/m) Date: 2025-10-26 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>80.47</td><td>-----</td><td>-----</td><td>66.07</td><td>36.10</td><td>11.40</td><td>33.10</td><td>216</td><td>248 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6985.00	80.47	-----	-----	66.07	36.10	11.40	33.10	216	248 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7146.25	53.51	88.20	-34.69	38.73	36.28	11.63	33.13	216	248 PEAK																																																																																																	
2	7349.38	54.33	74.00	-19.67	38.98	36.52	12.00	33.17	216	248 PEAK																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6985.00	80.47	-----	-----	66.07	36.10	11.40	33.10	216	248 PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7213.13</td><td>43.21</td><td>68.20</td><td>-24.99</td><td>28.15</td><td>36.36</td><td>11.84</td><td>33.14</td><td>216</td><td>248 AVERAGE</td></tr><tr><td>2</td><td>7270.63</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>28.15</td><td>36.42</td><td>11.95</td><td>33.15</td><td>216</td><td>248 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7213.13	43.21	68.20	-24.99	28.15	36.36	11.84	33.14	216	248 AVERAGE	2	7270.63	43.37	54.00	-10.63	28.15	36.42	11.95	33.15	216	248 AVERAGE	Level (dBuV/m) Date: 2025-10-26 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>71.53</td><td>-----</td><td>-----</td><td>57.14</td><td>36.14</td><td>11.34</td><td>33.09</td><td>216</td><td>248 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6985.00	71.53	-----	-----	57.14	36.14	11.34	33.09	216	248 AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7213.13	43.21	68.20	-24.99	28.15	36.36	11.84	33.14	216	248 AVERAGE																																																																																																	
2	7270.63	43.37	54.00	-10.63	28.15	36.42	11.95	33.15	216	248 AVERAGE																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6985.00	71.53	-----	-----	57.14	36.14	11.34	33.09	216	248 AVERAGE																																																																																																	







Mode	127																																																																																							
	Band Edge																																																																																							
	U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																							
ANT	9+8																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7162.50</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>38.49</td><td>36.29</td><td>11.69</td><td>33.13</td><td>100</td><td>357 PEAK</td></tr><tr><td>2 7275.00</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>37.47</td><td>36.43</td><td>11.95</td><td>33.15</td><td>100</td><td>357 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7162.50	53.34	88.20	-34.86	38.49	36.29	11.69	33.13	100	357 PEAK	2 7275.00	52.70	74.00	-21.30	37.47	36.43	11.95	33.15	100	357 PEAK	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>82.20</td><td>-----</td><td>-----</td><td>67.80</td><td>36.12</td><td>11.37</td><td>33.09</td><td>100</td><td>357 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6985.00	82.20	-----	-----	67.80	36.12	11.37	33.09	100	357 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 7162.50	53.34	88.20	-34.86	38.49	36.29	11.69	33.13	100	357 PEAK																																																																															
2 7275.00	52.70	74.00	-21.30	37.47	36.43	11.95	33.15	100	357 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 6985.00	82.20	-----	-----	67.80	36.12	11.37	33.09	100	357 PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7225.63</td><td>43.27</td><td>68.20</td><td>-24.93</td><td>28.18</td><td>36.37</td><td>11.87</td><td>33.15</td><td>100</td><td>357 AVERAGE</td></tr><tr><td>2 7292.50</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>28.05</td><td>36.45</td><td>11.98</td><td>33.16</td><td>100</td><td>357 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7225.63	43.27	68.20	-24.93	28.18	36.37	11.87	33.15	100	357 AVERAGE	2 7292.50	43.32	54.00	-10.68	28.05	36.45	11.98	33.16	100	357 AVERAGE	Level (dBuV/m) Date: 2025-10-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>71.83</td><td>-----</td><td>-----</td><td>57.44</td><td>36.14</td><td>11.34</td><td>33.09</td><td>100</td><td>357 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6985.00	71.83	-----	-----	57.44	36.14	11.34	33.09	100	357 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 7225.63	43.27	68.20	-24.93	28.18	36.37	11.87	33.15	100	357 AVERAGE																																																																															
2 7292.50	43.32	54.00	-10.68	28.05	36.45	11.98	33.16	100	357 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 6985.00	71.83	-----	-----	57.44	36.14	11.34	33.09	100	357 AVERAGE																																																																															



Mode	128																																																																																																																																																														
	Band Edge																																																																																																																																																														
	U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																																																																																																														
ANT	9+8																																																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-26  PEAK_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5862.80</td><td>53.00</td><td>88.20</td><td>-35.20</td><td>38.44</td><td>36.58</td><td>10.83</td><td>32.85</td><td>235</td><td>307</td><td>PEAK</td></tr></table> Level (dBuV/m) Date: 2025-10-26  PEAK_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.08</td><td>-----</td><td>-----</td><td>69.32</td><td>36.72</td><td>10.92</td><td>32.88</td><td>235</td><td>307</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5862.80	53.00	88.20	-35.20	38.44	36.58	10.83	32.85	235	307	PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.08	-----	-----	69.32	36.72	10.92	32.88	235	307	PEAK	Avg	Level (dBuV/m) Date: 2025-10-26  AVG_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.16</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>28.63</td><td>36.68</td><td>10.88</td><td>32.87</td><td>235</td><td>307</td><td>AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-10-26  AVG_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>74.53</td><td>-----</td><td>-----</td><td>59.65</td><td>36.79</td><td>10.99</td><td>32.90</td><td>235</td><td>307</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.16	43.32	68.20	-24.88	28.63	36.68	10.88	32.87	235	307	AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	74.53	-----	-----	59.65	36.79	10.99	32.90	235	307	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																							
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	5862.80	53.00	88.20	-35.20	38.44	36.58	10.83	32.85	235	307	PEAK																																																																																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																								
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	6025.00	84.08	-----	-----	69.32	36.72	10.92	32.88	235	307	PEAK																																																																																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																								
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	5922.16	43.32	68.20	-24.88	28.63	36.68	10.88	32.87	235	307	AVERAGE																																																																																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																								
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	6025.00	74.53	-----	-----	59.65	36.79	10.99	32.90	235	307	AVERAGE																																																																																																																																																				



Mode	128																																																																																														
	Band Edge																																																																																														
	U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																																														
ANT	9+8																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5873.72</td><td>52.76</td><td>88.20</td><td>-35.44</td><td>38.17</td><td>36.60</td><td>10.84</td><td>32.85</td><td>240</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5873.72	52.76	88.20	-35.44	38.17	36.60	10.84	32.85	240	360	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>85.32</td><td>-----</td><td>-----</td><td>70.56</td><td>36.72</td><td>10.92</td><td>32.88</td><td>240</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.32	-----	-----	70.56	36.72	10.92	32.88	240	360
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5873.72	52.76	88.20	-35.44	38.17	36.60	10.84	32.85	240	360	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	85.32	-----	-----	70.56	36.72	10.92	32.88	240	360	PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.32</td><td>43.13</td><td>68.20</td><td>-25.07</td><td>28.45</td><td>36.67</td><td>10.88</td><td>32.87</td><td>240</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	43.13	68.20	-25.07	28.45	36.67	10.88	32.87	240	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>75.98</td><td>-----</td><td>-----</td><td>61.22</td><td>36.72</td><td>10.92</td><td>32.88</td><td>240</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	75.98	-----	-----	61.22	36.72	10.92	32.88	240	360
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5921.32	43.13	68.20	-25.07	28.45	36.67	10.88	32.87	240	360	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	75.98	-----	-----	61.22	36.72	10.92	32.88	240	360	AVERAGE																																																																																				



Mode	129																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7136.25</td><td>52.93</td><td>88.20</td><td>-35.27</td><td>38.20</td><td>36.26</td><td>11.60</td><td>33.13</td><td>217</td><td>218</td><td>PEAK</td></tr><tr><td>2</td><td>7285.00</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>37.91</td><td>36.44</td><td>11.97</td><td>33.16</td><td>217</td><td>218</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7136.25	52.93	88.20	-35.27	38.20	36.26	11.60	33.13	217	218	PEAK	2	7285.00	53.16	74.00	-20.84	37.91	36.44	11.97	33.16	217	218	PEAK	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>79.02</td><td>-----</td><td>-----</td><td>64.64</td><td>36.15</td><td>11.32</td><td>33.09</td><td>217</td><td>218</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6985.00	79.02	-----	-----	64.64	36.15	11.32	33.09	217	218	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7136.25	52.93	88.20	-35.27	38.20	36.26	11.60	33.13	217	218	PEAK																																																																																											
2	7285.00	53.16	74.00	-20.84	37.91	36.44	11.97	33.16	217	218	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	79.02	-----	-----	64.64	36.15	11.32	33.09	217	218	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7227.50</td><td>43.11</td><td>68.20</td><td>-25.09</td><td>28.02</td><td>36.37</td><td>11.87</td><td>33.15</td><td>217</td><td>218</td><td>AVERAGE</td></tr><tr><td>2</td><td>7273.13</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>28.19</td><td>36.43</td><td>11.95</td><td>33.15</td><td>217</td><td>218</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7227.50	43.11	68.20	-25.09	28.02	36.37	11.87	33.15	217	218	AVERAGE	2	7273.13	43.42	54.00	-10.58	28.19	36.43	11.95	33.15	217	218	AVERAGE	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>70.75</td><td>-----</td><td>-----</td><td>56.37</td><td>36.15</td><td>11.32</td><td>33.09</td><td>217</td><td>218</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6985.00	70.75	-----	-----	56.37	36.15	11.32	33.09	217	218	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7227.50	43.11	68.20	-25.09	28.02	36.37	11.87	33.15	217	218	AVERAGE																																																																																											
2	7273.13	43.42	54.00	-10.58	28.19	36.43	11.95	33.15	217	218	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6985.00	70.75	-----	-----	56.37	36.15	11.32	33.09	217	218	AVERAGE																																																																																											



Mode	129																																														
	Band Edge																																														
	U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																														
ANT	9+8																																														
Pol.	Vertical	Fundamental																																													
Peak	Level (dBuV/m) Date: 2025-10-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7215.00</td><td>52.69</td><td>88.20</td><td>-35.51</td><td>37.62</td><td>36.36</td><td>11.85</td><td>33.14</td><td>233 341 PEAK</td></tr><tr><td>2 7296.25</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>37.75</td><td>36.46</td><td>11.99</td><td>33.16</td><td>233 341 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark	1 7215.00	52.69	88.20	-35.51	37.62	36.36	11.85	33.14	233 341 PEAK	2 7296.25	53.04	74.00	-20.96	37.75	36.46	11.99	33.16	233 341 PEAK	Level (dBuV/m) Date: 2025-10-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6985.00</td><td>79.71</td><td>-----</td><td>-----</td><td>65.31</td><td>36.12</td><td>11.38</td><td>33.10</td><td>233 341 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark	1 6985.00	79.71	-----	-----	65.31	36.12	11.38	33.10	233 341 PEAK
	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark																																						
1 7215.00	52.69	88.20	-35.51	37.62	36.36	11.85	33.14	233 341 PEAK																																							
2 7296.25	53.04	74.00	-20.96	37.75	36.46	11.99	33.16	233 341 PEAK																																							
MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark																																							
1 6985.00	79.71	-----	-----	65.31	36.12	11.38	33.10	233 341 PEAK																																							
Avg	Level (dBuV/m) Date: 2025-10-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7218.13</td><td>43.10</td><td>68.20</td><td>-25.10</td><td>28.03</td><td>36.36</td><td>11.85</td><td>33.14</td><td>233 341 AVERAGE</td></tr><tr><td>2 7291.88</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>28.02</td><td>36.45</td><td>11.98</td><td>33.16</td><td>233 341 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark	1 7218.13	43.10	68.20	-25.10	28.03	36.36	11.85	33.14	233 341 AVERAGE	2 7291.88	43.29	54.00	-10.71	28.02	36.45	11.98	33.16	233 341 AVERAGE	Level (dBuV/m) Date: 2025-10-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6985.00</td><td>70.08</td><td>-----</td><td>-----</td><td>55.68</td><td>36.12</td><td>11.38</td><td>33.10</td><td>233 341 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark	1 6985.00	70.08	-----	-----	55.68	36.12	11.38	33.10	233 341 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark																																							
1 7218.13	43.10	68.20	-25.10	28.03	36.36	11.85	33.14	233 341 AVERAGE																																							
2 7291.88	43.29	54.00	-10.71	28.02	36.45	11.98	33.16	233 341 AVERAGE																																							
MHz	dBuV/m	dBuV/m	dBuV/m	dB/m	dB	cm	deg	Remark																																							
1 6985.00	70.08	-----	-----	55.68	36.12	11.38	33.10	233 341 AVERAGE																																							







Mode	130																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5912.34</td><td>54.16</td><td>88.20</td><td>-34.04</td><td>39.49</td><td>36.66</td><td>10.87</td><td>32.86</td><td>218 308 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5912.34	54.16	88.20	-34.04	39.49	36.66	10.87	32.86	218 308 PEAK	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>85.48</td><td>-----</td><td>-----</td><td>70.67</td><td>36.75</td><td>10.95</td><td>32.89</td><td>218 308 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	85.48	-----	-----	70.67	36.75	10.95	32.89	218 308 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5912.34	54.16	88.20	-34.04	39.49	36.66	10.87	32.86	218 308 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	85.48	-----	-----	70.67	36.75	10.95	32.89	218 308 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5708.08</td><td>43.08</td><td>68.20</td><td>-25.12</td><td>28.64</td><td>36.33</td><td>10.89</td><td>32.78</td><td>218 308 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5708.08	43.08	68.20	-25.12	28.64	36.33	10.89	32.78	218 308 AVERAGE	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>75.87</td><td>-----</td><td>-----</td><td>60.95</td><td>36.77</td><td>11.06</td><td>32.91</td><td>218 308 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	75.87	-----	-----	60.95	36.77	11.06	32.91	218 308 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5708.08	43.08	68.20	-25.12	28.64	36.33	10.89	32.78	218 308 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	75.87	-----	-----	60.95	36.77	11.06	32.91	218 308 AVERAGE																																																																		



Mode	130																																																		
	Band Edge																																																		
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																		
ANT	9+8																																																		
Pol.	Vertical																																																		
Peak	Level (dBuV/m) Date: 2025-10-27 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653 5806 5959 6112 6265 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.75</td><td>52.88</td><td>88.20</td><td>-35.32</td><td>38.20</td><td>36.67</td><td>10.88</td><td>32.87</td><td>240</td><td>18</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5920.75	52.88	88.20	-35.32	38.20	36.67	10.88	32.87	240	18	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5920.75	52.88	88.20	-35.32	38.20	36.67	10.88	32.87	240	18	PEAK																																								
Fundamental	Level (dBuV/m) Date: 2025-10-27 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>86.51</td><td>-----</td><td>-----</td><td>71.70</td><td>36.75</td><td>10.95</td><td>32.89</td><td>240</td><td>18</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	86.51	-----	-----	71.70	36.75	10.95	32.89	240	18	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	6105.00	86.51	-----	-----	71.70	36.75	10.95	32.89	240	18	PEAK																																								
Avg	Level (dBuV/m) Date: 2025-10-27 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653 5806 5959 6112 6265 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.10</td><td>42.90</td><td>68.20</td><td>-25.30</td><td>28.43</td><td>36.42</td><td>10.85</td><td>32.80</td><td>240</td><td>18</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5760.10	42.90	68.20	-25.30	28.43	36.42	10.85	32.80	240	18	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5760.10	42.90	68.20	-25.30	28.43	36.42	10.85	32.80	240	18	AVERAGE																																								
Fundamental	Level (dBuV/m) Date: 2025-10-27 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>76.81</td><td>-----</td><td>-----</td><td>62.05</td><td>36.72</td><td>10.92</td><td>32.88</td><td>240</td><td>18</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	76.81	-----	-----	62.05	36.72	10.92	32.88	240	18	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	6105.00	76.81	-----	-----	62.05	36.72	10.92	32.88	240	18	AVERAGE																																								



Mode	131																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																																																														
ANT	9+8																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2025-10-27  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7157.61</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>38.02</td><td>36.29</td><td>11.67</td><td>33.13</td><td>205</td><td>247 PEAK</td></tr><tr><td>2</td><td>7277.40</td><td>52.95</td><td>74.00</td><td>-21.05</td><td>37.72</td><td>36.43</td><td>11.96</td><td>33.16</td><td>205</td><td>247 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7157.61	52.85	88.20	-35.35	38.02	36.29	11.67	33.13	205	247 PEAK	2	7277.40	52.95	74.00	-21.05	37.72	36.43	11.96	33.16	205	247 PEAK	Level (dBuV/m) Date: 2025-10-27  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.52</td><td>-----</td><td>-----</td><td>68.14</td><td>36.17</td><td>11.29</td><td>33.08</td><td>205</td><td>247 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6905.00	82.52	-----	-----	68.14	36.17	11.29	33.08	205	247 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7157.61	52.85	88.20	-35.35	38.02	36.29	11.67	33.13	205	247 PEAK																																																																																																					
2	7277.40	52.95	74.00	-21.05	37.72	36.43	11.96	33.16	205	247 PEAK																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6905.00	82.52	-----	-----	68.14	36.17	11.29	33.08	205	247 PEAK																																																																																																					
Avg	Level (dBuV/m) Date: 2025-10-27  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7210.25</td><td>43.19</td><td>68.20</td><td>-25.01</td><td>28.14</td><td>36.35</td><td>11.84</td><td>33.14</td><td>205</td><td>247 AVERAGE</td></tr><tr><td>2</td><td>7346.37</td><td>43.38</td><td>54.00</td><td>-10.62</td><td>28.03</td><td>36.52</td><td>12.00</td><td>33.17</td><td>205</td><td>247 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7210.25	43.19	68.20	-25.01	28.14	36.35	11.84	33.14	205	247 AVERAGE	2	7346.37	43.38	54.00	-10.62	28.03	36.52	12.00	33.17	205	247 AVERAGE	Level (dBuV/m) Date: 2025-10-27  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>73.11</td><td>-----</td><td>-----</td><td>58.70</td><td>36.20</td><td>11.28</td><td>33.07</td><td>205</td><td>247 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6905.00	73.11	-----	-----	58.70	36.20	11.28	33.07	205	247 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7210.25	43.19	68.20	-25.01	28.14	36.35	11.84	33.14	205	247 AVERAGE																																																																																																					
2	7346.37	43.38	54.00	-10.62	28.03	36.52	12.00	33.17	205	247 AVERAGE																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6905.00	73.11	-----	-----	58.70	36.20	11.28	33.07	205	247 AVERAGE																																																																																																					







Mode	131																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7215.69</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>38.49</td><td>36.36</td><td>11.85</td><td>33.14</td><td>100 350 PEAK</td></tr><tr><td>2</td><td>7311.89</td><td>53.17</td><td>74.00</td><td>-20.83</td><td>37.85</td><td>36.47</td><td>12.01</td><td>33.16</td><td>100 350 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7215.69	53.56	88.20	-34.64	38.49	36.36	11.85	33.14	100 350 PEAK	2	7311.89	53.17	74.00	-20.83	37.85	36.47	12.01	33.16	100 350 PEAK	Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.27</td><td>-----</td><td>-----</td><td>67.89</td><td>36.15</td><td>11.32</td><td>33.09</td><td>100 350 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.27	-----	-----	67.89	36.15	11.32	33.09	100 350 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7215.69	53.56	88.20	-34.64	38.49	36.36	11.85	33.14	100 350 PEAK																																																																																			
2	7311.89	53.17	74.00	-20.83	37.85	36.47	12.01	33.16	100 350 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	82.27	-----	-----	67.89	36.15	11.32	33.09	100 350 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7226.58</td><td>43.05</td><td>68.20</td><td>-25.15</td><td>27.96</td><td>36.37</td><td>11.87</td><td>33.15</td><td>100 350 AVERAGE</td></tr><tr><td>2</td><td>7278.61</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>28.11</td><td>36.43</td><td>11.96</td><td>33.16</td><td>100 350 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7226.58	43.05	68.20	-25.15	27.96	36.37	11.87	33.15	100 350 AVERAGE	2	7278.61	43.34	54.00	-10.66	28.11	36.43	11.96	33.16	100 350 AVERAGE	Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>73.15</td><td>-----</td><td>-----</td><td>58.74</td><td>36.20</td><td>11.28</td><td>33.07</td><td>100 350 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	73.15	-----	-----	58.74	36.20	11.28	33.07	100 350 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7226.58	43.05	68.20	-25.15	27.96	36.37	11.87	33.15	100 350 AVERAGE																																																																																			
2	7278.61	43.34	54.00	-10.66	28.11	36.43	11.96	33.16	100 350 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	73.15	-----	-----	58.74	36.20	11.28	33.07	100 350 AVERAGE																																																																																			



Mode	132																																																																											
	Band Edge																																																																											
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																											
ANT	9+8																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5682.07</td><td>53.59</td><td>88.20</td><td>-34.61</td><td>39.19</td><td>36.29</td><td>10.88</td><td>32.77</td><td>225 66 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5682.07	53.59	88.20	-34.61	39.19	36.29	10.88	32.77	225 66 PEAK	Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>88.79</td><td>-----</td><td>-----</td><td>74.01</td><td>36.73</td><td>10.93</td><td>32.88</td><td>225 66 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	88.79	-----	-----	74.01	36.73	10.93	32.88	225 66 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5682.07	53.59	88.20	-34.61	39.19	36.29	10.88	32.77	225 66 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	88.79	-----	-----	74.01	36.73	10.93	32.88	225 66 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.22</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>28.23</td><td>36.67</td><td>10.88</td><td>32.87</td><td>225 66 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5919.22	42.91	68.20	-25.29	28.23	36.67	10.88	32.87	225 66 AVERAGE	Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>78.40</td><td>-----</td><td>-----</td><td>63.57</td><td>36.76</td><td>10.96</td><td>32.89</td><td>225 66 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	78.40	-----	-----	63.57	36.76	10.96	32.89	225 66 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5919.22	42.91	68.20	-25.29	28.23	36.67	10.88	32.87	225 66 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	78.40	-----	-----	63.57	36.76	10.96	32.89	225 66 AVERAGE																																																																			



		132																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																																
ANT		9+8																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	 Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5750.16</td><td>53.24</td><td>88.20</td><td>-34.96</td><td>38.79</td><td>36.40</td><td>10.85</td><td>32.80</td><td>240 9 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5750.16	53.24	88.20	-34.96	38.79	36.40	10.85	32.80	240 9 PEAK	 Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>88.19</td><td>-----</td><td>-----</td><td>73.43</td><td>36.72</td><td>10.92</td><td>32.88</td><td>240 9 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	88.19	-----	-----	73.43	36.72	10.92	32.88	240 9 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5750.16	53.24	88.20	-34.96	38.79	36.40	10.85	32.80	240 9 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 6105.00	88.19	-----	-----	73.43	36.72	10.92	32.88	240 9 PEAK																																																																										
Avg	 Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5760.10</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>29.07</td><td>36.42</td><td>10.85</td><td>32.80</td><td>240 9 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5760.10	43.54	68.20	-24.66	29.07	36.42	10.85	32.80	240 9 AVERAGE	 Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>79.33</td><td>-----</td><td>-----</td><td>64.57</td><td>36.72</td><td>10.92</td><td>32.88</td><td>240 9 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	79.33	-----	-----	64.57	36.72	10.92	32.88	240 9 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5760.10	43.54	68.20	-24.66	29.07	36.42	10.85	32.80	240 9 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 6105.00	79.33	-----	-----	64.57	36.72	10.92	32.88	240 9 AVERAGE																																																																										



Mode	133																																																																																													
	Band Edge																																																																																													
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																													
ANT	9+8																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7175.16</td><td>52.74</td><td>88.20</td><td>-35.46</td><td>37.84</td><td>36.31</td><td>11.73</td><td>33.14</td><td>212</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>7301.00</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>38.81</td><td>36.46</td><td>12.00</td><td>33.16</td><td>212</td><td>249</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7175.16	52.74	88.20	-35.46	37.84	36.31	11.73	33.14	212	249	PEAK	2	7301.00	54.11	74.00	-19.89	38.81	36.46	12.00	33.16	212	249	PEAK	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>86.65</td><td>-----</td><td>-----</td><td>72.22</td><td>36.22</td><td>11.28</td><td>33.07</td><td>212</td><td>249</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	86.65	-----	-----	72.22	36.22	11.28	33.07	212	249	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7175.16	52.74	88.20	-35.46	37.84	36.31	11.73	33.14	212	249	PEAK																																																																																			
2	7301.00	54.11	74.00	-19.89	38.81	36.46	12.00	33.16	212	249	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	86.65	-----	-----	72.22	36.22	11.28	33.07	212	249	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.35</td><td>43.15</td><td>68.20</td><td>-25.05</td><td>28.06</td><td>36.37</td><td>11.86</td><td>33.14</td><td>212</td><td>249</td><td>AVERAGE</td></tr><tr><td>2</td><td>7315.52</td><td>43.25</td><td>54.00</td><td>-10.75</td><td>27.92</td><td>36.48</td><td>12.01</td><td>33.16</td><td>212</td><td>249</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.35	43.15	68.20	-25.05	28.06	36.37	11.86	33.14	212	249	AVERAGE	2	7315.52	43.25	54.00	-10.75	27.92	36.48	12.01	33.16	212	249	AVERAGE	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.13</td><td>-----</td><td>-----</td><td>62.69</td><td>36.23</td><td>11.28</td><td>33.07</td><td>212</td><td>249</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.13	-----	-----	62.69	36.23	11.28	33.07	212	249	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7222.35	43.15	68.20	-25.05	28.06	36.37	11.86	33.14	212	249	AVERAGE																																																																																			
2	7315.52	43.25	54.00	-10.75	27.92	36.48	12.01	33.16	212	249	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	77.13	-----	-----	62.69	36.23	11.28	33.07	212	249	AVERAGE																																																																																			







Mode	133																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																																		
ANT	9+8																																																																																																		
Pol.	Vertical	Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7146.72</td><td>53.01</td><td>88.20</td><td>-35.19</td><td>38.22</td><td>36.28</td><td>11.64</td><td>33.13</td><td>100</td><td>349 PEAK</td></tr><tr><td>2</td><td>7346.98</td><td>53.61</td><td>74.00</td><td>-20.39</td><td>38.26</td><td>36.52</td><td>12.00</td><td>33.17</td><td>100</td><td>349 PEAK</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7146.72	53.01	88.20	-35.19	38.22	36.28	11.64	33.13	100	349 PEAK	2	7346.98	53.61	74.00	-20.39	38.26	36.52	12.00	33.17	100	349 PEAK	Level (dBuV/m) Date: 2025-10-27 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>87.38</td><td>-----</td><td>-----</td><td>72.93</td><td>36.24</td><td>11.28</td><td>33.07</td><td>100</td><td>349 PEAK</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6905.00	87.38	-----	-----	72.93	36.24	11.28	33.07	100	349 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7146.72	53.01	88.20	-35.19	38.22	36.28	11.64	33.13	100	349 PEAK																																																																																									
2	7346.98	53.61	74.00	-20.39	38.26	36.52	12.00	33.17	100	349 PEAK																																																																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	87.38	-----	-----	72.93	36.24	11.28	33.07	100	349 PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7227.79</td><td>43.06</td><td>68.20</td><td>-25.14</td><td>27.97</td><td>36.37</td><td>11.87</td><td>33.15</td><td>100</td><td>349 AVERAGE</td></tr><tr><td>2</td><td>7291.32</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>27.96</td><td>36.45</td><td>11.98</td><td>33.16</td><td>100</td><td>349 AVERAGE</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7227.79	43.06	68.20	-25.14	27.97	36.37	11.87	33.15	100	349 AVERAGE	2	7291.32	43.23	54.00	-10.77	27.96	36.45	11.98	33.16	100	349 AVERAGE	Level (dBuV/m) Date: 2025-10-27 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>77.11</td><td>-----</td><td>-----</td><td>62.66</td><td>36.24</td><td>11.28</td><td>33.07</td><td>100</td><td>349 AVERAGE</td></tr></table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6905.00	77.11	-----	-----	62.66	36.24	11.28	33.07	100	349 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7227.79	43.06	68.20	-25.14	27.97	36.37	11.87	33.15	100	349 AVERAGE																																																																																									
2	7291.32	43.23	54.00	-10.77	27.96	36.45	11.98	33.16	100	349 AVERAGE																																																																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	77.11	-----	-----	62.66	36.24	11.28	33.07	100	349 AVERAGE																																																																																									



Mode	134																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5655.30</td><td>53.65</td><td>88.20</td><td>-34.55</td><td>39.34</td><td>36.25</td><td>10.82</td><td>32.76</td><td>219 64 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5655.30	53.65	88.20	-34.55	39.34	36.25	10.82	32.76	219 64 PEAK	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>87.45</td><td>-----</td><td>-----</td><td>72.62</td><td>36.76</td><td>10.96</td><td>32.89</td><td>219 64 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	87.45	-----	-----	72.62	36.76	10.96	32.89	219 64 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5655.30	53.65	88.20	-34.55	39.34	36.25	10.82	32.76	219 64 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	87.45	-----	-----	72.62	36.76	10.96	32.89	219 64 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5915.40</td><td>42.97</td><td>68.20</td><td>-25.23</td><td>28.31</td><td>36.66</td><td>10.87</td><td>32.87</td><td>219 64 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5915.40	42.97	68.20	-25.23	28.31	36.66	10.87	32.87	219 64 AVERAGE	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>77.68</td><td>-----</td><td>-----</td><td>62.90</td><td>36.73</td><td>10.93</td><td>32.88</td><td>219 64 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	77.68	-----	-----	62.90	36.73	10.93	32.88	219 64 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5915.40	42.97	68.20	-25.23	28.31	36.66	10.87	32.87	219 64 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	77.68	-----	-----	62.90	36.73	10.93	32.88	219 64 AVERAGE																																																																		



Mode	134																																																																																			
	Band Edge																																																																																			
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																																			
ANT	9+8																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Date: 2025-10-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5731.03</td><td>52.70</td><td>88.20</td><td>-35.50</td><td>38.25</td><td>36.37</td><td>10.87</td><td>32.79</td><td>239</td><td>12 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5731.03	52.70	88.20	-35.50	38.25	36.37	10.87	32.79	239	12 PEAK	Date: 2025-10-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>87.09</td><td>-----</td><td>-----</td><td>72.28</td><td>36.75</td><td>10.95</td><td>32.89</td><td>239</td><td>12 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	87.09	-----	-----	72.28	36.75	10.95	32.89	239	12 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5731.03	52.70	88.20	-35.50	38.25	36.37	10.87	32.79	239	12 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	87.09	-----	-----	72.28	36.75	10.95	32.89	239	12 PEAK																																																																										
Avg	Date: 2025-10-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5760.10</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>29.08</td><td>36.42</td><td>10.85</td><td>32.80</td><td>239</td><td>12 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5760.10	43.55	68.20	-24.65	29.08	36.42	10.85	32.80	239	12 AVERAGE	Date: 2025-10-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>78.54</td><td>-----</td><td>-----</td><td>63.78</td><td>36.72</td><td>10.92</td><td>32.88</td><td>239</td><td>12 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	78.54	-----	-----	63.78	36.72	10.92	32.88	239	12 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5760.10	43.55	68.20	-24.65	29.08	36.42	10.85	32.80	239	12 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	78.54	-----	-----	63.78	36.72	10.92	32.88	239	12 AVERAGE																																																																										



Mode	135																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7219.93</td><td>53.28</td><td>88.20</td><td>-34.92</td><td>38.20</td><td>36.36</td><td>11.86</td><td>33.14</td><td>216</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>7253.81</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>37.85</td><td>36.40</td><td>11.92</td><td>33.15</td><td>216</td><td>253</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7219.93	53.28	88.20	-34.92	38.20	36.36	11.86	33.14	216	253	PEAK	2	7253.81	53.02	74.00	-20.98	37.85	36.40	11.92	33.15	216	253	PEAK	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>85.43</td><td>-----</td><td>-----</td><td>70.94</td><td>36.26</td><td>11.29</td><td>33.06</td><td>216</td><td>253</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	85.43	-----	-----	70.94	36.26	11.29	33.06	216	253	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7219.93	53.28	88.20	-34.92	38.20	36.36	11.86	33.14	216	253	PEAK																																																																																											
2	7253.81	53.02	74.00	-20.98	37.85	36.40	11.92	33.15	216	253	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	85.43	-----	-----	70.94	36.26	11.29	33.06	216	253	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7218.72</td><td>43.07</td><td>68.20</td><td>-25.13</td><td>28.00</td><td>36.36</td><td>11.85</td><td>33.14</td><td>216</td><td>253</td><td>AVERAGE</td></tr><tr><td>2</td><td>7273.17</td><td>43.28</td><td>54.00</td><td>-10.72</td><td>28.05</td><td>36.43</td><td>11.95</td><td>33.15</td><td>216</td><td>253</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7218.72	43.07	68.20	-25.13	28.00	36.36	11.85	33.14	216	253	AVERAGE	2	7273.17	43.28	54.00	-10.72	28.05	36.43	11.95	33.15	216	253	AVERAGE	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>76.27</td><td>-----</td><td>-----</td><td>61.76</td><td>36.27</td><td>11.30</td><td>33.06</td><td>216</td><td>253</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	76.27	-----	-----	61.76	36.27	11.30	33.06	216	253	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7218.72	43.07	68.20	-25.13	28.00	36.36	11.85	33.14	216	253	AVERAGE																																																																																											
2	7273.17	43.28	54.00	-10.72	28.05	36.43	11.95	33.15	216	253	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	76.27	-----	-----	61.76	36.27	11.30	33.06	216	253	AVERAGE																																																																																											







Mode	135																																																																																														
	Band Edge																																																																																														
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																														
ANT	9+8																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7225.37</td><td>53.52</td><td>88.20</td><td>-34.68</td><td>38.43</td><td>36.37</td><td>11.87</td><td>33.15</td><td>100</td><td>355 PEAK</td></tr><tr><td>2</td><td>7339.11</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>39.68</td><td>36.51</td><td>12.00</td><td>33.17</td><td>100</td><td>355 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7225.37	53.52	88.20	-34.68	38.43	36.37	11.87	33.15	100	355 PEAK	2	7339.11	55.02	74.00	-18.98	39.68	36.51	12.00	33.17	100	355 PEAK	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>87.35</td><td>-----</td><td>-----</td><td>72.82</td><td>36.27</td><td>11.32</td><td>33.06</td><td>100</td><td>355 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	87.35	-----	-----	72.82	36.27	11.32	33.06	100	355 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7225.37	53.52	88.20	-34.68	38.43	36.37	11.87	33.15	100	355 PEAK																																																																																					
2	7339.11	55.02	74.00	-18.98	39.68	36.51	12.00	33.17	100	355 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	87.35	-----	-----	72.82	36.27	11.32	33.06	100	355 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7161.85</td><td>43.12</td><td>68.20</td><td>-25.08</td><td>28.27</td><td>36.29</td><td>11.69</td><td>33.13</td><td>100</td><td>355 AVERAGE</td></tr><tr><td>2</td><td>7296.76</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>28.08</td><td>36.46</td><td>11.99</td><td>33.16</td><td>100</td><td>355 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7161.85	43.12	68.20	-25.08	28.27	36.29	11.69	33.13	100	355 AVERAGE	2	7296.76	43.37	54.00	-10.63	28.08	36.46	11.99	33.16	100	355 AVERAGE	Level (dBuV/m) Date: 2025-10-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.55</td><td>-----</td><td>-----</td><td>63.04</td><td>36.27</td><td>11.30</td><td>33.06</td><td>100</td><td>355 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.55	-----	-----	63.04	36.27	11.30	33.06	100	355 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7161.85	43.12	68.20	-25.08	28.27	36.29	11.69	33.13	100	355 AVERAGE																																																																																					
2	7296.76	43.37	54.00	-10.63	28.08	36.46	11.99	33.16	100	355 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	77.55	-----	-----	63.04	36.27	11.30	33.06	100	355 AVERAGE																																																																																					







Mode	136											
	LF											
	U-NII-8_6875-7125_802.11be EHT80-LF_CH215_Full RU_7025MHz											
ANT	9+8											
Pol.	Horizontal						Vertical					
QPI/ Peak												





Co-location:

Mode	143																																																																																																			
Mode	Band Edge - L																																																																																																			
Mode	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025 MHz+Band48																																																																																																			
ANT	9+8																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7231.74</td><td>54.12</td><td>88.20</td><td>-34.08</td><td>39.01</td><td>36.38</td><td>11.88</td><td>33.15</td><td>48 PEAK</td></tr><tr><td>2</td><td>7290.87</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>37.62</td><td>36.45</td><td>11.98</td><td>33.16</td><td>48 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7231.74	54.12	88.20	-34.08	39.01	36.38	11.88	33.15	48 PEAK	2	7290.87	52.89	74.00	-21.11	37.62	36.45	11.98	33.16	48 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>83.32</td><td>-----</td><td>-----</td><td>75.04</td><td>32.33</td><td>8.63</td><td>32.68</td><td>48 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	83.32	-----	-----	75.04	32.33	8.63	32.68	48 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	7231.74	54.12	88.20	-34.08	39.01	36.38	11.88	33.15	48 PEAK																																																																																											
2	7290.87	52.89	74.00	-21.11	37.62	36.45	11.98	33.16	48 PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	7025.00	83.32	-----	-----	75.04	32.33	8.63	32.68	48 PEAK																																																																																											
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7218.24</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>28.30</td><td>36.36</td><td>11.85</td><td>33.14</td><td>48 AVERAGE</td></tr><tr><td>2</td><td>7298.54</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>28.23</td><td>36.46</td><td>12.00</td><td>33.16</td><td>48 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7218.24	43.37	68.20	-24.83	28.30	36.36	11.85	33.14	48 AVERAGE	2	7298.54	43.53	54.00	-10.47	28.23	36.46	12.00	33.16	48 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>74.52</td><td>-----</td><td>-----</td><td>66.24</td><td>32.33</td><td>8.63</td><td>32.68</td><td>48 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	74.52	-----	-----	66.24	32.33	8.63	32.68	48 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	7218.24	43.37	68.20	-24.83	28.30	36.36	11.85	33.14	48 AVERAGE																																																																																											
2	7298.54	43.53	54.00	-10.47	28.23	36.46	12.00	33.16	48 AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	7025.00	74.52	-----	-----	66.24	32.33	8.63	32.68	48 AVERAGE																																																																																											







Mode	143																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025 MHz+Band48																																																																																																					
ANT	9+8																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7229.19</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>38.35</td><td>36.38</td><td>11.87</td><td>33.15</td><td>214</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>7304.01</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>39.22</td><td>36.46</td><td>12.00</td><td>33.16</td><td>214</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7229.19	53.45	88.20	-34.75	38.35	36.38	11.87	33.15	214	343	PEAK	2	7304.01	54.52	74.00	-19.48	39.22	36.46	12.00	33.16	214	343	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>83.93</td><td>-----</td><td>-----</td><td>75.65</td><td>32.33</td><td>8.63</td><td>32.68</td><td>214</td><td>343</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	83.93	-----	-----	75.65	32.33	8.63	32.68	214	343
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7229.19	53.45	88.20	-34.75	38.35	36.38	11.87	33.15	214	343	PEAK																																																																																											
2	7304.01	54.52	74.00	-19.48	39.22	36.46	12.00	33.16	214	343	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7025.00	83.93	-----	-----	75.65	32.33	8.63	32.68	214	343	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7221.16</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>28.36</td><td>36.37</td><td>11.86</td><td>33.14</td><td>214</td><td>343</td><td>AVERAGE</td></tr><tr><td>2</td><td>7274.81</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>28.33</td><td>36.43</td><td>11.95</td><td>33.15</td><td>214</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7221.16	43.45	68.20	-24.75	28.36	36.37	11.86	33.14	214	343	AVERAGE	2	7274.81	43.56	54.00	-10.44	28.33	36.43	11.95	33.15	214	343	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>74.83</td><td>-----</td><td>-----</td><td>66.55</td><td>32.33</td><td>8.63</td><td>32.68</td><td>214</td><td>343</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	74.83	-----	-----	66.55	32.33	8.63	32.68	214	343
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7221.16	43.45	68.20	-24.75	28.36	36.37	11.86	33.14	214	343	AVERAGE																																																																																											
2	7274.81	43.56	54.00	-10.44	28.33	36.43	11.95	33.15	214	343	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7025.00	74.83	-----	-----	66.55	32.33	8.63	32.68	214	343	AVERAGE																																																																																											







Mode	143																																																																																										
	Harmonic																																																																																										
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025 MHz+Band48																																																																																										
ANT	9+8																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>46.69</td><td>88.20</td><td>-41.51</td><td>42.46</td><td>39.73</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	46.69	88.20	-41.51	42.46	39.73	16.57	52.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>42.95</td><td>39.73</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	47.18	88.20	-41.02	42.95	39.73	16.57	52.07	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	14050.00	46.69	88.20	-41.51	42.46	39.73	16.57	52.07	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	14050.00	47.18	88.20	-41.02	42.95	39.73	16.57	52.07	---	---	Peak																																																																																







Mode	144																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz+ Bluetooth-LE_CH39_2480MHz +Band48																																																																																																						
ANT	9+8																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.05</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>38.27</td><td>36.36</td><td>11.85</td><td>33.14</td><td>314</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>7347.81</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>39.11</td><td>36.52</td><td>12.00</td><td>33.17</td><td>314</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7216.05	53.34	88.20	-34.86	38.27	36.36	11.85	33.14	314	49	PEAK	2	7347.81	54.46	74.00	-19.54	39.11	36.52	12.00	33.17	314	49	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>83.80</td><td>-----</td><td>-----</td><td>75.52</td><td>32.33</td><td>8.63</td><td>32.68</td><td>314</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	83.80	-----	-----	75.52	32.33	8.63	32.68	314	49
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7216.05	53.34	88.20	-34.86	38.27	36.36	11.85	33.14	314	49	PEAK																																																																																												
2	7347.81	54.46	74.00	-19.54	39.11	36.52	12.00	33.17	314	49	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	83.80	-----	-----	75.52	32.33	8.63	32.68	314	49	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7204.37</td><td>43.30</td><td>68.20</td><td>-24.90</td><td>28.26</td><td>36.35</td><td>11.83</td><td>33.14</td><td>314</td><td>49</td><td>AVERAGE</td></tr><tr><td>2</td><td>7348.91</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>28.17</td><td>36.52</td><td>12.00</td><td>33.17</td><td>314</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7204.37	43.30	68.20	-24.90	28.26	36.35	11.83	33.14	314	49	AVERAGE	2	7348.91	43.52	54.00	-10.48	28.17	36.52	12.00	33.17	314	49	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>75.14</td><td>-----</td><td>-----</td><td>66.86</td><td>32.33</td><td>8.63</td><td>32.68</td><td>314</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	75.14	-----	-----	66.86	32.33	8.63	32.68	314	49
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7204.37	43.30	68.20	-24.90	28.26	36.35	11.83	33.14	314	49	AVERAGE																																																																																												
2	7348.91	43.52	54.00	-10.48	28.17	36.52	12.00	33.17	314	49	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	75.14	-----	-----	66.86	32.33	8.63	32.68	314	49	AVERAGE																																																																																												







Mode	144																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz+ Bluetooth-LE_CH39_2480MHz +Band48																																																																																																						
ANT	9+8																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7159.47</td><td>53.21</td><td>88.20</td><td>-34.99</td><td>38.37</td><td>36.29</td><td>11.68</td><td>33.13</td><td>212</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>7342.34</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>38.13</td><td>36.51</td><td>12.00</td><td>33.17</td><td>212</td><td>346</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7159.47	53.21	88.20	-34.99	38.37	36.29	11.68	33.13	212	346	PEAK	2	7342.34	53.47	74.00	-20.53	38.13	36.51	12.00	33.17	212	346	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>84.68</td><td>-----</td><td>-----</td><td>76.40</td><td>32.33</td><td>8.63</td><td>32.68</td><td>212</td><td>346</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	84.68	-----	-----	76.40	32.33	8.63	32.68	212	346	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7159.47	53.21	88.20	-34.99	38.37	36.29	11.68	33.13	212	346	PEAK																																																																																												
2	7342.34	53.47	74.00	-20.53	38.13	36.51	12.00	33.17	212	346	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	84.68	-----	-----	76.40	32.33	8.63	32.68	212	346	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7223.71</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>28.23</td><td>36.37</td><td>11.86</td><td>33.14</td><td>212</td><td>346</td><td>AVERAGE</td></tr><tr><td>2</td><td>7262.40</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>28.24</td><td>36.41</td><td>11.93</td><td>33.15</td><td>212</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7223.71	43.32	68.20	-24.88	28.23	36.37	11.86	33.14	212	346	AVERAGE	2	7262.40	43.43	54.00	-10.57	28.24	36.41	11.93	33.15	212	346	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>74.83</td><td>-----</td><td>-----</td><td>66.55</td><td>32.33</td><td>8.63</td><td>32.68</td><td>212</td><td>346</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	74.83	-----	-----	66.55	32.33	8.63	32.68	212	346	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7223.71	43.32	68.20	-24.88	28.23	36.37	11.86	33.14	212	346	AVERAGE																																																																																												
2	7262.40	43.43	54.00	-10.57	28.24	36.41	11.93	33.15	212	346	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	74.83	-----	-----	66.55	32.33	8.63	32.68	212	346	AVERAGE																																																																																												



Mode	144																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz U-NII-8_6875-7125_802.11ax HE80_CH215_7025MHz+Band48																																																																																									
ANT	13																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>55.09</td><td>74.00</td><td>-18.91</td><td>50.23</td><td>30.49</td><td>6.98</td><td>32.61</td><td>393</td><td>23</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	55.09	74.00	-18.91	50.23	30.49	6.98	32.61	393	23	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.17</td><td>-----</td><td>-----</td><td>104.33</td><td>30.48</td><td>6.97</td><td>32.61</td><td>393</td><td>23</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	109.17	-----	-----	104.33	30.48	6.97	32.61	393	23
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.54	55.09	74.00	-18.91	50.23	30.49	6.98	32.61	393	23	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2480.00	109.17	-----	-----	104.33	30.48	6.97	32.61	393	23	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>39.37</td><td>54.00</td><td>-14.63</td><td>34.51</td><td>30.49</td><td>6.98</td><td>32.61</td><td>393</td><td>23</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	39.37	54.00	-14.63	34.51	30.49	6.98	32.61	393	23	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.24</td><td>-----</td><td>-----</td><td>103.40</td><td>30.48</td><td>6.97</td><td>32.61</td><td>393</td><td>23</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	108.24	-----	-----	103.40	30.48	6.97	32.61	393	23
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.52	39.37	54.00	-14.63	34.51	30.49	6.98	32.61	393	23	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2480.00	108.24	-----	-----	103.40	30.48	6.97	32.61	393	23	AVERAGE																																																																															



Mode	144																																																																																						
	Band Edge																																																																																						
	2400-2483.5_Bluetooth-LE_CH39_2480MHz U-NII-8_6875-7125_802.11ax HE80_CH215_7025MHz+Band48																																																																																						
ANT	13																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>49.91</td><td>30.49</td><td>6.98</td><td>32.61</td><td>267</td><td>72 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	54.77	74.00	-19.23	49.91	30.49	6.98	32.61	267	72 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.35</td><td>-----</td><td>-----</td><td>103.51</td><td>30.48</td><td>6.97</td><td>32.61</td><td>267</td><td>72 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	108.35	-----	-----	103.51	30.48	6.97	32.61	267
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.52	54.77	74.00	-19.23	49.91	30.49	6.98	32.61	267	72 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2480.00	108.35	-----	-----	103.51	30.48	6.97	32.61	267	72 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>39.55</td><td>54.00</td><td>-14.45</td><td>34.69</td><td>30.49</td><td>6.98</td><td>32.61</td><td>267</td><td>72 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	39.55	54.00	-14.45	34.69	30.49	6.98	32.61	267	72 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.51</td><td>-----</td><td>-----</td><td>102.67</td><td>30.48</td><td>6.97</td><td>32.61</td><td>267</td><td>72 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	107.51	-----	-----	102.67	30.48	6.97	32.61	267
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.58	39.55	54.00	-14.45	34.69	30.49	6.98	32.61	267	72 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2480.00	107.51	-----	-----	102.67	30.48	6.97	32.61	267	72 AVERAGE																																																																													




Mode	144																																																																										
	Harmonic																																																																										
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz+ Bluetooth-LE_CH39_2480MHz +Band48																																																																										
ANT	9+8																																																																										
Pol.	Horizontal																																																																										
Peak Avg																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>51.64</td><td>35.71</td><td>10.34</td><td>52.68</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>50.16</td><td>36.63</td><td>12.00</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>14050.00</td><td>46.74</td><td>88.20</td><td>-41.46</td><td>42.51</td><td>39.73</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	45.01	74.00	-28.99	51.64	35.71	10.34	52.68	---	---	Peak	2	7440.00	46.51	74.00	-27.49	50.16	36.63	12.00	52.28	---	---	Peak	3	14050.00	46.74	88.20	-41.46	42.51	39.73	16.57	52.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	4960.00	45.01	74.00	-28.99	51.64	35.71	10.34	52.68	---	---	Peak																																																																
2	7440.00	46.51	74.00	-27.49	50.16	36.63	12.00	52.28	---	---	Peak																																																																
3	14050.00	46.74	88.20	-41.46	42.51	39.73	16.57	52.07	---	---	Peak																																																																
Vertical																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>51.92</td><td>35.71</td><td>10.34</td><td>52.68</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>50.21</td><td>36.63</td><td>12.00</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>14050.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>43.03</td><td>39.73</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	45.29	74.00	-28.71	51.92	35.71	10.34	52.68	---	---	Peak	2	7440.00	46.56	74.00	-27.44	50.21	36.63	12.00	52.28	---	---	Peak	3	14050.00	47.26	88.20	-40.94	43.03	39.73	16.57	52.07	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	4960.00	45.29	74.00	-28.71	51.92	35.71	10.34	52.68	---	---	Peak																																																																
2	7440.00	46.56	74.00	-27.44	50.21	36.63	12.00	52.28	---	---	Peak																																																																
3	14050.00	47.26	88.20	-40.94	43.03	39.73	16.57	52.07	---	---	Peak																																																																

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.


Appendix D. Duty Cycle Plots

Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	9+8	99.05	-	-	10Hz
802.11ax HE20	9+8	99.82	-	-	10Hz
802.11ax HE40	9+8	99.63	-	-	10Hz
802.11ax HE80	9+8	99.82	-	-	10Hz
802.11ax HE160	9+8	99.82	-	-	10Hz
802.11be EHT20	9+8	99.63	-	-	10Hz
802.11be EHT40	9+8	99.63	-	-	10Hz
802.11be EHT80	9+8	99.63	-	-	10Hz
802.11be EHT160	9+8	99.63	-	-	10Hz
802.11be EHT320	9+8	99.63	-	-	10Hz
802.11be EHT20 Small RU	9+8	99.31	-	-	10Hz
802.11be EHT80 Large RU	9+8	96.61	0.57	1.754	3KHz
802.11be EHT160 Large RU	9+8	96.08	0.49	2.041	3KHz
802.11be EHT320 Large RU	9+8	92.06	0.58	1.724	3KHz
802.11be EHT80 Puncturing	9+8	99.82	-	-	10Hz
802.11be EHT160 Puncturing	9+8	99.63	-	-	10Hz
802.11be EHT320 Puncturing	9+8	99.82	-	-	10Hz

802.11a




802.11ax HE20






802.11ax HE40




802.11ax HE80






802.11ax HE160




802.11be EHT20







802.11be EHT40




802.11be EHT80



802.11be EHT160




802.11be EHT320






802.11be EHT20_Small RU




802.11be EHT80 Large RU






802.11be EHT160 Large RU




802.11be EHT320 Large RU






802.11be EHT80 Puncturing



802.11be EHT160 Puncturing



802.11be 320 Puncturing

