






































































Date: 22.OCT.2025 23:05:08






Date: 22.OCT.2025 23:06:28



























11BE160MIMO_total_5250_Puncturing 20M_4





11BE160MIMO_total_5250_Puncturing 20M_5













Date: 22.OCT.2025 23:09:25




Date: 22.OCT.2025 23:10:51




11BE160MIMO_total_5570_Large RU 996+484_4



11BE160MIMO_total_5570_Puncturing 40M_4








Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN-L_2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	39.93	-15.45	55.38	20.00	9.74	10.19	Average
2 *	0.16	57.93	-7.45	65.38	38.00	9.74	10.19	QP
3	0.23	28.61	-23.74	52.35	8.70	9.72	10.19	Average
4	0.23	43.91	-18.44	62.35	24.00	9.72	10.19	QP
5	0.32	23.94	-25.72	49.66	4.00	9.73	10.21	Average
6	0.32	40.74	-18.92	59.66	20.80	9.73	10.21	QP
7	0.48	24.97	-21.44	46.41	5.00	9.73	10.24	Average
8	0.48	37.17	-19.24	56.41	17.20	9.73	10.24	QP
9	0.59	26.99	-19.01	46.00	7.00	9.75	10.24	Average
10	0.59	35.99	-20.01	56.00	16.00	9.75	10.24	QP
11	18.23	28.48	-21.52	50.00	8.30	9.77	10.41	Average
12	18.23	34.28	-25.72	60.00	14.10	9.77	10.41	QP



Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15E_QP LISN-N_2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	36.67	-18.89	55.56	16.69	9.79	10.19	Average
2 *	0.16	52.67	-12.89	65.56	32.69	9.79	10.19	QP
3	0.22	34.86	-18.15	53.01	14.90	9.78	10.18	Average
4	0.22	49.26	-13.75	63.01	29.30	9.78	10.18	QP
5	0.25	29.48	-22.21	51.69	9.50	9.78	10.20	Average
6	0.25	40.08	-21.61	61.69	20.10	9.78	10.20	QP
7	0.38	29.50	-18.75	48.25	9.51	9.77	10.22	Average
8	0.38	41.50	-16.75	58.25	21.51	9.77	10.22	QP
9	0.57	29.40	-16.60	46.00	9.40	9.76	10.24	Average
10	0.57	39.00	-17.00	56.00	19.00	9.76	10.24	QP
11	0.83	26.70	-19.30	46.00	6.70	9.77	10.23	Average
12	0.83	36.00	-20.00	56.00	16.00	9.77	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Zhaohui Liang	Relative Humidity :	48 ~ 49 %
		Temperature :	24 ~ 25 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	9+8	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	9+8	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	9+8	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	9+8	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	9+8	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	9+8	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	9+8	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	9+8	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	9+8	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	9+8	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	9+8	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	9+8	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	9+8	802.11n HT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	9+8	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	9+8	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	9+8	802.11n HT20	100	5500	6Mbps	-	-
Mode 17	U-NII-2C	5.47-5.725	9+8	802.11n HT20	116	5580	6Mbps	-	-
Mode 18	U-NII-2C	5.47-5.725	9+8	802.11n HT20	140	5700	6Mbps	-	-
Mode 19	U-NII-1	5.15-5.25	9+8	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	9+8	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	9+8	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	9+8	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	9+8	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	9+8	802.11n HT40	134	5670	MCS0	-	-
Mode 25	U-NII-1	5.15-5.25	9+8	802.11ac VHT80	42	5210	MCS0	-	-
Mode 26	U-NII-2A	5.25-5.35	9+8	802.11ac VHT80	58	5290	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	9+8	802.11ac VHT80	106	5530	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	9+8	802.11ac VHT80	122	5610	MCS0	-	-
Mode	U-NII-2A	5.25-5.35	9+8	802.11ac	50	5250	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
29				VHT160					
Mode 30	U-NII-2C	5.47-5.725	9+8	802.11ac VHT160	114	5570	MCS0	-	-
Mode 31	U-NII-1	5.15-5.25	9+8	802.11ax HE20	36	5180	MCS0	-	-
Mode 32	U-NII-1	5.15-5.25	9+8	802.11ax HE20	44	5220	MCS0	-	-
Mode 33	U-NII-1	5.15-5.25	9+8	802.11ax HE20	48	5240	MCS0	-	-
Mode 34	U-NII-2A	5.25-5.35	9+8	802.11ax HE20	52	5260	MCS0	-	-
Mode 35	U-NII-2A	5.25-5.35	9+8	802.11ax HE20	60	5300	MCS0	-	-
Mode 36	U-NII-2A	5.25-5.35	9+8	802.11ax HE20	64	5320	MCS0	-	-
Mode 37	U-NII-2C	5.47-5.725	9+8	802.11ax HE20	100	5500	6Mbps	-	-
Mode 38	U-NII-2C	5.47-5.725	9+8	802.11ax HE20	116	5580	6Mbps	-	-
Mode 39	U-NII-2C	5.47-5.725	9+8	802.11ax HE20	140	5700	6Mbps	-	-
Mode 40	U-NII-1	5.15-5.25	9+8	802.11ax HE40	38	5190	MCS0	-	-
Mode 41	U-NII-1	5.15-5.25	9+8	802.11ax HE40	46	5230	MCS0	-	-
Mode 42	U-NII-2A	5.25-5.35	9+8	802.11ax HE40	54	5270	MCS0	-	-
Mode 43	U-NII-2A	5.25-5.35	9+8	802.11ax HE40	62	5310	MCS0	-	-
Mode 44	U-NII-2C	5.47-5.725	9+8	802.11ax HE40	102	5510	MCS0	-	-
Mode 45	U-NII-2C	5.47-5.725	9+8	802.11ax HE40	134	5670	MCS0	-	-
Mode 46	U-NII-1	5.15-5.25	9+8	802.11ax HE80	42	5210	MCS0	-	-
Mode 47	U-NII-2A	5.25-5.35	9+8	802.11ax HE80	58	5290	MCS0	-	-
Mode 48	U-NII-2C	5.47-5.725	9+8	802.11ax HE80	106	5530	MCS0	-	-
Mode 49	U-NII-2C	5.47-5.725	9+8	802.11ax HE80	122	5610	MCS0	-	-
Mode 50	U-NII-2A	5.25-5.35	9+8	802.11ax HE160	50	5250	MCS0	-	-
Mode 51	U-NII-2C	5.47-5.725	9+8	802.11ax HE160	114	5570	MCS0	-	-
Mode 52	U-NII-1	5.15-5.25	9+8	802.11ax HE20	36	5180	MCS0	Partial RU 106/53	-
Mode 53	U-NII-2A	5.25-5.35	9+8	802.11ax HE20	64	5270	MCS0	Partial RU 26/8	-
Mode 54	U-NII-2C	5.47-5.725	9+8	802.11ax HE20	100	5500	MCS0	Partial RU 26/0	-
Mode 55	U-NII-2C	5.47-5.725	9+8	802.11ax HE20	140	5700	MCS0	Partial RU 52/40	-
Mode 56	U-NII-1	5.15-5.25	9+8	802.11be EHT20	36	5180	MCS0	-	-
Mode 57	U-NII-1	5.15-5.25	9+8	802.11be EHT20	44	5220	MCS0	-	-
Mode 58	U-NII-1	5.15-5.25	9+8	802.11be EHT20	48	5240	MCS0	-	-
Mode 59	U-NII-2A	5.25-5.35	9+8	802.11be EHT20	52	5260	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 60	U-NII-2A	5.25-5.35	9+8	802.11be EHT20	60	5300	MCS0	-	-
Mode 61	U-NII-2A	5.25-5.35	9+8	802.11be EHT20	64	5320	MCS0	-	-
Mode 62	U-NII-2C	5.47-5.725	9+8	802.11be EHT20	100	5500	6Mbps	-	-
Mode 63	U-NII-2C	5.47-5.725	9+8	802.11be EHT20	116	5580	6Mbps	-	-
Mode 64	U-NII-2C	5.47-5.725	9+8	802.11be EHT20	140	5700	6Mbps	-	-
Mode 65	U-NII-1	5.15-5.25	9+8	802.11be EHT40	38	5190	MCS0	-	-
Mode 66	U-NII-1	5.15-5.25	9+8	802.11be EHT40	46	5230	MCS0	-	-
Mode 67	U-NII-2A	5.25-5.35	9+8	802.11be EHT40	54	5270	MCS0	-	-
Mode 68	U-NII-2A	5.25-5.35	9+8	802.11be EHT40	62	5310	MCS0	-	-
Mode 69	U-NII-2C	5.47-5.725	9+8	802.11be EHT40	102	5510	MCS0	-	-
Mode 70	U-NII-2C	5.47-5.725	9+8	802.11be EHT40	134	5670	MCS0	-	-
Mode 71	U-NII-1	5.15-5.25	9+8	802.11be EHT80	42	5210	MCS0	-	-
Mode 72	U-NII-2A	5.25-5.35	9+8	802.11be EHT80	58	5290	MCS0	-	-
Mode 73	U-NII-2C	5.47-5.725	9+8	802.11be EHT80	106	5530	MCS0	-	-
Mode 74	U-NII-2C	5.47-5.725	9+8	802.11be EHT80	122	5610	MCS0	-	-
Mode 75	U-NII-2A	5.25-5.35	9+8	802.11be EHT160	50	5250	MCS0	-	-
Mode 76	U-NII-2C	5.47-5.725	9+8	802.11be EHT160	114	5570	MCS0	-	-
Mode 77	U-NII-1	5.15-5.25	9+8	802.11be EHT20	36	5180	MCS0	Single RU 106/53	-
Mode 78	U-NII-2A	5.25-5.35	9+8	802.11be EHT20	64	5270	MCS0	Single RU 106/54	-
Mode 79	U-NII-2C	5.47-5.725	9+8	802.11be EHT20	100	5500	MCS0	Single RU 52/37	-
Mode 80	U-NII-2C	5.47-5.725	9+8	802.11be EHT20	140	5700	MCS0	Single RU 26/8	-
Mode 81	U-NII-1	5.15-5.25	9+8	802.11be EHT20	36	5180	MCS0	worse from PSD 106+26_OFDMA-1	-
Mode 82	U-NII-2A	5.25-5.35	9+8	802.11be EHT20	64	5270	MCS0	worse from PSD 106+26_OFDMA-2	-
Mode 83	U-NII-2C	5.47-5.725	9+8	802.11be EHT20	100	5500	MCS0	worse from PSD 106+26_OFDMA-1	-
Mode 84	U-NII-2C	5.47-5.725	9+8	802.11be EHT20	140	5700	MCS0	worse from PSD 106+26_OFDMA-2	-
Mode 85	U-NII-3	5.725-5.85	9+8	802.11a	149	5745	6Mbps	-	-
Mode 86	U-NII-3	5.725-5.85	9+8	802.11a	157	5785	6Mbps	-	-
Mode 87	U-NII-3	5.725-5.85	9+8	802.11a	165	5825	6Mbps	-	-
Mode 88	U-NII-3	5.725-5.85	9+8	802.11n HT20	149	5745	MCS0	-	-
Mode 89	U-NII-3	5.725-5.85	9+8	802.11n HT20	157	5785	MCS0	-	-
Mode 90	U-NII-3	5.725-5.85	9+8	802.11n HT20	165	5825	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 91	U-NII-3	5.725-5.85	9+8	802.11n HT40	151	5755	MCS0	-	-
Mode 92	U-NII-3	5.725-5.85	9+8	802.11n HT40	159	5795	MCS0	-	-
Mode 93	U-NII-3	5.725-5.85	9+8	802.11ac VHT80	155	5775	MCS0	-	-
Mode 94	U-NII-3	5.725-5.85	9+8	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 95	U-NII-3	5.725-5.85	9+8	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 96	U-NII-3	5.725-5.85	9+8	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 97	U-NII-3	5.725-5.85	9+8	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 98	U-NII-3	5.725-5.85	9+8	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 99	U-NII-3	5.725-5.85	9+8	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 100	U-NII-3	5.725-5.85	9+8	802.11ax HE20	149	5745	MCS0	Partial RU 52/37	-
Mode 101	U-NII-3	5.725-5.85	9+8	802.11ax HE20	165	5825	MCS0	Partial RU 52/40	-
Mode 102	U-NII-3	5.725-5.85	9+8	802.11be EHT20	149	5745	MCS0	Full RU	-
Mode 103	U-NII-3	5.725-5.85	9+8	802.11be EHT20	157	5785	MCS0	Full RU	-
Mode 104	U-NII-3	5.725-5.85	9+8	802.11be EHT20	165	5825	MCS0	Full RU	-
Mode 105	U-NII-3	5.725-5.85	9+8	802.11be EHT40	151	5755	MCS0	Full RU	-
Mode 106	U-NII-3	5.725-5.85	9+8	802.11be EHT40	159	5795	MCS0	Full RU	-
Mode 107	U-NII-3	5.725-5.85	9+8	802.11be EHT80	155	5775	MCS0	Full RU	-
Mode 108	U-NII-3	5.725-5.85	9+8	802.11be EHT20	149	5745	MCS0	Partial RU 52/37	-
Mode 109	U-NII-3	5.725-5.85	9+8	802.11be EHT20	165	5825	MCS0	Partial RU 52/40	-
Mode 110	U-NII-3	5.725-5.85	9+8	802.11be EHT20	149	5745	MCS0	worse from PSD 106+26 OFDMA-1	-
Mode 111	U-NII-3	5.725-5.85	9+8	802.11be EHT20	165	5825	MCS0	worse from PSD 106+26 OFDMA-2	-
Mode 112	U-NII-1	5.15-5.25	9+8	802.11be EHT80	42	5210	MCS0	Large RU 484+242 4	-
Mode 113	U-NII-2A	5.25-5.35	9+8	802.11be EHT80	58	5290	MCS0	Large RU 484+242 1	-
Mode 114	U-NII-2C	5.47-5.725	9+8	802.11be EHT80	106	5530	MCS0	Large RU 484+242 4	-
Mode 115	U-NII-2C	5.47-5.725	9+8	802.11be EHT80	122	5610	MCS0	Large RU 484+242 1	-
Mode 116	U-NII-2A	5.25-5.35	9+8	802.11be EHT160	50	5250	MCS0	Large RU 996+484 2	-
Mode 117	U-NII-2C	5.47-5.725	9+8	802.11be EHT160	114	5570	MCS0	Large RU 996+484 4	-
Mode 118	U-NII-3	5.725-5.85	9+8	802.11be EHT80	155	5775	MCS0	Large RU 484+242 4	-
Mode 119	U-NII-1	5.15-5.25	9+8	802.11be EHT80	42	5210	MCS0	Puncturing 20M 4	-
Mode 120	U-NII-2A	5.25-5.35	9+8	802.11be EHT80	58	5290	MCS0	Puncturing 20M 1	-
Mode 121	U-NII-2C	5.47-5.725	9+8	802.11be EHT80	106	5530	MCS0	Puncturing 20M 4	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 122	U-NII-2C	5.47-5.725	9+8	802.11be EHT80	122	5610	MCS0	Puncturing 20M 1	-
Mode 123	U-NII-2A	5.25-5.35	9+8	802.11be EHT160	50	5250	MCS0	Puncturing 40M 3	-
Mode 124	U-NII-2C	5.47-5.725	9+8	802.11be EHT160	114	5570	MCS0	Puncturing 40M 4	-
Mode 125	U-NII-3	5.725-5.85	9+8	802.11be EHT80	155	5775	MCS0	Puncturing 20M 4	-
Mode 126	U-NII-2A	5.25-5.35	9+8	802.11be EHT160	50	5250	MCS0	Puncturing 20M 5	-
Mode 127	U-NII-2C	5.47-5.725	9+8	802.11be EHT160	114	5570	MCS0	Puncturing 20M 8	-
Mode 128	U-NII-1	5.15-5.25	8	802.11a	36	5180	6Mbps	-	-
Mode 129	U-NII-1	5.15-5.25	8	802.11a	44	5220	6Mbps	-	-
Mode 130	U-NII-1	5.15-5.25	8	802.11a	48	5240	6Mbps	-	-
Mode 131	U-NII-2A	5.25-5.35	8	802.11a	52	5280	6Mbps	-	-
Mode 132	U-NII-2A	5.25-5.35	8	802.11a	60	5300	6Mbps	-	-
Mode 133	U-NII-2A	5.25-5.35	8	802.11a	64	5320	6Mbps	-	-
Mode 134	U-NII-2C	5.47-5.725	8	802.11a	100	5500	6Mbps	-	-
Mode 135	U-NII-2C	5.47-5.725	8	802.11a	116	5580	6Mbps	-	-
Mode 136	U-NII-2C	5.47-5.725	8	802.11a	140	5700	6Mbps	-	-
Mode 137	U-NII-1	5.15-5.25	8	802.11n HT20	36	5180	MCS0	-	-
Mode 138	U-NII-1	5.15-5.25	8	802.11n HT20	44	5220	MCS0	-	-
Mode 139	U-NII-1	5.15-5.25	8	802.11n HT20	48	5240	MCS0	-	-
Mode 140	U-NII-2A	5.25-5.35	8	802.11n HT20	52	5280	MCS0	-	-
Mode 141	U-NII-2A	5.25-5.35	8	802.11n HT20	60	5300	MCS0	-	-
Mode 142	U-NII-2A	5.25-5.35	8	802.11n HT20	64	5320	MCS0	-	-
Mode 143	U-NII-2C	5.47-5.725	8	802.11n HT20	100	5500	MCS0	-	-
Mode 144	U-NII-2C	5.47-5.725	8	802.11n HT20	116	5580	MCS0	-	-
Mode 145	U-NII-2C	5.47-5.725	8	802.11n HT20	140	5700	MCS0	-	-
Mode 146	U-NII-1	5.15-5.25	8	802.11n HT40	38	5190	MCS0	-	-
Mode 147	U-NII-1	5.15-5.25	8	802.11n HT40	46	5230	MCS0	-	-
Mode 148	U-NII-2A	5.25-5.35	8	802.11n HT40	54	5270	MCS0	-	-
Mode 149	U-NII-2A	5.25-5.35	8	802.11n HT40	62	5310	MCS0	-	-
Mode 150	U-NII-2C	5.47-5.725	8	802.11n HT40	102	5510	MCS0	-	-
Mode 151	U-NII-2C	5.47-5.725	8	802.11n HT40	134	5670	MCS0	-	-
Mode 152	U-NII-1	5.15-5.25	8	802.11ac VHT80	42	5210	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 153	U-NII-2A	5.25-5.35	8	802.11ac VHT80	58	5290	MCS0	-	-
Mode 154	U-NII-2C	5.47-5.725	8	802.11ac VHT80	106	5530	MCS0	-	-
Mode 155	U-NII-2C	5.47-5.725	8	802.11ac VHT80	122	5610	MCS0	-	-
Mode 156	U-NII-2A	5.25-5.35	8	802.11ac VHT160	50	5250	MCS0	-	-
Mode 157	U-NII-2C	5.47-5.725	8	802.11ac VHT160	114	5570	MCS0	-	-
Mode 158	U-NII-1	5.15-5.25	8	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 159	U-NII-1	5.15-5.25	8	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 160	U-NII-1	5.15-5.25	8	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 161	U-NII-2A	5.25-5.35	8	802.11ax HE20	52	5280	MCS0	Full RU	-
Mode 162	U-NII-2A	5.25-5.35	8	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 163	U-NII-2A	5.25-5.35	8	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 164	U-NII-2C	5.47-5.725	8	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 165	U-NII-2C	5.47-5.725	8	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 166	U-NII-2C	5.47-5.725	8	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 167	U-NII-1	5.15-5.25	8	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 168	U-NII-1	5.15-5.25	8	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 169	U-NII-2A	5.25-5.35	8	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 170	U-NII-2A	5.25-5.35	8	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 171	U-NII-2C	5.47-5.725	8	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 172	U-NII-2C	5.47-5.725	8	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 173	U-NII-1	5.15-5.25	8	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 174	U-NII-2A	5.25-5.35	8	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 175	U-NII-2C	5.47-5.725	8	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 176	U-NII-2C	5.47-5.725	8	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 177	U-NII-2A	5.25-5.35	8	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 178	U-NII-2C	5.47-5.725	8	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 183	U-NII-3	5.725-5.85	8	802.11a	149	5745	6Mbps	-	-
Mode 184	U-NII-3	5.725-5.85	8	802.11a	157	5785	6Mbps	-	-
Mode 185	U-NII-3	5.725-5.85	8	802.11a	165	5825	6Mbps	-	-
Mode 186	U-NII-3	5.725-5.85	8	802.11n HT20	149	5745	MCS0	-	-
Mode 187	U-NII-3	5.725-5.85	8	802.11n HT20	157	5785	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 188	U-NII-3	5.725-5.85	8	802.11n HT20	165	5825	MCS0	-	-
Mode 189	U-NII-3	5.725-5.85	8	802.11n HT40	151	5755	MCS0	-	-
Mode 190	U-NII-3	5.725-5.85	8	802.11n HT40	159	5795	MCS0	-	-
Mode 191	U-NII-3	5.725-5.85	8	802.11ac VHT80	155	5775	MCS0	-	-
Mode 192	U-NII-3	5.725-5.85	8	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 193	U-NII-3	5.725-5.85	8	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 194	U-NII-3	5.725-5.85	8	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 195	U-NII-3	5.725-5.85	8	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 196	U-NII-3	5.725-5.85	8	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 197	U-NII-3	5.725-5.85	8	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 202	U-NII-1	5.15-5.25	9+8	802.11ac VHT80	50	5250	MCS0	-	LF
Mode 203	U-NII-3	5.725-5.85	8	802.11ac VHT80	155	5775	MCS0	-	LF
Mode 204	CO-TX	5.25-5.35	9+8	802.11ac VHT160	50	5250	MCS0	-	-
		-	9	LTE B48 20M				-	-
Mode 205	CO-TX	5.25-5.35	9+8	802.11ac VHT160	50	5250	MCS0	-	-
		2400-2483.5	13	Bluetooth-LE	39	2480	1Mbps	-	-
		-	9	LTE B48 20M				-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.94	45.23	54.00	-8.77	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	47.98	68.30	-20.32	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	49.14	68.30	-19.16	H	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	48.85	68.30	-19.45	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	48.18	68.30	-20.12	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	47.92	74.00	-26.08	V	Peak	Pass	Harmonic
6	802.11a	64	5350.24	44.29	54.00	-9.71	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	47.73	74.00	-26.27	H	Peak	Pass	Harmonic
7	802.11a	100	5457.25	43.70	54.00	-10.30	V	AVERAGE	Pass	Band Edge
7	802.11a	100	16500.00	48.55	68.30	-19.75	H	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	47.88	68.30	-20.42	V	Peak	Pass	Harmonic
9	802.11a	140	5736.40	53.20	68.30	-15.10	V	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	48.48	68.30	-19.82	H	Peak	Pass	Harmonic
10	802.11n HT20	36	5149.94	44.85	54.00	-9.15	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	10360.00	47.95	68.30	-20.35	V	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	10440.00	47.84	68.30	-20.46	V	Peak	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	10480.00	47.80	68.30	-20.50	V	Peak	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	10520.00	47.90	68.30	-20.40	V	Peak	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	47.72	74.00	-26.28	H	Peak	Pass	Harmonic
15	802.11n HT20	64	5350.10	44.27	54.00	-9.73	V	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	10640.00	47.80	74.00	-26.20	H	Peak	Pass	Harmonic
16	802.11n HT20	100	5453.50	43.78	54.00	-10.22	V	AVERAGE	Pass	Band Edge
16	802.11n HT20	100	16500.00	47.95	68.30	-20.35	H	Peak	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	47.39	68.30	-20.91	H	Peak	Pass	Harmonic
18	802.11n HT20	140	5761.17	53.25	68.30	-15.05	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	47.96	68.30	-20.34	V	Peak	Pass	Harmonic
19	802.11n HT40	38	5149.91	43.50	54.00	-10.50	V	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
20	802.11n HT40	46	5122.13	42.69	54.00	-11.31	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11n HT40	54	5127.17	42.60	54.00	-11.40	H	AVERAGE	Pass	Band Edge
21	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
22	802.11n HT40	62	5350.05	44.50	54.00	-9.50	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11n HT40	102	5459.60	43.32	54.00	-10.68	V	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	16530.00	48.84	68.30	-19.46	H	Peak	Pass	Harmonic
24	802.11n HT40	134	5398.32	42.29	54.00	-11.71	V	AVERAGE	Pass	Band Edge
24	802.11n HT40	134	17010.00	49.07	68.30	-19.23	H	Peak	Pass	Harmonic
25	802.11ac VHT80	42	5149.94	45.52	54.00	-8.48	H	AVERAGE	Pass	Band Edge
25	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
26	802.11ac VHT80	58	5355.45	44.86	54.00	-9.14	V	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11ac VHT80	106	5459.98	44.49	54.00	-9.51	V	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	106	16590.00	48.91	68.30	-19.39	V	Peak	Pass	Harmonic
28	802.11ac VHT80	122	5379.90	42.42	54.00	-11.58	V	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	122	16830.00	48.66	68.30	-19.64	V	Peak	Pass	Harmonic
29	802.11ac VHT160	50	5402.25	48.94	54.00	-5.06	V	AVERAGE	Pass	Band Edge
29	802.11ac VHT160	50	10500.00	47.95	68.30	-20.35	H	Peak	Pass	Harmonic
30	802.11ac VHT160	114	5437.56	46.66	54.00	-7.34	V	AVERAGE	Pass	Band Edge
30	802.11ac VHT160	114	16710.00	47.78	68.30	-20.52	H	Peak	Pass	Harmonic
31	802.11ax HE20	36	5149.04	45.03	54.00	-8.97	H	AVERAGE	Pass	Band Edge
31	802.11ax HE20	36	10360.00	47.45	68.30	-20.85	V	Peak	Pass	Harmonic
32	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE20	44	10440.00	47.38	68.30	-20.92	V	Peak	Pass	Harmonic
33	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	48	10480.00	47.70	68.30	-20.60	V	Peak	Pass	Harmonic
34	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	52	10520.00	47.54	68.30	-20.76	H	Peak	Pass	Harmonic
35	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	60	15900.00	47.67	74.00	-26.33	H	Peak	Pass	Harmonic
36	802.11ax HE20	64	5350.10	44.91	54.00	-9.09	V	AVERAGE	Pass	Band Edge
36	802.11ax HE20	64	15960.00	47.92	74.00	-26.08	H	Peak	Pass	Harmonic
37	802.11ax HE20	100	5459.80	43.69	54.00	-10.31	V	AVERAGE	Pass	Band Edge
37	802.11ax HE20	100	16500.00	47.72	68.30	-20.58	V	Peak	Pass	Harmonic
38	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	116	16740.00	47.59	68.30	-20.71	H	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
39	802.11ax HE20	140	5734.06	54.17	68.30	-14.13	V	PEAK	Pass	Band Edge
39	802.11ax HE20	140	17100.00	47.99	68.30	-20.31	H	Peak	Pass	Harmonic
40	802.11ax HE40	38	5149.91	46.75	54.00	-7.25	H	AVERAGE	Pass	Band Edge
40	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE40	46	5133.17	43.48	54.00	-10.52	H	AVERAGE	Pass	Band Edge
41	802.11ax HE40	46	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE40	54	5110.43	42.54	54.00	-11.46	H	AVERAGE	Pass	Band Edge
42	802.11ax HE40	54	-	-	-	-	-	-	-	Harmonic
43	802.11ax HE40	62	5353.65	45.39	54.00	-8.61	V	AVERAGE	Pass	Band Edge
43	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
44	802.11ax HE40	102	5459.60	43.04	54.00	-10.96	V	AVERAGE	Pass	Band Edge
44	802.11ax HE40	102	16530.00	47.63	68.30	-20.67	H	Peak	Pass	Harmonic
45	802.11ax HE40	134	5402.16	42.24	54.00	-11.76	V	AVERAGE	Pass	Band Edge
45	802.11ax HE40	134	17010.00	48.00	68.30	-20.30	H	Peak	Pass	Harmonic
46	802.11ax HE80	42	5149.52	46.51	54.00	-7.49	H	AVERAGE	Pass	Band Edge
46	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE80	58	5355.96	46.08	54.00	-7.92	V	AVERAGE	Pass	Band Edge
47	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE80	106	5455.30	43.64	54.00	-10.36	H	AVERAGE	Pass	Band Edge
48	802.11ax HE80	106	16590.00	48.77	68.30	-19.53	V	Peak	Pass	Harmonic
49	802.11ax HE80	122	5397.32	42.63	54.00	-11.37	V	AVERAGE	Pass	Band Edge
49	802.11ax HE80	122	16830.00	48.52	68.30	-19.78	V	Peak	Pass	Harmonic
50	802.11ax HE160	50	5117.25	46.87	54.00	-7.13	H	AVERAGE	Pass	Band Edge
50	802.11ax HE160	50	10500.00	47.91	68.30	-20.39	V	Peak	Pass	Harmonic
51	802.11ax HE160	114	5455.38	45.18	54.00	-8.82	V	AVERAGE	Pass	Band Edge
51	802.11ax HE160	114	16710.00	47.62	68.30	-20.68	H	Peak	Pass	Harmonic
52	802.11ax HE20	36	5127.62	43.07	54.00	-10.93	V	AVERAGE	Pass	Band Edge
52	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	64	5363.96	42.13	54.00	-11.87	V	AVERAGE	Pass	Band Edge
53	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	100	5453.35	42.28	54.00	-11.72	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
54	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	140	5738.61	52.53	68.30	-15.77	H	PEAK	Pass	Band Edge
55	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	36	5149.94	46.19	54.00	-7.81	H	AVERAGE	Pass	Band Edge
56	802.11be EHT20	36	10360.00	47.73	68.30	-20.57	H	Peak	Pass	Harmonic
57	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
57	802.11be EHT20	44	10440.00	47.83	68.30	-20.47	V	Peak	Pass	Harmonic
58	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
58	802.11be EHT20	48	10480.00	47.97	68.30	-20.33	H	Peak	Pass	Harmonic
59	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT20	52	10520.00	47.38	68.30	-20.92	V	Peak	Pass	Harmonic
60	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	60	15900.00	47.96	74.00	-26.04	H	Peak	Pass	Harmonic
61	802.11be EHT20	64	5350.38	45.27	54.00	-8.73	V	AVERAGE	Pass	Band Edge
61	802.11be EHT20	64	10640.00	47.85	74.00	-26.15	H	Peak	Pass	Harmonic
62	802.11be EHT20	100	5452.45	43.93	54.00	-10.07	V	AVERAGE	Pass	Band Edge
62	802.11be EHT20	100	16500.00	47.77	68.30	-20.53	V	Peak	Pass	Harmonic
63	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	116	16740.00	47.48	68.30	-20.82	H	Peak	Pass	Harmonic
64	802.11be EHT20	140	5729.71	53.88	68.30	-14.42	V	PEAK	Pass	Band Edge
64	802.11be EHT20	140	17100.00	47.86	68.30	-20.44	V	Peak	Pass	Harmonic
65	802.11be EHT40	38	5149.15	44.83	54.00	-9.17	H	AVERAGE	Pass	Band Edge
65	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT40	46	5128.34	43.30	54.00	-10.70	H	AVERAGE	Pass	Band Edge
66	802.11be EHT40	46	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT40	54	5353.41	42.85	54.00	-11.15	H	AVERAGE	Pass	Band Edge
67	802.11be EHT40	54	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT40	62	5354.25	45.32	54.00	-8.68	V	AVERAGE	Pass	Band Edge
68	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT40	102	5458.64	44.00	54.00	-10.00	V	AVERAGE	Pass	Band Edge
69	802.11be EHT40	102	16530.00	48.95	68.30	-19.35	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
70	802.11be EHT40	134	5431.28	42.28	54.00	-11.72	V	AVERAGE	Pass	Band Edge
70	802.11be EHT40	134	17010.00	48.85	68.30	-19.45	H	Peak	Pass	Harmonic
71	802.11be EHT80	42	5149.94	44.37	54.00	-9.63	H	AVERAGE	Pass	Band Edge
71	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT80	58	5350.35	45.16	54.00	-8.84	H	AVERAGE	Pass	Band Edge
72	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT80	106	5457.82	43.88	54.00	-10.12	V	AVERAGE	Pass	Band Edge
73	802.11be EHT80	106	16590.00	48.43	68.30	-19.87	V	Peak	Pass	Harmonic
74	802.11be EHT80	122	5457.64	42.23	54.00	-11.77	V	AVERAGE	Pass	Band Edge
74	802.11be EHT80	122	16830.00	48.70	68.30	-19.60	V	Peak	Pass	Harmonic
75	802.11be EHT160	50	5117.50	47.94	54.00	-6.06	V	AVERAGE	Pass	Band Edge
75	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	114	5453.62	48.40	54.00	-5.60	V	AVERAGE	Pass	Band Edge
76	802.11be EHT160	114	16710.00	48.83	68.30	-19.47	H	Peak	Pass	Harmonic
77	802.11be EHT20	36	5125.46	42.85	54.00	-11.15	V	AVERAGE	Pass	Band Edge
77	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT20	64	5368.86	42.43	54.00	-11.57	V	AVERAGE	Pass	Band Edge
78	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT20	100	5459.65	42.14	54.00	-11.86	V	AVERAGE	Pass	Band Edge
79	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT20	140	5725.22	53.24	68.30	-15.06	V	PEAK	Pass	Band Edge
80	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT20	36	5126.90	42.82	54.00	-11.18	V	AVERAGE	Pass	Band Edge
81	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT20	64	5354.16	42.50	54.00	-11.50	V	AVERAGE	Pass	Band Edge
82	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT20	100	5456.50	42.71	54.00	-11.29	V	AVERAGE	Pass	Band Edge
83	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT20	140	5746.80	54.10	68.30	-14.20	V	PEAK	Pass	Band Edge
84	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
85	802.11a	149	5604.06	53.61	68.30	-14.69	H	PEAK	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
85	802.11a	149	17235.00	47.90	68.30	-20.40	V	Peak	Pass	Harmonic
86	802.11a	157	-	-	-	-	-	-	-	Band Edge
86	802.11a	157	17355.00	47.41	68.30	-20.89	V	Peak	Pass	Harmonic
87	802.11a	165	5939.75	52.78	68.30	-15.52	V	PEAK	Pass	Band Edge
87	802.11a	165	17475.00	47.83	68.30	-20.47	V	Peak	Pass	Harmonic
88	802.11n HT20	149	5627.41	54.52	68.30	-13.78	H	PEAK	Pass	Band Edge
88	802.11n HT20	149	17235.00	47.80	68.30	-20.50	V	Peak	Pass	Harmonic
89	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
89	802.11n HT20	157	17355.00	47.61	68.30	-20.69	V	Peak	Pass	Harmonic
90	802.11n HT20	165	5941.38	52.86	68.30	-15.44	H	PEAK	Pass	Band Edge
90	802.11n HT20	165	17475.00	47.89	68.30	-20.41	V	Peak	Pass	Harmonic
91	802.11n HT40	151	5638.91	53.12	68.30	-15.18	V	PEAK	Pass	Band Edge
91	802.11n HT40	151	17265.00	48.37	68.30	-19.93	H	Peak	Pass	Harmonic
92	802.11n HT40	159	5640.56	53.15	68.30	-15.15	H	PEAK	Pass	Band Edge
92	802.11n HT40	159	17385.00	47.59	68.30	-20.71	V	Peak	Pass	Harmonic
93	802.11ac VHT80	155	5928.30	54.00	68.30	-14.30	H	PEAK	Pass	Band Edge
93	802.11ac VHT80	155	-	-	-	-	-	-	-	Harmonic
94	802.11ax HE20	149	5604.21	53.32	68.30	-14.98	V	PEAK	Pass	Band Edge
94	802.11ax HE20	149	17235.00	47.29	68.30	-21.01	H	PEAK	Pass	Harmonic
95	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
95	802.11ax HE20	157	17355.00	47.63	68.30	-20.67	V	Peak	Pass	Harmonic
96	802.11ax HE20	165	5927.25	52.72	68.30	-15.58	H	PEAK	Pass	Band Edge
96	802.11ax HE20	165	17475.00	47.64	68.30	-20.66	V	Peak	Pass	Harmonic
97	802.11ax HE40	151	5642.16	53.14	68.30	-15.16	H	PEAK	Pass	Band Edge
97	802.11ax HE40	151	17265.00	47.77	68.30	-20.53	H	Peak	Pass	Harmonic
98	802.11ax HE40	159	5946.44	53.59	68.30	-14.71	H	PEAK	Pass	Band Edge
98	802.11ax HE40	159	17385.00	47.57	68.30	-20.73	H	Peak	Pass	Harmonic
99	802.11ax HE80	155	5641.83	53.64	68.30	-14.66	H	PEAK	Pass	Band Edge
99	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
100	802.11ax HE20	149	5614.79	52.61	68.30	-15.69	V	PEAK	Pass	Band Edge
100	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
101	802.11ax HE20	165	5940.25	52.94	68.30	-15.36	H	PEAK	Pass	Band Edge
101	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT20	149	5627.12	53.96	68.30	-14.34	H	PEAK	Pass	Band Edge
102	802.11be EHT20	149	17235.00	48.75	68.30	-19.55	V	Peak	Pass	Harmonic
103	802.11be	157	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	EHT20									
103	802.11be EHT20	157	17355.00	48.61	68.30	-19.69	V	Peak	Pass	Harmonic
104	802.11be EHT20	165	5940.63	53.10	68.30	-15.20	V	PEAK	Pass	Band Edge
104	802.11be EHT20	165	17475.00	47.58	68.30	-20.72	V	Peak	Pass	Harmonic
105	802.11be EHT40	151	5926.80	54.06	68.30	-14.24	V	PEAK	Pass	Band Edge
105	802.11be EHT40	151	17265.00	48.05	68.30	-20.25	V	Peak	Pass	Harmonic
106	802.11be EHT40	159	5632.57	53.62	68.30	-14.68	V	PEAK	Pass	Band Edge
106	802.11be EHT40	159	17385.00	47.63	68.30	-20.67	V	Peak	Pass	Harmonic
107	802.11be EHT80	155	5937.58	53.41	68.30	-14.89	V	PEAK	Pass	Band Edge
107	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
108	802.11be EHT20	149	5618.85	52.84	68.30	-15.46	H	PEAK	Pass	Band Edge
108	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
109	802.11be EHT20	165	5949.25	53.29	68.30	-15.01	V	PEAK	Pass	Band Edge
109	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
110	802.11be EHT20	149	5622.04	53.12	68.30	-15.18	H	PEAK	Pass	Band Edge
110	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
111	802.11be EHT20	165	5932.50	53.01	68.30	-15.29	V	PEAK	Pass	Band Edge
111	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT80	42	5146.37	47.71	54.00	-6.29	H	AVERAGE	Pass	Band Edge
112	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT80	58	5357.66	46.79	54.00	-7.21	H	AVERAGE	Pass	Band Edge
113	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	106	5459.80	45.81	54.00	-8.19	H	AVERAGE	Pass	Band Edge
114	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
115	802.11be EHT80	122	5443.08	43.77	54.00	-10.23	V	AVERAGE	Pass	Band Edge
115	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT160	50	5378.52	48.53	54.00	-5.47	V	AVERAGE	Pass	Band Edge
116	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT160	114	5457.58	47.37	54.00	-6.63	H	AVERAGE	Pass	Band Edge
117	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT80	155	5606.48	53.43	68.30	-14.87	H	PEAK	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
118	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT80	42	5149.94	46.13	54.00	-7.87	V	AVERAGE	Pass	Band Edge
119	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT80	58	5355.45	47.04	54.00	-6.96	V	AVERAGE	Pass	Band Edge
120	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT80	106	5456.92	47.63	54.00	-6.37	V	AVERAGE	Pass	Band Edge
121	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT80	122	5456.34	42.28	54.00	-11.72	H	AVERAGE	Pass	Band Edge
122	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT160	50	5402.46	48.44	54.00	-5.56	V	AVERAGE	Pass	Band Edge
123	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT160	114	5459.78	47.63	54.00	-6.37	V	AVERAGE	Pass	Band Edge
124	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT80	155	5618.38	53.47	68.30	-14.83	H	PEAK	Pass	Band Edge
125	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	50	5137.00	48.51	54.00	-5.49	V	AVERAGE	Pass	Band Edge
126	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT160	114	5459.56	46.32	54.00	-7.68	V	AVERAGE	Pass	Band Edge
127	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
128	802.11a	36	5128.52	44.12	54.00	-9.88	H	AVERAGE	Pass	Band Edge
128	802.11a	36	10360.00	49.11	68.30	-19.19	V	Peak	Pass	Harmonic
129	802.11a	44	-	-	-	-	-	-	-	Band Edge
129	802.11a	44	10440.00	48.58	68.30	-19.72	V	Peak	Pass	Harmonic
130	802.11a	48	-	-	-	-	-	-	-	Band Edge
130	802.11a	48	10480.00	48.59	68.30	-19.71	V	Peak	Pass	Harmonic
131	802.11a	52	-	-	-	-	-	-	-	Band Edge
131	802.11a	52	10520.00	48.71	68.30	-19.59	V	Peak	Pass	Harmonic
132	802.11a	60	-	-	-	-	-	-	-	Band Edge
132	802.11a	60	10600.00	47.51	74.00	-26.49	H	Peak	Pass	Harmonic
133	802.11a	64	-	-	-	-	-	-	-	Band Edge
133	802.11a	64	15960.00	47.67	74.00	-26.33	V	Peak	Pass	Harmonic
134	802.11a	100	-	-	-	-	-	-	-	Band Edge
134	802.11a	100	16500.00	47.90	68.30	-20.40	V	Peak	Pass	Harmonic
135	802.11a	116	-	-	-	-	-	-	-	Band Edge
135	802.11a	116	16740.00	47.65	68.30	-20.65	H	Peak	Pass	Harmonic
136	802.11a	140	5725.22	55.10	68.30	-13.20	H	PEAK	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
136	802.11a	140	17100.00	47.32	68.30	-20.98	V	Peak	Pass	Harmonic
137	802.11n HT20	36	5149.76	44.54	54.00	-9.46	H	AVERAGE	Pass	Band Edge
137	802.11n HT20	36	10360.00	48.45	68.30	-19.85	V	Peak	Pass	Harmonic
138	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
138	802.11n HT20	44	10440.00	48.61	68.30	-19.69	V	Peak	Pass	Harmonic
139	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
139	802.11n HT20	48	10480.00	49.02	68.30	-19.28	V	Peak	Pass	Harmonic
140	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
140	802.11n HT20	52	10520.00	49.13	68.30	-19.17	V	Peak	Pass	Harmonic
141	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
141	802.11n HT20	60	10600.00	47.92	74.00	-26.08	V	Peak	Pass	Harmonic
142	802.11n HT20	64	5352.62	43.99	54.00	-10.01	H	AVERAGE	Pass	Band Edge
142	802.11n HT20	64	10640.00	47.74	74.00	-26.26	V	Peak	Pass	Harmonic
143	802.11n HT20	100	5453.65	43.17	54.00	-10.83	H	AVERAGE	Pass	Band Edge
143	802.11n HT20	100	16500.00	48.08	68.30	-20.22	H	Peak	Pass	Harmonic
144	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
144	802.11n HT20	116	16740.00	47.76	68.30	-20.54	V	Peak	Pass	Harmonic
145	802.11n HT20	140	5725.22	55.77	68.30	-12.53	H	PEAK	Pass	Band Edge
145	802.11n HT20	140	17100.00	49.07	68.30	-19.23	V	Peak	Pass	Harmonic
146	802.11n HT40	38	5149.72	45.01	54.00	-8.99	V	AVERAGE	Pass	Band Edge
146	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
147	802.11n HT40	46	5128.80	43.51	54.00	-10.49	H	AVERAGE	Pass	Band Edge
147	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
148	802.11n HT40	54	5123.66	43.11	54.00	-10.89	H	AVERAGE	Pass	Band Edge
148	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
149	802.11n HT40	62	5350.35	44.18	54.00	-9.82	H	AVERAGE	Pass	Band Edge
149	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic
150	802.11n HT40	102	5459.92	44.54	54.00	-9.46	H	AVERAGE	Pass	Band Edge
150	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
151	802.11n HT40	134	5447.92	42.46	54.00	-11.54	H	AVERAGE	Pass	Band Edge
151	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
152	802.11ac VHT80	42	5149.94	47.32	54.00	-6.68	H	AVERAGE	Pass	Band Edge
152	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
153	802.11ac VHT80	58	5350.18	45.21	54.00	-8.79	H	AVERAGE	Pass	Band Edge
153	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
154	802.11ac VHT80	106	5459.98	48.50	54.00	-5.50	H	AVERAGE	Pass	Band Edge
154	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
155	802.11ac VHT80	122	5438.66	42.77	54.00	-11.23	H	AVERAGE	Pass	Band Edge
155	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
156	802.11ac VHT160	50	5118.50	48.29	54.00	-5.71	H	AVERAGE	Pass	Band Edge
156	802.11ac	50	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	VHT160									
157	802.11ac VHT160	114	5438.66	48.13	54.00	-5.87	H	AVERAGE	Pass	Band Edge
157	802.11ac VHT160	114	-	-	-	-	-	-	-	Harmonic
158	802.11ax HE20	36	5149.94	44.51	54.00	-9.49	H	AVERAGE	Pass	Band Edge
158	802.11ax HE20	36	10360.00	48.16	68.30	-20.14	H	Peak	Pass	Harmonic
159	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
159	802.11ax HE20	44	10440.00	48.48	68.30	-19.82	H	Peak	Pass	Harmonic
160	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
160	802.11ax HE20	48	10480.00	48.53	68.30	-19.77	H	Peak	Pass	Harmonic
161	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
161	802.11ax HE20	52	10520.00	48.08	68.30	-20.22	H	Peak	Pass	Harmonic
162	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
162	802.11ax HE20	60	15900.00	47.83	74.00	-26.17	H	Peak	Pass	Harmonic
163	802.11ax HE20	64	5350.10	44.12	54.00	-9.88	H	AVERAGE	Pass	Band Edge
163	802.11ax HE20	64	10640.00	47.63	74.00	-26.37	H	Peak	Pass	Harmonic
164	802.11ax HE20	100	5458.60	43.44	54.00	-10.56	H	AVERAGE	Pass	Band Edge
164	802.11ax HE20	100	16500.00	48.85	68.30	-19.45	V	Peak	Pass	Harmonic
165	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
165	802.11ax HE20	116	16740.00	48.89	68.30	-19.41	V	Peak	Pass	Harmonic
166	802.11ax HE20	140	5725.22	60.95	68.30	-7.35	H	PEAK	Pass	Band Edge
166	802.11ax HE20	140	17100.00	48.97	68.30	-19.33	V	Peak	Pass	Harmonic
167	802.11ax HE40	38	5149.72	44.83	54.00	-9.17	V	AVERAGE	Pass	Band Edge
167	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
168	802.11ax HE40	46	5112.93	43.43	54.00	-10.57	H	AVERAGE	Pass	Band Edge
168	802.11ax HE40	46	-	-	-	-	-	-	-	Harmonic
169	802.11ax HE40	54	5124.74	43.14	54.00	-10.86	H	AVERAGE	Pass	Band Edge
169	802.11ax HE40	54	-	-	-	-	-	-	-	Harmonic
170	802.11ax HE40	62	5352.00	43.76	54.00	-10.24	H	AVERAGE	Pass	Band Edge
170	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
171	802.11ax HE40	102	5459.60	43.99	54.00	-10.01	H	AVERAGE	Pass	Band Edge
171	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
172	802.11ax HE40	134	5454.96	42.55	54.00	-11.45	H	AVERAGE	Pass	Band Edge
172	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
173	802.11ax HE80	42	5149.52	47.11	54.00	-6.89	H	AVERAGE	Pass	Band Edge
173	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
174	802.11ax HE80	58	5352.22	47.58	54.00	-6.42	H	AVERAGE	Pass	Band Edge
174	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
175	802.11ax HE80	106	5458.72	48.93	54.00	-5.07	V	AVERAGE	Pass	Band Edge
175	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic
176	802.11ax HE80	122	5454.52	42.37	54.00	-11.63	H	AVERAGE	Pass	Band Edge
176	802.11ax HE80	122	-	-	-	-	-	-	-	Harmonic
177	802.11ax HE160	50	5123.75	47.49	54.00	-6.51	H	AVERAGE	Pass	Band Edge
177	802.11ax HE160	50	10500.00	48.73	68.30	-19.57	H	Peak	Pass	Harmonic
178	802.11ax HE160	114	5437.12	46.44	54.00	-7.56	H	AVERAGE	Pass	Band Edge
178	802.11ax HE160	114	16710.00	48.91	68.30	-19.39	H	Peak	Pass	Harmonic
183	802.11a	149	5638.28	53.18	68.30	-15.12	V	PEAK	Pass	Band Edge
183	802.11a	149	17235.00	48.87	68.30	-19.43	H	Peak	Pass	Harmonic
184	802.11a	157	-	-	-	-	-	-	-	Band Edge
184	802.11a	157	17355.00	48.12	68.30	-20.18	H	Peak	Pass	Harmonic
185	802.11a	165	5942.00	53.18	68.30	-15.12	V	PEAK	Pass	Band Edge
185	802.11a	165	17475.00	48.01	68.30	-20.29	H	Peak	Pass	Harmonic
186	802.11n HT20	149	5638.14	53.51	68.30	-14.79	V	PEAK	Pass	Band Edge
186	802.11n HT20	149	17235.00	48.61	68.30	-19.69	V	Peak	Pass	Harmonic
187	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
187	802.11n HT20	157	17355.00	48.51	68.30	-19.79	V	Peak	Pass	Harmonic
188	802.11n HT20	165	5931.75	52.77	68.30	-15.53	H	PEAK	Pass	Band Edge
188	802.11n HT20	165	17475.00	48.76	68.30	-19.54	V	Peak	Pass	Harmonic
189	802.11n HT40	151	5636.74	54.21	68.30	-14.09	V	PEAK	Pass	Band Edge
189	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
190	802.11n HT40	159	5609.95	53.14	68.30	-15.16	V	PEAK	Pass	Band Edge
190	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
191	802.11ac VHT80	155	5650.05	58.53	68.34	-9.81	V	PEAK	Pass	Band Edge
191	802.11ac VHT80	155	-	-	-	-	-	-	-	Harmonic
192	802.11ax HE20	149	5625.38	53.17	68.30	-15.13	H	PEAK	Pass	Band Edge
192	802.11ax HE20	149	17235.00	48.07	68.30	-20.23	H	Peak	Pass	Harmonic
193	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
193	802.11ax HE20	157	17355.00	47.99	68.30	-20.31	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
194	802.11ax HE20	165	5946.50	53.41	68.30	-14.89	H	PEAK	Pass	Band Edge
194	802.11ax HE20	165	17475.00	47.82	68.30	-20.48	V	Peak	Pass	Harmonic
195	802.11ax HE40	151	5609.77	53.51	68.30	-14.79	H	PEAK	Pass	Band Edge
195	802.11ax HE40	151	-	-	-	-	-	-	-	Harmonic
196	802.11ax HE40	159	5621.06	53.56	68.30	-14.74	V	PEAK	Pass	Band Edge
196	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
197	802.11ax HE80	155	5646.20	57.40	68.30	-10.90	V	PEAK	Pass	Band Edge
197	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
202	802.11ac VHT160	50	44.55	25.94	40.00	-14.06	V	PEAK	Pass	LF
203	802.11ac VHT80	155	45.52	25.88	40.00	-14.12	V	PEAK	Pass	LF
204	802.11ac VHT160	50	5357.10	46.79	54.00	-7.21	H	AVERAGE	Pass	Band Edge
204	802.11ac VHT160	50	10500.00	48.04	68.30	-20.26	H	Peak	Pass	Harmonic
205	802.11ac VHT160	50	5135.50	46.87	54.00	-7.13	H	AVERAGE	Pass	Band Edge
205	802.11ac VHT160	50	10500.00	49.08	68.30	-19.22	V	Peak	Pass	Harmonic





Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.84</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>40.80</td><td>35.85</td><td>10.56</td><td>32.62</td><td>274 63 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5123.84	54.59	74.00	-19.41	40.80	35.85	10.56	32.62	274 63 PEAK	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.15</td><td>-----</td><td>-----</td><td>97.48</td><td>35.88</td><td>10.43</td><td>32.64</td><td>274 63 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.15	-----	-----	97.48	35.88	10.43	32.64	274 63 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5123.84	54.59	74.00	-19.41	40.80	35.85	10.56	32.62	274 63 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	111.15	-----	-----	97.48	35.88	10.43	32.64	274 63 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.94</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>31.49</td><td>35.86</td><td>10.51</td><td>32.63</td><td>274 63 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	45.23	54.00	-8.77	31.49	35.86	10.51	32.63	274 63 AVERAGE	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>104.23</td><td>-----</td><td>-----</td><td>90.54</td><td>35.87</td><td>10.46</td><td>32.64</td><td>274 63 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.23	-----	-----	90.54	35.87	10.46	32.64	274 63 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.94	45.23	54.00	-8.77	31.49	35.86	10.51	32.63	274 63 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	104.23	-----	-----	90.54	35.87	10.46	32.64	274 63 AVERAGE																																																																									





Mode	1										
	Band Edge										
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz										
ANT	9+8										
Pol.	Vertical										
Peak	Fundamental										





Mode	1																																																																																																																																																																													
	Harmonic																																																																																																																																																																													
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																													
ANT	9+8																																																																																																																																																																													
Pol.	Horizontal								Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.88</td><td>68.30</td><td>-20.42</td><td>46.82</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>15540.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>41.90</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	10360.00	47.88	68.30	-20.42	46.82	37.90	14.59	51.43	---	---	Peak						2	15540.00	47.67	74.00	-26.33	41.90	40.79	17.17	52.19	---	---	Peak						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.98</td><td>68.30</td><td>-20.32</td><td>46.92</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>15540.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>42.22</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	10360.00	47.98	68.30	-20.32	46.92	37.90	14.59	51.43	---	---	Peak						2	15540.00	47.99	74.00	-26.01	42.22	40.79	17.17	52.19	---	---	Peak					
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																	
1	10360.00	47.88	68.30	-20.42	46.82	37.90	14.59	51.43	---	---	Peak																																																																																																																																																																			
2	15540.00	47.67	74.00	-26.33	41.90	40.79	17.17	52.19	---	---	Peak																																																																																																																																																																			
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																	
1	10360.00	47.98	68.30	-20.32	46.92	37.90	14.59	51.43	---	---	Peak																																																																																																																																																																			
2	15540.00	47.99	74.00	-26.01	42.22	40.79	17.17	52.19	---	---	Peak																																																																																																																																																																			





Mode	2																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																							
ANT	9+8																																																							
Pol.	Horizontal																																																							
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>49.14</td><td>68.30</td><td>-19.16</td><td>48.06</td><td>37.90</td><td>14.59</td><td>51.41 --- --- Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>42.02</td><td>40.89</td><td>17.19</td><td>52.45 --- --- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	49.14	68.30	-19.16	48.06	37.90	14.59	51.41 --- --- Peak	2	15660.00	47.65	74.00	-26.35	42.02	40.89	17.19	52.45 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	10440.00	49.14	68.30	-19.16	48.06	37.90	14.59	51.41 --- --- Peak																																																
2	15660.00	47.65	74.00	-26.35	42.02	40.89	17.19	52.45 --- --- Peak																																																
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>48.10</td><td>68.30</td><td>-20.20</td><td>47.02</td><td>37.90</td><td>14.59</td><td>51.41 --- --- Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>40.69</td><td>40.89</td><td>17.19</td><td>52.45 --- --- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	48.10	68.30	-20.20	47.02	37.90	14.59	51.41 --- --- Peak	2	15660.00	46.32	74.00	-27.68	40.69	40.89	17.19	52.45 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	10440.00	48.10	68.30	-20.20	47.02	37.90	14.59	51.41 --- --- Peak																																																
2	15660.00	46.32	74.00	-27.68	40.69	40.89	17.19	52.45 --- --- Peak																																																





Mode	3																																																																					
	Harmonic																																																																					
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																					
ANT	9+8																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>48.19</td><td>68.30</td><td>-20.11</td><td>47.10</td><td>37.90</td><td>14.59</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>42.18</td><td>40.95</td><td>17.19</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	48.19	68.30	-20.11	47.10	37.90	14.59	51.40	---	---	Peak	2	15720.00	47.74	74.00	-26.26	42.18	40.95	17.19	52.58	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	10480.00	48.19	68.30	-20.11	47.10	37.90	14.59	51.40	---	---	Peak																																																											
2	15720.00	47.74	74.00	-26.26	42.18	40.95	17.19	52.58	---	---	Peak																																																											
																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>48.85</td><td>68.30</td><td>-19.45</td><td>47.76</td><td>37.90</td><td>14.59</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>42.19</td><td>40.95</td><td>17.19</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	48.85	68.30	-19.45	47.76	37.90	14.59	51.40	---	---	Peak	2	15720.00	47.75	74.00	-26.25	42.19	40.95	17.19	52.58	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	10480.00	48.85	68.30	-19.45	47.76	37.90	14.59	51.40	---	---	Peak																																																											
2	15720.00	47.75	74.00	-26.25	42.19	40.95	17.19	52.58	---	---	Peak																																																											







Mode	4																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>48.05</td><td>68.30</td><td>-20.25</td><td>46.93</td><td>37.90</td><td>14.60</td><td>51.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>41.86</td><td>41.00</td><td>17.20</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	48.05	68.30	-20.25	46.93	37.90	14.60	51.38	---	---	Peak	2	15780.00	47.34	74.00	-26.66	41.86	41.00	17.20	52.72	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>48.18</td><td>68.30</td><td>-20.12</td><td>47.06</td><td>37.90</td><td>14.60</td><td>51.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>42.33</td><td>41.00</td><td>17.20</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	48.18	68.30	-20.12	47.06	37.90	14.60	51.38	---	---	Peak	2	15780.00	47.81	74.00	-26.19	42.33	41.00	17.20	52.72	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10520.00	48.05	68.30	-20.25	46.93	37.90	14.60	51.38	---	---	Peak																																																																																																																							
2	15780.00	47.34	74.00	-26.66	41.86	41.00	17.20	52.72	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10520.00	48.18	68.30	-20.12	47.06	37.90	14.60	51.38	---	---	Peak																																																																																																																							
2	15780.00	47.81	74.00	-26.19	42.33	41.00	17.20	52.72	---	---	Peak																																																																																																																							






Mode	5																																																																																																																																																																											
	Harmonic																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																											
ANT	9+8																																																																																																																																																																											
Pol.	Horizontal							Vertical																																																																																																																																																																				
Peak Avg																																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>46.34</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>15900.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>42.15</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr></table>									Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	10600.00	47.54	74.00	-26.46	46.34	37.90	14.60	51.30	---	---	Peak						2	15900.00	47.50	74.00	-26.50	42.15	41.11	17.22	52.98	---	---	Peak						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>46.08</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>15900.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>42.57</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td></tr></table>									Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	10600.00	47.28	74.00	-26.72	46.08	37.90	14.60	51.30	---	---	Peak						2	15900.00	47.92	74.00	-26.08	42.57	41.11	17.22	52.98	---	---	Peak					
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																															
1	10600.00	47.54	74.00	-26.46	46.34	37.90	14.60	51.30	---	---	Peak																																																																																																																																																																	
2	15900.00	47.50	74.00	-26.50	42.15	41.11	17.22	52.98	---	---	Peak																																																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																															
1	10600.00	47.28	74.00	-26.72	46.08	37.90	14.60	51.30	---	---	Peak																																																																																																																																																																	
2	15900.00	47.92	74.00	-26.08	42.57	41.11	17.22	52.98	---	---	Peak																																																																																																																																																																	





Mode	6																																																																																								
	Band Edge																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																								
ANT	9+8																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.76</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>39.55</td><td>35.94</td><td>10.54</td><td>32.67</td><td>244 62 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5359.76	53.36	74.00	-20.64	39.55	35.94	10.54	32.67	244 62 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.30</td><td>-----</td><td>-----</td><td>96.44</td><td>35.93</td><td>10.59</td><td>32.66</td><td>244 62 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.30	-----	-----	96.44	35.93	10.59	32.66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5359.76	53.36	74.00	-20.64	39.55	35.94	10.54	32.67	244 62 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	110.30	-----	-----	96.44	35.93	10.59	32.66	244 62 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.24</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>30.14</td><td>35.94</td><td>10.55</td><td>32.67</td><td>244 62 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5350.24	43.96	54.00	-10.04	30.14	35.94	10.55	32.67	244 62 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.86</td><td>-----</td><td>-----</td><td>89.00</td><td>35.93</td><td>10.59</td><td>32.66</td><td>244 62 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.86	-----	-----	89.00	35.93	10.59	32.66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5350.24	43.96	54.00	-10.04	30.14	35.94	10.55	32.67	244 62 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	102.86	-----	-----	89.00	35.93	10.59	32.66	244 62 AVERAGE																																																																																



Mode	6	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	9+8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-10-28  1 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5383.28 53.32 74.00 -20.68 39.53 35.95 10.52 32.68 264 69 PEAK	Level (dBuV/m) Date: 2025-10-28  1 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5320.00 112.47 ----- 98.63 35.93 10.58 32.67 264 69 PEAK
	Avg	Level (dBuV/m) Date: 2025-10-28  1 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5350.24 44.29 54.00 -9.71 30.47 35.94 10.55 32.67 264 69 AVERAGE



Mode	6																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																									
ANT	9+8																																																																																																																																																																																									
Pol.	Horizontal								Vertical																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="7"></th></tr><tr><td>1</td><td>10640.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>46.49</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td><td colspan="5"></td></tr><tr><td>2</td><td>15960.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>42.04</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td><td colspan="5"></td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	10640.00	47.73	74.00	-26.27	46.49	37.90	14.60	51.26	---	---	Peak						2	15960.00	47.32	74.00	-26.68	42.04	41.16	17.23	53.11	---	---	Peak						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="7"></th></tr><tr><td>1</td><td>10640.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>46.34</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td><td colspan="5"></td></tr><tr><td>2</td><td>15960.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>41.75</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td><td colspan="5"></td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	10640.00	47.58	74.00	-26.42	46.34	37.90	14.60	51.26	---	---	Peak						2	15960.00	47.03	74.00	-26.97	41.75	41.16	17.23	53.11	---	---	Peak					
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	10640.00	47.73	74.00	-26.27	46.49	37.90	14.60	51.26	---	---	Peak																																																																																																																																																																															
2	15960.00	47.32	74.00	-26.68	42.04	41.16	17.23	53.11	---	---	Peak																																																																																																																																																																															
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	10640.00	47.58	74.00	-26.42	46.34	37.90	14.60	51.26	---	---	Peak																																																																																																																																																																															
2	15960.00	47.03	74.00	-26.97	41.75	41.16	17.23	53.11	---	---	Peak																																																																																																																																																																															





Mode	7																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.20</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>38.76</td><td>35.95</td><td>10.54</td><td>32.67</td><td>197</td><td>62</td><td>PEAK</td></tr><tr><td>2</td><td>5467.00</td><td>52.50</td><td>68.30</td><td>-15.80</td><td>38.65</td><td>35.99</td><td>10.55</td><td>32.69</td><td>197</td><td>62</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5363.20	52.58	74.00	-21.42	38.76	35.95	10.54	32.67	197	62	PEAK	2	5467.00	52.50	68.30	-15.80	38.65	35.99	10.55	32.69	197	62	PEAK	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.57</td><td>-----</td><td>-----</td><td>92.70</td><td>36.00</td><td>10.57</td><td>32.70</td><td>197</td><td>62</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.57	-----	-----	92.70	36.00	10.57	32.70	197	62	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5363.20	52.58	74.00	-21.42	38.76	35.95	10.54	32.67	197	62	PEAK																																																																																	
2	5467.00	52.50	68.30	-15.80	38.65	35.99	10.55	32.69	197	62	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	106.57	-----	-----	92.70	36.00	10.57	32.70	197	62	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.15</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>28.64</td><td>35.98</td><td>10.54</td><td>32.69</td><td>197</td><td>62</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.15	42.47	54.00	-11.53	28.64	35.98	10.54	32.69	197	62	AVERAGE	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.63</td><td>-----</td><td>-----</td><td>85.75</td><td>36.00</td><td>10.58</td><td>32.70</td><td>197</td><td>62</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.63	-----	-----	85.75	36.00	10.58	32.70	197	62	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5458.15	42.47	54.00	-11.53	28.64	35.98	10.54	32.69	197	62	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	99.63	-----	-----	85.75	36.00	10.58	32.70	197	62	AVERAGE																																																																																	





Mode	7																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5450.20</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>39.84</td><td>35.98</td><td>10.54</td><td>32.69</td><td>251</td><td>64 PEAK</td></tr><tr><td>2 5462.50</td><td>53.58</td><td>68.30</td><td>-14.72</td><td>39.73</td><td>35.99</td><td>10.55</td><td>32.69</td><td>251</td><td>64 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5450.20	53.67	74.00	-20.33	39.84	35.98	10.54	32.69	251	64 PEAK	2 5462.50	53.58	68.30	-14.72	39.73	35.99	10.55	32.69	251	64 PEAK	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>111.49</td><td>-----</td><td>-----</td><td>97.60</td><td>36.01</td><td>10.58</td><td>32.70</td><td>251</td><td>64 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	111.49	-----	-----	97.60	36.01	10.58	32.70	251	64 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5450.20	53.67	74.00	-20.33	39.84	35.98	10.54	32.69	251	64 PEAK																																																																																			
2 5462.50	53.58	68.30	-14.72	39.73	35.99	10.55	32.69	251	64 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5500.00	111.49	-----	-----	97.60	36.01	10.58	32.70	251	64 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5457.25</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>29.87</td><td>35.98</td><td>10.54</td><td>32.69</td><td>251</td><td>64 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5457.25	43.70	54.00	-10.30	29.87	35.98	10.54	32.69	251	64 AVERAGE	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>104.35</td><td>-----</td><td>-----</td><td>90.48</td><td>36.00</td><td>10.57</td><td>32.70</td><td>251</td><td>64 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	104.35	-----	-----	90.48	36.00	10.57	32.70	251	64 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5457.25	43.70	54.00	-10.30	29.87	35.98	10.54	32.69	251	64 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5500.00	104.35	-----	-----	90.48	36.00	10.57	32.70	251	64 AVERAGE																																																																																			






Mode	7																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>45.70</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>48.55</td><td>68.30</td><td>-19.75</td><td>41.99</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11000.00	47.32	74.00	-26.68	45.70	37.90	14.62	50.90	---	---	Peak	2	16500.00	48.55	68.30	-19.75	41.99	42.00	17.66	53.10	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>45.49</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.89</td><td>68.30</td><td>-20.41</td><td>41.33</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11000.00	47.11	74.00	-26.89	45.49	37.90	14.62	50.90	---	---	Peak	2	16500.00	47.89	68.30	-20.41	41.33	42.00	17.66	53.10	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11000.00	47.32	74.00	-26.68	45.70	37.90	14.62	50.90	---	---	Peak																																																																																																																							
2	16500.00	48.55	68.30	-19.75	41.99	42.00	17.66	53.10	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11000.00	47.11	74.00	-26.89	45.49	37.90	14.62	50.90	---	---	Peak																																																																																																																							
2	16500.00	47.89	68.30	-20.41	41.33	42.00	17.66	53.10	---	---	Peak																																																																																																																							






Mode	8																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>45.38</td><td>38.01</td><td>14.72</td><td>50.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.56</td><td>68.30</td><td>-20.74</td><td>40.12</td><td>42.38</td><td>17.87</td><td>52.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11160.00	47.40	74.00	-26.60	45.38	38.01	14.72	50.71	---	---	Peak	2	16740.00	47.56	68.30	-20.74	40.12	42.38	17.87	52.81	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>45.54</td><td>38.01</td><td>14.72</td><td>50.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.88</td><td>68.30</td><td>-20.42</td><td>40.44</td><td>42.38</td><td>17.87</td><td>52.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11160.00	47.56	74.00	-26.44	45.54	38.01	14.72	50.71	---	---	Peak	2	16740.00	47.88	68.30	-20.42	40.44	42.38	17.87	52.81	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11160.00	47.40	74.00	-26.60	45.38	38.01	14.72	50.71	---	---	Peak																																																																																																																							
2	16740.00	47.56	68.30	-20.74	40.12	42.38	17.87	52.81	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11160.00	47.56	74.00	-26.44	45.54	38.01	14.72	50.71	---	---	Peak																																																																																																																							
2	16740.00	47.88	68.30	-20.42	40.44	42.38	17.87	52.81	---	---	Peak																																																																																																																							



Mode	9																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting around 105 dBuV/m at 5700 MHz, dropping to a noise floor of approximately 52 dBuV/m by 5725 MHz. A red limit line is at 70.0 dBuV/m. A peak is marked at 5748.10 MHz with a level of 53.08 dBuV/m. The date is 2025-10-28. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.10</td><td>53.08</td><td>68.30</td><td>-15.22</td><td>38.62</td><td>36.40</td><td>10.86</td><td>32.80</td><td>267</td><td>66</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5748.10	53.08	68.30	-15.22	38.62	36.40	10.86	32.80	267	66	PEAK	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting around 105 dBuV/m at 5700 MHz, dropping to a noise floor of approximately 52 dBuV/m by 5725 MHz. A red limit line is at 70.0 dBuV/m. A peak is marked at 5748.10 MHz with a level of 53.08 dBuV/m. The date is 2025-10-28. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.45</td><td>-----</td><td>-----</td><td>91.01</td><td>36.32</td><td>10.90</td><td>32.78</td><td>267</td><td>66</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.45	-----	-----	91.01	36.32	10.90	32.78	267	66	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5748.10	53.08	68.30	-15.22	38.62	36.40	10.86	32.80	267	66	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5700.00	105.45	-----	-----	91.01	36.32	10.90	32.78	267	66	PEAK																																																																															
Avg	Blank					 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting around 105 dBuV/m at 5700 MHz, dropping to a noise floor of approximately 52 dBuV/m by 5725 MHz. A red limit line is at 70.0 dBuV/m. A peak is marked at 5748.10 MHz with a level of 53.08 dBuV/m. The date is 2025-10-28. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.48</td><td>-----</td><td>-----</td><td>84.05</td><td>36.31</td><td>10.90</td><td>32.78</td><td>267</td><td>66</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.48	-----	-----	84.05	36.31	10.90	32.78	267	66	AVERAGE																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5700.00	98.48	-----	-----	84.05	36.31	10.90	32.78	267	66	AVERAGE																																																																															



Mode	9																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-10-28  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5736.40</td><td>53.20</td><td>68.30</td><td>-15.10</td><td>38.74</td><td>36.38</td><td>10.87</td><td>32.79</td><td>264</td><td>72 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5736.40	53.20	68.30	-15.10	38.74	36.38	10.87	32.79	264	72 PEAK	Level (dBuV/m) Date: 2025-10-28  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.81</td><td>-----</td><td>-----</td><td>95.37</td><td>36.32</td><td>10.90</td><td>32.78</td><td>264</td><td>72 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.81	-----	-----	95.37	36.32	10.90	32.78	264	72 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5736.40	53.20	68.30	-15.10	38.74	36.38	10.87	32.79	264	72 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	109.81	-----	-----	95.37	36.32	10.90	32.78	264	72 PEAK																																																																																		
Avg	Blank					Level (dBuV/m) Date: 2025-10-28  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.36</td><td>-----</td><td>-----</td><td>88.92</td><td>36.33</td><td>10.89</td><td>32.78</td><td>264</td><td>72 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.36	-----	-----	88.92	36.33	10.89	32.78	264	72 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	103.36	-----	-----	88.92	36.33	10.89	32.78	264	72 AVERAGE																																																																																		







Mode	9																																																																
	Harmonic																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																
ANT	9+8																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>44.61</td><td>38.18</td><td>14.87</td><td>50.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.48</td><td>68.30</td><td>-19.82</td><td>40.33</td><td>42.81</td><td>18.06</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.24	74.00	-26.76	44.61	38.18	14.87	50.42	---	---	Peak	2	17100.00	48.48	68.30	-19.82	40.33	42.81	18.06	52.72	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11400.00	47.24	74.00	-26.76	44.61	38.18	14.87	50.42	---	---	Peak																																																						
2	17100.00	48.48	68.30	-19.82	40.33	42.81	18.06	52.72	---	---	Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>44.86</td><td>38.18</td><td>14.87</td><td>50.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.34</td><td>68.30</td><td>-19.96</td><td>40.19</td><td>42.81</td><td>18.06</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.49	74.00	-26.51	44.86	38.18	14.87	50.42	---	---	Peak	2	17100.00	48.34	68.30	-19.96	40.19	42.81	18.06	52.72	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11400.00	47.49	74.00	-26.51	44.86	38.18	14.87	50.42	---	---	Peak																																																						
2	17100.00	48.34	68.30	-19.96	40.19	42.81	18.06	52.72	---	---	Peak																																																						



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5112.68</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>41.28</td><td>35.85</td><td>10.59</td><td>32.62</td><td>267 63 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5112.68	55.10	74.00	-18.90	41.28	35.85	10.59	32.62	267 63 PEAK	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.61</td><td>-----</td><td>-----</td><td>97.94</td><td>35.87</td><td>10.44</td><td>32.64</td><td>267 63 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.61	-----	-----	97.94	35.87	10.44	32.64	267 63 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5112.68	55.10	74.00	-18.90	41.28	35.85	10.59	32.62	267 63 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	111.61	-----	-----	97.94	35.87	10.44	32.64	267 63 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.94</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>31.11</td><td>35.86</td><td>10.51</td><td>32.63</td><td>267 63 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.94	44.85	54.00	-9.15	31.11	35.86	10.51	32.63	267 63 AVERAGE	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>104.49</td><td>-----</td><td>-----</td><td>90.82</td><td>35.87</td><td>10.44</td><td>32.64</td><td>267 63 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.49	-----	-----	90.82	35.87	10.44	32.64	267 63 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.94	44.85	54.00	-9.15	31.11	35.86	10.51	32.63	267 63 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	104.49	-----	-----	90.82	35.87	10.44	32.64	267 63 AVERAGE																																																																									





Mode	10																																																																																												
	Band Edge																																																																																												
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																												
ANT	9+8																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak	 Date: 2025-10-28					 Date: 2025-10-28																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.60</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>40.68</td><td>35.86</td><td>10.52</td><td>32.63</td><td>253</td><td>66</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5147.60	54.43	74.00	-19.57	40.68	35.86	10.52	32.63	253	66	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>113.41</td><td>-----</td><td>-----</td><td>99.74</td><td>35.88</td><td>10.43</td><td>32.64</td><td>253</td><td>66</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.41	-----	-----	99.74	35.88	10.43	32.64	253	66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5147.60	54.43	74.00	-19.57	40.68	35.86	10.52	32.63	253	66	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5180.00	113.41	-----	-----	99.74	35.88	10.43	32.64	253	66	PEAK																																																																																		
Avg	 Date: 2025-10-28					 Date: 2025-10-28																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.52</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>30.46</td><td>35.86</td><td>10.52</td><td>32.63</td><td>253</td><td>66</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5146.52	44.21	54.00	-9.79	30.46	35.86	10.52	32.63	253	66	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>105.40</td><td>-----</td><td>-----</td><td>91.73</td><td>35.88</td><td>10.43</td><td>32.64</td><td>253</td><td>66</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.40	-----	-----	91.73	35.88	10.43	32.64	253	66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5146.52	44.21	54.00	-9.79	30.46	35.86	10.52	32.63	253	66	AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5180.00	105.40	-----	-----	91.73	35.88	10.43	32.64	253	66	AVERAGE																																																																																		





Mode	10																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>47.78</td><td>68.30</td><td>-20.52</td><td>46.72</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>41.50</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	47.78	68.30	-20.52	46.72	37.90	14.59	51.43	---	---	Peak	2	15540.00	47.27	74.00	-26.73	41.50	40.79	17.17	52.19	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>47.95</td><td>68.30</td><td>-20.35</td><td>46.89</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>40.86</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	47.95	68.30	-20.35	46.89	37.90	14.59	51.43	---	---	Peak	2	15540.00	46.63	74.00	-27.37	40.86	40.79	17.17	52.19	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	10360.00	47.78	68.30	-20.52	46.72	37.90	14.59	51.43	---	---	Peak																																																																																																																							
2	15540.00	47.27	74.00	-26.73	41.50	40.79	17.17	52.19	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	10360.00	47.95	68.30	-20.35	46.89	37.90	14.59	51.43	---	---	Peak																																																																																																																							
2	15540.00	46.63	74.00	-27.37	40.86	40.79	17.17	52.19	---	---	Peak																																																																																																																							



Mode	11																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10440.00</td><td>47.80</td><td>68.30</td><td>-20.50</td><td>46.72</td><td>37.90</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>41.39</td><td>40.89</td><td>17.19</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10440.00	47.80	68.30	-20.50	46.72	37.90	14.59	51.41	---	---	Peak	2	15660.00	47.02	74.00	-26.98	41.39	40.89	17.19	52.45	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10440.00</td><td>47.84</td><td>68.30</td><td>-20.46</td><td>46.76</td><td>37.90</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>40.56</td><td>40.89</td><td>17.19</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10440.00	47.84	68.30	-20.46	46.76	37.90	14.59	51.41	---	---	Peak	2	15660.00	46.19	74.00	-27.81	40.56	40.89	17.19	52.45	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10440.00	47.80	68.30	-20.50	46.72	37.90	14.59	51.41	---	---	Peak																																																																																																																							
2	15660.00	47.02	74.00	-26.98	41.39	40.89	17.19	52.45	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10440.00	47.84	68.30	-20.46	46.76	37.90	14.59	51.41	---	---	Peak																																																																																																																							
2	15660.00	46.19	74.00	-27.81	40.56	40.89	17.19	52.45	---	---	Peak																																																																																																																							



Mode	12																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																			
ANT	9+8																																																																																																																																			
Pol.	Horizontal							Vertical																																																																																																																												
Peak Avg																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.19</td><td>68.30</td><td>-21.11</td><td>46.10</td><td>37.90</td><td>14.59</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>41.30</td><td>40.95</td><td>17.19</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	47.19	68.30	-21.11	46.10	37.90	14.59	51.40	---	---	Peak	2	15720.00	46.86	74.00	-27.14	41.30	40.95	17.19	52.58	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.80</td><td>68.30</td><td>-20.50</td><td>46.71</td><td>37.90</td><td>14.59</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>42.20</td><td>40.95</td><td>17.19</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	47.80	68.30	-20.50	46.71	37.90	14.59	51.40	---	---	Peak	2	15720.00	47.76	74.00	-26.24	42.20	40.95	17.19	52.58	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	10480.00	47.19	68.30	-21.11	46.10	37.90	14.59	51.40	---	---	Peak																																																																																																																									
2	15720.00	46.86	74.00	-27.14	41.30	40.95	17.19	52.58	---	---	Peak																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	10480.00	47.80	68.30	-20.50	46.71	37.90	14.59	51.40	---	---	Peak																																																																																																																									
2	15720.00	47.76	74.00	-26.24	42.20	40.95	17.19	52.58	---	---	Peak																																																																																																																									







Mode	13																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																															
ANT	9+8																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>47.37</td><td>68.30</td><td>-20.93</td><td>46.25</td><td>37.90</td><td>14.60</td><td>51.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>42.49</td><td>41.00</td><td>17.20</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	47.37	68.30	-20.93	46.25	37.90	14.60	51.38	---	---	Peak	2	15780.00	47.97	74.00	-26.03	42.49	41.00	17.20	52.72	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>47.90</td><td>68.30</td><td>-20.40</td><td>46.78</td><td>37.90</td><td>14.60</td><td>51.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>42.25</td><td>41.00</td><td>17.20</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	47.90	68.30	-20.40	46.78	37.90	14.60	51.38	---	---	Peak	2	15780.00	47.73	74.00	-26.27	42.25	41.00	17.20	52.72	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10520.00	47.37	68.30	-20.93	46.25	37.90	14.60	51.38	---	---	Peak																																																																																																																					
2	15780.00	47.97	74.00	-26.03	42.49	41.00	17.20	52.72	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10520.00	47.90	68.30	-20.40	46.78	37.90	14.60	51.38	---	---	Peak																																																																																																																					
2	15780.00	47.73	74.00	-26.27	42.25	41.00	17.20	52.72	---	---	Peak																																																																																																																					







Mode	14																																																														
	Harmonic																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																														
ANT	9+8																																																														
Pol.	Horizontal						Vertical																																																								
Peak Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10600.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>46.07</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>42.37</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	47.27	74.00	-26.73	46.07	37.90	14.60	51.30	---	---	Peak	2	15900.00	47.72	74.00	-26.28	42.37	41.11	17.22	52.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	10600.00	47.27	74.00	-26.73	46.07	37.90	14.60	51.30	---	---	Peak																																																				
2	15900.00	47.72	74.00	-26.28	42.37	41.11	17.22	52.98	---	---	Peak																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10600.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>46.01</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>41.29</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	47.21	74.00	-26.79	46.01	37.90	14.60	51.30	---	---	Peak	2	15900.00	46.64	74.00	-27.36	41.29	41.11	17.22	52.98	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	10600.00	47.21	74.00	-26.79	46.01	37.90	14.60	51.30	---	---	Peak																																																				
2	15900.00	46.64	74.00	-27.36	41.29	41.11	17.22	52.98	---	---	Peak																																																				





Mode	15																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																	
ANT	9+8																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5383.56</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>39.57</td><td>35.95</td><td>10.52</td><td>32.68</td><td>250</td><td>66 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5383.56	53.36	74.00	-20.64	39.57	35.95	10.52	32.68	250	66 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>110.30</td><td>-----</td><td>-----</td><td>96.46</td><td>35.93</td><td>10.58</td><td>32.67</td><td>250</td><td>66 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5320.00	110.30	-----	-----	96.46	35.93	10.58	32.67	250
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5383.56	53.36	74.00	-20.64	39.57	35.95	10.52	32.68	250	66 PEAK																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	110.30	-----	-----	96.46	35.93	10.58	32.67	250	66 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5356.26</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>30.08</td><td>35.94</td><td>10.55</td><td>32.67</td><td>250</td><td>66 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5356.26	43.90	54.00	-10.10	30.08	35.94	10.55	32.67	250	66 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>103.56</td><td>-----</td><td>-----</td><td>89.72</td><td>35.93</td><td>10.58</td><td>32.67</td><td>250</td><td>66 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5320.00	103.56	-----	-----	89.72	35.93	10.58	32.67	250
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5356.26	43.90	54.00	-10.10	30.08	35.94	10.55	32.67	250	66 AVERAGE																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	103.56	-----	-----	89.72	35.93	10.58	32.67	250	66 AVERAGE																																																																																								







		15																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																							
ANT		9+8																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.02</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>39.95</td><td>35.94</td><td>10.54</td><td>32.67</td><td>264 62 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.02	53.76	74.00	-20.24	39.95	35.94	10.54	32.67	264 62 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.57</td><td>-----</td><td>98.73</td><td>35.93</td><td>10.58</td><td>32.67</td><td>264</td><td>62 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.57	-----	98.73	35.93	10.58	32.67	264
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5361.02	53.76	74.00	-20.24	39.95	35.94	10.54	32.67	264 62 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	112.57	-----	98.73	35.93	10.58	32.67	264	62 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>30.45</td><td>35.94</td><td>10.55</td><td>32.67</td><td>264 62 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	44.27	54.00	-9.73	30.45	35.94	10.55	32.67	264 62 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.16</td><td>-----</td><td>91.32</td><td>35.93</td><td>10.58</td><td>32.67</td><td>264</td><td>62 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.16	-----	91.32	35.93	10.58	32.67	264
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5350.10	44.27	54.00	-9.73	30.45	35.94	10.55	32.67	264 62 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	105.16	-----	91.32	35.93	10.58	32.67	264	62 AVERAGE																																																																																







Mode	15																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal							Vertical																																																																																																																										
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>46.56</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>41.34</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.80	74.00	-26.20	46.56	37.90	14.60	51.26	---	---	Peak	2	15960.00	46.62	74.00	-27.38	41.34	41.16	17.23	53.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>46.37</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>42.17</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.61	74.00	-26.39	46.37	37.90	14.60	51.26	---	---	Peak	2	15960.00	47.45	74.00	-26.55	42.17	41.16	17.23	53.11	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	47.80	74.00	-26.20	46.56	37.90	14.60	51.26	---	---	Peak																																																																																																																							
2	15960.00	46.62	74.00	-27.38	41.34	41.16	17.23	53.11	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	47.61	74.00	-26.39	46.37	37.90	14.60	51.26	---	---	Peak																																																																																																																							
2	15960.00	47.45	74.00	-26.55	42.17	41.16	17.23	53.11	---	---	Peak																																																																																																																							





Mode	16																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5442.55</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>39.22</td><td>35.98</td><td>10.53</td><td>32.69</td><td>258</td><td>62</td><td>PEAK</td></tr><tr><td>2</td><td>5469.55</td><td>52.78</td><td>68.30</td><td>-15.52</td><td>38.93</td><td>35.99</td><td>10.55</td><td>32.69</td><td>258</td><td>62</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5442.55	53.04	74.00	-20.96	39.22	35.98	10.53	32.69	258	62	PEAK	2	5469.55	52.78	68.30	-15.52	38.93	35.99	10.55	32.69	258	62	PEAK	 Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.15</td><td>-----</td><td>-----</td><td>93.27</td><td>36.00</td><td>10.58</td><td>32.70</td><td>258</td><td>62</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.15	-----	-----	93.27	36.00	10.58	32.70	258	62	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5442.55	53.04	74.00	-20.96	39.22	35.98	10.53	32.69	258	62	PEAK																																																																																											
2	5469.55	52.78	68.30	-15.52	38.93	35.99	10.55	32.69	258	62	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	107.15	-----	-----	93.27	36.00	10.58	32.70	258	62	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>28.80</td><td>35.98</td><td>10.54</td><td>32.69</td><td>258</td><td>62</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.05	42.63	54.00	-11.37	28.80	35.98	10.54	32.69	258	62	AVERAGE	 Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.66</td><td>-----</td><td>-----</td><td>85.78</td><td>36.00</td><td>10.58</td><td>32.70</td><td>258</td><td>62</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.66	-----	-----	85.78	36.00	10.58	32.70	258	62	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.05	42.63	54.00	-11.37	28.80	35.98	10.54	32.69	258	62	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	99.66	-----	-----	85.78	36.00	10.58	32.70	258	62	AVERAGE																																																																																											





Mode	16																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.80</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>39.68</td><td>35.98</td><td>10.53</td><td>32.69</td><td>256</td><td>68 PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>54.29</td><td>68.30</td><td>-14.01</td><td>40.44</td><td>35.99</td><td>10.55</td><td>32.69</td><td>256</td><td>68 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5444.80	53.50	74.00	-20.50	39.68	35.98	10.53	32.69	256	68 PEAK	2	5468.65	54.29	68.30	-14.01	40.44	35.99	10.55	32.69	256	68 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.56</td><td>-----</td><td>-----</td><td>96.67</td><td>36.01</td><td>10.58</td><td>32.70</td><td>256</td><td>68 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.56	-----	-----	96.67	36.01	10.58	32.70	256
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5444.80	53.50	74.00	-20.50	39.68	35.98	10.53	32.69	256	68 PEAK																																																																																												
2	5468.65	54.29	68.30	-14.01	40.44	35.99	10.55	32.69	256	68 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	110.56	-----	-----	96.67	36.01	10.58	32.70	256	68 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.50</td><td>43.78</td><td>54.00</td><td>-10.22</td><td>29.95</td><td>35.98</td><td>10.54</td><td>32.69</td><td>256</td><td>68 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5453.50	43.78	54.00	-10.22	29.95	35.98	10.54	32.69	256	68 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.61</td><td>-----</td><td>-----</td><td>89.72</td><td>36.01</td><td>10.58</td><td>32.70</td><td>256</td><td>68 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.61	-----	-----	89.72	36.01	10.58	32.70	256	68 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5453.50	43.78	54.00	-10.22	29.95	35.98	10.54	32.69	256	68 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	103.61	-----	-----	89.72	36.01	10.58	32.70	256	68 AVERAGE																																																																																												



Mode	16																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>45.84</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.95</td><td>68.30</td><td>-20.35</td><td>41.39</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	47.46	74.00	-26.54	45.84	37.90	14.62	50.90	---	---	Peak	2	16500.00	47.95	68.30	-20.35	41.39	42.00	17.66	53.10	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>46.32</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>41.30</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	47.94	74.00	-26.06	46.32	37.90	14.62	50.90	---	---	Peak	2	16500.00	47.86	68.30	-20.44	41.30	42.00	17.66	53.10	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11000.00	47.46	74.00	-26.54	45.84	37.90	14.62	50.90	---	---	Peak																																																																																																																							
2	16500.00	47.95	68.30	-20.35	41.39	42.00	17.66	53.10	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11000.00	47.94	74.00	-26.06	46.32	37.90	14.62	50.90	---	---	Peak																																																																																																																							
2	16500.00	47.86	68.30	-20.44	41.30	42.00	17.66	53.10	---	---	Peak																																																																																																																							



Mode	17																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																							
ANT	9+8																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>45.16</td><td>38.01</td><td>14.72</td><td>50.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.39</td><td>68.30</td><td>-20.91</td><td>39.95</td><td>42.38</td><td>17.87</td><td>52.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	47.18	74.00	-26.82	45.16	38.01	14.72	50.71	---	---	Peak	2	16740.00	47.39	68.30	-20.91	39.95	42.38	17.87	52.81	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>45.55</td><td>38.01</td><td>14.72</td><td>50.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>46.17</td><td>68.30</td><td>-22.13</td><td>38.73</td><td>42.38</td><td>17.87</td><td>52.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	47.57	74.00	-26.43	45.55	38.01	14.72	50.71	---	---	Peak	2	16740.00	46.17	68.30	-22.13	38.73	42.38	17.87	52.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	47.18	74.00	-26.82	45.16	38.01	14.72	50.71	---	---	Peak																																																																																																													
2	16740.00	47.39	68.30	-20.91	39.95	42.38	17.87	52.81	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	47.57	74.00	-26.43	45.55	38.01	14.72	50.71	---	---	Peak																																																																																																													
2	16740.00	46.17	68.30	-22.13	38.73	42.38	17.87	52.81	---	---	Peak																																																																																																													



Mode	18																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																			
ANT	9+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.17</td><td>53.25</td><td>68.30</td><td>-15.05</td><td>38.78</td><td>36.42</td><td>10.85</td><td>32.80</td><td>244</td><td>65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5761.17	53.25	68.30	-15.05	38.78	36.42	10.85	32.80	244	65 PEAK	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>107.05</td><td>-----</td><td>-----</td><td>92.61</td><td>36.32</td><td>10.90</td><td>32.78</td><td>244</td><td>65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.05	-----	-----	92.61	36.32	10.90	32.78	244	65 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5761.17	53.25	68.30	-15.05	38.78	36.42	10.85	32.80	244	65 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	107.05	-----	-----	92.61	36.32	10.90	32.78	244	65 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-10-28 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.89</td><td>-----</td><td>-----</td><td>85.45</td><td>36.32</td><td>10.90</td><td>32.78</td><td>244</td><td>65 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.89	-----	-----	85.45	36.32	10.90	32.78	244	65 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	99.89	-----	-----	85.45	36.32	10.90	32.78	244	65 AVERAGE																																																																										