













		48																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																	
ANT		9+8																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.86</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>38.86</td><td>35.98</td><td>10.54</td><td>32.69</td><td>249 61 PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>53.04</td><td>68.30</td><td>-15.26</td><td>39.19</td><td>35.99</td><td>10.55</td><td>32.69</td><td>249 61 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5453.86	52.69	74.00	-21.31	38.86	35.98	10.54	32.69	249 61 PEAK	2	5468.08	53.04	68.30	-15.26	39.19	35.99	10.55	32.69	249 61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>105.90</td><td>-----</td><td>-----</td><td>91.98</td><td>36.03</td><td>10.60</td><td>32.71</td><td>249 61 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	105.90	-----	-----	91.98	36.03	10.60	32.71
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5453.86	52.69	74.00	-21.31	38.86	35.98	10.54	32.69	249 61 PEAK																																																																																										
2	5468.08	53.04	68.30	-15.26	39.19	35.99	10.55	32.69	249 61 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5530.00	105.90	-----	-----	91.98	36.03	10.60	32.71	249 61 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.82</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>29.44</td><td>35.98</td><td>10.54</td><td>32.69</td><td>249 61 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.82	43.27	54.00	-10.73	29.44	35.98	10.54	32.69	249 61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.62</td><td>-----</td><td>-----</td><td>83.65</td><td>36.06</td><td>10.62</td><td>32.71</td><td>249 61 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.62	-----	-----	83.65	36.06	10.62	32.71	249 61 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.82	43.27	54.00	-10.73	29.44	35.98	10.54	32.69	249 61 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5530.00	97.62	-----	-----	83.65	36.06	10.62	32.71	249 61 AVERAGE																																																																																										



Mode	48																																																																					
	Harmonic																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																					
ANT	9+8																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>45.61</td><td>37.94</td><td>14.66</td><td>50.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.64</td><td>68.30</td><td>-19.66</td><td>41.75</td><td>42.14</td><td>17.74</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11060.00	47.38	74.00	-26.62	45.61	37.94	14.66	50.83	---	---	Peak	2	16590.00	48.64	68.30	-19.66	41.75	42.14	17.74	52.99	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11060.00	47.38	74.00	-26.62	45.61	37.94	14.66	50.83	---	---	Peak																																																											
2	16590.00	48.64	68.30	-19.66	41.75	42.14	17.74	52.99	---	---	Peak																																																											
																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>45.98</td><td>37.94</td><td>14.66</td><td>50.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.77</td><td>68.30</td><td>-19.53</td><td>41.88</td><td>42.14</td><td>17.74</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11060.00	47.75	74.00	-26.25	45.98	37.94	14.66	50.83	---	---	Peak	2	16590.00	48.77	68.30	-19.53	41.88	42.14	17.74	52.99	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11060.00	47.75	74.00	-26.25	45.98	37.94	14.66	50.83	---	---	Peak																																																											
2	16590.00	48.77	68.30	-19.53	41.88	42.14	17.74	52.99	---	---	Peak																																																											



Mode	49																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5405.64</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>39.03</td><td>35.96</td><td>10.50</td><td>32.68</td><td>196</td><td>73 PEAK</td></tr><tr><td>2</td><td>5461.80</td><td>51.88</td><td>68.30</td><td>-16.42</td><td>38.04</td><td>35.98</td><td>10.55</td><td>32.69</td><td>196</td><td>73 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5405.64	52.81	74.00	-21.19	39.03	35.96	10.50	32.68	196	73 PEAK	2	5461.80	51.88	68.30	-16.42	38.04	35.98	10.55	32.69	196	73 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>101.89</td><td>-----</td><td>-----</td><td>87.83</td><td>36.12</td><td>10.67</td><td>32.73</td><td>196</td><td>73 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.89	-----	-----	87.83	36.12	10.67	32.73	196
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5405.64	52.81	74.00	-21.19	39.03	35.96	10.50	32.68	196	73 PEAK																																																																																												
2	5461.80	51.88	68.30	-16.42	38.04	35.98	10.55	32.69	196	73 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	101.89	-----	-----	87.83	36.12	10.67	32.73	196	73 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.70</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>28.29</td><td>35.98</td><td>10.54</td><td>32.69</td><td>196</td><td>73 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5452.70	42.12	54.00	-11.88	28.29	35.98	10.54	32.69	196	73 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>92.64</td><td>-----</td><td>-----</td><td>78.48</td><td>36.18</td><td>10.73</td><td>32.75</td><td>196</td><td>73 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.64	-----	-----	78.48	36.18	10.73	32.75	196	73 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5452.70	42.12	54.00	-11.88	28.29	35.98	10.54	32.69	196	73 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	92.64	-----	-----	78.48	36.18	10.73	32.75	196	73 AVERAGE																																																																																												





		49									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz										
ANT	9+8										
Pol.	Vertical										
Peak	Fundamental										
	Date: 2025-10-29										
Level (dBuV/m)	Date: 2025-10-29										
	Date: 2025-10-29										
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											
PART 15.407											







Mode	49									
	Band Edge - R									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz									
ANT	9+8									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) <									





Mode	49																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11220.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>45.73</td><td>38.05</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>48.33</td><td>68.30</td><td>-19.97</td><td>40.55</td><td>42.53</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11220.00	47.90	74.00	-26.10	45.73	38.05	14.76	50.64	---	---	Peak	2	16830.00	48.33	68.30	-19.97	40.55	42.53	17.95	52.70	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11220.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>45.80</td><td>38.05</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>48.52</td><td>68.30</td><td>-19.78</td><td>40.74</td><td>42.53</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11220.00	47.97	74.00	-26.03	45.80	38.05	14.76	50.64	---	---	Peak	2	16830.00	48.52	68.30	-19.78	40.74	42.53	17.95	52.70	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11220.00	47.90	74.00	-26.10	45.73	38.05	14.76	50.64	---	---	Peak																																																																																																																							
2	16830.00	48.33	68.30	-19.97	40.55	42.53	17.95	52.70	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11220.00	47.97	74.00	-26.03	45.80	38.05	14.76	50.64	---	---	Peak																																																																																																																							
2	16830.00	48.52	68.30	-19.78	40.74	42.53	17.95	52.70	---	---	Peak																																																																																																																							



		50																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																						
ANT		9+8																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5119.00</td><td>55.74</td><td>74.00</td><td>-18.26</td><td>41.94</td><td>35.85</td><td>10.57</td><td>32.62</td><td>256</td><td>57</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5119.00	55.74	74.00	-18.26	41.94	35.85	10.57	32.62	256	57	PEAK	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>102.77</td><td>-----</td><td>-----</td><td>89.01</td><td>35.90</td><td>10.51</td><td>32.65</td><td>256</td><td>57</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5250.00	102.77	-----	-----	89.01	35.90	10.51	32.65	256	57	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																
1	5119.00	55.74	74.00	-18.26	41.94	35.85	10.57	32.62	256	57	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	102.77	-----	-----	89.01	35.90	10.51	32.65	256	57	PEAK																																																																													
Avg	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.25</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>33.06</td><td>35.85</td><td>10.58</td><td>32.62</td><td>256</td><td>57</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5117.25	46.87	54.00	-7.13	33.06	35.85	10.58	32.62	256	57	AVERAGE	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>92.92</td><td>-----</td><td>-----</td><td>79.07</td><td>35.93</td><td>10.58</td><td>32.66</td><td>256</td><td>57</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5250.00	92.92	-----	-----	79.07	35.93	10.58	32.66	256	57	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																
1	5117.25	46.87	54.00	-7.13	33.06	35.85	10.58	32.62	256	57	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	92.92	-----	-----	79.07	35.93	10.58	32.66	256	57	AVERAGE																																																																													





Mode	50																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																										
ANT	9+8																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.21</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>42.40</td><td>35.94</td><td>10.55</td><td>32.67</td><td>256</td><td>57 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.21	56.22	74.00	-17.78	42.40	35.94	10.55	32.67	256	57 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5355.21	56.22	74.00	-17.78	42.40	35.94	10.55	32.67	256	57 PEAK																																	
Avg	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.22</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>32.56</td><td>35.94</td><td>10.55</td><td>32.67</td><td>256</td><td>57 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.22	46.38	54.00	-7.62	32.56	35.94	10.55	32.67	256	57 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5351.22	46.38	54.00	-7.62	32.56	35.94	10.55	32.67	256	57 AVERAGE																																	





Mode	50	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz	
ANT	9+8	
Pol.	Vertical	Fundamental
Peak		



Mode	50																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																									
ANT	9+8																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.90</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>42.29</td><td>35.94</td><td>10.55</td><td>32.67</td><td>223 71 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.90	56.11	74.00	-17.89	42.29	35.94	10.55	32.67	223 71 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5352.90	56.11	74.00	-17.89	42.29	35.94	10.55	32.67	223 71 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5396.16</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>32.95</td><td>35.96</td><td>10.51</td><td>32.68</td><td>223 71 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5396.16	46.74	54.00	-7.26	32.95	35.96	10.51	32.68	223 71 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5396.16	46.74	54.00	-7.26	32.95	35.96	10.51	32.68	223 71 AVERAGE																																	



Mode	50																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																																																																
ANT	9+8																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>47.82</td><td>68.30</td><td>-20.48</td><td>46.72</td><td>37.90</td><td>14.60</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>42.06</td><td>40.97</td><td>17.20</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10500.00	47.82	68.30	-20.48	46.72	37.90	14.60	51.40	---	---	Peak	2	15750.00	47.58	74.00	-26.42	42.06	40.97	17.20	52.65	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>47.91</td><td>68.30</td><td>-20.39</td><td>46.81</td><td>37.90</td><td>14.60</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>42.38</td><td>40.97</td><td>17.20</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10500.00	47.91	68.30	-20.39	46.81	37.90	14.60	51.40	---	---	Peak	2	15750.00	47.90	74.00	-26.10	42.38	40.97	17.20	52.65	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10500.00	47.82	68.30	-20.48	46.72	37.90	14.60	51.40	---	---	Peak																																																																																																																						
2	15750.00	47.58	74.00	-26.42	42.06	40.97	17.20	52.65	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10500.00	47.91	68.30	-20.39	46.81	37.90	14.60	51.40	---	---	Peak																																																																																																																						
2	15750.00	47.90	74.00	-26.10	42.38	40.97	17.20	52.65	---	---	Peak																																																																																																																						



Mode	51																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																		
ANT	9+8																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz)					Level (dBuV/m) Date: 2025-10-29 Frequency (MHz)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5397.74</td><td>54.21</td><td>74.00</td><td>-19.79</td><td>40.42</td><td>35.96</td><td>10.51</td><td>32.68</td><td>251 62 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>53.28</td><td>68.30</td><td>-15.02</td><td>39.43</td><td>35.99</td><td>10.55</td><td>32.69</td><td>251 62 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5397.74	54.21	74.00	-19.79	40.42	35.96	10.51	32.68	251 62 PEAK	2	5467.92	53.28	68.30	-15.02	39.43	35.99	10.55	32.69	251 62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.16</td><td>-----</td><td>86.29</td><td>36.00</td><td>10.57</td><td>32.70</td><td>251</td><td>62 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.16	-----	86.29	36.00	10.57	32.70	251
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5397.74	54.21	74.00	-19.79	40.42	35.96	10.51	32.68	251 62 PEAK																																																																																										
2	5467.92	53.28	68.30	-15.02	39.43	35.99	10.55	32.69	251 62 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5570.00	100.16	-----	86.29	36.00	10.57	32.70	251	62 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz)					Level (dBuV/m) Date: 2025-10-29 Frequency (MHz)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.46</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>30.74</td><td>35.98</td><td>10.53</td><td>32.69</td><td>251 62 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5447.46	44.56	54.00	-9.44	30.74	35.98	10.53	32.69	251 62 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.58</td><td>-----</td><td>76.71</td><td>36.00</td><td>10.57</td><td>32.70</td><td>251</td><td>62 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.58	-----	76.71	36.00	10.57	32.70	251	62 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5447.46	44.56	54.00	-9.44	30.74	35.98	10.53	32.69	251 62 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5570.00	90.58	-----	76.71	36.00	10.57	32.70	251	62 AVERAGE																																																																																										



Mode	51																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.30</td><td>54.51</td><td>74.00</td><td>-19.49</td><td>40.68</td><td>35.98</td><td>10.54</td><td>32.69</td><td>257 67 PEAK</td></tr><tr><td>2</td><td>5460.22</td><td>54.54</td><td>68.30</td><td>-13.76</td><td>40.71</td><td>35.98</td><td>10.54</td><td>32.69</td><td>257 67 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5452.30	54.51	74.00	-19.49	40.68	35.98	10.54	32.69	257 67 PEAK	2	5460.22	54.54	68.30	-13.76	40.71	35.98	10.54	32.69	257 67 PEAK	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.95</td><td>-----</td><td>-----</td><td>88.08</td><td>36.00</td><td>10.57</td><td>32.70</td><td>257 67 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.95	-----	-----	88.08	36.00	10.57	32.70	257 67 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5452.30	54.51	74.00	-19.49	40.68	35.98	10.54	32.69	257 67 PEAK																																																																																			
2	5460.22	54.54	68.30	-13.76	40.71	35.98	10.54	32.69	257 67 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5570.00	101.95	-----	-----	88.08	36.00	10.57	32.70	257 67 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.38</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>31.35</td><td>35.98</td><td>10.54</td><td>32.69</td><td>257 67 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.38	45.18	54.00	-8.82	31.35	35.98	10.54	32.69	257 67 AVERAGE	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.06</td><td>-----</td><td>-----</td><td>79.19</td><td>36.00</td><td>10.57</td><td>32.70</td><td>257 67 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.06	-----	-----	79.19	36.00	10.57	32.70	257 67 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5455.38	45.18	54.00	-8.82	31.35	35.98	10.54	32.69	257 67 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5570.00	93.06	-----	-----	79.19	36.00	10.57	32.70	257 67 AVERAGE																																																																																			







Mode	51																																																																					
	Harmonic																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																					
ANT	9+8																																																																					
Pol.	Horizontal								Vertical																																																													
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
<table><tr><td>1</td><td>11140.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>46.01</td><td>38.00</td><td>14.71</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>47.62</td><td>68.30</td><td>-20.68</td><td>40.29</td><td>42.34</td><td>17.84</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	11140.00	47.99	74.00	-26.01	46.01	38.00	14.71	50.73	---	---	Peak	2	16710.00	47.62	68.30	-20.68	40.29	42.34	17.84	52.85	---	---	Peak	<table><tr><td>1</td><td>11140.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>45.43</td><td>38.00</td><td>14.71</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>46.90</td><td>68.30</td><td>-21.40</td><td>39.57</td><td>42.34</td><td>17.84</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	11140.00	47.41	74.00	-26.59	45.43	38.00	14.71	50.73	---	---	Peak	2	16710.00	46.90	68.30	-21.40	39.57	42.34	17.84	52.85	---	---	Peak							
1	11140.00	47.99	74.00	-26.01	46.01	38.00	14.71	50.73	---	---	Peak																																																											
2	16710.00	47.62	68.30	-20.68	40.29	42.34	17.84	52.85	---	---	Peak																																																											
1	11140.00	47.41	74.00	-26.59	45.43	38.00	14.71	50.73	---	---	Peak																																																											
2	16710.00	46.90	68.30	-21.40	39.57	42.34	17.84	52.85	---	---	Peak																																																											



Mode	52																																																		
	Band Edge																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 106/53_5180MHz																																																		
ANT	9+8																																																		
Pol.	Horizontal																																																		
Peak	Fundamental																																																		
	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5074.52</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>39.42</td><td>35.83</td><td>10.56</td><td>32.61</td><td>208</td><td>72</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5074.52	53.20	74.00	-20.80	39.42	35.83	10.56	32.61	208	72	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5074.52	53.20	74.00	-20.80	39.42	35.83	10.56	32.61	208	72	PEAK																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.94</td><td>-----</td><td>-----</td><td>95.25</td><td>35.87</td><td>10.46</td><td>32.64</td><td>208</td><td>72</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	108.94	-----	-----	95.25	35.87	10.46	32.64	208	72	PEAK	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5180.00	108.94	-----	-----	95.25	35.87	10.46	32.64	208	72	PEAK																																								
Avg	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>29.15</td><td>35.86</td><td>10.51</td><td>32.63</td><td>208</td><td>72</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.94	42.89	54.00	-11.11	29.15	35.86	10.51	32.63	208	72	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5149.94	42.89	54.00	-11.11	29.15	35.86	10.51	32.63	208	72	AVERAGE																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.83</td><td>-----</td><td>-----</td><td>87.14</td><td>35.87</td><td>10.46</td><td>32.64</td><td>208</td><td>72</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	100.83	-----	-----	87.14	35.87	10.46	32.64	208	72	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5180.00	100.83	-----	-----	87.14	35.87	10.46	32.64	208	72	AVERAGE																																								







Mode	52																																																																																										
	Band Edge																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 106/53_5180MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.86</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>39.22</td><td>35.86</td><td>10.53</td><td>32.63</td><td>215</td><td>65</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5139.86	52.98	74.00	-21.02	39.22	35.86	10.53	32.63	215	65	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.25</td><td>-----</td><td>-----</td><td>92.54</td><td>35.87</td><td>10.47</td><td>32.63</td><td>215</td><td>65</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	106.25	-----	-----	92.54	35.87	10.47	32.63	215	65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5139.86	52.98	74.00	-21.02	39.22	35.86	10.53	32.63	215	65	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5180.00	106.25	-----	-----	92.54	35.87	10.47	32.63	215	65	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.62</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>29.29</td><td>35.85</td><td>10.56</td><td>32.63</td><td>215</td><td>65</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5127.62	43.07	54.00	-10.93	29.29	35.85	10.56	32.63	215	65	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.56</td><td>-----</td><td>-----</td><td>85.85</td><td>35.87</td><td>10.47</td><td>32.63</td><td>215</td><td>65</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	99.56	-----	-----	85.85	35.87	10.47	32.63	215	65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5127.62	43.07	54.00	-10.93	29.29	35.85	10.56	32.63	215	65	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5180.00	99.56	-----	-----	85.85	35.87	10.47	32.63	215	65	AVERAGE																																																																																







Mode	53																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU 26/8_5270MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5402.04</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>39.07</td><td>35.96</td><td>10.50</td><td>32.68</td><td>187 50 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5402.04	52.85	74.00	-21.15	39.07	35.96	10.50	32.68	187 50 PEAK	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>105.38</td><td>-----</td><td>-----</td><td>91.54</td><td>35.93</td><td>10.58</td><td>32.67</td><td>187 50 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5320.00	105.38	-----	-----	91.54	35.93	10.58	32.67	187 50 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5402.04	52.85	74.00	-21.15	39.07	35.96	10.50	32.68	187 50 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	105.38	-----	-----	91.54	35.93	10.58	32.67	187 50 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5385.94</td><td>42.10</td><td>54.00</td><td>-11.90</td><td>28.31</td><td>35.95</td><td>10.52</td><td>32.68</td><td>187 50 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5385.94	42.10	54.00	-11.90	28.31	35.95	10.52	32.68	187 50 AVERAGE	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>98.44</td><td>-----</td><td>-----</td><td>84.60</td><td>35.93</td><td>10.58</td><td>32.67</td><td>187 50 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5320.00	98.44	-----	-----	84.60	35.93	10.58	32.67	187 50 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5385.94	42.10	54.00	-11.90	28.31	35.95	10.52	32.68	187 50 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	98.44	-----	-----	84.60	35.93	10.58	32.67	187 50 AVERAGE																																																																		






Mode	53																																																																																										
	Band Edge																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU 26/8_5270MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Date: 2025-10-29 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.58</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>38.59</td><td>35.95</td><td>10.53</td><td>32.67</td><td>252</td><td>64</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5368.58	52.40	74.00	-21.60	38.59	35.95	10.53	32.67	252	64	PEAK	 Date: 2025-10-29 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.94</td><td>-----</td><td>-----</td><td>95.10</td><td>35.93</td><td>10.58</td><td>32.67</td><td>252</td><td>64</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.94	-----	-----	95.10	35.93	10.58	32.67	252	64	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5368.58	52.40	74.00	-21.60	38.59	35.95	10.53	32.67	252	64	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5320.00	108.94	-----	-----	95.10	35.93	10.58	32.67	252	64	PEAK																																																																																
Avg	 Date: 2025-10-29 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.96</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>28.31</td><td>35.95</td><td>10.54</td><td>32.67</td><td>252</td><td>64</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5363.96	42.13	54.00	-11.87	28.31	35.95	10.54	32.67	252	64	AVERAGE	 Date: 2025-10-29 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.27</td><td>-----</td><td>-----</td><td>87.43</td><td>35.93</td><td>10.58</td><td>32.67</td><td>252</td><td>64</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.27	-----	-----	87.43	35.93	10.58	32.67	252	64	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5363.96	42.13	54.00	-11.87	28.31	35.95	10.54	32.67	252	64	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5320.00	101.27	-----	-----	87.43	35.93	10.58	32.67	252	64	AVERAGE																																																																																



Mode	54																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU 26/0_5500MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-10-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.95</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>38.41</td><td>35.95</td><td>10.52</td><td>32.68</td><td>190 124 PEAK</td></tr><tr><td>2</td><td>5465.05</td><td>52.26</td><td>68.30</td><td>-16.04</td><td>38.41</td><td>35.99</td><td>10.55</td><td>32.69</td><td>190 124 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5381.95	52.20	74.00	-21.80	38.41	35.95	10.52	32.68	190 124 PEAK	2	5465.05	52.26	68.30	-16.04	38.41	35.99	10.55	32.69	190 124 PEAK	Level (dBuV/m) Date: 2025-10-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.04</td><td>-----</td><td>-----</td><td>90.17</td><td>36.00</td><td>10.57</td><td>32.70</td><td>190 124 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.04	-----	-----	90.17	36.00	10.57	32.70	190 124 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5381.95	52.20	74.00	-21.80	38.41	35.95	10.52	32.68	190 124 PEAK																																																																																			
2	5465.05	52.26	68.30	-16.04	38.41	35.99	10.55	32.69	190 124 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	104.04	-----	-----	90.17	36.00	10.57	32.70	190 124 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-10-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.80</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>28.19</td><td>35.98</td><td>10.54</td><td>32.69</td><td>190 124 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.80	42.02	54.00	-11.98	28.19	35.98	10.54	32.69	190 124 AVERAGE	Level (dBuV/m) Date: 2025-10-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.74</td><td>-----</td><td>-----</td><td>82.87</td><td>36.00</td><td>10.57</td><td>32.70</td><td>190 124 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.74	-----	-----	82.87	36.00	10.57	32.70	190 124 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5456.80	42.02	54.00	-11.98	28.19	35.98	10.54	32.69	190 124 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	96.74	-----	-----	82.87	36.00	10.57	32.70	190 124 AVERAGE																																																																																			







Mode	55																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU 52/40_5700MHz																																																																																																																										
ANT	9+8																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	Level (dBuV/m) Date: 2025-10-30  570057135726573957525765 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5738.61</td><td>52.53</td><td>68.30</td><td>-15.77</td><td>38.09</td><td>36.38</td><td>10.86</td><td>32.80</td><td>165 59 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-10-30  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.72</td><td>-----</td><td>-----</td><td>87.27</td><td>36.34</td><td>10.89</td><td>32.78</td><td>165 59 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5738.61	52.53	68.30	-15.77	38.09	36.38	10.86	32.80	165 59 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.72	-----	-----	87.27	36.34	10.89	32.78	165 59 PEAK	Avg	Level (dBuV/m) Date: 2025-10-30  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.83</td><td>-----</td><td>-----</td><td>79.39</td><td>36.33</td><td>10.89</td><td>32.78</td><td>165 59 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.83	-----	-----	79.39	36.33	10.89	32.78	165 59 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5738.61	52.53	68.30	-15.77	38.09	36.38	10.86	32.80	165 59 PEAK																																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5700.00	101.72	-----	-----	87.27	36.34	10.89	32.78	165 59 PEAK																																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5700.00	93.83	-----	-----	79.39	36.33	10.89	32.78	165 59 AVERAGE																																																																																																																		



Mode	55																																									
	Band Edge																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU 52/40_5700MHz																																									
ANT	9+8																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-10-30 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5726.20</td><td>52.45</td><td>68.30</td><td>-15.85</td><td>38.01</td><td>36.36</td><td>10.87</td><td>32.79</td><td>217</td><td>69 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5726.20	52.45	68.30	-15.85	38.01	36.36	10.87	32.79	217	69 PEAK	Level (dBuV/m) Date: 2025-10-30 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5700.00</td><td>107.14</td><td>-----</td><td>-----</td><td>92.69</td><td>36.34</td><td>10.89</td><td>32.78</td><td>217</td><td>69 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5700.00	107.14	-----	-----	92.69	36.34	10.89	32.78	217	69 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5726.20	52.45	68.30	-15.85	38.01	36.36	10.87	32.79	217	69 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5700.00	107.14	-----	-----	92.69	36.34	10.89	32.78	217	69 PEAK																																	
Avg	Blank	Level (dBuV/m) Date: 2025-10-30 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 5700.00</td><td>98.92</td><td>-----</td><td>-----</td><td>84.47</td><td>36.34</td><td>10.89</td><td>32.78</td><td>217</td><td>69 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5700.00	98.92	-----	-----	84.47	36.34	10.89	32.78	217	69 AVERAGE																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5700.00	98.92	-----	-----	84.47	36.34	10.89	32.78	217	69 AVERAGE																																	



Mode	56																																																																																														
	Band Edge																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																																																														
ANT	9+8																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.04</td><td>55.44</td><td>74.00</td><td>-18.56</td><td>41.70</td><td>35.86</td><td>10.51</td><td>32.63</td><td>253</td><td>62</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.04	55.44	74.00	-18.56	41.70	35.86	10.51	32.63	253	62	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.94</td><td>-----</td><td>-----</td><td>99.27</td><td>35.87</td><td>10.44</td><td>32.64</td><td>253</td><td>62</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.94	-----	-----	99.27	35.87	10.44	32.64	253	62
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5149.04	55.44	74.00	-18.56	41.70	35.86	10.51	32.63	253	62	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	112.94	-----	-----	99.27	35.87	10.44	32.64	253	62	PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>32.45</td><td>35.86</td><td>10.51</td><td>32.63</td><td>253</td><td>62</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	46.19	54.00	-7.81	32.45	35.86	10.51	32.63	253	62	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.73</td><td>-----</td><td>-----</td><td>91.06</td><td>35.87</td><td>10.44</td><td>32.64</td><td>253</td><td>62</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.73	-----	-----	91.06	35.87	10.44	32.64	253	62
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5149.94	46.19	54.00	-7.81	32.45	35.86	10.51	32.63	253	62	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	104.73	-----	-----	91.06	35.87	10.44	32.64	253	62	AVERAGE																																																																																				





Mode	56										
	Band Edge										
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz										
ANT	9+8										
Pol.	Vertical										
Peak	Fundamental										
	</										





Mode	56																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>47.73</td><td>68.30</td><td>-20.57</td><td>46.67</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>41.97</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10360.00	47.73	68.30	-20.57	46.67	37.90	14.59	51.43	---	---	Peak	2	15540.00	47.74	74.00	-26.26	41.97	40.79	17.17	52.19	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>46.46</td><td>68.30</td><td>-21.84</td><td>45.40</td><td>37.90</td><td>14.59</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>42.13</td><td>40.79</td><td>17.17</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10360.00	46.46	68.30	-21.84	45.40	37.90	14.59	51.43	---	---	Peak	2	15540.00	47.90	74.00	-26.10	42.13	40.79	17.17	52.19	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10360.00	47.73	68.30	-20.57	46.67	37.90	14.59	51.43	---	---	Peak																																																																																																																							
2	15540.00	47.74	74.00	-26.26	41.97	40.79	17.17	52.19	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10360.00	46.46	68.30	-21.84	45.40	37.90	14.59	51.43	---	---	Peak																																																																																																																							
2	15540.00	47.90	74.00	-26.10	42.13	40.79	17.17	52.19	---	---	Peak																																																																																																																							





Mode	57																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_5220MHz																																																																													
ANT	9+8																																																																													
Pol.	Horizontal								Vertical																																																																					
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																	
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
<table><tr><td>1</td><td>10440.00</td><td>47.76</td><td>68.30</td><td>-20.54</td><td>46.68</td><td>37.90</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>40.54</td><td>40.89</td><td>17.19</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	10440.00	47.76	68.30	-20.54	46.68	37.90	14.59	51.41	---	---	Peak	2	15660.00	46.17	74.00	-27.83	40.54	40.89	17.19	52.45	---	---	Peak	<table><tr><td>1</td><td>10440.00</td><td>47.83</td><td>68.30</td><td>-20.47</td><td>46.75</td><td>37.90</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>41.25</td><td>40.89</td><td>17.19</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	10440.00	47.83	68.30	-20.47	46.75	37.90	14.59	51.41	---	---	Peak	2	15660.00	46.88	74.00	-27.12	41.25	40.89	17.19	52.45	---	---	Peak															
1	10440.00	47.76	68.30	-20.54	46.68	37.90	14.59	51.41	---	---	Peak																																																																			
2	15660.00	46.17	74.00	-27.83	40.54	40.89	17.19	52.45	---	---	Peak																																																																			
1	10440.00	47.83	68.30	-20.47	46.75	37.90	14.59	51.41	---	---	Peak																																																																			
2	15660.00	46.88	74.00	-27.12	41.25	40.89	17.19	52.45	---	---	Peak																																																																			





Mode	58																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_5240MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.97</td><td>68.30</td><td>-20.33</td><td>46.88</td><td>37.90</td><td>14.59</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>41.73</td><td>40.95</td><td>17.19</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	47.97	68.30	-20.33	46.88	37.90	14.59	51.40	---	---	Peak	2	15720.00	47.29	74.00	-26.71	41.73	40.95	17.19	52.58	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>46.62</td><td>68.30</td><td>-21.68</td><td>45.53</td><td>37.90</td><td>14.59</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>42.14</td><td>40.95</td><td>17.19</td><td>52.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	46.62	68.30	-21.68	45.53	37.90	14.59	51.40	---	---	Peak	2	15720.00	47.70	74.00	-26.30	42.14	40.95	17.19	52.58	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	47.97	68.30	-20.33	46.88	37.90	14.59	51.40	---	---	Peak																																																																																																																							
2	15720.00	47.29	74.00	-26.71	41.73	40.95	17.19	52.58	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	46.62	68.30	-21.68	45.53	37.90	14.59	51.40	---	---	Peak																																																																																																																							
2	15720.00	47.70	74.00	-26.30	42.14	40.95	17.19	52.58	---	---	Peak																																																																																																																							







Mode	59																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_5260MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.79</td><td>68.30</td><td>-21.51</td><td>45.67</td><td>37.90</td><td>14.60</td><td>51.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>42.31</td><td>41.00</td><td>17.20</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10520.00	46.79	68.30	-21.51	45.67	37.90	14.60	51.38	---	---	Peak	2	15780.00	47.79	74.00	-26.21	42.31	41.00	17.20	52.72	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10520.00</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>46.26</td><td>37.90</td><td>14.60</td><td>51.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>42.45</td><td>41.00</td><td>17.20</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10520.00	47.38	68.30	-20.92	46.26	37.90	14.60	51.38	---	---	Peak	2	15780.00	47.93	74.00	-26.07	42.45	41.00	17.20	52.72	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10520.00	46.79	68.30	-21.51	45.67	37.90	14.60	51.38	---	---	Peak																																																																																																																							
2	15780.00	47.79	74.00	-26.21	42.31	41.00	17.20	52.72	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10520.00	47.38	68.30	-20.92	46.26	37.90	14.60	51.38	---	---	Peak																																																																																																																							
2	15780.00	47.93	74.00	-26.07	42.45	41.00	17.20	52.72	---	---	Peak																																																																																																																							







Mode	60																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_5300MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>46.24</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>42.61</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	47.44	74.00	-26.56	46.24	37.90	14.60	51.30	---	---	Peak	2	15900.00	47.96	74.00	-26.04	42.61	41.11	17.22	52.98	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>46.22</td><td>37.90</td><td>14.60</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>41.51</td><td>41.11</td><td>17.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	47.42	74.00	-26.58	46.22	37.90	14.60	51.30	---	---	Peak	2	15900.00	46.86	74.00	-27.14	41.51	41.11	17.22	52.98	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10600.00	47.44	74.00	-26.56	46.24	37.90	14.60	51.30	---	---	Peak																																																																																																																							
2	15900.00	47.96	74.00	-26.04	42.61	41.11	17.22	52.98	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10600.00	47.42	74.00	-26.58	46.22	37.90	14.60	51.30	---	---	Peak																																																																																																																							
2	15900.00	46.86	74.00	-27.14	41.51	41.11	17.22	52.98	---	---	Peak																																																																																																																							





Mode	61																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.12</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>40.09</td><td>35.95</td><td>10.53</td><td>32.67</td><td>218 56 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5370.12	53.90	74.00	-20.10	40.09	35.95	10.53	32.67	218 56 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.87</td><td>-----</td><td>-----</td><td>97.03</td><td>35.93</td><td>10.58</td><td>32.67</td><td>218 56 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.87	-----	-----	97.03	35.93	10.58	32.67
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5370.12	53.90	74.00	-20.10	40.09	35.95	10.53	32.67	218 56 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	110.87	-----	-----	97.03	35.93	10.58	32.67	218 56 PEAK																																																																																	
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.78</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>30.47</td><td>35.94</td><td>10.55</td><td>32.67</td><td>218 56 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5351.78	44.29	54.00	-9.71	30.47	35.94	10.55	32.67	218 56 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.09</td><td>-----</td><td>-----</td><td>88.25</td><td>35.93</td><td>10.58</td><td>32.67</td><td>218 56 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.09	-----	-----	88.25	35.93	10.58	32.67
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5351.78	44.29	54.00	-9.71	30.47	35.94	10.55	32.67	218 56 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	102.09	-----	-----	88.25	35.93	10.58	32.67	218 56 AVERAGE																																																																																	







Mode	61																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.20</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>41.42</td><td>35.94</td><td>10.55</td><td>32.67</td><td>252 64 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.20	55.24	74.00	-18.76	41.42	35.94	10.55	32.67	252 64 PEAK	Level (dBuV/m) Date: 2025-10-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>113.59</td><td>-----</td><td>-----</td><td>99.75</td><td>35.93</td><td>10.58</td><td>32.67</td><td>252 64 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.59	-----	-----	99.75	35.93	10.58	32.67	252 64 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5352.20	55.24	74.00	-18.76	41.42	35.94	10.55	32.67	252 64 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	113.59	-----	-----	99.75	35.93	10.58	32.67	252 64 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-10-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.38</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>31.45</td><td>35.94</td><td>10.55</td><td>32.67</td><td>252 64 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.38	45.27	54.00	-8.73	31.45	35.94	10.55	32.67	252 64 AVERAGE	Level (dBuV/m) Date: 2025-10-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>105.23</td><td>-----</td><td>-----</td><td>91.39</td><td>35.93</td><td>10.58</td><td>32.67</td><td>252 64 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.23	-----	-----	91.39	35.93	10.58	32.67	252 64 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5350.38	45.27	54.00	-8.73	31.45	35.94	10.55	32.67	252 64 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	105.23	-----	-----	91.39	35.93	10.58	32.67	252 64 AVERAGE																																																																									





Mode	61																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																																																																																																	
ANT	9+8																																																																																																																																																																	
Pol.	Horizontal							Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>46.61</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>42.49</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	10640.00	47.85	74.00	-26.15	46.61	37.90	14.60	51.26	---	---	---	---	---	Peak	2	15960.00	47.77	74.00	-26.23	42.49	41.16	17.23	53.11	---	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>46.07</td><td>37.90</td><td>14.60</td><td>51.26</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>41.87</td><td>41.16</td><td>17.23</td><td>53.11</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	10640.00	47.31	74.00	-26.69	46.07	37.90	14.60	51.26	---	---	---	---	---	Peak	2	15960.00	47.15	74.00	-26.85	41.87	41.16	17.23	53.11	---	---	---	---	---	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	10640.00	47.85	74.00	-26.15	46.61	37.90	14.60	51.26	---	---	---	---	---	Peak																																																																																																																																																				
2	15960.00	47.77	74.00	-26.23	42.49	41.16	17.23	53.11	---	---	---	---	---	Peak																																																																																																																																																				
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	10640.00	47.31	74.00	-26.69	46.07	37.90	14.60	51.26	---	---	---	---	---	Peak																																																																																																																																																				
2	15960.00	47.15	74.00	-26.85	41.87	41.16	17.23	53.11	---	---	---	---	---	Peak																																																																																																																																																				





Mode	62																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.10</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>38.76</td><td>35.98</td><td>10.54</td><td>32.69</td><td>204 69 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>52.41</td><td>68.30</td><td>-15.89</td><td>38.56</td><td>35.99</td><td>10.55</td><td>32.69</td><td>204 69 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.10	52.59	74.00	-21.41	38.76	35.98	10.54	32.69	204 69 PEAK	2	5469.70	52.41	68.30	-15.89	38.56	35.99	10.55	32.69	204 69 PEAK	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.46</td><td>-----</td><td>93.57</td><td>36.01</td><td>10.58</td><td>32.70</td><td>204</td><td>69 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.46	-----	93.57	36.01	10.58	32.70	204	69 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5454.10	52.59	74.00	-21.41	38.76	35.98	10.54	32.69	204 69 PEAK																																																																																			
2	5469.70	52.41	68.30	-15.89	38.56	35.99	10.55	32.69	204 69 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	107.46	-----	93.57	36.01	10.58	32.70	204	69 PEAK																																																																																			
Avg	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>29.04</td><td>35.98</td><td>10.54</td><td>32.69</td><td>204 69 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	42.87	54.00	-11.13	29.04	35.98	10.54	32.69	204 69 AVERAGE	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.29</td><td>-----</td><td>84.41</td><td>36.00</td><td>10.58</td><td>32.70</td><td>204</td><td>69 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.29	-----	84.41	36.00	10.58	32.70	204	69 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5458.90	42.87	54.00	-11.13	29.04	35.98	10.54	32.69	204 69 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	98.29	-----	84.41	36.00	10.58	32.70	204	69 AVERAGE																																																																																			






Mode	62																																																																					
	Harmonic																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																					
ANT	9+8																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>46.04</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.69</td><td>68.30</td><td>-20.61</td><td>41.13</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.66	74.00	-26.34	46.04	37.90	14.62	50.90	---	---	Peak	2	16500.00	47.69	68.30	-20.61	41.13	42.00	17.66	53.10	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11000.00	47.66	74.00	-26.34	46.04	37.90	14.62	50.90	---	---	Peak																																																											
2	16500.00	47.69	68.30	-20.61	41.13	42.00	17.66	53.10	---	---	Peak																																																											
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>46.26</td><td>37.90</td><td>14.62</td><td>50.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.77</td><td>68.30</td><td>-20.53</td><td>41.21</td><td>42.00</td><td>17.66</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.88	74.00	-26.12	46.26	37.90	14.62	50.90	---	---	Peak	2	16500.00	47.77	68.30	-20.53	41.21	42.00	17.66	53.10	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11000.00	47.88	74.00	-26.12	46.26	37.90	14.62	50.90	---	---	Peak																																																											
2	16500.00	47.77	68.30	-20.53	41.21	42.00	17.66	53.10	---	---	Peak																																																											



Mode	63																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																				
ANT	9+8																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td></td></tr><tr><td>1 11160.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>45.75</td><td>38.01</td><td>14.72</td><td>50.71</td><td>--- --- Peak</td></tr><tr><td>2 16740.00</td><td>47.48</td><td>68.30</td><td>-20.82</td><td>40.04</td><td>42.38</td><td>17.87</td><td>52.81</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11160.00	47.77	74.00	-26.23	45.75	38.01	14.72	50.71	--- --- Peak	2 16740.00	47.48	68.30	-20.82	40.04	42.38	17.87	52.81	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td></td></tr><tr><td>1 11160.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>45.74</td><td>38.01</td><td>14.72</td><td>50.71</td><td>--- --- Peak</td></tr><tr><td>2 16740.00</td><td>46.84</td><td>68.30</td><td>-21.46</td><td>39.40</td><td>42.38</td><td>17.87</td><td>52.81</td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11160.00	47.76	74.00	-26.24	45.74	38.01	14.72	50.71	--- --- Peak	2 16740.00	46.84	68.30	-21.46	39.40	42.38	17.87	52.81	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1 11160.00	47.77	74.00	-26.23	45.75	38.01	14.72	50.71	--- --- Peak																																																																																													
2 16740.00	47.48	68.30	-20.82	40.04	42.38	17.87	52.81	--- --- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1 11160.00	47.76	74.00	-26.24	45.74	38.01	14.72	50.71	--- --- Peak																																																																																													
2 16740.00	46.84	68.30	-21.46	39.40	42.38	17.87	52.81	--- --- Peak																																																																																													





Mode	64																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5736.08</td><td>53.39</td><td>68.30</td><td>-14.91</td><td>38.93</td><td>36.38</td><td>10.87</td><td>32.79</td><td>245</td><td>65 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5736.08	53.39	68.30	-14.91	38.93	36.38	10.87	32.79	245	65 PEAK	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>106.90</td><td>-----</td><td>-----</td><td>92.46</td><td>36.32</td><td>10.90</td><td>32.78</td><td>245</td><td>65 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	106.90	-----	-----	92.46	36.32	10.90	32.78	245	65 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5736.08	53.39	68.30	-14.91	38.93	36.38	10.87	32.79	245	65 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	106.90	-----	-----	92.46	36.32	10.90	32.78	245	65 PEAK																																																																																	
Avg	Blank					Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>99.48</td><td>-----</td><td>-----</td><td>85.04</td><td>36.32</td><td>10.90</td><td>32.78</td><td>245</td><td>65 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	99.48	-----	-----	85.04	36.32	10.90	32.78	245	65 AVERAGE																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	99.48	-----	-----	85.04	36.32	10.90	32.78	245	65 AVERAGE																																																																																	







Mode	64	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz	
ANT	9+8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-10-29 1 5729.71 53.88 68.30 -14.42 39.43 36.37 10.87 32.79 263 62 PEAK	Level (dBuV/m) Date: 2025-10-29 1 5700.00 109.38 ----- 94.94 36.33 10.89 32.78 263 62 PEAK
Avg	Blank	Level (dBuV/m) Date: 2025-10-29 1 5700.00 101.63 ----- 87.19 36.33 10.89 32.78 263 62 AVERAGE





Mode	64																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																															
ANT	9+8																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>44.81</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>47.56</td><td>68.30</td><td>-20.74</td><td>39.41</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.44	74.00	-26.56	44.81	38.18	14.87	2	17100.00	47.56	68.30	-20.74	39.41	42.81	18.06	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>44.63</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>39.71</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.26	74.00	-26.74	44.63	38.18	14.87	2	17100.00	47.86	68.30	-20.44	39.71	42.81	18.06
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.44	74.00	-26.56	44.81	38.18	14.87																																																																																									
2	17100.00	47.56	68.30	-20.74	39.41	42.81	18.06																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.26	74.00	-26.74	44.63	38.18	14.87																																																																																									
2	17100.00	47.86	68.30	-20.44	39.71	42.81	18.06																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>44.81</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>47.56</td><td>68.30</td><td>-20.74</td><td>39.41</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.44	74.00	-26.56	44.81	38.18	14.87	2	17100.00	47.56	68.30	-20.74	39.41	42.81	18.06	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>44.63</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>39.71</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.26	74.00	-26.74	44.63	38.18	14.87	2	17100.00	47.86	68.30	-20.44	39.71	42.81	18.06	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.44	74.00	-26.56	44.81	38.18	14.87																																																																																									
2	17100.00	47.56	68.30	-20.74	39.41	42.81	18.06																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.26	74.00	-26.74	44.63	38.18	14.87																																																																																									
2	17100.00	47.86	68.30	-20.44	39.71	42.81	18.06																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>44.81</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>47.56</td><td>68.30</td><td>-20.74</td><td>39.41</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.44	74.00	-26.56	44.81	38.18	14.87	2	17100.00	47.56	68.30	-20.74	39.41	42.81	18.06	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11400.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>44.63</td><td>38.18</td><td>14.87</td></tr><tr><td>2</td><td>17100.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>39.71</td><td>42.81</td><td>18.06</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11400.00	47.26	74.00	-26.74	44.63	38.18	14.87	2	17100.00	47.86	68.30	-20.44	39.71	42.81	18.06	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.44	74.00	-26.56	44.81	38.18	14.87																																																																																									
2	17100.00	47.56	68.30	-20.74	39.41	42.81	18.06																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11400.00	47.26	74.00	-26.74	44.63	38.18	14.87																																																																																									
2	17100.00	47.86	68.30	-20.44	39.71	42.81	18.06																																																																																									







		65																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																																																		
ANT		9+8																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.96</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>40.31</td><td>35.86</td><td>10.51</td><td>32.63</td><td>251 61 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5148.96	54.05	74.00	-19.95	40.31	35.86	10.51	32.63	251 61 PEAK	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>109.67</td><td>-----</td><td>-----</td><td>95.98</td><td>35.87</td><td>10.46</td><td>32.64</td><td>251 61 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5190.00	109.67	-----	-----	95.98	35.87	10.46	32.64	251 61 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																												
1	5148.96	54.05	74.00	-19.95	40.31	35.86	10.51	32.63	251 61 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																												
1	5190.00	109.67	-----	-----	95.98	35.87	10.46	32.64	251 61 PEAK																																																																											
Avg	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.15</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>31.09</td><td>35.86</td><td>10.51</td><td>32.63</td><td>251 61 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5149.15	44.83	54.00	-9.17	31.09	35.86	10.51	32.63	251 61 AVERAGE	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>101.33</td><td>-----</td><td>-----</td><td>87.67</td><td>35.88</td><td>10.42</td><td>32.64</td><td>251 61 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5190.00	101.33	-----	-----	87.67	35.88	10.42	32.64	251 61 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																												
1	5149.15	44.83	54.00	-9.17	31.09	35.86	10.51	32.63	251 61 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																												
1	5190.00	101.33	-----	-----	87.67	35.88	10.42	32.64	251 61 AVERAGE																																																																											



Mode	65																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																			
ANT	9+8																																																			
Pol.	Horizontal					Fundamental																																														
Peak	Date: 2025-10-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5380.62</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>39.00</td><td>35.95</td><td>10.52</td><td>32.68</td><td>251</td><td>61</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5380.62	52.79	74.00	-21.21	39.00	35.95	10.52	32.68	251	61	PEAK	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	5380.62	52.79	74.00	-21.21	39.00	35.95	10.52	32.68	251	61	PEAK																																									
Avg	Date: 2025-10-29  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5395.74</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>28.55</td><td>35.96</td><td>10.51</td><td>32.68</td><td>251</td><td>61</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5395.74	42.34	54.00	-11.66	28.55	35.96	10.51	32.68	251	61	AVERAGE	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	5395.74	42.34	54.00	-11.66	28.55	35.96	10.51	32.68	251	61	AVERAGE																																									







Mode	65																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.26</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>39.89</td><td>35.85</td><td>10.56</td><td>32.62</td><td>253 69 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5124.26	53.68	74.00	-20.32	39.89	35.85	10.56	32.62	253 69 PEAK	Level (dBuV/m) Date: 2025-10-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>109.68</td><td>-----</td><td>95.97</td><td>35.87</td><td>10.47</td><td>32.63</td><td>253</td><td>69 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	109.68	-----	95.97	35.87	10.47	32.63	253	69 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5124.26	53.68	74.00	-20.32	39.89	35.85	10.56	32.62	253 69 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5190.00	109.68	-----	95.97	35.87	10.47	32.63	253	69 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-10-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.91</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>30.37</td><td>35.86</td><td>10.51</td><td>32.63</td><td>253 69 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.91	44.11	54.00	-9.89	30.37	35.86	10.51	32.63	253 69 AVERAGE	Level (dBuV/m) Date: 2025-10-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>100.92</td><td>-----</td><td>87.26</td><td>35.88</td><td>10.42</td><td>32.64</td><td>253</td><td>69 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.92	-----	87.26	35.88	10.42	32.64	253	69 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.91	44.11	54.00	-9.89	30.37	35.86	10.51	32.63	253 69 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5190.00	100.92	-----	87.26	35.88	10.42	32.64	253	69 AVERAGE																																																																									





Mode	65																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																									
ANT	9+8																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.07</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>38.27</td><td>35.98</td><td>10.53</td><td>32.69</td><td>253 69 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.07	52.09	74.00	-21.91	38.27	35.98	10.53	32.69	253 69 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5444.07	52.09	74.00	-21.91	38.27	35.98	10.53	32.69	253 69 PEAK																																	
Avg	Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.22</td><td>42.32</td><td>54.00</td><td>-11.68</td><td>28.49</td><td>35.98</td><td>10.54</td><td>32.69</td><td>253 69 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.22	42.32	54.00	-11.68	28.49	35.98	10.54	32.69	253 69 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5456.22	42.32	54.00	-11.68	28.49	35.98	10.54	32.69	253 69 AVERAGE																																	







		66																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_5230MHz																																																																																							
ANT		9+8																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.91</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>39.48</td><td>35.86</td><td>10.53</td><td>32.63</td><td>262 62 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5141.91	53.24	74.00	-20.76	39.48	35.86	10.53	32.63	262 62 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>110.00</td><td>-----</td><td>96.33</td><td>35.88</td><td>10.43</td><td>32.64</td><td>262</td><td>62 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	110.00	-----	96.33	35.88	10.43	32.64	262
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5141.91	53.24	74.00	-20.76	39.48	35.86	10.53	32.63	262 62 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5230.00	110.00	-----	96.33	35.88	10.43	32.64	262	62 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.34</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>29.52</td><td>35.85</td><td>10.56</td><td>32.63</td><td>262 62 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5128.34	43.30	54.00	-10.70	29.52	35.85	10.56	32.63	262 62 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>99.91</td><td>-----</td><td>86.24</td><td>35.88</td><td>10.43</td><td>32.64</td><td>262</td><td>62 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	99.91	-----	86.24	35.88	10.43	32.64	262
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5128.34	43.30	54.00	-10.70	29.52	35.85	10.56	32.63	262 62 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5230.00	99.91	-----	86.24	35.88	10.43	32.64	262	62 AVERAGE																																																																																







Mode	66																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_5230MHz																																													
ANT	9+8																																													
Pol.	Horizontal					Fundamental																																								
Peak	Date: 2025-10-29 					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.74</td><td>51.98</td><td>74.00</td><td>-22.02</td><td>38.16</td><td>35.94</td><td>10.55</td><td>32.67</td><td>262</td><td>62</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5353.74	51.98	74.00	-22.02	38.16
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	5353.74	51.98	74.00	-22.02	38.16	35.94	10.55	32.67	262	62	PEAK																																			
Avg	Date: 2025-10-29 					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.05</td><td>42.28</td><td>54.00</td><td>-11.72</td><td>28.50</td><td>35.96</td><td>10.50</td><td>32.68</td><td>262</td><td>62</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5399.05	42.28	54.00	-11.72	28.50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	5399.05	42.28	54.00	-11.72	28.50	35.96	10.50	32.68	262	62	AVERAGE																																			







Mode	66																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_5230MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.12</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>39.21</td><td>35.85</td><td>10.56</td><td>32.63</td><td>238</td><td>66</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5125.12	52.99	74.00	-21.01	39.21	35.85	10.56	32.63	238	66	PEAK	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>110.62</td><td>-----</td><td>-----</td><td>96.90</td><td>35.89</td><td>10.48</td><td>32.65</td><td>238</td><td>66</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5230.00	110.62	-----	-----	96.90	35.89	10.48	32.65	238	66	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5125.12	52.99	74.00	-21.01	39.21	35.85	10.56	32.63	238	66	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5230.00	110.62	-----	-----	96.90	35.89	10.48	32.65	238	66	PEAK																																																																															
Avg	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.94</td><td>42.78</td><td>54.00</td><td>-11.22</td><td>29.01</td><td>35.85</td><td>10.55</td><td>32.63</td><td>238</td><td>66</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5132.94	42.78	54.00	-11.22	29.01	35.85	10.55	32.63	238	66	AVERAGE	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>101.81</td><td>-----</td><td>-----</td><td>88.09</td><td>35.89</td><td>10.48</td><td>32.65</td><td>238</td><td>66</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5230.00	101.81	-----	-----	88.09	35.89	10.48	32.65	238	66	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5132.94	42.78	54.00	-11.22	29.01	35.85	10.55	32.63	238	66	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5230.00	101.81	-----	-----	88.09	35.89	10.48	32.65	238	66	AVERAGE																																																																															



Mode	67																																																																																																																																																																						
	Band Edge - L																																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz																																																																																																																																																																						
ANT	9+8																																																																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																																																																					
Peak	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.33</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>40.53</td><td>35.85</td><td>10.55</td><td>32.63</td><td>248</td><td>57 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>109.37</td><td>-----</td><td>-----</td><td>95.60</td><td>35.90</td><td>10.52</td><td>32.65</td><td>248</td><td>57 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5129.33	54.30	74.00	-19.70	40.53	35.85	10.55	32.63	248	57 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	109.37	-----	-----	95.60	35.90	10.52	32.65	248	57 PEAK	Avg	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.09</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>29.04</td><td>35.85</td><td>10.56</td><td>32.63</td><td>248</td><td>57 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>100.07</td><td>-----</td><td>-----</td><td>86.30</td><td>35.90</td><td>10.52</td><td>32.65</td><td>248</td><td>57 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5126.09	42.82	54.00	-11.18	29.04	35.85	10.56	32.63	248	57 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	100.07	-----	-----	86.30	35.90	10.52	32.65	248	57 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5129.33	54.30	74.00	-19.70	40.53	35.85	10.55	32.63	248	57 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5270.00	109.37	-----	-----	95.60	35.90	10.52	32.65	248	57 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5126.09	42.82	54.00	-11.18	29.04	35.85	10.56	32.63	248	57 AVERAGE																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5270.00	100.07	-----	-----	86.30	35.90	10.52	32.65	248	57 AVERAGE																																																																																																																																																													



		67																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz																																																																																						
ANT		9+8																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5146.61	52.55	74.00	-21.45	38.80	35.86	10.52	32.63	238	65 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5270.00</td><td>109.41</td><td>-----</td><td>-----</td><td>95.60</td><td>35.91</td><td>10.56</td><td>32.66</td><td>238</td><td>65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5270.00	109.41	-----	-----	95.60	35.91	10.56	32.66	238
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5146.61	52.55	74.00	-21.45	38.80	35.86	10.52	32.63	238	65 PEAK																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5270.00	109.41	-----	-----	95.60	35.91	10.56	32.66	238	65 PEAK																																																																														
Avg																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5129.06	42.68	54.00	-11.32	28.91	35.85	10.55	32.63	238	65 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5270.00</td><td>100.91</td><td>-----</td><td>-----</td><td>87.15</td><td>35.90</td><td>10.51</td><td>32.65</td><td>238</td><td>65 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5270.00	100.91	-----	-----	87.15	35.90	10.51	32.65	238
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5129.06	42.68	54.00	-11.32	28.91	35.85	10.55	32.63	238	65 AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5270.00	100.91	-----	-----	87.15	35.90	10.51	32.65	238	65 AVERAGE																																																																														





Mode	67																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz																																									
ANT	9+8																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.62</td><td>51.98</td><td>74.00</td><td>-22.02</td><td>38.20</td><td>35.96</td><td>10.50</td><td>32.68</td><td>238</td><td>65</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5402.62	51.98	74.00	-22.02	38.20	35.96	10.50	32.68	238	65	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5402.62	51.98	74.00	-22.02	38.20	35.96	10.50	32.68	238	65	PEAK																															
Avg	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.88</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>28.29</td><td>35.94</td><td>10.55</td><td>32.67</td><td>238</td><td>65</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5355.88	42.11	54.00	-11.89	28.29	35.94	10.55	32.67	238	65	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5355.88	42.11	54.00	-11.89	28.29	35.94	10.55	32.67	238	65	AVERAGE																															







		68									
Mode		Band Edge - L									
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_5310MHz									
ANT		9+8									
Pol.		Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2025-10-29 <										







Mode	68																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_5310MHz																																																			
ANT	9+8																																																			
Pol.	Horizontal					Fundamental																																														
Peak	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.40</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>39.56</td><td>35.94</td><td>10.55</td><td>32.67</td><td>248</td><td>67</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5354.40	53.38	74.00	-20.62	39.56	35.94	10.55	32.67	248	67	PEAK	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	5354.40	53.38	74.00	-20.62	39.56	35.94	10.55	32.67	248	67	PEAK																																									
Avg	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>30.75</td><td>35.94</td><td>10.55</td><td>32.67</td><td>248</td><td>67</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5350.35	44.57	54.00	-9.43	30.75	35.94	10.55	32.67	248	67	AVERAGE	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.35	44.57	54.00	-9.43	30.75	35.94	10.55	32.67	248	67	AVERAGE																																									







Mode	68																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_5310MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.77</td><td>52.51</td><td>74.00</td><td>-21.49</td><td>38.76</td><td>35.86</td><td>10.52</td><td>32.63</td><td>256</td><td>64 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5144.77	52.51	74.00	-21.49	38.76	35.86	10.52	32.63	256	64 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>109.80</td><td>-----</td><td>-----</td><td>95.94</td><td>35.93</td><td>10.59</td><td>32.66</td><td>256</td><td>64 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	109.80	-----	-----	95.94	35.93	10.59	32.66	256
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5144.77	52.51	74.00	-21.49	38.76	35.86	10.52	32.63	256	64 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	109.80	-----	-----	95.94	35.93	10.59	32.66	256	64 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5041.54</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>28.68</td><td>35.82</td><td>10.47</td><td>32.61</td><td>256</td><td>64 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5041.54	42.36	54.00	-11.64	28.68	35.82	10.47	32.61	256	64 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.81</td><td>-----</td><td>-----</td><td>87.95</td><td>35.93</td><td>10.59</td><td>32.66</td><td>256</td><td>64 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.81	-----	-----	87.95	35.93	10.59	32.66	256
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5041.54	42.36	54.00	-11.64	28.68	35.82	10.47	32.61	256	64 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	101.81	-----	-----	87.95	35.93	10.59	32.66	256	64 AVERAGE																																																																																	



Mode	69																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_5510MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.84</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>38.96</td><td>35.97</td><td>10.51</td><td>32.68</td><td>248</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>53.54</td><td>68.30</td><td>-14.76</td><td>39.69</td><td>35.99</td><td>10.55</td><td>32.69</td><td>248</td><td>64</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5417.84	52.76	74.00	-21.24	38.96	35.97	10.51	32.68	248	64	PEAK	2	5468.24	53.54	68.30	-14.76	39.69	35.99	10.55	32.69	248	64	PEAK	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>106.21</td><td>-----</td><td>-----</td><td>92.30</td><td>36.02</td><td>10.59</td><td>32.70</td><td>248</td><td>64</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.21	-----	-----	92.30	36.02	10.59	32.70	248	64	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5417.84	52.76	74.00	-21.24	38.96	35.97	10.51	32.68	248	64	PEAK																																																																																											
2	5468.24	53.54	68.30	-14.76	39.69	35.99	10.55	32.69	248	64	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5510.00	106.21	-----	-----	92.30	36.02	10.59	32.70	248	64	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>29.18</td><td>35.98</td><td>10.54</td><td>32.69</td><td>248</td><td>64</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	43.01	54.00	-10.99	29.18	35.98	10.54	32.69	248	64	AVERAGE	 Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.57</td><td>-----</td><td>-----</td><td>82.70</td><td>36.00</td><td>10.57</td><td>32.70</td><td>248</td><td>64</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.57	-----	-----	82.70	36.00	10.57	32.70	248	64	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.60	43.01	54.00	-10.99	29.18	35.98	10.54	32.69	248	64	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5510.00	96.57	-----	-----	82.70	36.00	10.57	32.70	248	64	AVERAGE																																																																																											





Mode	69																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_5510MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.52</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>40.69</td><td>35.98</td><td>10.54</td><td>32.69</td><td>241</td><td>67 PEAK</td></tr><tr><td>2</td><td>5460.08</td><td>54.67</td><td>68.30</td><td>-13.63</td><td>40.84</td><td>35.98</td><td>10.54</td><td>32.69</td><td>241</td><td>67 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	54.52	74.00	-19.48	40.69	35.98	10.54	32.69	241	67 PEAK	2	5460.08	54.67	68.30	-13.63	40.84	35.98	10.54	32.69	241	67 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>110.51</td><td>-----</td><td>-----</td><td>96.59</td><td>36.03</td><td>10.60</td><td>32.71</td><td>241</td><td>67 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	110.51	-----	-----	96.59	36.03	10.60	32.71	241
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5457.52	54.52	74.00	-19.48	40.69	35.98	10.54	32.69	241	67 PEAK																																																																																												
2	5460.08	54.67	68.30	-13.63	40.84	35.98	10.54	32.69	241	67 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5510.00	110.51	-----	-----	96.59	36.03	10.60	32.71	241	67 PEAK																																																																																												
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>30.17</td><td>35.98</td><td>10.54</td><td>32.69</td><td>241</td><td>67 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	44.00	54.00	-10.00	30.17	35.98	10.54	32.69	241	67 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>101.37</td><td>-----</td><td>-----</td><td>87.50</td><td>36.00</td><td>10.57</td><td>32.70</td><td>241</td><td>67 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.37	-----	-----	87.50	36.00	10.57	32.70	241	67 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5458.64	44.00	54.00	-10.00	30.17	35.98	10.54	32.69	241	67 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5510.00	101.37	-----	-----	87.50	36.00	10.57	32.70	241	67 AVERAGE																																																																																												



Mode	69																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_5510MHz																																					
ANT	9+8																																					
Pol.	Vertical	Fundamental																																				
Peak	Date: 2025-10-29 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(db)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5742.05</td><td>53.39</td><td>68.30</td><td>-14.91</td><td>38.94</td><td>36.39</td><td>10.86</td><td>32.80</td><td>241</td><td>67</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(db)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	5742.05	53.39	68.30	-14.91	38.94	36.39	10.86	32.80	241	67	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(db)	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																															
1	5742.05	53.39	68.30	-14.91	38.94	36.39	10.86	32.80	241	67	PEAK																											



Mode	69																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_5510MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11020.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>45.50</td><td>37.91</td><td>14.63</td><td>50.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>48.09</td><td>68.30</td><td>-20.21</td><td>41.41</td><td>42.05</td><td>17.69</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11020.00	47.16	74.00	-26.84	45.50	37.91	14.63	50.88	---	---	Peak	2	16530.00	48.09	68.30	-20.21	41.41	42.05	17.69	53.06	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11020.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>46.00</td><td>37.91</td><td>14.63</td><td>50.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>48.95</td><td>68.30</td><td>-19.35</td><td>42.27</td><td>42.05</td><td>17.69</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11020.00	47.66	74.00	-26.34	46.00	37.91	14.63	50.88	---	---	Peak	2	16530.00	48.95	68.30	-19.35	42.27	42.05	17.69	53.06	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11020.00	47.16	74.00	-26.84	45.50	37.91	14.63	50.88	---	---	Peak																																																																																																																							
2	16530.00	48.09	68.30	-20.21	41.41	42.05	17.69	53.06	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11020.00	47.66	74.00	-26.34	46.00	37.91	14.63	50.88	---	---	Peak																																																																																																																							
2	16530.00	48.95	68.30	-19.35	42.27	42.05	17.69	53.06	---	---	Peak																																																																																																																							





Mode	70																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz																																																																																														
ANT	9+8																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.40</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>37.40</td><td>35.98</td><td>10.53</td><td>32.69</td><td>219</td><td>53 PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>51.37</td><td>68.30</td><td>-16.93</td><td>37.53</td><td>35.98</td><td>10.55</td><td>32.69</td><td>219</td><td>53 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5444.40	51.22	74.00	-22.78	37.40	35.98	10.53	32.69	219	53 PEAK	2	5460.40	51.37	68.30	-16.93	37.53	35.98	10.55	32.69	219	53 PEAK	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.93</td><td>-----</td><td>-----</td><td>89.64</td><td>36.24</td><td>10.81</td><td>32.76</td><td>219</td><td>53 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.93	-----	-----	89.64	36.24	10.81	32.76	219	53 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5444.40	51.22	74.00	-22.78	37.40	35.98	10.53	32.69	219	53 PEAK																																																																																					
2	5460.40	51.37	68.30	-16.93	37.53	35.98	10.55	32.69	219	53 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	103.93	-----	-----	89.64	36.24	10.81	32.76	219	53 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5385.52</td><td>42.00</td><td>54.00</td><td>-12.00</td><td>28.21</td><td>35.95</td><td>10.52</td><td>32.68</td><td>219</td><td>53 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5385.52	42.00	54.00	-12.00	28.21	35.95	10.52	32.68	219	53 AVERAGE	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.81</td><td>-----</td><td>-----</td><td>80.52</td><td>36.24</td><td>10.81</td><td>32.76</td><td>219</td><td>53 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.81	-----	-----	80.52	36.24	10.81	32.76	219	53 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5385.52	42.00	54.00	-12.00	28.21	35.95	10.52	32.68	219	53 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	94.81	-----	-----	80.52	36.24	10.81	32.76	219	53 AVERAGE																																																																																					







Mode	70	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz	
ANT	9+8	
Pol.	Vertical	Fundamental
Peak	<	



Mode	70																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11340.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>44.71</td><td>38.14</td><td>14.83</td><td>50.49</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17010.00</td><td>48.85</td><td>68.30</td><td>-19.45</td><td>40.48</td><td>42.80</td><td>18.09</td><td>52.52</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11340.00	47.19	74.00	-26.81	44.71	38.14	14.83	50.49	---	---	---	Peak	2 17010.00	48.85	68.30	-19.45	40.48	42.80	18.09	52.52	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11340.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>45.38</td><td>38.14</td><td>14.83</td><td>50.49</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17010.00</td><td>48.71</td><td>68.30</td><td>-19.59</td><td>40.34</td><td>42.80</td><td>18.09</td><td>52.52</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11340.00	47.86	74.00	-26.14	45.38	38.14	14.83	50.49	---	---	---	Peak	2 17010.00	48.71	68.30	-19.59	40.34	42.80	18.09	52.52	---	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11340.00	47.19	74.00	-26.81	44.71	38.14	14.83	50.49	---	---	---	Peak																																																																																																																							
2 17010.00	48.85	68.30	-19.45	40.48	42.80	18.09	52.52	---	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11340.00	47.86	74.00	-26.14	45.38	38.14	14.83	50.49	---	---	---	Peak																																																																																																																							
2 17010.00	48.71	68.30	-19.59	40.34	42.80	18.09	52.52	---	---	---	Peak																																																																																																																							







Mode	71																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.73</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>40.68</td><td>35.86</td><td>10.51</td><td>32.63</td><td>262 63 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.73	54.42	74.00	-19.58	40.68	35.86	10.51	32.63	262 63 PEAK	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>106.61</td><td>-----</td><td>-----</td><td>92.90</td><td>35.87</td><td>10.47</td><td>32.63</td><td>262 63 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	106.61	-----	-----	92.90	35.87	10.47	32.63	262 63 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.73	54.42	74.00	-19.58	40.68	35.86	10.51	32.63	262 63 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	106.61	-----	-----	92.90	35.87	10.47	32.63	262 63 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>30.63</td><td>35.86</td><td>10.51</td><td>32.63</td><td>262 63 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.94	44.37	54.00	-9.63	30.63	35.86	10.51	32.63	262 63 AVERAGE	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.06</td><td>-----</td><td>-----</td><td>84.35</td><td>35.87</td><td>10.47</td><td>32.63</td><td>262 63 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.06	-----	-----	84.35	35.87	10.47	32.63	262 63 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.94	44.37	54.00	-9.63	30.63	35.86	10.51	32.63	262 63 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	98.06	-----	-----	84.35	35.87	10.47	32.63	262 63 AVERAGE																																																																									



Mode	71																																																	
	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																	
ANT	9+8																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Level (dBuV/m) Date: 2025-10-29 1 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.50</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>40.25</td><td>35.98</td><td>10.53</td><td>32.69</td><td>262</td><td>63</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5438.50	54.07	74.00	-19.93	40.25	35.98	10.53	32.69	262	63	PEAK	Blank				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	5438.50	54.07	74.00	-19.93	40.25	35.98	10.53	32.69	262	63	PEAK																																							
Avg	Level (dBuV/m) Date: 2025-10-29 1 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.75</td><td>42.68</td><td>54.00</td><td>-11.32</td><td>28.89</td><td>35.96</td><td>10.51</td><td>32.68</td><td>262</td><td>63</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5396.75	42.68	54.00	-11.32	28.89	35.96	10.51	32.68	262	63	AVERAGE	Blank				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	5396.75	42.68	54.00	-11.32	28.89	35.96	10.51	32.68	262	63	AVERAGE																																							







Mode	71																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.48</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>39.51</td><td>35.85</td><td>10.57</td><td>32.62</td><td>244</td><td>67</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5123.48	53.31	74.00	-20.69	39.51	35.85	10.57	32.62	244	67	PEAK	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>108.25</td><td>-----</td><td>-----</td><td>94.60</td><td>35.88</td><td>10.41</td><td>32.64</td><td>244</td><td>67</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5210.00	108.25	-----	-----	94.60	35.88	10.41	32.64	244	67	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5123.48	53.31	74.00	-20.69	39.51	35.85	10.57	32.62	244	67	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	108.25	-----	-----	94.60	35.88	10.41	32.64	244	67	PEAK																																																																															
Avg	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.52</td><td>43.97</td><td>54.00</td><td>-10.03</td><td>30.23</td><td>35.86</td><td>10.51</td><td>32.63</td><td>244</td><td>67</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5149.52	43.97	54.00	-10.03	30.23	35.86	10.51	32.63	244	67	AVERAGE	 Date: 2025-10-29 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.07</td><td>-----</td><td>-----</td><td>84.41</td><td>35.88</td><td>10.42</td><td>32.64</td><td>244</td><td>67</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5210.00	98.07	-----	-----	84.41	35.88	10.42	32.64	244	67	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5149.52	43.97	54.00	-10.03	30.23	35.86	10.51	32.63	244	67	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	98.07	-----	-----	84.41	35.88	10.42	32.64	244	67	AVERAGE																																																																															



Mode	71																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																									
ANT	9+8																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.00</td><td>52.28</td><td>74.00</td><td>-21.72</td><td>38.45</td><td>35.98</td><td>10.54</td><td>32.69</td><td>244 67 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5451.00	52.28	74.00	-21.72	38.45	35.98	10.54	32.69	244 67 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5451.00	52.28	74.00	-21.72	38.45	35.98	10.54	32.69	244 67 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-10-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.75</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>28.74</td><td>35.98</td><td>10.54</td><td>32.69</td><td>244 67 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5453.75	42.57	54.00	-11.43	28.74	35.98	10.54	32.69	244 67 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5453.75	42.57	54.00	-11.43	28.74	35.98	10.54	32.69	244 67 AVERAGE																																	







		72																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz																																																																																							
ANT		9+8																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5113.10</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>39.11</td><td>35.85</td><td>10.59</td><td>32.62</td><td>247</td><td>59 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5113.10	52.93	74.00	-21.07	39.11	35.85	10.59	32.62	247	59 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>105.37</td><td>-----</td><td>-----</td><td>91.60</td><td>35.90</td><td>10.52</td><td>32.65</td><td>247</td><td>59 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	105.37	-----	-----	91.60	35.90	10.52	32.65	247
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5113.10	52.93	74.00	-21.07	39.11	35.85	10.59	32.62	247	59 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5290.00	105.37	-----	-----	91.60	35.90	10.52	32.65	247	59 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5111.65</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>29.09</td><td>35.84</td><td>10.59</td><td>32.62</td><td>247</td><td>59 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5111.65	42.90	54.00	-11.10	29.09	35.84	10.59	32.62	247	59 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>97.19</td><td>-----</td><td>-----</td><td>83.43</td><td>35.90</td><td>10.51</td><td>32.65</td><td>247</td><td>59 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	97.19	-----	-----	83.43	35.90	10.51	32.65	247
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5111.65	42.90	54.00	-11.10	29.09	35.84	10.59	32.62	247	59 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5290.00	97.19	-----	-----	83.43	35.90	10.51	32.65	247	59 AVERAGE																																																																																





Mode	72																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz																																																
ANT	9+8																																																
Pol.	Horizontal					Fundamental																																											
Peak	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.77</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>40.86</td><td>35.94</td><td>10.55</td><td>32.67</td><td>247</td><td>59 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5354.77	54.68	74.00	-19.32	40.86	35.94	10.55	32.67	247	59 PEAK	Blank				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																								
1	5354.77	54.68	74.00	-19.32	40.86	35.94	10.55	32.67	247	59 PEAK																																							
Avg	Level (dBuV/m) Date: 2025-10-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>31.34</td><td>35.94</td><td>10.55</td><td>32.67</td><td>247</td><td>59 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5350.35	45.16	54.00	-8.84	31.34	35.94	10.55	32.67	247	59 AVERAGE	Blank				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																								
1	5350.35	45.16	54.00	-8.84	31.34	35.94	10.55	32.67	247	59 AVERAGE																																							







Mode	72																																																																																																																																																																		
	Band Edge - L																																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz																																																																																																																																																																		
ANT	9+8																																																																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																																																																	
Peak	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.15</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>38.85</td><td>35.85</td><td>10.56</td><td>32.63</td><td>256 65 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>108.21</td><td>-----</td><td>-----</td><td>94.45</td><td>35.90</td><td>10.51</td><td>32.65</td><td>256 65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5126.15	52.63	74.00	-21.37	38.85	35.85	10.56	32.63	256 65 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	108.21	-----	-----	94.45	35.90	10.51	32.65	256 65 PEAK	Avg	Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.82</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>28.52</td><td>35.84</td><td>10.61</td><td>32.62</td><td>256 65 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-10-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.32</td><td>-----</td><td>-----</td><td>84.56</td><td>35.90</td><td>10.51</td><td>32.65</td><td>256 65 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5103.82	42.35	54.00	-11.65	28.52	35.84	10.61	32.62	256 65 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.32	-----	-----	84.56	35.90	10.51	32.65	256 65 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	5126.15	52.63	74.00	-21.37	38.85	35.85	10.56	32.63	256 65 PEAK																																																																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	5290.00	108.21	-----	-----	94.45	35.90	10.51	32.65	256 65 PEAK																																																																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	5103.82	42.35	54.00	-11.65	28.52	35.84	10.61	32.62	256 65 AVERAGE																																																																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	5290.00	98.32	-----	-----	84.56	35.90	10.51	32.65	256 65 AVERAGE																																																																																																																																																										







Mode	72																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz																																																	
ANT	9+8																																																	
Pol.	Vertical					Fundamental																																												
Peak	Level (dBuV/m) Date: 2025-10-29  <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>40.36</td><td>35.94</td><td>10.55</td><td>32.67</td><td>256</td><td>65</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5350.01	54.18	74.00	-19.82	40.36	35.94	10.55	32.67	256	65	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	5350.01	54.18	74.00	-19.82	40.36	35.94	10.55	32.67	256	65	PEAK																																							
Avg	Level (dBuV/m) Date: 2025-10-29  <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.64</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>30.62</td><td>35.94</td><td>10.55</td><td>32.67</td><td>256</td><td>65</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5356.64	44.44	54.00	-9.56	30.62	35.94	10.55	32.67	256	65	AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	5356.64	44.44	54.00	-9.56	30.62	35.94	10.55	32.67	256	65	AVERAGE																																							





		73																																																																																																																
Mode		Band Edge - L																																																																																																																
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_5530MHz																																																																																																																
ANT		9+8																																																																																																																
Pol.		Horizontal					Fundamental																																																																																																											
Peak		Level (dBuV/m) Date: 2025-10-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.54</td><td>53.75</td><td>74.00</td><td>-20.25</td><td>39.92</td><td>35.98</td><td>10.54</td><td>32.69</td><td>241</td><td>64 PEAK</td></tr><tr><td>2</td><td>5460.34</td><td>53.75</td><td>68.30</td><td>-14.55</td><td>39.92</td><td>35.98</td><td>10.54</td><td>32.69</td><td>241</td><td>64 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.54	53.75	74.00	-20.25	39.92	35.98	10.54	32.69	241	64 PEAK	2	5460.34	53.75	68.30	-14.55	39.92	35.98	10.54	32.69	241	64 PEAK	Level (dBuV/m) Date: 2025-10-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>102.30</td><td>-----</td><td>-----</td><td>88.39</td><td>36.02</td><td>10.59</td><td>32.70</td><td>241</td><td>64 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.30	-----	-----	88.39	36.02	10.59	32.70	241	64 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5458.54	53.75	74.00	-20.25	39.92	35.98	10.54	32.69	241	64 PEAK																																																																																																								
2	5460.34	53.75	68.30	-14.55	39.92	35.98	10.54	32.69	241	64 PEAK																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5530.00	102.30	-----	-----	88.39	36.02	10.59	32.70	241	64 PEAK																																																																																																								
Avg		Level (dBuV/m) Date: 2025-10-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.38</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>29.39</td><td>35.98</td><td>10.54</td><td>32.69</td><td>241</td><td>64 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.38	43.22	54.00	-10.78	29.39	35.98	10.54	32.69	241	64 AVERAGE	Level (dBuV/m) Date: 2025-10-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>93.59</td><td>-----</td><td>-----</td><td>79.72</td><td>36.00</td><td>10.57</td><td>32.70</td><td>241</td><td>64 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.59	-----	-----	79.72	36.00	10.57	32.70	241	64 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5456.38	43.22	54.00	-10.78	29.39	35.98	10.54	32.69	241	64 AVERAGE																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5530.00	93.59	-----	-----	79.72	36.00	10.57	32.70	241	64 AVERAGE																																																																																																								







		73																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_5530MHz																																																																																												
ANT		9+8																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5445.22	53.52	74.00	-20.48	39.70	35.98	10.53	32.69	236 66 PEAK	2	5468.98	53.92	68.30	-14.38	40.07	35.99	10.55	32.69	236 66 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	107.93	-----	-----	94.01	36.03	10.60	32.71	236 66 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5445.22	53.52	74.00	-20.48	39.70	35.98	10.53	32.69	236 66 PEAK																																																																																					
2	5468.98	53.92	68.30	-14.38	40.07	35.99	10.55	32.69	236 66 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5530.00	107.93	-----	-----	94.01	36.03	10.60	32.71	236 66 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.82	43.88	54.00	-10.12	30.05	35.98	10.54	32.69	236 66 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.43	-----	-----	84.46	36.06	10.62	32.71	236 66 AVERAGE														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5457.82	43.88	54.00	-10.12	30.05	35.98	10.54	32.69	236 66 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5530.00	98.43	-----	-----	84.46	36.06	10.62	32.71	236 66 AVERAGE																																																																																					



Mode	73																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_5530MHz																																																																																																																															
ANT	9+8																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>46.01</td><td>37.94</td><td>14.66</td><td>50.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.25</td><td>68.30</td><td>-20.05</td><td>41.36</td><td>42.14</td><td>17.74</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11060.00	47.78	74.00	-26.22	46.01	37.94	14.66	50.83	---	---	Peak	2	16590.00	48.25	68.30	-20.05	41.36	42.14	17.74	52.99	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>45.84</td><td>37.94</td><td>14.66</td><td>50.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>41.54</td><td>42.14</td><td>17.74</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11060.00	47.61	74.00	-26.39	45.84	37.94	14.66	50.83	---	---	Peak	2	16590.00	48.43	68.30	-19.87	41.54	42.14	17.74	52.99	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11060.00	47.78	74.00	-26.22	46.01	37.94	14.66	50.83	---	---	Peak																																																																																																																					
2	16590.00	48.25	68.30	-20.05	41.36	42.14	17.74	52.99	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11060.00	47.61	74.00	-26.39	45.84	37.94	14.66	50.83	---	---	Peak																																																																																																																					
2	16590.00	48.43	68.30	-19.87	41.54	42.14	17.74	52.99	---	---	Peak																																																																																																																					



Mode	74																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.64</td><td>52.12</td><td>74.00</td><td>-21.88</td><td>38.30</td><td>35.94</td><td>10.55</td><td>32.67</td><td>197</td><td>68 PEAK</td></tr><tr><td>2</td><td>5469.08</td><td>52.14</td><td>68.30</td><td>-16.16</td><td>38.29</td><td>35.99</td><td>10.55</td><td>32.69</td><td>197</td><td>68 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.64	52.12	74.00	-21.88	38.30	35.94	10.55	32.67	197	68 PEAK	2	5469.08	52.14	68.30	-16.16	38.29	35.99	10.55	32.69	197	68 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>100.64</td><td>-----</td><td>-----</td><td>86.50</td><td>36.17</td><td>10.71</td><td>32.74</td><td>197</td><td>68 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.64	-----	-----	86.50	36.17	10.71	32.74	197
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5353.64	52.12	74.00	-21.88	38.30	35.94	10.55	32.67	197	68 PEAK																																																																																												
2	5469.08	52.14	68.30	-16.16	38.29	35.99	10.55	32.69	197	68 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	100.64	-----	-----	86.50	36.17	10.71	32.74	197	68 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>28.24</td><td>35.98</td><td>10.54</td><td>32.69</td><td>197</td><td>68 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	42.07	54.00	-11.93	28.24	35.98	10.54	32.69	197	68 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>92.64</td><td>-----</td><td>-----</td><td>78.48</td><td>36.18</td><td>10.73</td><td>32.75</td><td>197</td><td>68 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.64	-----	-----	78.48	36.18	10.73	32.75	197	68 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.98	42.07	54.00	-11.93	28.24	35.98	10.54	32.69	197	68 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	92.64	-----	-----	78.48	36.18	10.73	32.75	197	68 AVERAGE																																																																																												





Mode	74																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz																																																	
ANT	9+8																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Level (dBuV/m) Date: 2025-10-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.49</td><td>52.88</td><td>68.30</td><td>-15.42</td><td>38.42</td><td>36.40</td><td>10.86</td><td>32.80</td><td>197 68 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5747.49	52.88	68.30	-15.42	38.42	36.40	10.86	32.80	197 68 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5747.49	52.88	68.30	-15.42	38.42	36.40	10.86	32.80	197 68 PEAK																																									



Mode	74																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz																																									
ANT	9+8																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-10-30 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5610 5641 5672 5703 5734 5765 Frequency (MHz) 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.19</td><td>53.24</td><td>68.30</td><td>-15.06</td><td>38.78</td><td>36.40</td><td>10.86</td><td>32.80</td><td>235 65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5749.19	53.24	68.30	-15.06	38.78	36.40	10.86	32.80	235 65 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5749.19	53.24	68.30	-15.06	38.78	36.40	10.86	32.80	235 65 PEAK																																	



Mode	74																																																																						
	Harmonic																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz																																																																						
ANT	9+8																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>44.96</td><td>38.05</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>48.45</td><td>68.30</td><td>-19.85</td><td>40.67</td><td>42.53</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	47.13	74.00	-26.87	44.96	38.05	14.76	50.64	---	---	Peak	2	16830.00	48.45	68.30	-19.85	40.67	42.53	17.95	52.70	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11220.00	47.13	74.00	-26.87	44.96	38.05	14.76	50.64	---	---	Peak																																																												
2	16830.00	48.45	68.30	-19.85	40.67	42.53	17.95	52.70	---	---	Peak																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>45.73</td><td>38.05</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>48.70</td><td>68.30</td><td>-19.60</td><td>40.92</td><td>42.53</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	47.90	74.00	-26.10	45.73	38.05	14.76	50.64	---	---	Peak	2	16830.00	48.70	68.30	-19.60	40.92	42.53	17.95	52.70	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11220.00	47.90	74.00	-26.10	45.73	38.05	14.76	50.64	---	---	Peak																																																												
2	16830.00	48.70	68.30	-19.60	40.92	42.53	17.95	52.70	---	---	Peak																																																												







Mode	75	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz	
ANT	9+8	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2025-10-30	



Mode	75																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz																																																	
ANT	9+8																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Level (dBuV/m) Date: 2025-10-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.80</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>41.72</td><td>35.96</td><td>10.51</td><td>32.68</td><td>202</td><td>64</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5392.80	55.51	74.00	-18.49	41.72	35.96	10.51	32.68	202	64	PEAK	Blank				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	5392.80	55.51	74.00	-18.49	41.72	35.96	10.51	32.68	202	64	PEAK																																							
Avg	Level (dBuV/m) Date: 2025-10-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.85</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>32.07</td><td>35.94</td><td>10.55</td><td>32.67</td><td>202</td><td>64</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5351.85	45.89	54.00	-8.11	32.07	35.94	10.55	32.67	202	64	AVERAGE	Blank				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	5351.85	45.89	54.00	-8.11	32.07	35.94	10.55	32.67	202	64	AVERAGE																																							







Mode	75																																											
	Band Edge - L																																											
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz																																											
ANT	9+8																																											
Pol.	Vertical	Fundamental																																										
Peak	Date: 2025-10-30  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.50</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>43.46</td><td>35.86</td><td>10.53</td><td>32.63</td><td>243</td><td>70 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5142.50	57.22	74.00	-16.78	43.46	35.86	10.53	32.63	243	70 PEAK	Date: 2025-10-30  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>102.11</td><td>-----</td><td>-----</td><td>88.42</td><td>35.87</td><td>10.46</td><td>32.64</td><td>243</td><td>70 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5250.00	102.11	-----	-----	88.42	35.87	10.46	32.64	243	70 PEAK
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1	5142.50	57.22	74.00	-16.78	43.46	35.86	10.53	32.63	243	70 PEAK																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																			
1	5250.00	102.11	-----	-----	88.42	35.87	10.46	32.64	243	70 PEAK																																		
Avg	Date: 2025-10-30  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.50</td><td>47.94</td><td>54.00</td><td>-6.06</td><td>34.13</td><td>35.85</td><td>10.58</td><td>32.62</td><td>243</td><td>70 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5117.50	47.94	54.00	-6.06	34.13	35.85	10.58	32.62	243	70 AVERAGE	Date: 2025-10-30  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>94.07</td><td>-----</td><td>-----</td><td>80.38</td><td>35.87</td><td>10.46</td><td>32.64</td><td>243</td><td>70 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.07	-----	-----	80.38	35.87	10.46	32.64	243	70 AVERAGE
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																			
1	5117.50	47.94	54.00	-6.06	34.13	35.85	10.58	32.62	243	70 AVERAGE																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																			
1	5250.00	94.07	-----	-----	80.38	35.87	10.46	32.64	243	70 AVERAGE																																		







Mode	75									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz									
ANT	9+8									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) <									





		76																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																																																																																				
ANT		9+8																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.56</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>43.65</td><td>35.98</td><td>10.53</td><td>32.69</td><td>189</td><td>56 PEAK</td></tr><tr><td>2</td><td>5465.28</td><td>55.36</td><td>68.30</td><td>-12.94</td><td>41.51</td><td>35.99</td><td>10.55</td><td>32.69</td><td>189</td><td>56 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5437.56	57.47	74.00	-16.53	43.65	35.98	10.53	32.69	189	56 PEAK	2	5465.28	55.36	68.30	-12.94	41.51	35.99	10.55	32.69	189	56 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.50</td><td>-----</td><td>-----</td><td>87.63</td><td>36.00</td><td>10.57</td><td>32.70</td><td>189</td><td>56 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.50	-----	-----	87.63	36.00	10.57	32.70	189
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5437.56	57.47	74.00	-16.53	43.65	35.98	10.53	32.69	189	56 PEAK																																																																																												
2	5465.28	55.36	68.30	-12.94	41.51	35.99	10.55	32.69	189	56 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	101.50	-----	-----	87.63	36.00	10.57	32.70	189	56 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.34</td><td>47.74</td><td>54.00</td><td>-6.26</td><td>33.93</td><td>35.97</td><td>10.53</td><td>32.69</td><td>189</td><td>56 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5437.34	47.74	54.00	-6.26	33.93	35.97	10.53	32.69	189	56 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.77</td><td>-----</td><td>-----</td><td>76.90</td><td>36.00</td><td>10.57</td><td>32.70</td><td>189</td><td>56 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.77	-----	-----	76.90	36.00	10.57	32.70	189	56 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5437.34	47.74	54.00	-6.26	33.93	35.97	10.53	32.69	189	56 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	90.77	-----	-----	76.90	36.00	10.57	32.70	189	56 AVERAGE																																																																																												







		76																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																																																																												
ANT		9+8																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.70	58.83	74.00	-15.17	45.00	35.98	10.54	32.69	240 70 PEAK	2	5463.30	58.20	68.30	-10.10	44.35	35.99	10.55	32.69	240 70 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>104.45</td><td>-----</td><td>-----</td><td>90.58</td><td>36.00</td><td>10.57</td><td>32.70</td><td>240 70 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	104.45	-----	-----	90.58	36.00	10.57	32.70
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5456.70	58.83	74.00	-15.17	45.00	35.98	10.54	32.69	240 70 PEAK																																																																																					
2	5463.30	58.20	68.30	-10.10	44.35	35.99	10.55	32.69	240 70 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5570.00	104.45	-----	-----	90.58	36.00	10.57	32.70	240 70 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5453.62	48.40	54.00	-5.60	34.57	35.98	10.54	32.69	240 70 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.72</td><td>-----</td><td>-----</td><td>79.85</td><td>36.00</td><td>10.57</td><td>32.70</td><td>240 70 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.72	-----	-----	79.85	36.00	10.57	32.70	240 70 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5453.62	48.40	54.00	-5.60	34.57	35.98	10.54	32.69	240 70 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5570.00	93.72	-----	-----	79.85	36.00	10.57	32.70	240 70 AVERAGE																																																																																					







Mode	76																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																																																																																																																	
ANT	9+8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11140.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>45.55</td><td>38.00</td><td>14.71</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>48.83</td><td>68.30</td><td>-19.47</td><td>41.50</td><td>42.34</td><td>17.84</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11140.00	47.53	74.00	-26.47	45.55	38.00	14.71	50.73	---	---	Peak	2	16710.00	48.83	68.30	-19.47	41.50	42.34	17.84	52.85	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11140.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>45.98</td><td>38.00</td><td>14.71</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>48.22</td><td>68.30</td><td>-20.08</td><td>40.89</td><td>42.34</td><td>17.84</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11140.00	47.96	74.00	-26.04	45.98	38.00	14.71	50.73	---	---	Peak	2	16710.00	48.22	68.30	-20.08	40.89	42.34	17.84	52.85	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11140.00	47.53	74.00	-26.47	45.55	38.00	14.71	50.73	---	---	Peak																																																																																																																							
2	16710.00	48.83	68.30	-19.47	41.50	42.34	17.84	52.85	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11140.00	47.96	74.00	-26.04	45.98	38.00	14.71	50.73	---	---	Peak																																																																																																																							
2	16710.00	48.22	68.30	-20.08	40.89	42.34	17.84	52.85	---	---	Peak																																																																																																																							



		77																																																																																					
Mode		Band Edge																																																																																					
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																																																																					
ANT		9+8																																																																																					
Pol.		Horizontal					Fundamental																																																																																
Peak																																																																																							
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.50</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>40.13</td><td>35.86</td><td>10.53</td><td>32.63</td><td>206</td><td>72</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5139.50	53.89	74.00	-20.11	40.13	35.86	10.53	32.63	206	72	PEAK	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.03</td><td>-----</td><td>-----</td><td>94.34</td><td>35.87</td><td>10.46</td><td>32.64</td><td>206</td><td>72</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5180.00	108.03	-----	-----	94.34	35.87	10.46	32.64	206	72
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	5139.50	53.89	74.00	-20.11	40.13	35.86	10.53	32.63	206	72	PEAK																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	108.03	-----	-----	94.34	35.87	10.46	32.64	206	72	PEAK																																																																												
Avg																																																																																							
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.32</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>28.80</td><td>35.86</td><td>10.53</td><td>32.63</td><td>206</td><td>72</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5139.32	42.56	54.00	-11.44	28.80	35.86	10.53	32.63	206	72	AVERAGE	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.42</td><td>-----</td><td>-----</td><td>85.73</td><td>35.87</td><td>10.46</td><td>32.64</td><td>206</td><td>72</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5180.00	99.42	-----	-----	85.73	35.87	10.46	32.64	206	72
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	5139.32	42.56	54.00	-11.44	28.80	35.86	10.53	32.63	206	72	AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	99.42	-----	-----	85.73	35.87	10.46	32.64	206	72	AVERAGE																																																																												







		77																																																																																						
Mode		Band Edge																																																																																						
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																																																																						
ANT		9+8																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.60</td><td>53.96</td><td>74.00</td><td>-20.04</td><td>40.16</td><td>35.85</td><td>10.57</td><td>32.62</td><td>239 68 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5120.60	53.96	74.00	-20.04	40.16	35.85	10.57	32.62	239 68 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.40</td><td>-----</td><td>93.69</td><td>35.87</td><td>10.47</td><td>32.63</td><td>239 68 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.40	-----	93.69	35.87	10.47	32.63
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5120.60	53.96	74.00	-20.04	40.16	35.85	10.57	32.62	239 68 PEAK																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	107.40	-----	93.69	35.87	10.47	32.63	239 68 PEAK																																																																																
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.46</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>29.07</td><td>35.85</td><td>10.56</td><td>32.63</td><td>239 68 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5125.46	42.85	54.00	-11.15	29.07	35.85	10.56	32.63	239 68 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.66</td><td>-----</td><td>84.95</td><td>35.87</td><td>10.47</td><td>32.63</td><td>239 68 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.66	-----	84.95	35.87	10.47	32.63
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5125.46	42.85	54.00	-11.15	29.07	35.85	10.56	32.63	239 68 AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	98.66	-----	84.95	35.87	10.47	32.63	239 68 AVERAGE																																																																																







Mode	78	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Single RU 106/54_5270MHz	
ANT	9+8	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2025-10-30	






		78																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Single RU 106/54_5270MHz																																																																																							
ANT		9+8																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.62</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>38.62</td><td>35.96</td><td>10.51</td><td>32.68</td><td>227 63 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5394.62	52.41	74.00	-21.59	38.62	35.96	10.51	32.68	227 63 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.51</td><td>-----</td><td>-----</td><td>96.67</td><td>35.93</td><td>10.58</td><td>32.67</td><td>227 63 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.51	-----	-----	96.67	35.93	10.58	32.67
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5394.62	52.41	74.00	-21.59	38.62	35.96	10.51	32.68	227 63 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	110.51	-----	-----	96.67	35.93	10.58	32.67	227 63 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.86</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>28.62</td><td>35.95</td><td>10.53</td><td>32.67</td><td>227 63 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5368.86	42.43	54.00	-11.57	28.62	35.95	10.53	32.67	227 63 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.55</td><td>-----</td><td>-----</td><td>87.71</td><td>35.93</td><td>10.58</td><td>32.67</td><td>227 63 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.55	-----	-----	87.71	35.93	10.58	32.67
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5368.86	42.43	54.00	-11.57	28.62	35.95	10.53	32.67	227 63 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	101.55	-----	-----	87.71	35.93	10.58	32.67	227 63 AVERAGE																																																																																






Mode	79																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Single RU 52/37_5500MHz																																																																																													
ANT	9+8																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Date: 2025-10-30  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5403.25</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>38.68</td><td>35.96</td><td>10.50</td><td>32.68</td><td>177</td><td>124 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>51.83</td><td>68.30</td><td>-16.47</td><td>37.98</td><td>35.99</td><td>10.55</td><td>32.69</td><td>177</td><td>124 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5403.25	52.46	74.00	-21.54	38.68	35.96	10.50	32.68	177	124 PEAK	2	5469.70	51.83	68.30	-16.47	37.98	35.99	10.55	32.69	177	124 PEAK	Date: 2025-10-30  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.57</td><td>-----</td><td>90.70</td><td>36.00</td><td>10.57</td><td>32.70</td><td>177</td><td>124 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.57	-----	90.70	36.00	10.57	32.70	177	124 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5403.25	52.46	74.00	-21.54	38.68	35.96	10.50	32.68	177	124 PEAK																																																																																				
2	5469.70	51.83	68.30	-16.47	37.98	35.99	10.55	32.69	177	124 PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	104.57	-----	90.70	36.00	10.57	32.70	177	124 PEAK																																																																																					
Avg	Date: 2025-10-30  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.60</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>28.18</td><td>35.98</td><td>10.54</td><td>32.69</td><td>177</td><td>124 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.60	42.01	54.00	-11.99	28.18	35.98	10.54	32.69	177	124 AVERAGE	Date: 2025-10-30  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.74</td><td>-----</td><td>81.87</td><td>36.00</td><td>10.57</td><td>32.70</td><td>177</td><td>124 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.74	-----	81.87	36.00	10.57	32.70	177	124 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5458.60	42.01	54.00	-11.99	28.18	35.98	10.54	32.69	177	124 AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	95.74	-----	81.87	36.00	10.57	32.70	177	124 AVERAGE																																																																																					



Mode	80																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 26/8_5700MHz																																																																															
ANT	9+8																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-10-30  1 PART 15.407 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5749.99</td><td>52.83</td><td>68.30</td><td>-15.47</td><td>38.38</td><td>36.40</td><td>10.85</td><td>32.80</td><td>149</td><td>54 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5749.99	52.83	68.30	-15.47	38.38	36.40	10.85	32.80	149	54 PEAK	Level (dBuV/m) Date: 2025-10-30  1 PART 15.407 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.84</td><td>-----</td><td>-----</td><td>86.39</td><td>36.34</td><td>10.89</td><td>32.78</td><td>149</td><td>54 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.84	-----	-----	86.39	36.34	10.89	32.78	149	54 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5749.99	52.83	68.30	-15.47	38.38	36.40	10.85	32.80	149	54 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5700.00	100.84	-----	-----	86.39	36.34	10.89	32.78	149	54 PEAK																																																																						
Avg	Blank	Level (dBuV/m) Date: 2025-10-30  1 PART 15.407 AVG Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.43</td><td>-----</td><td>-----</td><td>78.98</td><td>36.34</td><td>10.89</td><td>32.78</td><td>149</td><td>54 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.43	-----	-----	78.98	36.34	10.89	32.78	149	54 AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5700.00	93.43	-----	-----	78.98	36.34	10.89	32.78	149	54 AVERAGE																																																																						



Mode	80																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 26/8_5700MHz																																																																																																																										
ANT	9+8																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	Level (dBuV/m) Date: 2025-10-30  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.22</td><td>53.24</td><td>68.30</td><td>-15.06</td><td>38.80</td><td>36.36</td><td>10.87</td><td>32.79</td><td>229 68 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-10-30  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.73</td><td>-----</td><td>-----</td><td>91.28</td><td>36.34</td><td>10.89</td><td>32.78</td><td>229 68 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.22	53.24	68.30	-15.06	38.80	36.36	10.87	32.79	229 68 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.73	-----	-----	91.28	36.34	10.89	32.78	229 68 PEAK	Avg	Level (dBuV/m) Date: 2025-10-30  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.63</td><td>-----</td><td>-----</td><td>84.18</td><td>36.34</td><td>10.89</td><td>32.78</td><td>229 68 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.63	-----	-----	84.18	36.34	10.89	32.78	229 68 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5725.22	53.24	68.30	-15.06	38.80	36.36	10.87	32.79	229 68 PEAK																																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5700.00	105.73	-----	-----	91.28	36.34	10.89	32.78	229 68 PEAK																																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5700.00	98.63	-----	-----	84.18	36.34	10.89	32.78	229 68 AVERAGE																																																																																																																		