
















































Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant9	5745	16.36	5736.80	5753.16	0.5	PASS
	Ant8	5745	16.32	5736.80	5753.12	0.5	PASS
	Ant9	5785	16.36	5776.80	5793.16	0.5	PASS
	Ant8	5785	16.32	5776.80	5793.12	0.5	PASS
	Ant9	5825	16.28	5816.84	5833.12	0.5	PASS
	Ant8	5825	16.36	5816.80	5833.16	0.5	PASS
11N20SISO	Ant9	5745	17.60	5736.20	5753.80	0.5	PASS
	Ant8	5745	17.60	5736.16	5753.76	0.5	PASS
	Ant9	5785	17.56	5776.20	5793.76	0.5	PASS
	Ant8	5785	17.60	5776.16	5793.76	0.5	PASS
	Ant9	5825	17.56	5816.20	5833.76	0.5	PASS
	Ant8	5825	17.60	5816.16	5833.76	0.5	PASS
11N40SISO	Ant9	5755	36.32	5736.84	5773.16	0.5	PASS
	Ant8	5755	36.40	5736.76	5773.16	0.5	PASS
	Ant9	5795	36.32	5776.84	5813.16	0.5	PASS
	Ant8	5795	36.32	5776.84	5813.16	0.5	PASS
11AC80SISO	Ant9	5775	76.48	5736.76	5813.24	0.5	PASS
	Ant8	5775	76.32	5736.76	5813.08	0.5	PASS
11AX20SISO	Ant9	5745	19.00	5735.48	5754.48	0.5	PASS
	Ant8	5745	18.96	5735.48	5754.44	0.5	PASS
	Ant9	5785	19.00	5775.48	5794.48	0.5	PASS
	Ant8	5785	18.92	5775.52	5794.44	0.5	PASS
	Ant9	5825	19.00	5815.48	5834.48	0.5	PASS
	Ant8	5825	18.96	5815.48	5834.44	0.5	PASS
11AX40SISO	Ant9	5755	38.08	5735.96	5774.04	0.5	PASS
	Ant8	5755	38.00	5735.96	5773.96	0.5	PASS
	Ant9	5795	37.92	5776.12	5814.04	0.5	PASS
	Ant8	5795	38.24	5775.88	5814.12	0.5	PASS
11AX80SISO	Ant9	5775	76.48	5736.76	5813.24	0.5	PASS
	Ant8	5775	77.76	5736.12	5813.88	0.5	PASS





Test Graphs B4












































Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant9	5180	7.42	≤11.00	PASS
	Ant8	5180	7.00	≤11.00	PASS
	Ant9	5220	7.00	≤11.00	PASS
	Ant8	5220	6.99	≤11.00	PASS
	Ant9	5240	6.66	≤11.00	PASS
	Ant8	5240	7.10	≤11.00	PASS
	Ant9	5260	6.87	≤11.00	PASS
	Ant8	5260	6.72	≤11.00	PASS
	Ant9	5300	6.43	≤11.00	PASS
	Ant8	5300	6.92	≤11.00	PASS
	Ant9	5320	6.78	≤11.00	PASS
	Ant8	5320	6.98	≤11.00	PASS
	Ant9	5500	6.81	≤11.00	PASS
	Ant8	5500	6.61	≤11.00	PASS
	Ant9	5580	6.86	≤11.00	PASS
	Ant8	5580	7.04	≤11.00	PASS
	Ant9	5700	7.66	≤11.00	PASS
	Ant8	5700	6.79	≤11.00	PASS
	Ant9	5745	6.69	≤30.00	PASS
	Ant8	5745	6.16	≤30.00	PASS
	Ant9	5785	6.41	≤30.00	PASS
	Ant8	5785	6.00	≤30.00	PASS
	Ant9	5825	6.69	≤30.00	PASS
	Ant8	5825	6.04	≤30.00	PASS
11N20SISO	Ant9	5180	6.73	≤11.00	PASS
	Ant8	5180	6.92	≤11.00	PASS
	Ant9	5220	6.99	≤11.00	PASS
	Ant8	5220	6.76	≤11.00	PASS
	Ant9	5240	6.75	≤11.00	PASS
	Ant8	5240	6.88	≤11.00	PASS
	Ant9	5260	6.55	≤11.00	PASS
	Ant8	5260	7.29	≤11.00	PASS
	Ant9	5300	6.26	≤11.00	PASS
	Ant8	5300	6.92	≤11.00	PASS



	Ant9	5320	6.34	≤11.00	PASS
	Ant8	5320	6.56	≤11.00	PASS
	Ant9	5500	6.57	≤11.00	PASS
	Ant8	5500	6.86	≤11.00	PASS
	Ant9	5580	7.38	≤11.00	PASS
	Ant8	5580	6.52	≤11.00	PASS
	Ant9	5700	7.12	≤11.00	PASS
	Ant8	5700	6.91	≤11.00	PASS
	Ant9	5745	6.65	≤30.00	PASS
	Ant8	5745	6.13	≤30.00	PASS
	Ant9	5785	6.35	≤30.00	PASS
	Ant8	5785	5.72	≤30.00	PASS
	Ant9	5825	6.63	≤30.00	PASS
	Ant8	5825	5.99	≤30.00	PASS
11N40SISO	Ant9	5190	3.38	≤11.00	PASS
	Ant8	5190	3.86	≤11.00	PASS
	Ant9	5230	3.62	≤11.00	PASS
	Ant8	5230	3.78	≤11.00	PASS
	Ant9	5270	3.22	≤11.00	PASS
	Ant8	5270	3.73	≤11.00	PASS
	Ant9	5310	2.82	≤11.00	PASS
	Ant8	5310	3.62	≤11.00	PASS
	Ant9	5510	3.04	≤11.00	PASS
	Ant8	5510	3.64	≤11.00	PASS
	Ant9	5550	3.51	≤11.00	PASS
	Ant8	5550	3.03	≤11.00	PASS
	Ant9	5670	3.81	≤11.00	PASS
	Ant8	5670	3.60	≤11.00	PASS
	Ant9	5755	3.15	≤30.00	PASS
	Ant8	5755	2.75	≤30.00	PASS
	Ant9	5795	2.94	≤30.00	PASS
	Ant8	5795	2.54	≤30.00	PASS
11AC80SISO	Ant9	5210	0.60	≤11.00	PASS
	Ant8	5210	1.06	≤11.00	PASS
	Ant9	5290	0.40	≤11.00	PASS
	Ant8	5290	0.65	≤11.00	PASS
	Ant9	5530	0.71	≤11.00	PASS
	Ant8	5530	0.63	≤11.00	PASS



	Ant9	5610	0.44	≤11.00	PASS
	Ant8	5610	0.18	≤11.00	PASS
	Ant9	5775	0.13	≤30.00	PASS
	Ant8	5775	-0.25	≤30.00	PASS
11AC160SISO	Ant9	5250	-1.84	≤11.00	PASS
	Ant8	5250	-1.17	≤11.00	PASS
	Ant9	5570	-1.71	≤11.00	PASS
	Ant8	5570	-2.25	≤11.00	PASS
11AX20SISO	Ant9	5180	6.55	≤11.00	PASS
	Ant8	5180	6.23	≤11.00	PASS
	Ant9	5220	6.13	≤11.00	PASS
	Ant8	5220	6.65	≤11.00	PASS
	Ant9	5240	6.01	≤11.00	PASS
	Ant8	5240	6.48	≤11.00	PASS
	Ant9	5260	5.99	≤11.00	PASS
	Ant8	5260	6.38	≤11.00	PASS
	Ant9	5300	5.96	≤11.00	PASS
	Ant8	5300	6.22	≤11.00	PASS
	Ant9	5320	6.19	≤11.00	PASS
	Ant8	5320	6.10	≤11.00	PASS
	Ant9	5500	5.95	≤11.00	PASS
	Ant8	5500	6.14	≤11.00	PASS
	Ant9	5580	6.30	≤11.00	PASS
	Ant8	5580	6.16	≤11.00	PASS
	Ant9	5700	6.52	≤11.00	PASS
	Ant8	5700	5.96	≤11.00	PASS
	Ant9	5745	6.02	≤30.00	PASS
	Ant8	5745	5.70	≤30.00	PASS
	Ant9	5785	5.81	≤30.00	PASS
	Ant8	5785	5.47	≤30.00	PASS
	Ant9	5825	6.27	≤30.00	PASS
	Ant8	5825	5.46	≤30.00	PASS
11AX40SISO	Ant9	5190	2.54	≤11.00	PASS
	Ant8	5190	2.88	≤11.00	PASS
	Ant9	5230	2.75	≤11.00	PASS
	Ant8	5230	3.00	≤11.00	PASS
	Ant9	5270	2.16	≤11.00	PASS
	Ant8	5270	2.80	≤11.00	PASS



	Ant9	5310	2.08	≤11.00	PASS
	Ant8	5310	2.62	≤11.00	PASS
	Ant9	5510	2.14	≤11.00	PASS
	Ant8	5510	2.69	≤11.00	PASS
	Ant9	5550	2.10	≤11.00	PASS
	Ant8	5550	2.58	≤11.00	PASS
	Ant9	5670	3.11	≤11.00	PASS
	Ant8	5670	3.05	≤11.00	PASS
	Ant9	5755	2.38	≤30.00	PASS
	Ant8	5755	1.87	≤30.00	PASS
	Ant9	5795	2.06	≤30.00	PASS
	Ant8	5795	1.69	≤30.00	PASS
11AX80SISO	Ant9	5210	0.71	≤11.00	PASS
	Ant8	5210	0.87	≤11.00	PASS
	Ant9	5290	0.56	≤11.00	PASS
	Ant8	5290	0.72	≤11.00	PASS
	Ant9	5530	0.74	≤11.00	PASS
	Ant8	5530	0.72	≤11.00	PASS
	Ant9	5610	0.50	≤11.00	PASS
	Ant8	5610	0.45	≤11.00	PASS
	Ant9	5775	0.19	≤30.00	PASS
	Ant8	5775	-0.51	≤30.00	PASS
11AX160SISO	Ant9	5250	-2.03	≤11.00	PASS
	Ant8	5250	-0.94	≤11.00	PASS
	Ant9	5570	-1.66	≤11.00	PASS
	Ant8	5570	-2.02	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.



Test Graphs

