





11BE20MIMO_Ant2_6855_Small RU 106+26_2



Date: 28.FEB.2025 06:09:39


11BE80MIMO_Ant1_5985_Large RU 484+242_4



Date: 27.FEB.2025 05:27:31




11BE80MIMO_Ant1_5985_Puncturing 20M_4



Date: 27.FEB.2025 06:09:20


11BE80MIMO_Ant2_5985_Large RU 484+242_4



Date: 27.FEB.2025 05:34:13




11BE80MIMO_Ant2_5985_Puncturing 20M_4





Date: 27.FEB.2025 06:09:53

11BE80MIMO_Ant1_6785_Large RU 484+242_1




Date: 27.FEB.2025 05:35:32






11BE80MIMO_Ant2_6785_Puncturing 20M_1



Date: 27.FEB.2025 06:14:11


11BE160MIMO_Ant1_6025_Large RU 996+484_4



Date: 27.FEB.2025 05:37:21




11BE160MIMO_Ant1_6025_Puncturing 40M_4



Date: 27.FEB.2025 06:16:42


11BE160MIMO_Ant1_6025_Puncturing 20M_8



Date: 27.FEB.2025 06:19:31




11BE160MIMO_Ant2_6025_Large RU 996+484_4





Date: 27.FEB.2025 05:38:12

11BE160MIMO_Ant2_6025_Puncturing 40M_4




Date: 27.FEB.2025 06:18:13






11BE160MIMO_Ant1_6665_Puncturing 40M_1







Date: 27.FEB.2025 06:26:24


11BE160MIMO_Ant1_6665_Puncturing 20M_1



Date: 27.FEB.2025 06:28:37











11BE320MIMO_Ant1_6105_Puncturing 80M+40M_6



Date: 28.FEB.2025 22:53:22


11BE320MIMO_Ant1_6105_Puncturing 80M_4




Date: 28.FEB.2025 22:57:55







11BE320MIMO_Ant1_6105_Puncturing 40M_8



11BE320MIMO_Ant2_6105_Large RU 996*2+484_6











11BE320MIMO_Ant2_6105_Puncturing 40M_8







Date: 28.FEB.2025 23:00:13



11BE320MIMO_Ant1_6265_Large RU 996*2+484_7





Date: 27.FEB.2025 05:54:19













11BE320MIMO_Ant2_6265_Puncturing 80M+40M_7




Date: 28.FEB.2025 23:03:06

11BE320MIMO_Ant2_6265_Puncturing 80M_1




Date: 28.FEB.2025 23:04:21





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : C002-SZ
Condition : FCC 15E_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	37.55	-18.32	55.87	17.70	9.66	10.19	Average
2 *	0.15	48.75	-17.12	65.87	28.90	9.66	10.19	QP
3	0.22	29.60	-23.28	52.88	9.70	9.71	10.19	Average
4	0.22	42.90	-19.98	62.88	23.00	9.71	10.19	QP
5	0.29	24.65	-25.98	50.63	4.70	9.75	10.20	Average
6	0.29	35.25	-25.38	60.63	15.30	9.75	10.20	QP
7	0.52	25.11	-20.89	46.00	5.20	9.67	10.24	Average
8	0.52	35.31	-20.69	56.00	15.40	9.67	10.24	QP
9	0.59	27.00	-19.00	46.00	7.10	9.66	10.24	Average
10	0.59	37.50	-18.50	56.00	17.60	9.66	10.24	QP
11	0.88	20.50	-25.50	46.00	0.61	9.66	10.23	Average
12	0.88	30.60	-25.40	56.00	10.71	9.66	10.23	QP



Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	36.92	-18.68	55.60	17.10	9.63	10.19	Average
2 *	0.16	48.12	-17.48	65.60	28.30	9.63	10.19	QP
3	0.20	27.73	-26.03	53.76	7.70	9.85	10.18	Average
4	0.20	41.23	-22.53	63.76	21.20	9.85	10.18	QP
5	0.28	24.48	-26.28	50.76	4.50	9.78	10.20	Average
6	0.28	34.58	-26.18	60.76	14.60	9.78	10.20	QP
7	0.49	27.31	-18.79	46.10	7.00	10.07	10.24	Average
8	0.49	36.51	-19.59	56.10	16.20	10.07	10.24	QP
9	0.62	26.80	-19.20	46.00	6.90	9.66	10.24	Average
10	0.62	35.50	-20.50	56.00	15.60	9.66	10.24	QP
11	0.91	18.95	-27.05	46.00	-1.00	9.72	10.23	Average
12	0.91	27.95	-28.05	56.00	8.00	9.72	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	HuaCong Liang	Relative Humidity :	50%
		Temperature :	20-22°C

Radiated Spurious Emission Test Modes

Mode	Band	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	1+2	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	1+2	802.11a	97	6435	6Mbps	-	-
Mode 7	U-NII-7	1+2	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	1+2	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	1+2	802.11a	181	6855	6Mbps	-	-
Mode 13	U-NII-5	1+2	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	1+2	802.11ax HE20	45	6175	MCS0	-	-
Mode 15	U-NII-5	1+2	802.11ax HE20	93	6415	MCS0	-	-
Mode 16	U-NII-5	1+2	802.11ax HE20	97	6435	MCS0	-	-
Mode 19	U-NII-7	1+2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	1+2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	1+2	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-5	1+2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	1+2	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	1+2	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 30	U-NII-7	1+2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	1+2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	1+2	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 36	U-NII-5	1+2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	1+2	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	1+2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 40	U-NII-7	1+2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	1+2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	1+2	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 45	U-NII-5	1+2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	1+2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	1+2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	1+2	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 50	U-NII-7	1+2	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 51	U-NII-7	1+2	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 52	U-NII-7	1+2	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 53	U-NII-7	1+2	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 59	U-NII-5	1+2	802.11be EHT20	1	5955	MCS0	-	-
Mode 60	U-NII-5	1+2	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	1+2	802.11be EHT20	93	6415	MCS0	-	-



Mode 62	U-NII-5	1+2	802.11be EHT20	97	6435	MCS0	-	-
Mode 65	U-NII-7	1+2	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	1+2	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	1+2	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 71	U-NII-5	1+2	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	1+2	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	1+2	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 76	U-NII-7	1+2	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	1+2	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	1+2	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 82	U-NII-5	1+2	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	1+2	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	1+2	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 86	U-NII-7	1+2	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 87	U-NII-7	1+2	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	1+2	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 91	U-NII-5	1+2	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	1+2	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	1+2	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	1+2	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 96	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	1+2	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 98	U-NII-7	1+2	802.11a	185	6525	MCS0	Full RU	-
Mode 99	U-NII-7	1+2	802.11be EHT20	185	6525	MCS0	Full RU	-
Mode 100	U-NII-7	1+2	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 101	U-NII-7	1+2	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 102	U-NII-7	1+2	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 103	U-NII-7	1+2	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 109	U-NII-7	1+2	802.11be EHT320	127	6585	MCS0	Full RU	-

Remark: U-NII-5/7 RSE was tested using standard client high power.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	17865.00	47.31	74.00	-26.69	H	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.49	74.00	-27.51	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.92	88.20	-41.28	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.89	88.20	-41.31	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.61	88.20	-41.59	H	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	45.53	74.00	-28.47	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13712.00	46.78	88.20	-41.42	H	Peak	Pass	Harmonic
13	802.11ax HE20	1	5922.58	43.40	68.20	-24.80	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	46.97	74.00	-27.03	V	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	47.26	74.00	-26.74	H	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	48.01	88.20	-40.19	V	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	46.89	88.20	-41.31	V	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	46.33	88.20	-41.87	V	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	45.54	74.00	-28.46	V	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.49	88.20	-40.71	H	Peak	Pass	Harmonic
25	802.11ax HE40	3	5917.16	43.54	68.20	-24.66	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	17895.00	47.90	74.00	-26.10	H	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	47.22	74.00	-26.78	V	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	47.69	88.20	-40.51	V	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.47	88.20	-40.73	H	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	47.02	74.00	-26.98	H	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.96	88.20	-40.24	H	Peak	Pass	Harmonic
36	802.11ax HE80	7	5910.44	43.48	68.20	-24.72	H	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	11970.00	49.17	74.00	-24.83	H	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge





37	802.11ax HE80	39	12290.00	47.89	74.00	-26.11	H	Peak	Pass	Harmonic
38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	47.07	88.20	-41.13	H	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	46.50	74.00	-27.50	H	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	45.97	88.20	-42.23	H	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	46.59	88.20	-41.61	H	Peak	Pass	Harmonic
45	802.11ax HE160	15	5906.76	43.41	68.20	-24.79	H	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12050.00	47.67	74.00	-26.33	V	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	46.67	74.00	-27.33	V	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	47.32	74.00	-26.68	H	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	47.56	74.00	-26.44	H	Peak	Pass	Harmonic
50	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	185	13750.00	47.15	88.20	-41.05	V	Peak	Pass	Harmonic
51	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	187	13770.00	47.88	88.20	-40.32	V	Peak	Pass	Harmonic
52	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	183	13730.00	47.28	88.20	-40.92	V	Peak	Pass	Harmonic
53	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE160	175	13650.00	47.24	88.20	-40.96	H	Peak	Pass	Harmonic
59	802.11be EHT20	1	5917.68	43.45	68.20	-24.75	V	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	11910.00	48.75	74.00	-25.25	H	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	48.00	74.00	-26.00	H	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	47.53	88.20	-40.67	H	Peak	Pass	Harmonic
62	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT20	97	12870.00	47.59	88.20	-40.61	H	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	47.73	88.20	-40.47	V	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	46.94	74.00	-27.06	H	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	47.55	88.20	-40.65	H	Peak	Pass	Harmonic
71	802.11be EHT40	3	5903.72	43.48	68.20	-24.72	V	AVERAGE	Pass	Band Edge
71	802.11be EHT40	3	11930.00	48.68	74.00	-25.32	V	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	48.08	74.00	-25.92	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.23	88.20	-40.97	H	Peak	Pass	Harmonic
76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	48.25	88.20	-39.95	H	Peak	Pass	Harmonic



77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	47.16	74.00	-26.84	H	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	48.22	88.20	-39.98	V	Peak	Pass	Harmonic
82	802.11be EHT80	7	5924.84	43.46	68.20	-24.74	V	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	11970.00	47.80	74.00	-26.20	V	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	47.94	74.00	-26.06	V	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.99	88.20	-40.21	V	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	47.35	74.00	-26.65	V	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	47.40	88.20	-40.80	V	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	47.95	88.20	-40.25	V	Peak	Pass	Harmonic
91	802.11be EHT160	15	5913.76	43.29	68.20	-24.91	H	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	47.65	74.00	-26.35	V	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	47.95	74.00	-26.05	H	Peak	Pass	Harmonic
93	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	79	12690.00	47.78	74.00	-26.22	V	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	47.45	74.00	-26.55	V	Peak	Pass	Harmonic
96	802.11be EHT320	31	5653.00	44.16	68.20	-24.04	H	AVERAGE	Pass	Band Edge
96	802.11be EHT320	31	12210.00	47.84	74.00	-26.16	V	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	47.90	74.00	-26.10	H	Peak	Pass	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	Band Edge
98	802.11a	185	13750.00	47.57	88.20	-40.63	H	Peak	Pass	Harmonic
99	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
99	802.11be EHT20	185	13750.00	47.54	88.20	-40.66	V	Peak	Pass	Harmonic
100	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
100	802.11be EHT40	187	13770.00	47.52	88.20	-40.68	H	Peak	Pass	Harmonic
101	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
101	802.11be EHT80	183	13730.00	46.95	88.20	-41.25	H	Peak	Pass	Harmonic
102	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
102	802.11be EHT160	175	13650.00	47.24	88.20	-40.96	V	Peak	Pass	Harmonic
103	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT320	159	13490.00	46.58	88.20	-41.62	H	Peak	Pass	Harmonic
109	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT320	127	13170.00	47.51	88.20	-40.69	V	Peak	Pass	Harmonic



Mode	1																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_802.11a_CH1_5955MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Date: 2025-03-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>43.30</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>41.14</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.74	74.00	-27.26	43.30	38.32	15.09	49.97	---	Peak	2 17865.00	47.31	74.00	-26.69	41.14	42.47	17.74	54.04	---	Peak	Date: 2025-03-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.43</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>40.83</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.87	74.00	-27.13	43.43	38.32	15.09	49.97	---	Peak	2 17865.00	47.00	74.00	-27.00	40.83	42.47	17.74	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	46.74	74.00	-27.26	43.30	38.32	15.09	49.97	---	Peak																																																																																									
2 17865.00	47.31	74.00	-26.69	41.14	42.47	17.74	54.04	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	46.87	74.00	-27.13	43.43	38.32	15.09	49.97	---	Peak																																																																																									
2 17865.00	47.00	74.00	-27.00	40.83	42.47	17.74	54.04	---	Peak																																																																																									





Mode	2																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_802.11a_CH45_6175MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>43.05</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.25	74.00	-27.75	43.05	38.65	15.15	50.60	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>43.29</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.49	74.00	-27.51	43.29	38.65	15.15	50.60	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12350.00	46.25	74.00	-27.75	43.05	38.65	15.15	50.60	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12350.00	46.49	74.00	-27.51	43.29	38.65	15.15	50.60	---	---	Peak																																																																																								



Mode	3																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11a_CH93_6415MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.73</td><td>88.20</td><td>-42.47</td><td>42.80</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.73	88.20	-42.47	42.80	38.80	15.16	51.03	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>43.99</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.92	88.20	-41.28	43.99	38.80	15.16	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	45.73	88.20	-42.47	42.80	38.80	15.16	51.03	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	46.92	88.20	-41.28	43.99	38.80	15.16	51.03	---	---	Peak																																																																																			



Mode	4																																																																																															
	Harmonic																																																																																															
	U-NII-5_802.11a_CH97_6435MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	 Date: 2025-02-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>46.27</td><td>88.20</td><td>-41.93</td><td>43.35</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	46.27	88.20	-41.93	43.35	38.80	15.17	51.05	---	---	Peak	 Date: 2025-02-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>43.97</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12870.00	46.27	88.20	-41.93	43.35	38.80	15.17	51.05	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak																																																																																					



Mode	7																																																																																															
	Harmonic																																																																																															
	U-NII-7_802.11a_CH117_6535MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2025-02-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.61</td><td>88.20</td><td>-41.59</td><td>43.64</td><td>39.00</td><td>15.24</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	46.61	88.20	-41.59	43.64	39.00	15.24	51.27	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>45.63</td><td>88.20</td><td>-42.57</td><td>42.66</td><td>39.00</td><td>15.24</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	45.63	88.20	-42.57	42.66	39.00	15.24	51.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13070.00	46.61	88.20	-41.59	43.64	39.00	15.24	51.27	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13070.00	45.63	88.20	-42.57	42.66	39.00	15.24	51.27	---	---	Peak																																																																																					



Mode	8																																																																																													
	Harmonic																																																																																													
	U-NII-7_802.11a_CH149_6695MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>42.04</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.11	74.00	-28.89	42.04	39.50	15.61	52.04	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>42.46</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.53	74.00	-28.47	42.46	39.50	15.61	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	45.11	74.00	-28.89	42.04	39.50	15.61	52.04	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	45.53	74.00	-28.47	42.46	39.50	15.61	52.04	---	---	Peak																																																																																			







Mode	9																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11a_CH181_6855MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13712.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>43.32</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13712.00	46.78	88.20	-41.42	43.32	39.70	15.98	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13712.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>42.83</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13712.00	46.29	88.20	-41.91	42.83	39.70	15.98	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13712.00	46.78	88.20	-41.42	43.32	39.70	15.98	52.22	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13712.00	46.29	88.20	-41.91	42.83	39.70	15.98	52.22	---	---	Peak																																																																																		



Mode	13																																																																																		
	Band Edge																																																																																		
	U-NII-5_802.11ax HE20_CH1_5955MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5829.76</td><td>53.86</td><td>88.20</td><td>-34.34</td><td>38.59</td><td>36.54</td><td>11.56</td><td>32.83</td><td>100</td><td>176 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5829.76	53.86	88.20	-34.34	38.59	36.54	11.56	32.83	100	176 PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>93.12</td><td>-----</td><td>77.93</td><td>36.70</td><td>11.37</td><td>32.88</td><td>100</td><td>176 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.12	-----	77.93	36.70	11.37	32.88	100	176 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5829.76	53.86	88.20	-34.34	38.59	36.54	11.56	32.83	100	176 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5955.00	93.12	-----	77.93	36.70	11.37	32.88	100	176 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5860.70</td><td>43.39</td><td>68.20</td><td>-24.81</td><td>28.20</td><td>36.52</td><td>11.51</td><td>32.84</td><td>100</td><td>176 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.70	43.39	68.20	-24.81	28.20	36.52	11.51	32.84	100	176 AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>83.45</td><td>-----</td><td>68.29</td><td>36.70</td><td>11.34</td><td>32.88</td><td>100</td><td>176 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.45	-----	68.29	36.70	11.34	32.88	100	176 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5860.70	43.39	68.20	-24.81	28.20	36.52	11.51	32.84	100	176 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5955.00	83.45	-----	68.29	36.70	11.34	32.88	100	176 AVERAGE																																																																										



Mode	13																																																																			
	Band Edge																																																																			
	U-NII-5_802.11ax HE20_CH1_5955MHz																																																																			
ANT	1+2																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Date: 2025-02-26  Limit Margin Read Ant Cable Preamp APos TPos Remark <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5918.24</td><td>53.90</td><td>88.20</td><td>-34.30</td><td>38.72</td><td>36.64</td><td>11.41</td><td>32.87</td><td>386</td><td>175</td><td>PEAK</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5918.24	53.90	88.20	-34.30	38.72	36.64	11.41	32.87	386	175	PEAK	Date: 2025-02-26  Limit Margin Read Ant Cable Preamp APos TPos Remark <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>89.58</td><td>-----</td><td>-----</td><td>74.42</td><td>36.70</td><td>11.34</td><td>32.88</td><td>386</td><td>175</td><td>PEAK</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5955.00	89.58	-----	-----	74.42	36.70	11.34	32.88	386	175	PEAK
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 5918.24	53.90	88.20	-34.30	38.72	36.64	11.41	32.87	386	175	PEAK																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 5955.00	89.58	-----	-----	74.42	36.70	11.34	32.88	386	175	PEAK																																																										
Avg	Date: 2025-02-26  Limit Margin Read Ant Cable Preamp APos TPos Remark <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5922.58</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>28.21</td><td>36.65</td><td>11.41</td><td>32.87</td><td>386</td><td>175</td><td>AVERAGE</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5922.58	43.40	68.20	-24.80	28.21	36.65	11.41	32.87	386	175	AVERAGE	Date: 2025-02-26  Limit Margin Read Ant Cable Preamp APos TPos Remark <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>81.03</td><td>-----</td><td>-----</td><td>65.86</td><td>36.70</td><td>11.35</td><td>32.88</td><td>386</td><td>175</td><td>AVERAGE</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5955.00	81.03	-----	-----	65.86	36.70	11.35	32.88	386	175	AVERAGE
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 5922.58	43.40	68.20	-24.80	28.21	36.65	11.41	32.87	386	175	AVERAGE																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 5955.00	81.03	-----	-----	65.86	36.70	11.35	32.88	386	175	AVERAGE																																																										





Mode	13																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_802.11ax HE20_CH1_5955MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)								Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>42.79</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>39.62</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.23	74.00	-27.77	42.79	38.32	15.09	49.97	---	---	Peak	2 17865.00	45.79	74.00	-28.21	39.62	42.47	17.74	54.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>43.53</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>40.32</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.97	74.00	-27.03	43.53	38.32	15.09	49.97	---	---	Peak	2 17865.00	46.49	74.00	-27.51	40.32	42.47	17.74	54.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11910.00	46.23	74.00	-27.77	42.79	38.32	15.09	49.97	---	---	Peak																																																																																																										
2 17865.00	45.79	74.00	-28.21	39.62	42.47	17.74	54.04	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11910.00	46.97	74.00	-27.03	43.53	38.32	15.09	49.97	---	---	Peak																																																																																																										
2 17865.00	46.49	74.00	-27.51	40.32	42.47	17.74	54.04	---	---	Peak																																																																																																										



Mode	14																																																																																												
	Harmonic																																																																																												
	U-NII-5_802.11ax HE20_CH45_6175MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>44.06</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.26	74.00	-26.74	44.06	38.65	15.15	50.60	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>42.31</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.51	74.00	-28.49	42.31	38.65	15.15	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	47.26	74.00	-26.74	44.06	38.65	15.15	50.60	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	45.51	74.00	-28.49	42.31	38.65	15.15	50.60	---	---	Peak																																																																																		





Mode	15																																																																																															
	Harmonic																																																																																															
	U-NII-5_802.11ax HE20_CH93_6415MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>44.60</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>45.08</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	48.01	88.20	-40.19	45.08	38.80	15.16	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	48.01	88.20	-40.19	45.08	38.80	15.16	51.03	---	---	Peak																																																																																					



Mode	16																																																																																												
	Harmonic																																																																																												
	U-NII-5_802.11ax HE20_CH97_6435MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>43.41</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.33	88.20	-41.87	43.41	38.80	15.17	51.05	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>43.97</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12870.00	46.33	88.20	-41.87	43.41	38.80	15.17	51.05	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak																																																																																		



Mode	19																																																									
	Harmonic																																																									
	U-NII-7_802.11ax HE20_CH117_Full RU_6535MHz																																																									
ANT	1+2																																																									
Pol.	Horizontal					Vertical																																																				
Peak Avg																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13070.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>43.21</td><td>39.00</td><td>15.24</td><td>51.27</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13070.00	46.18	88.20	-42.02	43.21	39.00	15.24	51.27	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13070.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>43.36</td><td>39.00</td><td>15.24</td><td>51.27</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13070.00	46.33	88.20	-41.87	43.36	39.00	15.24	51.27
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																			
1 13070.00	46.18	88.20	-42.02	43.21	39.00	15.24	51.27																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																			
1 13070.00	46.33	88.20	-41.87	43.36	39.00	15.24	51.27																																																			
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>43.21</td><td>39.00</td><td>15.24</td><td>---</td><td>--- Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	46.18	88.20	-42.02	43.21	39.00	15.24	---	--- Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>43.36</td><td>39.00</td><td>15.24</td><td>---</td><td>--- Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	46.33	88.20	-41.87	43.36	39.00	15.24	---	--- Peak									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																	
1	13070.00	46.18	88.20	-42.02	43.21	39.00	15.24	---	--- Peak																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																	
1	13070.00	46.33	88.20	-41.87	43.36	39.00	15.24	---	--- Peak																																																	







Mode	20																																																																																													
	Harmonic																																																																																													
	U-NII-7_802.11ax HE20_CH149_Full RU_6695MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>41.70</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	44.77	74.00	-29.23	41.70	39.50	15.61	52.04	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>42.47</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.54	74.00	-28.46	42.47	39.50	15.61	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	44.77	74.00	-29.23	41.70	39.50	15.61	52.04	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	45.54	74.00	-28.46	42.47	39.50	15.61	52.04	---	---	Peak																																																																																			







Mode	21																																																																																											
	Harmonic																																																																																											
	U-NII-7_802.11ax HE20_CH181_Full RU_6855MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>44.03</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.49	88.20	-40.71	44.03	39.70	15.98	52.22	---	---	Peak	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>43.61</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.07	88.20	-41.13	43.61	39.70	15.98	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.49	88.20	-40.71	44.03	39.70	15.98	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.07	88.20	-41.13	43.61	39.70	15.98	52.22	---	---	Peak																																																																																	





		25																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_802.11ax HE40_CH3_Full RU_5965MHz																																																																																									
ANT		1+2																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.88</td><td>54.38</td><td>88.20</td><td>-33.82</td><td>39.19</td><td>36.62</td><td>11.43</td><td>32.86</td><td>108</td><td>117 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.88	54.38	88.20	-33.82	39.19	36.62	11.43	32.86	108	117 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>90.35</td><td>-----</td><td>-----</td><td>75.16</td><td>36.70</td><td>11.37</td><td>32.88</td><td>108</td><td>117 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	90.35	-----	-----	75.16	36.70	11.37	32.88	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5907.88	54.38	88.20	-33.82	39.19	36.62	11.43	32.86	108	117 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	90.35	-----	-----	75.16	36.70	11.37	32.88	108	117 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.16</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>28.36</td><td>36.63</td><td>11.42</td><td>32.87</td><td>108</td><td>117 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.16	43.54	68.20	-24.66	28.36	36.63	11.42	32.87	108	117 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>81.68</td><td>-----</td><td>-----</td><td>66.51</td><td>36.70</td><td>11.35</td><td>32.88</td><td>108</td><td>117 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	81.68	-----	-----	66.51	36.70	11.35	32.88	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5917.16	43.54	68.20	-24.66	28.36	36.63	11.42	32.87	108	117 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	81.68	-----	-----	66.51	36.70	11.35	32.88	108	117 AVERAGE																																																																																	



		25																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_802.11ax HE40_CH3_Full RU_5965MHz																																																																																		
ANT		1+2																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	 Date: 2025-02-26 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5905.16</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>39.28</td><td>36.61</td><td>11.44</td><td>32.86</td><td>204 150 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5905.16	54.47	88.20	-33.73	39.28	36.61	11.44	32.86	204 150 PEAK	 Date: 2025-02-26 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>87.16</td><td>-----</td><td>-----</td><td>72.00</td><td>36.70</td><td>11.34</td><td>32.88</td><td>204 150 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.16	-----	-----	72.00	36.70	11.34	32.88	204 150 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5905.16	54.47	88.20	-33.73	39.28	36.61	11.44	32.86	204 150 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5965.00	87.16	-----	-----	72.00	36.70	11.34	32.88	204 150 PEAK																																																																											
Avg	 Date: 2025-02-26 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5837.64</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>28.28</td><td>36.52</td><td>11.55</td><td>32.84</td><td>204 150 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5837.64	43.51	68.20	-24.69	28.28	36.52	11.55	32.84	204 150 AVERAGE	 Date: 2025-02-26 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>78.57</td><td>-----</td><td>-----</td><td>63.41</td><td>36.70</td><td>11.34</td><td>32.88</td><td>204 150 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	78.57	-----	-----	63.41	36.70	11.34	32.88	204 150 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5837.64	43.51	68.20	-24.69	28.28	36.52	11.55	32.84	204 150 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5965.00	78.57	-----	-----	63.41	36.70	11.34	32.88	204 150 AVERAGE																																																																											





Mode	25																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-02-28  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.37</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>41.73</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	46.87	74.00	-27.13	43.37	38.36	15.10	49.96	---	Peak	2 17895.00	47.90	74.00	-26.10	41.73	42.49	17.75	54.07	---	Peak	Level (dBuV/m) Date: 2025-02-28  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>43.86</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>41.55</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.36	74.00	-26.64	43.86	38.36	15.10	49.96	---	Peak	2 17895.00	47.72	74.00	-26.28	41.55	42.49	17.75	54.07	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	46.87	74.00	-27.13	43.37	38.36	15.10	49.96	---	Peak																																																																																									
2 17895.00	47.90	74.00	-26.10	41.73	42.49	17.75	54.07	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	47.36	74.00	-26.64	43.86	38.36	15.10	49.96	---	Peak																																																																																									
2 17895.00	47.72	74.00	-26.28	41.55	42.49	17.75	54.07	---	Peak																																																																																									





Mode	26																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11ax HE40_CH43_Full RU_6165MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>43.60</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	46.82	74.00	-27.18	43.60	38.63	15.15	50.56	---	---	Peak	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>44.00</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	47.22	74.00	-26.78	44.00	38.63	15.15	50.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	46.82	74.00	-27.18	43.60	38.63	15.15	50.56	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	47.22	74.00	-26.78	44.00	38.63	15.15	50.56	---	---	Peak																																																																																			





Mode	27																																																																																															
	Harmonic																																																																																															
	U-NII-5_802.11ax HE40_CH91_Full RU_6405MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	 Date: 2025-02-28 Level (dBuV/m) vs Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)						 Date: 2025-02-28 Level (dBuV/m) vs Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>44.14</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12810.00	47.08	88.20	-41.12	44.14	38.80	15.16	51.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>44.75</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12810.00	47.69	88.20	-40.51	44.75	38.80	15.16	51.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12810.00	47.08	88.20	-41.12	44.14	38.80	15.16	51.02	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12810.00	47.69	88.20	-40.51	44.75	38.80	15.16	51.02	---	---	Peak																																																																																					





Mode	30																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11ax HE40_CH123_Full RU_6565MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>44.54</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.47	88.20	-40.73	44.54	39.03	15.31	51.41	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.41</td><td>88.20</td><td>-40.79</td><td>44.48</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.41	88.20	-40.79	44.48	39.03	15.31	51.41	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	47.47	88.20	-40.73	44.54	39.03	15.31	51.41	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	47.41	88.20	-40.79	44.48	39.03	15.31	51.41	---	---	Peak																																																																																		







Mode	31																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11ax HE40_CH147_Full RU_6685MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13370.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>43.93</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.02	74.00	-26.98	43.93	39.50	15.58	51.99	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13370.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>43.32</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.41	74.00	-27.59	43.32	39.50	15.58	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	47.02	74.00	-26.98	43.93	39.50	15.58	51.99	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	46.41	74.00	-27.59	43.32	39.50	15.58	51.99	---	---	Peak																																																																																		







Mode	32																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11ax HE40_CH179_Full RU_6845MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>44.53</td><td>39.69</td><td>15.96</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.96	88.20	-40.24	44.53	39.69	15.96	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>44.27</td><td>39.69</td><td>15.96</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.70	88.20	-40.50	44.27	39.69	15.96	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13690.00	47.96	88.20	-40.24	44.53	39.69	15.96	52.22	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13690.00	47.70	88.20	-40.50	44.27	39.69	15.96	52.22	---	---	Peak																																																																																		



Mode	36																																																																																										
	Band Edge																																																																																										
	U-NII-5_802.11ax HE80_CH7_Full RU_5985MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.12</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>38.09</td><td>36.60</td><td>11.44</td><td>32.86</td><td>116</td><td>114 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5902.12	53.27	88.20	-34.93	38.09	36.60	11.44	32.86	116	114 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>87.32</td><td>-----</td><td>-----</td><td>72.15</td><td>36.70</td><td>11.35</td><td>32.88</td><td>116</td><td>114 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.32	-----	-----	72.15	36.70	11.35	32.88	116
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5902.12	53.27	88.20	-34.93	38.09	36.60	11.44	32.86	116	114 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	87.32	-----	-----	72.15	36.70	11.35	32.88	116	114 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.44</td><td>43.48</td><td>68.20</td><td>-24.72</td><td>28.29</td><td>36.62</td><td>11.43</td><td>32.86</td><td>116</td><td>114 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.44	43.48	68.20	-24.72	28.29	36.62	11.43	32.86	116	114 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>78.84</td><td>-----</td><td>-----</td><td>63.75</td><td>36.70</td><td>11.29</td><td>32.90</td><td>116</td><td>114 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	78.84	-----	-----	63.75	36.70	11.29	32.90	116
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5910.44	43.48	68.20	-24.72	28.29	36.62	11.43	32.86	116	114 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	78.84	-----	-----	63.75	36.70	11.29	32.90	116	114 AVERAGE																																																																																	





Mode	36																																																																																										
	Band Edge																																																																																										
	U-NII-5_802.11ax HE80_CH7_Full RU_5985MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5865.96</td><td>53.75</td><td>88.20</td><td>-34.45</td><td>38.57</td><td>36.53</td><td>11.50</td><td>32.85</td><td>206</td><td>149 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5865.96	53.75	88.20	-34.45	38.57	36.53	11.50	32.85	206	149 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>84.65</td><td>-----</td><td>-----</td><td>69.49</td><td>36.70</td><td>11.34</td><td>32.88</td><td>206</td><td>149 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	84.65	-----	-----	69.49	36.70	11.34	32.88	206
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5865.96	53.75	88.20	-34.45	38.57	36.53	11.50	32.85	206	149 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	84.65	-----	-----	69.49	36.70	11.34	32.88	206	149 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.04</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>28.19</td><td>36.64</td><td>11.41</td><td>32.87</td><td>206</td><td>149 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5920.04	43.37	68.20	-24.83	28.19	36.64	11.41	32.87	206	149 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>75.72</td><td>-----</td><td>-----</td><td>60.56</td><td>36.70</td><td>11.34</td><td>32.88</td><td>206</td><td>149 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	75.72	-----	-----	60.56	36.70	11.34	32.88	206
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5920.04	43.37	68.20	-24.83	28.19	36.64	11.41	32.87	206	149 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	75.72	-----	-----	60.56	36.70	11.34	32.88	206	149 AVERAGE																																																																																	



Mode	36																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal												Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)												Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>45.53</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17955.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>41.11</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>--- Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	49.17	74.00	-24.83	45.53	38.44	15.12	49.92	---	--- Peak	2 17955.00	47.40	74.00	-26.60	41.11	42.67	17.77	54.15	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.43</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17955.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>40.52</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>--- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	47.07	74.00	-26.93	43.43	38.44	15.12	49.92	---	--- Peak	2 17955.00	46.81	74.00	-27.19	40.52	42.67	17.77	54.15	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11970.00	49.17	74.00	-24.83	45.53	38.44	15.12	49.92	---	--- Peak																																																																																																							
2 17955.00	47.40	74.00	-26.60	41.11	42.67	17.77	54.15	---	--- Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11970.00	47.07	74.00	-26.93	43.43	38.44	15.12	49.92	---	--- Peak																																																																																																							
2 17955.00	46.81	74.00	-27.19	40.52	42.67	17.77	54.15	---	--- Peak																																																																																																							





Mode	37																																																																									
	Harmonic																																																																									
	U-NII-5_802.11ax HE80_CH39_Full RU_6145MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. The date is 2025-03-01.					 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. The date is 2025-03-01.																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 12290.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>44.62</td><td>38.60</td><td>15.15</td><td>50.48</td></tr><tr><td></td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 12290.00	47.89	74.00	-26.11	44.62	38.60	15.15	50.48		---	---	---	---	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 12290.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>44.38</td><td>38.60</td><td>15.15</td><td>50.48</td></tr><tr><td></td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 12290.00	47.65	74.00	-26.35	44.38	38.60	15.15	50.48		---	---	---	---	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
1 12290.00	47.89	74.00	-26.11	44.62	38.60	15.15	50.48																																																																			
	---	---	---	---	---	---	Peak																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
1 12290.00	47.65	74.00	-26.35	44.38	38.60	15.15	50.48																																																																			
	---	---	---	---	---	---	Peak																																																																			



Mode	38																																																																																												
	Harmonic																																																																																												
	U-NII-5_802.11ax HE80_CH87_Full RU_6385MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	PEAK(U-NII_6E) AVG(U-NII_6E)						PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>44.15</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.07	88.20	-41.13	44.15	38.77	15.16	51.01	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.05</td><td>88.20</td><td>-41.15</td><td>44.13</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.05	88.20	-41.15	44.13	38.77	15.16	51.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	47.07	88.20	-41.13	44.15	38.77	15.16	51.01	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	47.05	88.20	-41.15	44.13	38.77	15.16	51.01	---	---	Peak																																																																																		



Mode	40	
	Harmonic	
	U-NII-7_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 46.50 74.00 -27.50 43.45 39.30 15.45 51.70 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 46.42 74.00 -27.58 43.37 39.30 15.45 51.70 --- --- Peak



Mode	41																																																			
	Harmonic																																																			
	U-NII-7_802.11ax HE80_CH151_Full RU_6705MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>42.91</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>42.91</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>42.91</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak																																									
Vertical																																																				
Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>42.48</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>42.48</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>42.48</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak																																									







Mode	42																																																																																							
	Harmonic																																																																																							
	U-NII-7_802.11ax HE80_CH167_Full RU_6785MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 13570.00</td><td>46.59</td><td>88.20</td><td>-41.61</td><td>43.44</td><td>39.60</td><td>15.82</td><td>52.27</td><td>--- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 13570.00	46.59	88.20	-41.61	43.44	39.60	15.82	52.27	--- Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 13570.00</td><td>46.02</td><td>88.20</td><td>-42.18</td><td>42.87</td><td>39.60</td><td>15.82</td><td>52.27</td><td>--- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 13570.00	46.02	88.20	-42.18	42.87	39.60	15.82	52.27	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1 13570.00	46.59	88.20	-41.61	43.44	39.60	15.82	52.27	--- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1 13570.00	46.02	88.20	-42.18	42.87	39.60	15.82	52.27	--- Peak																																																																																





Mode	45																																																																									
	Band Edge																																																																									
	U-NII-5_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5885.48</td><td>54.07</td><td>88.20</td><td>-34.13</td><td>38.88</td><td>36.57</td><td>11.47</td><td>32.85</td><td>104 115 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5885.48	54.07	88.20	-34.13	38.88	36.57	11.47	32.85	104 115 PEAK	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>84.73</td><td>-----</td><td>-----</td><td>69.61</td><td>36.59</td><td>11.44</td><td>32.91</td><td>104 115 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	84.73	-----	-----	69.61	36.59	11.44	32.91	104 115 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5885.48	54.07	88.20	-34.13	38.88	36.57	11.47	32.85	104 115 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	84.73	-----	-----	69.61	36.59	11.44	32.91	104 115 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5906.76</td><td>43.41</td><td>68.20</td><td>-24.79</td><td>28.23</td><td>36.61</td><td>11.43</td><td>32.86</td><td>104 115 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5906.76	43.41	68.20	-24.79	28.23	36.61	11.43	32.86	104 115 AVERAGE	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>76.09</td><td>-----</td><td>-----</td><td>60.97</td><td>36.59</td><td>11.44</td><td>32.91</td><td>104 115 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	76.09	-----	-----	60.97	36.59	11.44	32.91	104 115 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5906.76	43.41	68.20	-24.79	28.23	36.61	11.43	32.86	104 115 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	76.09	-----	-----	60.97	36.59	11.44	32.91	104 115 AVERAGE																																																																		





Mode	45																																																																																												
	Band Edge																																																																																												
	U-NII-5_802.11ax HE160_CH15_Full RU_6025MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.16</td><td>53.53</td><td>88.20</td><td>-34.67</td><td>38.35</td><td>36.63</td><td>11.42</td><td>32.87</td><td>204</td><td>147</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5915.16	53.53	88.20	-34.67	38.35	36.63	11.42	32.87	204	147	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.04</td><td>-----</td><td>-----</td><td>68.92</td><td>36.61</td><td>11.41</td><td>32.90</td><td>204</td><td>147</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.04	-----	-----	68.92	36.61	11.41	32.90	204	147
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5915.16	53.53	88.20	-34.67	38.35	36.63	11.42	32.87	204	147	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	84.04	-----	-----	68.92	36.61	11.41	32.90	204	147	PEAK																																																																																		
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.12</td><td>43.28</td><td>68.20</td><td>-24.92</td><td>28.10</td><td>36.65</td><td>11.40</td><td>32.87</td><td>204</td><td>147</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	43.28	68.20	-24.92	28.10	36.65	11.40	32.87	204	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>74.83</td><td>-----</td><td>-----</td><td>59.71</td><td>36.61</td><td>11.41</td><td>32.90</td><td>204</td><td>147</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	74.83	-----	-----	59.71	36.61	11.41	32.90	204	147
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5924.12	43.28	68.20	-24.92	28.10	36.65	11.40	32.87	204	147	AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6025.00	74.83	-----	-----	59.71	36.61	11.41	32.90	204	147	AVERAGE																																																																																		





Mode	45																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>43.48</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.12	74.00	-26.88	43.48	38.50	15.14	50.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>44.03</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.67	74.00	-26.33	44.03	38.50	15.14	50.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12050.00	47.12	74.00	-26.88	43.48	38.50	15.14	50.00	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12050.00	47.67	74.00	-26.33	44.03	38.50	15.14	50.00	---	---	Peak																																																																																															





Mode	46																																																																																																											
	Harmonic																																																																																																											
	U-NII-5_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12370.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>42.79</td><td>38.67</td><td>15.15</td><td>50.64</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	45.97	74.00	-28.03	42.79	38.67	15.15	50.64							---	---								Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12370.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>43.49</td><td>38.67</td><td>15.15</td><td>50.64</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	46.67	74.00	-27.33	43.49	38.67	15.15	50.64							---	---								Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1 12370.00	45.97	74.00	-28.03	42.79	38.67	15.15	50.64																																																																																																					
						---	---																																																																																																					
							Peak																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1 12370.00	46.67	74.00	-27.33	43.49	38.67	15.15	50.64																																																																																																					
						---	---																																																																																																					
							Peak																																																																																																					



Mode	47																																																																													
	Harmonic																																																																													
	U-NII-5_802.11ax HE160_CH79_Full RU_6345MHz																																																																													
ANT	1+2																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12690.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>44.44</td><td>38.70</td><td>15.16</td><td>50.98</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12690.00	47.32	74.00	-26.68	44.44	38.70	15.16	50.98	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12690.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>44.06</td><td>38.70</td><td>15.16</td><td>50.98</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12690.00	46.94	74.00	-27.06	44.06	38.70	15.16	50.98
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																							
1	12690.00	47.32	74.00	-26.68	44.44	38.70	15.16	50.98																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																							
1	12690.00	46.94	74.00	-27.06	44.06	38.70	15.16	50.98																																																																						
--- Peak						--- Peak																																																																								



Mode	48																																																																																											
	Harmonic																																																																																											
	U-NII-7_802.11ax HE160_CH143_Full RU_6665MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-01  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>44.41</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.56	74.00	-26.44	44.41	39.50	15.54	51.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>44.03</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.18	74.00	-26.82	44.03	39.50	15.54	51.89	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13330.00	47.56	74.00	-26.44	44.41	39.50	15.54	51.89	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13330.00	47.18	74.00	-26.82	44.03	39.50	15.54	51.89	---	---	Peak																																																																																	





Mode	50																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-7125_802.11ax HE20_CH185_Full RU_6525MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>46.31</td><td>88.20</td><td>-41.89</td><td>42.78</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.62</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20	---	---	Peak																																																																																		





Mode	51																																																																									
	Harmonic																																																																									
	U-NII-7_6525-7125_802.11ax HE40_CH187_Full RU_6885MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13770.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>43.32</td><td>39.70</td><td>16.05</td><td>52.19</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13770.00	46.88	88.20	-41.32	43.32	39.70	16.05	52.19	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13770.00</td><td>47.88</td><td>88.20</td><td>-40.32</td><td>44.32</td><td>39.70</td><td>16.05</td><td>52.19</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13770.00	47.88	88.20	-40.32	44.32	39.70	16.05	52.19
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 13770.00	46.88	88.20	-41.32	43.32	39.70	16.05	52.19																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 13770.00	47.88	88.20	-40.32	44.32	39.70	16.05	52.19																																																																			







Mode	52																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-7125_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																								
ANT	1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	 Date: 2025-03-01						 Date: 2025-03-01																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>43.32</td><td>39.70</td><td>16.00</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	46.81	88.20	-41.39	43.32	39.70	16.00	52.21	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>43.79</td><td>39.70</td><td>16.00</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	47.28	88.20	-40.92	43.79	39.70	16.00	52.21	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	46.81	88.20	-41.39	43.32	39.70	16.00	52.21	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	47.28	88.20	-40.92	43.79	39.70	16.00	52.21	---	---	Peak																																																																																														



Mode	53																																																															
	Harmonic																																																															
	U-NII-7_6525-7125_802.11ax HE160_CH175_Full RU_6825MHz																																																															
ANT	1+2																																																															
Pol.	Horizontal					Vertical																																																										
Peak Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. A vertical line is drawn at 13760 MHz. The date is 2025-03-01.					 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. A vertical line is drawn at 13760 MHz. The date is 2025-03-01.																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 13650.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>43.92</td><td>39.65</td><td>15.91</td><td>52.24</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1 13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	--- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 13650.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>43.18</td><td>39.65</td><td>15.91</td><td>52.24</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1 13650.00	46.50	88.20	-41.70	43.18	39.65	15.91	52.24	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																								
1 13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	--- Peak																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																								
1 13650.00	46.50	88.20	-41.70	43.18	39.65	15.91	52.24	--- Peak																																																								
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>43.92</td><td>39.65</td><td>15.91</td><td>52.24</td><td>---</td><td>Peak</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	---	Peak	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>43.18</td><td>39.65</td><td>15.91</td><td>52.24</td><td>---</td><td>Peak</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	46.50	88.20	-41.70	43.18	39.65	15.91	52.24	---	Peak															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1 13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	---	Peak																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1 13650.00	46.50	88.20	-41.70	43.18	39.65	15.91	52.24	---	Peak																																																							





		59																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_802.11be EHT20_CH1_5955MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.76</td><td>53.63</td><td>88.20</td><td>-34.57</td><td>38.44</td><td>36.59</td><td>11.46</td><td>32.86</td><td>397 118 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5892.76	53.63	88.20	-34.57	38.44	36.59	11.46	32.86	397 118 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.60</td><td>-----</td><td>-----</td><td>81.44</td><td>36.70</td><td>11.34</td><td>32.88</td><td>397 118 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.60	-----	-----	81.44	36.70	11.34	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5892.76	53.63	88.20	-34.57	38.44	36.59	11.46	32.86	397 118 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	96.60	-----	-----	81.44	36.70	11.34	32.88	397 118 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.30</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>28.25</td><td>36.62</td><td>11.43</td><td>32.86</td><td>397 118 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.30	43.44	68.20	-24.76	28.25	36.62	11.43	32.86	397 118 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.38</td><td>-----</td><td>-----</td><td>72.21</td><td>36.70</td><td>11.35</td><td>32.88</td><td>397 118 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.38	-----	-----	72.21	36.70	11.35	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5908.30	43.44	68.20	-24.76	28.25	36.62	11.43	32.86	397 118 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	87.38	-----	-----	72.21	36.70	11.35	32.88	397 118 AVERAGE																																																																																



		59																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_802.11be EHT20_CH1_5955MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5893.74</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>38.35</td><td>36.59</td><td>11.46</td><td>32.86</td><td>200</td><td>151 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5893.74	53.54	88.20	-34.66	38.35	36.59	11.46	32.86	200	151 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>89.92</td><td>-----</td><td>-----</td><td>74.75</td><td>36.70</td><td>11.35</td><td>32.88</td><td>200</td><td>151 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	89.92	-----	-----	74.75	36.70	11.35	32.88	200
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5893.74	53.54	88.20	-34.66	38.35	36.59	11.46	32.86	200	151 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	89.92	-----	-----	74.75	36.70	11.35	32.88	200	151 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5917.68</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>28.26</td><td>36.64</td><td>11.42</td><td>32.87</td><td>200</td><td>151 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5917.68	43.45	68.20	-24.75	28.26	36.64	11.42	32.87	200	151 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>82.76</td><td>-----</td><td>-----</td><td>67.59</td><td>36.70</td><td>11.35</td><td>32.88</td><td>200</td><td>151 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	82.76	-----	-----	67.59	36.70	11.35	32.88	200
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5917.68	43.45	68.20	-24.75	28.26	36.64	11.42	32.87	200	151 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	82.76	-----	-----	67.59	36.70	11.35	32.88	200	151 AVERAGE																																																																																





Mode	59																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_802.11be EHT20_CH1_5955MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>45.31</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>41.12</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	48.75	74.00	-25.25	45.31	38.32	15.09	49.97	---	---	Peak	2	17865.00	47.29	74.00	-26.71	41.12	42.47	17.74	54.04	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>44.20</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>41.65</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	47.64	74.00	-26.36	44.20	38.32	15.09	49.97	---	---	Peak	2	17865.00	47.82	74.00	-26.18	41.65	42.47	17.74	54.04	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11910.00	48.75	74.00	-25.25	45.31	38.32	15.09	49.97	---	---	Peak																																																																																																																							
2	17865.00	47.29	74.00	-26.71	41.12	42.47	17.74	54.04	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11910.00	47.64	74.00	-26.36	44.20	38.32	15.09	49.97	---	---	Peak																																																																																																																							
2	17865.00	47.82	74.00	-26.18	41.65	42.47	17.74	54.04	---	---	Peak																																																																																																																							



Mode	60																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11be EHT20_CH45_6175MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>44.80</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	48.00	74.00	-26.00	44.80	38.65	15.15	50.60	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>44.42</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.62	74.00	-26.38	44.42	38.65	15.15	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	48.00	74.00	-26.00	44.80	38.65	15.15	50.60	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	47.62	74.00	-26.38	44.42	38.65	15.15	50.60	---	---	Peak																																																																																			





Mode	61																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11be EHT20_CH93_6415MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>44.60</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>43.95</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.88	88.20	-41.32	43.95	38.80	15.16	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	46.88	88.20	-41.32	43.95	38.80	15.16	51.03	---	---	Peak																																																																																			





Mode	62																																																			
	Harmonic																																																			
	U-NII-5_802.11be EHT20_CH97_6435MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal						Vertical																																													
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>44.67</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.59	88.20	-40.61	44.67	38.80	15.17	51.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	12870.00	47.59	88.20	-40.61	44.67	38.80	15.17	51.05	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>44.65</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.57	88.20	-40.63	44.65	38.80	15.17	51.05	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	12870.00	47.57	88.20	-40.63	44.65	38.80	15.17	51.05	---	---	Peak																																									





Mode	65																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.58</td><td>88.20</td><td>-41.62</td><td>43.61</td><td>39.00</td><td>15.24</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>51.27</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13070.00	46.58	88.20	-41.62	43.61	39.00	15.24							51.27	---							---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>47.73</td><td>88.20</td><td>-40.47</td><td>44.76</td><td>39.00</td><td>15.24</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>51.27</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13070.00	47.73	88.20	-40.47	44.76	39.00	15.24							51.27	---							---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	13070.00	46.58	88.20	-41.62	43.61	39.00	15.24																																																																																																			
						51.27	---																																																																																																			
						---	Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	13070.00	47.73	88.20	-40.47	44.76	39.00	15.24																																																																																																			
						51.27	---																																																																																																			
						---	Peak																																																																																																			







Mode	66																																																																																										
	Harmonic																																																																																										
	U-NII-7_802.11be EHT20_CH149_Full RU_6695MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>43.87</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.94	74.00	-27.06	43.87	39.50	15.61	52.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>42.59</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.66	74.00	-28.34	42.59	39.50	15.61	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13390.00	46.94	74.00	-27.06	43.87	39.50	15.61	52.04	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13390.00	45.66	74.00	-28.34	42.59	39.50	15.61	52.04	---	---	Peak																																																																																



Mode	67																																																																																											
	Harmonic																																																																																											
	U-NII-7_802.11be EHT20_CH181_Full RU_6855MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>44.09</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.55	88.20	-40.65	44.09	39.70	15.98	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>43.90</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.36	88.20	-40.84	43.90	39.70	15.98	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.55	88.20	-40.65	44.09	39.70	15.98	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.36	88.20	-40.84	43.90	39.70	15.98	52.22	---	---	Peak																																																																																	





Mode	71																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT40_CH3_Full RU_5965MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5848.68</td><td>53.70</td><td>88.20</td><td>-34.50</td><td>38.51</td><td>36.50</td><td>11.53</td><td>32.84</td><td>100</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5848.68	53.70	88.20	-34.50	38.51	36.50	11.53	32.84	100	117 PEAK	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>90.11</td><td>-----</td><td>-----</td><td>74.94</td><td>36.70</td><td>11.35</td><td>32.88</td><td>100</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	90.11	-----	-----	74.94	36.70	11.35	32.88	100	117 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5848.68	53.70	88.20	-34.50	38.51	36.50	11.53	32.84	100	117 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	90.11	-----	-----	74.94	36.70	11.35	32.88	100	117 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5827.24</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>28.11</td><td>36.55</td><td>11.57</td><td>32.83</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5827.24	43.40	68.20	-24.80	28.11	36.55	11.57	32.83	100	117 AVERAGE	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>81.45</td><td>-----</td><td>-----</td><td>66.28</td><td>36.70</td><td>11.35</td><td>32.88</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	81.45	-----	-----	66.28	36.70	11.35	32.88	100	117 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5827.24	43.40	68.20	-24.80	28.11	36.55	11.57	32.83	100	117 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	81.45	-----	-----	66.28	36.70	11.35	32.88	100	117 AVERAGE																																																																										





Mode	71	
	Band Edge	
	U-NII-5_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	</	





Mode	71																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11930.00</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>44.69</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>41.46</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11930.00	48.19	74.00	-25.81	44.69	38.36	15.10	49.96	---	---	Peak	2	17895.00	47.63	74.00	-26.37	41.46	42.49	17.75	54.07	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11930.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>45.18</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>41.91</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11930.00	48.68	74.00	-25.32	45.18	38.36	15.10	49.96	---	---	Peak	2	17895.00	48.08	74.00	-25.92	41.91	42.49	17.75	54.07	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11930.00	48.19	74.00	-25.81	44.69	38.36	15.10	49.96	---	---	Peak																																																																																																																							
2	17895.00	47.63	74.00	-26.37	41.46	42.49	17.75	54.07	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11930.00	48.68	74.00	-25.32	45.18	38.36	15.10	49.96	---	---	Peak																																																																																																																							
2	17895.00	48.08	74.00	-25.92	41.91	42.49	17.75	54.07	---	---	Peak																																																																																																																							



Mode	72																																																																				
	Harmonic																																																																				
	U-NII-5_802.11be EHT40_CH43_Full RU_6165MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12330.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>43.99</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	12330.00	47.21	74.00	-26.79	43.99	38.63	15.15	50.56	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12330.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>44.86</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	12330.00	48.08	74.00	-25.92	44.86	38.63	15.15	50.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																													
1	12330.00	47.21	74.00	-26.79	43.99	38.63	15.15	50.56	---	---	Peak																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																													
1	12330.00	48.08	74.00	-25.92	44.86	38.63	15.15	50.56	---	---	Peak																																																										
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12330.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>43.99</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	47.21	74.00	-26.79	43.99	38.63	15.15	50.56	---	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12330.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>44.86</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	48.08	74.00	-25.92	44.86	38.63	15.15	50.56	---	---	Peak													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12330.00	47.21	74.00	-26.79	43.99	38.63	15.15	50.56	---	---	Peak																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12330.00	48.08	74.00	-25.92	44.86	38.63	15.15	50.56	---	---	Peak																																																										





Mode	73																																																																																	
	Harmonic																																																																																	
	U-NII-5_802.11be EHT40_CH91_Full RU_6405MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg																																																																																		
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>44.29</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12810.00	47.23	88.20	-40.97	44.29	38.80	15.16	51.02	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>44.19</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12810.00	47.13	88.20	-41.07	44.19	38.80	15.16	51.02	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 12810.00	47.23	88.20	-40.97	44.29	38.80	15.16	51.02	---	---	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 12810.00	47.13	88.20	-41.07	44.19	38.80	15.16	51.02	---	---	Peak																																																																								





Mode	76																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11be EHT40_CH123_Full RU_6565MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>48.25</td><td>88.20</td><td>-39.95</td><td>45.32</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	48.25	88.20	-39.95	45.32	39.03	15.31	51.41	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>46.74</td><td>88.20</td><td>-41.46</td><td>43.81</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	46.74	88.20	-41.46	43.81	39.03	15.31	51.41	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	48.25	88.20	-39.95	45.32	39.03	15.31	51.41	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	46.74	88.20	-41.46	43.81	39.03	15.31	51.41	---	---	Peak																																																																																		







Mode	77																																																																																											
	Harmonic																																																																																											
	U-NII-7_802.11be EHT40_CH147_Full RU_6685MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>44.07</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13370.00	47.16	74.00	-26.84	44.07	39.50	15.58	51.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>43.64</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13370.00	46.73	74.00	-27.27	43.64	39.50	15.58	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13370.00	47.16	74.00	-26.84	44.07	39.50	15.58	51.99	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13370.00	46.73	74.00	-27.27	43.64	39.50	15.58	51.99	---	---	Peak																																																																																	



Mode	78																																																																																						
	Harmonic																																																																																						
	U-NII-7_802.11be EHT40_CH179_Full RU_6845MHz																																																																																						
ANT	1+2																																																																																						
Pol.	Horizontal						Vertical																																																																																
Peak Avg																																																																																							
	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13690.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>44.58</td><td>39.69</td><td>15.96</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13690.00	48.01	88.20	-40.19	44.58	39.69	15.96	52.22	---	---	Peak	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13690.00</td><td>48.22</td><td>88.20</td><td>-39.98</td><td>44.79</td><td>39.69</td><td>15.96</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13690.00	48.22	88.20	-39.98	44.79	39.69	15.96	52.22	---	---	Peak
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13690.00	48.01	88.20	-40.19	44.58	39.69	15.96	52.22	---	---	Peak																																																																													
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13690.00	48.22	88.20	-39.98	44.79	39.69	15.96	52.22	---	---	Peak																																																																													





Mode	82																																																																																								
	Band Edge																																																																																								
	U-NII-5_802.11be EHT80_CH7_Full RU_5985MHz																																																																																								
ANT	1+2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5913.80</td><td>53.96</td><td>88.20</td><td>-34.24</td><td>38.78</td><td>36.63</td><td>11.42</td><td>32.87</td><td>111</td><td>160 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5913.80	53.96	88.20	-34.24	38.78	36.63	11.42	32.87	111	160 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>86.22</td><td>-----</td><td>-----</td><td>71.09</td><td>36.69</td><td>11.34</td><td>32.90</td><td>111</td><td>160 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	86.22	-----	-----	71.09	36.69	11.34	32.90	111
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5913.80	53.96	88.20	-34.24	38.78	36.63	11.42	32.87	111	160 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	86.22	-----	-----	71.09	36.69	11.34	32.90	111	160 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5922.28</td><td>43.43</td><td>68.20</td><td>-24.77</td><td>28.25</td><td>36.64</td><td>11.41</td><td>32.87</td><td>111</td><td>160 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5922.28	43.43	68.20	-24.77	28.25	36.64	11.41	32.87	111	160 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>78.15</td><td>-----</td><td>-----</td><td>63.06</td><td>36.70</td><td>11.29</td><td>32.90</td><td>111</td><td>160 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	78.15	-----	-----	63.06	36.70	11.29	32.90	111
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5922.28	43.43	68.20	-24.77	28.25	36.64	11.41	32.87	111	160 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	78.15	-----	-----	63.06	36.70	11.29	32.90	111	160 AVERAGE																																																																																





Mode	82	
	Band Edge	
	U-NII-5_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-02-26	





Mode	82																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-5_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																															
ANT	1+2																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>44.06</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>41.04</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg		1	11970.00	47.70	74.00	-26.30	44.06	38.44	15.12	49.92	---	---	Peak	2	17955.00	47.33	74.00	-26.67	41.04	42.67	17.77	54.15	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>44.16</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>40.78</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg		1	11970.00	47.80	74.00	-26.20	44.16	38.44	15.12	49.92	---	---	Peak	2	17955.00	47.07	74.00	-26.93	40.78	42.67	17.77	54.15	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																							
1	11970.00	47.70	74.00	-26.30	44.06	38.44	15.12	49.92	---	---	Peak																																																																																																																					
2	17955.00	47.33	74.00	-26.67	41.04	42.67	17.77	54.15	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																																																																							
1	11970.00	47.80	74.00	-26.20	44.16	38.44	15.12	49.92	---	---	Peak																																																																																																																					
2	17955.00	47.07	74.00	-26.93	40.78	42.67	17.77	54.15	---	---	Peak																																																																																																																					







Mode	83																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_802.11be EHT80_CH39_Full RU_6145MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>43.86</td><td>38.60</td><td>15.15</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.13	74.00	-26.87	43.86	38.60	15.15	50.48	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>44.67</td><td>38.60</td><td>15.15</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.94	74.00	-26.06	44.67	38.60	15.15	50.48	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12290.00	47.13	74.00	-26.87	43.86	38.60	15.15	50.48	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12290.00	47.94	74.00	-26.06	44.67	38.60	15.15	50.48	---	---	Peak																																																																																															





Mode	84																																																																																											
	Harmonic																																																																																											
	U-NII-5_802.11be EHT80_CH87_Full RU_6385MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>44.72</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.64	88.20	-40.56	44.72	38.77	15.16	51.01	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.99</td><td>88.20</td><td>-40.21</td><td>45.07</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.99	88.20	-40.21	45.07	38.77	15.16	51.01	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	12770.00	47.64	88.20	-40.56	44.72	38.77	15.16	51.01	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	12770.00	47.99	88.20	-40.21	45.07	38.77	15.16	51.01	---	---	Peak																																																																																	



Mode	86																																																																																											
	Harmonic																																																																																											
	U-NII-7_802.11be EHT80_CH135_Full RU_6625MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>43.93</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak	 Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>43.93</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak																																																																																	
	 Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>44.30</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak	 Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>44.30</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>43.93</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13250.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>44.30</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak																																																																																	







Mode	87																																																																																													
	Harmonic																																																																																													
	U-NII-7_802.11be EHT80_CH151_Full RU_6705MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>43.97</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.03	88.20	-41.17	43.97	39.51	15.63	52.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.40</td><td>88.20</td><td>-40.80</td><td>44.34</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.40	88.20	-40.80	44.34	39.51	15.63	52.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13410.00	47.03	88.20	-41.17	43.97	39.51	15.63	52.08	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13410.00	47.40	88.20	-40.80	44.34	39.51	15.63	52.08	---	---	Peak																																																																																			







Mode	88																																																																											
	Harmonic																																																																											
	U-NII-7_802.11be EHT80_CH167_Full RU_6785MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																					
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13570.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>44.14</td><td>39.60</td><td>15.82</td><td>52.27 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 13570.00	47.29	88.20	-40.91	44.14	39.60	15.82	52.27 --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13570.00</td><td>47.95</td><td>88.20</td><td>-40.25</td><td>44.80</td><td>39.60</td><td>15.82</td><td>52.27 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 13570.00	47.95	88.20	-40.25	44.80	39.60	15.82	52.27 --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																					
1 13570.00	47.29	88.20	-40.91	44.14	39.60	15.82	52.27 --- Peak																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																					
1 13570.00	47.95	88.20	-40.25	44.80	39.60	15.82	52.27 --- Peak																																																																					





Mode	91																																																																																										
	Band Edge																																																																																										
	U-NII-5_802.11be EHT160_CH15_Full RU_6025MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.72</td><td>53.32</td><td>88.20</td><td>-34.88</td><td>38.13</td><td>36.65</td><td>11.41</td><td>32.87</td><td>102</td><td>190 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.72	53.32	88.20	-34.88	38.13	36.65	11.41	32.87	102	190 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.87</td><td>-----</td><td>-----</td><td>69.74</td><td>36.64</td><td>11.39</td><td>32.90</td><td>102</td><td>190 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.87	-----	-----	69.74	36.64	11.39	32.90	102
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5922.72	53.32	88.20	-34.88	38.13	36.65	11.41	32.87	102	190 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	84.87	-----	-----	69.74	36.64	11.39	32.90	102	190 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.76</td><td>43.29</td><td>68.20</td><td>-24.91</td><td>28.11</td><td>36.63</td><td>11.42</td><td>32.87</td><td>102</td><td>190 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.76	43.29	68.20	-24.91	28.11	36.63	11.42	32.87	102	190 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>75.59</td><td>-----</td><td>-----</td><td>60.47</td><td>36.59</td><td>11.44</td><td>32.91</td><td>102</td><td>190 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	75.59	-----	-----	60.47	36.59	11.44	32.91	102
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5913.76	43.29	68.20	-24.91	28.11	36.63	11.42	32.87	102	190 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	75.59	-----	-----	60.47	36.59	11.44	32.91	102	190 AVERAGE																																																																																	





Mode	91																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT160_CH15_Full RU_6025MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5831.16</td><td>53.14</td><td>88.20</td><td>-35.06</td><td>37.87</td><td>36.54</td><td>11.56</td><td>32.83</td><td>205</td><td>147 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5831.16	53.14	88.20	-35.06	37.87	36.54	11.56	32.83	205	147 PEAK	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>82.82</td><td>-----</td><td>-----</td><td>67.70</td><td>36.61</td><td>11.41</td><td>32.90</td><td>205</td><td>147 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	82.82	-----	-----	67.70	36.61	11.41	32.90	205	147 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5831.16	53.14	88.20	-35.06	37.87	36.54	11.56	32.83	205	147 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	82.82	-----	-----	67.70	36.61	11.41	32.90	205	147 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5906.20</td><td>43.13</td><td>68.20</td><td>-25.07</td><td>27.94</td><td>36.61</td><td>11.44</td><td>32.86</td><td>205</td><td>147 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5906.20	43.13	68.20	-25.07	27.94	36.61	11.44	32.86	205	147 AVERAGE	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>73.93</td><td>-----</td><td>-----</td><td>58.81</td><td>36.61</td><td>11.41</td><td>32.90</td><td>205</td><td>147 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	73.93	-----	-----	58.81	36.61	11.41	32.90	205	147 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5906.20	43.13	68.20	-25.07	27.94	36.61	11.44	32.86	205	147 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	73.93	-----	-----	58.81	36.61	11.41	32.90	205	147 AVERAGE																																																																										





Mode	91																																																																																									
	Harmonic																																																																																									
	U-NII-5_802.11be EHT160_CH15_Full RU_6025MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg																																																																																										
	<table><thead><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th colspan="2">Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12050.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>43.81</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>--- Peak</td></tr></tbody></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	47.45	74.00	-26.55	43.81	38.50	15.14	50.00	---	--- Peak	<table><thead><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th colspan="2">Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12050.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>44.01</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>--- Peak</td></tr></tbody></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	47.65	74.00	-26.35	44.01	38.50	15.14	50.00	---	--- Peak
	Limit		Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 12050.00	47.45	74.00	-26.55	43.81	38.50	15.14	50.00	---	--- Peak																																																																																	
Limit		Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 12050.00	47.65	74.00	-26.35	44.01	38.50	15.14	50.00	---	--- Peak																																																																																	





Mode	92																																																																																			
	Harmonic																																																																																			
	U-NII-5_802.11be EHT160_CH47_Full RU_6185MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg																																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>44.77</td><td>38.67</td><td>15.15</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	47.95	74.00	-26.05	44.77	38.67	15.15	50.64	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>43.95</td><td>38.67</td><td>15.15</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	47.13	74.00	-26.87	43.95	38.67	15.15	50.64	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12370.00	47.95	74.00	-26.05	44.77	38.67	15.15	50.64	---	---	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12370.00	47.13	74.00	-26.87	43.95	38.67	15.15	50.64	---	---	Peak																																																																										







Mode	93																																																																																												
	Harmonic																																																																																												
	U-NII-5_802.11be EHT160_CH79_Full RU_6345MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>44.45</td><td>38.70</td><td>15.16</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.33	74.00	-26.67	44.45	38.70	15.16	50.98	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>44.90</td><td>38.70</td><td>15.16</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.78	74.00	-26.22	44.90	38.70	15.16	50.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12690.00	47.33	74.00	-26.67	44.45	38.70	15.16	50.98	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12690.00	47.78	74.00	-26.22	44.90	38.70	15.16	50.98	---	---	Peak																																																																																		



Mode	94																																																										
	Harmonic																																																										
	U-NII-7_802.11be EHT160_CH143_Full RU_6665MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>43.85</td><td>39.50</td><td>15.54</td><td>51.89</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>44.30</td><td>39.50</td><td>15.54</td><td>51.89</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89																																																				
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>43.85</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89	---	---	Peak	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>44.30</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89	---	---	Peak					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																	
1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89	---	---	Peak																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																	
1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89	---	---	Peak																																																	





Mode	96																																																																																		
	Band Edge																																																																																		
	U-NII-5_802.11be EHT320_CH31_Full RU_6105MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5719.56</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>38.96</td><td>36.64</td><td>11.66</td><td>32.79</td><td>100</td><td>112 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5719.56	54.47	88.20	-33.73	38.96	36.64	11.66	32.79	100	112 PEAK	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.90</td><td>-----</td><td>67.73</td><td>36.32</td><td>11.77</td><td>32.92</td><td>100</td><td>112 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.90	-----	67.73	36.32	11.77	32.92	100	112 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5719.56	54.47	88.20	-33.73	38.96	36.64	11.66	32.79	100	112 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	6105.00	82.90	-----	67.73	36.32	11.77	32.92	100	112 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5653.00</td><td>44.16</td><td>68.20</td><td>-24.04</td><td>28.72</td><td>36.51</td><td>11.69</td><td>32.76</td><td>100</td><td>112 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5653.00	44.16	68.20	-24.04	28.72	36.51	11.69	32.76	100	112 AVERAGE	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>73.26</td><td>-----</td><td>57.87</td><td>36.24</td><td>12.09</td><td>32.94</td><td>100</td><td>112 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	73.26	-----	57.87	36.24	12.09	32.94	100	112 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5653.00	44.16	68.20	-24.04	28.72	36.51	11.69	32.76	100	112 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	6105.00	73.26	-----	57.87	36.24	12.09	32.94	100	112 AVERAGE																																																																										





Mode	96																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT320_CH31_Full RU_6105MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5881.74</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>38.98</td><td>36.56</td><td>11.48</td><td>32.85</td><td>201 147 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5881.74	54.17	88.20	-34.03	38.98	36.56	11.48	32.85	201 147 PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>77.42</td><td>-----</td><td>-----</td><td>62.30</td><td>36.61</td><td>11.41</td><td>32.90</td><td>201 147 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 6105.00	77.42	-----	-----	62.30	36.61	11.41	32.90	201 147 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 5881.74	54.17	88.20	-34.03	38.98	36.56	11.48	32.85	201 147 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 6105.00	77.42	-----	-----	62.30	36.61	11.41	32.90	201 147 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5706.55</td><td>44.02</td><td>68.20</td><td>-24.18</td><td>28.53</td><td>36.61</td><td>11.66</td><td>32.78</td><td>201 147 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5706.55	44.02	68.20	-24.18	28.53	36.61	11.66	32.78	201 147 AVERAGE	Level (dBuV/m) Date: 2025-02-26 1 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>68.31</td><td>-----</td><td>-----</td><td>53.19</td><td>36.54</td><td>11.49</td><td>32.91</td><td>201 147 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 6105.00	68.31	-----	-----	53.19	36.54	11.49	32.91	201 147 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 5706.55	44.02	68.20	-24.18	28.53	36.61	11.66	32.78	201 147 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 6105.00	68.31	-----	-----	53.19	36.54	11.49	32.91	201 147 AVERAGE																																																																		



Mode	96																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>43.90</td><td>38.60</td><td>15.15</td><td>50.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	47.33	74.00	-26.67	43.90	38.60	15.15	50.32	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>44.41</td><td>38.60</td><td>15.15</td><td>50.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	47.84	74.00	-26.16	44.41	38.60	15.15	50.32	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12210.00	47.33	74.00	-26.67	43.90	38.60	15.15	50.32	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12210.00	47.84	74.00	-26.16	44.41	38.60	15.15	50.32	---	---	Peak																																																																																															



Mode	97																																																																																												
	Harmonic																																																																																												
	U-NII-5_802.11be EHT320_CH63_Full RU_6265MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>44.95</td><td>38.70</td><td>15.16</td><td>50.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	47.90	74.00	-26.10	44.95	38.70	15.16	50.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>44.17</td><td>38.70</td><td>15.16</td><td>50.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	47.12	74.00	-26.88	44.17	38.70	15.16	50.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12530.00	47.90	74.00	-26.10	44.95	38.70	15.16	50.91	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12530.00	47.12	74.00	-26.88	44.17	38.70	15.16	50.91	---	---	Peak																																																																																		
Avg																																																																																													



Mode	98																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-7125_802.11a_CH185_Full RU_6525MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>44.04</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.57	88.20	-40.63	44.04	39.70	16.03	52.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>46.91</td><td>88.20</td><td>-41.29</td><td>43.38</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	46.91	88.20	-41.29	43.38	39.70	16.03	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	47.57	88.20	-40.63	44.04	39.70	16.03	52.20	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	46.91	88.20	-41.29	43.38	39.70	16.03	52.20	---	---	Peak																																																																																		



Mode	99																																																																															
	Harmonic																																																																															
	U-NII-7_6525-7125_802.11be EHT20_CH185_Full RU_6525MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>46.73</td><td>88.20</td><td>-41.47</td><td>43.20</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	46.73	88.20	-41.47	43.20	39.70	16.03	52.20	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>44.01</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	47.54	88.20	-40.66	44.01	39.70	16.03	52.20
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	46.73	88.20	-41.47	43.20	39.70	16.03	52.20																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	47.54	88.20	-40.66	44.01	39.70	16.03	52.20																																																																									



Mode	100																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-7125_802.11be EHT40_CH187_Full RU_6885MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>43.96</td><td>39.70</td><td>16.05</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	47.52	88.20	-40.68	43.96	39.70	16.05	52.19	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>43.31</td><td>39.70</td><td>16.05</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	46.87	88.20	-41.33	43.31	39.70	16.05	52.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13770.00	47.52	88.20	-40.68	43.96	39.70	16.05	52.19	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13770.00	46.87	88.20	-41.33	43.31	39.70	16.05	52.19	---	---	Peak																																																																																	



Mode	101																																																																																																			
	Harmonic																																																																																																			
	U-NII-7_6525-7125_802.11be EHT80_CH183_Full RU_6865MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>13730.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>43.46</td><td>39.70</td><td>16.00</td><td>52.21</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13730.00	46.95	88.20	-41.25	43.46	39.70	16.00	52.21							cm	deg	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>13730.00</td><td>46.38</td><td>88.20</td><td>-41.82</td><td>42.89</td><td>39.70</td><td>16.00</td><td>52.21</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13730.00	46.38	88.20	-41.82	42.89	39.70	16.00	52.21							cm	deg
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	13730.00	46.95	88.20	-41.25	43.46	39.70	16.00	52.21																																																																																												
						cm	deg	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	13730.00	46.38	88.20	-41.82	42.89	39.70	16.00	52.21																																																																																												
						cm	deg	Peak																																																																																												



Mode	102																																																																															
	Harmonic																																																																															
	U-NII-7_6525-7125_802.11be EHT160_CH175_Full RU_6825MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal										Vertical																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13650.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>43.68</td><td>39.65</td><td>15.91</td><td>52.24 --- Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13650.00	47.00	88.20	-41.20	43.68	39.65	15.91	52.24 --- Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13650.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>43.92</td><td>39.65</td><td>15.91</td><td>52.24 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24 --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13650.00	47.00	88.20	-41.20	43.68	39.65	15.91	52.24 --- Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24 --- Peak																																																																									