




GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE




GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz





GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK LOW CHANNEL, CARRIER LEVEL




8-DPSK LOW CHANNEL, BAND EDGE

8-DPSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz8-DPSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


8-DPSK MIDDLE CHANNEL, CARRIER LEVEL




8-DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



8-DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK HIGH CHANNEL, CARRIER LEVEL




8-DPSK HIGH CHANNEL, BAND EDGE




8-DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



8-DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz





GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)

GFSK HOPPING BAND EDGE (HIGH)



GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)

8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.156	44.53	9.86	65.67	21.14	Peak	L	Pass
1**	0.156	34.21	9.86	55.67	21.46	AV	L	Pass
2	0.392	38.73	10.65	58.02	19.29	Peak	L	Pass
2**	0.392	28.39	10.65	48.02	19.63	AV	L	Pass
3	0.544	39.20	10.08	56.00	16.80	Peak	L	Pass
3**	0.544	30.42	10.08	46.00	15.58	AV	L	Pass
4	5.560	37.90	10.53	60.00	22.10	Peak	L	Pass
4**	5.560	25.98	10.53	50.00	24.02	AV	L	Pass
5	19.122	41.90	11.15	60.00	18.10	Peak	L	Pass
5**	19.122	29.75	11.15	50.00	20.25	AV	L	Pass
6	25.662	42.02	10.88	60.00	17.98	Peak	L	Pass
6**	25.662	32.33	10.88	50.00	17.67	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.160	46.06	9.85	65.46	19.40	Peak	N	Pass
1**	0.160	33.73	9.85	55.46	21.73	AV	N	Pass
2	0.540	38.93	10.08	56.00	17.07	Peak	N	Pass
2**	0.540	29.55	10.08	46.00	16.45	AV	N	Pass
3	1.938	36.97	10.33	56.00	19.03	Peak	N	Pass
3**	1.938	25.37	10.33	46.00	20.63	AV	N	Pass
4	2.748	36.75	10.23	56.00	19.25	Peak	N	Pass
4**	2.748	25.08	10.23	46.00	20.92	AV	N	Pass
5	22.098	44.04	11.23	60.00	15.96	Peak	N	Pass
5**	22.098	32.99	11.23	50.00	17.01	AV	N	Pass
6	28.512	43.71	10.79	60.00	16.29	Peak	N	Pass
6**	28.512	32.86	10.79	50.00	17.14	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.


Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	54.729	15.16	-27.13	29.5	14.34	Peak	226.00	200	Horizontal	Pass
2	143.462	18.19	-26.56	33.0	14.81	Peak	150.00	200	Horizontal	Pass
3	166.251	21.76	-26.28	33.0	11.24	Peak	285.00	200	Horizontal	Pass
4	175.706	21.81	-27.43	33.0	11.19	Peak	275.00	200	Horizontal	Pass
5	291.107	21.89	-25.67	35.5	13.61	Peak	275.00	200	Horizontal	Pass
6	963.149	30.22	-9.23	43.5	13.28	Peak	0.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	50.850	20.52	-27.01	29.5	8.98	Peak	360.00	100	Vertical	Pass
2	59.578	21.90	-27.33	29.5	7.60	Peak	47.00	100	Vertical	Pass
3	66.851	24.27	-28.71	29.5	5.23	Peak	360.00	100	Vertical	Pass
4	71.215	25.27	-29.18	29.5	4.23	Peak	345.00	200	Vertical	Pass
5	172.797	25.98	-27.09	33.0	7.02	Peak	232.00	100	Vertical	Pass
6	287.956	21.58	-25.91	35.5	13.92	Peak	112.00	100	Vertical	Pass

Note ¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note ²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.700	42.74	74.0	31.26	Peak	293.00	100	Horizontal	Pass
1**	1583.700	33.26	54.0	20.74	AV	293.00	100	Horizontal	Pass
2	2441.000	111.32	74.0	-37.32	Peak	151.00	100	Horizontal	N/A
2**	2441.000	110.89	54.0	-56.89	AV	151.00	100	Horizontal	N/A
3	4882.500	49.53	74.0	24.47	Peak	35.00	100	Horizontal	Pass
3**	4882.500	45.68	54.0	8.32	AV	35.00	100	Horizontal	Pass
4	7199.250	54.04	74.0	19.96	Peak	269.00	100	Horizontal	Pass
4**	7199.250	43.70	54.0	10.30	AV	269.00	100	Horizontal	Pass
5	12492.313	53.35	74.0	20.65	Peak	234.00	100	Horizontal	Pass
5**	12492.313	44.06	54.0	9.94	AV	234.00	100	Horizontal	Pass
6	17076.262	55.06	74.0	18.94	Peak	334.00	100	Horizontal	Pass
6**	17076.262	45.21	54.0	8.79	AV	334.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.700	42.31	74.0	31.69	Peak	81.00	100	Vertical	Pass
1**	1348.700	32.82	54.0	21.18	AV	81.00	100	Vertical	Pass
2	2441.000	91.85	74.0	-17.85	Peak	152.00	200	Vertical	N/A
2**	2441.000	91.21	54.0	-37.21	AV	152.00	200	Vertical	N/A
3	4863.500	49.04	74.0	24.96	Peak	113.00	150	Vertical	Pass
3**	4863.500	39.60	54.0	14.40	AV	113.00	150	Vertical	Pass
4	7934.750	53.39	74.0	20.61	Peak	74.00	400	Vertical	Pass
4**	7934.750	45.15	54.0	8.85	AV	74.00	400	Vertical	Pass
5	12474.263	53.37	74.0	20.63	Peak	225.00	400	Vertical	Pass
5**	12474.263	43.86	54.0	10.14	AV	225.00	400	Vertical	Pass
6	17034.262	55.52	74.0	18.48	Peak	71.00	400	Vertical	Pass
6**	17034.262	45.55	54.0	8.45	AV	71.00	400	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1431.100	43.19	74.0	30.81	Peak	8.00	300	Horizontal	Pass
1**	1431.100	33.04	54.0	20.96	AV	8.00	300	Horizontal	Pass
2	2480.000	110.66	74.0	-36.66	Peak	151.00	100	Horizontal	N/A
2**	2480.000	110.07	54.0	-56.07	AV	151.00	100	Horizontal	N/A
3	4960.000	48.84	74.0	25.16	Peak	35.00	100	Horizontal	Pass
3**	4960.000	45.04	54.0	8.96	AV	35.00	100	Horizontal	Pass
4	7964.750	53.44	74.0	20.56	Peak	14.00	200	Horizontal	Pass
4**	7964.750	44.43	54.0	9.57	AV	14.00	200	Horizontal	Pass
5	12498.962	53.59	74.0	20.41	Peak	312.00	100	Horizontal	Pass
5**	12498.962	44.03	54.0	9.97	AV	312.00	100	Horizontal	Pass
6	16399.012	55.34	74.0	18.66	Peak	176.00	400	Horizontal	Pass
6**	16399.012	44.76	54.0	9.24	AV	176.00	400	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1420.800	42.88	74.0	31.12	Peak	178.00	100	Vertical	Pass
1**	1420.800	32.44	54.0	21.56	AV	178.00	100	Vertical	Pass
2	2479.900	89.63	74.0	-15.63	Peak	356.00	100	Vertical	N/A
2**	2479.900	89.14	54.0	-35.14	AV	356.00	100	Vertical	N/A
3	4873.500	49.27	74.0	24.73	Peak	154.00	150	Vertical	Pass
3**	4873.500	40.42	54.0	13.58	AV	154.00	150	Vertical	Pass
4	7933.500	53.44	74.0	20.56	Peak	351.00	300	Vertical	Pass
4**	7933.500	45.30	54.0	8.70	AV	351.00	300	Vertical	Pass
5	12475.924	53.74	74.0	20.26	Peak	3.00	400	Vertical	Pass
5**	12475.924	44.19	54.0	9.81	AV	3.00	400	Vertical	Pass
6	17101.988	54.94	74.0	19.06	Peak	254.00	200	Vertical	Pass
6**	17101.988	45.83	54.0	8.17	AV	254.00	200	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.100	41.87	74.0	32.13	Peak	11.00	200	Horizontal	Pass
1**	1553.100	32.05	54.0	21.95	AV	11.00	200	Horizontal	Pass
2	2402.100	112.80	74.0	-38.80	Peak	142.00	100	Horizontal	N/A
2**	2402.100	112.19	54.0	-58.19	AV	142.00	100	Horizontal	N/A
3	4803.750	50.71	74.0	23.29	Peak	35.00	100	Horizontal	Pass
3**	4803.750	47.66	54.0	6.34	AV	35.00	100	Horizontal	Pass
4	7934.750	54.09	74.0	19.91	Peak	329.00	300	Horizontal	Pass
4**	7934.750	46.26	54.0	7.74	AV	329.00	300	Horizontal	Pass
5	12492.313	53.74	74.0	20.26	Peak	11.00	300	Horizontal	Pass
5**	12492.313	44.67	54.0	9.33	AV	11.00	300	Horizontal	Pass
6	17003.551	55.22	74.0	18.78	Peak	0.00	200	Horizontal	Pass
6**	17003.551	46.07	54.0	7.93	AV	0.00	200	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1252.800	42.37	74.0	31.63	Peak	303.00	300	Vertical	Pass
1**	1252.800	31.54	54.0	22.46	AV	303.00	300	Vertical	Pass
2	2402.000	96.17	74.0	-22.17	Peak	37.00	100	Vertical	N/A
2**	2402.000	95.52	54.0	-41.52	AV	37.00	100	Vertical	N/A
3	4904.250	48.85	74.0	25.15	Peak	0.00	200	Vertical	Pass
3**	4904.250	40.51	54.0	13.49	AV	0.00	200	Vertical	Pass
4	7929.750	53.60	74.0	20.40	Peak	310.00	100	Vertical	Pass
4**	7929.750	45.08	54.0	8.92	AV	310.00	100	Vertical	Pass
5	12489.463	53.37	74.0	20.63	Peak	269.00	100	Vertical	Pass
5**	12489.463	43.98	54.0	10.02	AV	269.00	100	Vertical	Pass
6	14450.475	54.79	74.0	19.21	Peak	360.00	300	Vertical	Pass
6**	14450.475	46.75	54.0	7.25	AV	360.00	300	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1433.000	42.99	74.0	31.01	Peak	115.00	300	Horizontal	Pass
1**	1433.000	32.97	54.0	21.03	AV	115.00	300	Horizontal	Pass
2	2440.900	112.75	74.0	-38.75	Peak	151.00	100	Horizontal	N/A
2**	2440.900	109.60	54.0	-55.60	AV	151.00	100	Horizontal	N/A
3	4882.000	49.44	74.0	24.56	Peak	16.00	100	Horizontal	Pass
3**	4882.000	45.87	54.0	8.13	AV	16.00	100	Horizontal	Pass
4	7963.000	53.45	74.0	20.55	Peak	113.00	400	Horizontal	Pass
4**	7963.000	44.36	54.0	9.64	AV	113.00	400	Horizontal	Pass
5	12983.625	53.93	74.0	20.07	Peak	108.00	400	Horizontal	Pass
5**	12983.625	44.02	54.0	9.98	AV	108.00	400	Horizontal	Pass
6	17121.150	55.31	74.0	18.69	Peak	274.00	100	Horizontal	Pass
6**	17121.150	45.76	54.0	8.24	AV	274.00	100	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.000	42.49	74.0	31.51	Peak	360.00	300	Vertical	Pass
1**	1589.000	32.53	54.0	21.47	AV	360.00	300	Vertical	Pass
2	2441.000	93.86	74.0	-19.86	Peak	73.00	100	Vertical	N/A
2**	2441.000	92.82	54.0	-38.82	AV	73.00	100	Vertical	N/A
3	4992.000	50.25	74.0	23.75	Peak	213.00	100	Vertical	Pass
3**	4992.000	40.14	54.0	13.86	AV	213.00	100	Vertical	Pass
4	7931.000	54.11	74.0	19.89	Peak	273.00	200	Vertical	Pass
4**	7931.000	45.58	54.0	8.42	AV	273.00	200	Vertical	Pass
5	12465.713	53.66	74.0	20.34	Peak	61.00	300	Vertical	Pass
5**	12465.713	44.21	54.0	9.79	AV	61.00	300	Vertical	Pass
6	17036.100	55.01	74.0	18.99	Peak	65.00	400	Vertical	Pass
6**	17036.100	45.43	54.0	8.57	AV	65.00	400	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.200	42.52	74.0	31.48	Peak	293.00	400	Horizontal	Pass
1**	1457.200	32.48	54.0	21.52	AV	293.00	400	Horizontal	Pass
2	2479.900	112.11	74.0	-38.11	Peak	144.00	200	Horizontal	N/A
2**	2479.900	111.53	54.0	-57.53	AV	144.00	200	Horizontal	N/A
3	4960.000	48.93	74.0	25.07	Peak	14.00	100	Horizontal	Pass
3**	4960.000	45.24	54.0	8.76	AV	14.00	100	Horizontal	Pass
4	7600.250	53.64	74.0	20.36	Peak	72.00	200	Horizontal	Pass
4**	7600.250	44.05	54.0	9.95	AV	72.00	200	Horizontal	Pass
5	12501.812	53.34	74.0	20.66	Peak	205.00	200	Horizontal	Pass
5**	12501.812	44.54	54.0	9.46	AV	205.00	200	Horizontal	Pass
6	16408.989	55.02	74.0	18.98	Peak	164.00	200	Horizontal	Pass
6**	16408.989	45.05	54.0	8.95	AV	164.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1394.700	41.95	74.0	32.05	Peak	20.00	300	Vertical	Pass
1**	1394.700	33.13	54.0	20.87	AV	20.00	300	Vertical	Pass
2	2479.700	94.06	74.0	-20.06	Peak	134.00	150	Vertical	N/A
2**	2479.700	89.88	54.0	-35.88	AV	134.00	150	Vertical	N/A
3	4858.000	49.85	74.0	24.15	Peak	150.00	100	Vertical	Pass
3**	4858.000	40.27	54.0	13.73	AV	150.00	100	Vertical	Pass
4	7931.500	53.68	74.0	20.32	Peak	14.00	400	Vertical	Pass
4**	7931.500	45.28	54.0	8.72	AV	14.00	400	Vertical	Pass
5	12506.087	53.33	74.0	20.67	Peak	156.00	400	Vertical	Pass
5**	12506.087	44.15	54.0	9.85	AV	156.00	400	Vertical	Pass
6	16398.489	51.53	74.0	22.47	Peak	289.00	100	Vertical	Pass
6**	16398.489	47.44	54.0	6.56	AV	289.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data

GFSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2345.500	55.98	74.0	18.02	Peak	13.00	150	Horizontal	Pass
1**	2345.500	43.24	54.0	10.76	AV	13.00	150	Horizontal	Pass
2	2389.833	53.54	74.0	20.46	Peak	205.00	200	Horizontal	Pass
2**	2389.833	42.96	54.0	11.04	AV	205.00	200	Horizontal	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	55.56	74.0	18.44	Peak	162.00	200	Horizontal	Pass
1**	2483.550	45.51	54.0	8.49	AV	162.00	200	Horizontal	Pass
2	2484.100	55.72	74.0	18.28	Peak	147.00	200	Horizontal	Pass
2**	2484.100	45.02	54.0	8.98	AV	147.00	200	Horizontal	Pass

8-DPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.000	55.43	74.0	18.57	Peak	222.00	100	Horizontal	Pass
1**	2388.000	43.00	54.0	11.00	AV	222.00	100	Horizontal	Pass
2	2389.833	53.08	74.0	20.92	Peak	166.00	200	Horizontal	Pass
2**	2389.833	43.13	54.0	10.87	AV	166.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.20	74.0	19.80	Peak	134.00	100	Horizontal	Pass
1**	2483.500	44.90	54.0	9.10	AV	134.00	100	Horizontal	Pass
2	2486.550	59.86	74.0	14.14	Peak	203.00	200	Horizontal	Pass
2**	2486.550	43.88	54.0	10.12	AV	203.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2590705-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2590705-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2590705-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--