

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.400	39.06	74.0	34.94	Peak	31.00	400	Horizontal	Pass
1**	1612.400	30.13	54.0	23.87	AV	31.00	400	Horizontal	Pass
2	4250.000	47.41	74.0	26.59	Peak	360.00	100	Horizontal	Pass
2**	4250.000	37.43	54.0	16.57	AV	360.00	100	Horizontal	Pass
3	5191.500	107.23	--	--	Peak	23.00	150	Horizontal	N/A
3**	5191.500	99.42	--	--	AV	23.00	150	Horizontal	N/A
4	7587.250	53.41	74.0	20.59	Peak	42.00	200	Horizontal	Pass
4**	7587.250	43.73	54.0	10.27	AV	42.00	200	Horizontal	Pass
5	12485.662	53.90	74.0	20.10	Peak	343.00	150	Horizontal	Pass
5**	12485.662	44.54	54.0	9.46	AV	343.00	150	Horizontal	Pass
6	15882.675	54.73	74.0	19.27	Peak	130.00	300	Horizontal	Pass
6**	15882.675	44.61	54.0	9.39	AV	130.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.200	38.22	74.0	35.78	Peak	30.00	400	Vertical	Pass
1**	1438.200	29.68	54.0	24.32	AV	30.00	400	Vertical	Pass
2	4279.750	47.68	74.0	26.32	Peak	360.00	200	Vertical	Pass
2**	4279.750	38.34	54.0	15.66	AV	360.00	200	Vertical	Pass
3	5186.000	96.89	--	--	Peak	26.00	100	Vertical	N/A
3**	5186.000	89.42	--	--	AV	26.00	100	Vertical	N/A
4	7652.000	52.85	74.0	21.15	Peak	47.00	300	Vertical	Pass
4**	7652.000	45.05	54.0	8.95	AV	47.00	300	Vertical	Pass
5	12502.050	53.22	74.0	20.78	Peak	256.00	150	Vertical	Pass
5**	12502.050	44.79	54.0	9.21	AV	256.00	150	Vertical	Pass
6	16130.475	54.15	74.0	19.85	Peak	253.00	200	Vertical	Pass
6**	16130.475	45.10	54.0	8.90	AV	253.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.700	38.60	74.0	35.40	Peak	342.00	300	Horizontal	Pass
1**	1544.700	29.10	54.0	24.90	AV	342.00	300	Horizontal	Pass
2	4278.250	46.78	74.0	27.22	Peak	105.00	300	Horizontal	Pass
2**	4278.250	37.90	54.0	16.10	AV	105.00	300	Horizontal	Pass
3	5232.500	107.00	--	--	Peak	45.00	100	Horizontal	N/A
3**	5232.500	99.28	--	--	AV	45.00	100	Horizontal	N/A
4	7606.250	53.44	74.0	20.56	Peak	302.00	400	Horizontal	Pass
4**	7606.250	43.59	54.0	10.41	AV	302.00	400	Horizontal	Pass
5	12510.838	53.45	74.0	20.55	Peak	204.00	200	Horizontal	Pass
5**	12510.838	44.11	54.0	9.89	AV	204.00	200	Horizontal	Pass
6	16137.825	53.79	74.0	20.21	Peak	101.00	300	Horizontal	Pass
6**	16137.825	45.22	54.0	8.78	AV	101.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.400	39.08	74.0	34.92	Peak	244.00	200	Vertical	Pass
1**	1608.400	29.16	54.0	24.84	AV	244.00	200	Vertical	Pass
2	4349.000	47.28	74.0	26.72	Peak	183.00	100	Vertical	Pass
2**	4349.000	38.82	54.0	15.18	AV	183.00	100	Vertical	Pass
3	5233.500	96.06	--	--	Peak	26.00	100	Vertical	N/A
3**	5233.500	88.59	--	--	AV	26.00	100	Vertical	N/A
4	7598.750	52.57	74.0	21.43	Peak	4.00	200	Vertical	Pass
4**	7598.750	44.01	54.0	9.99	AV	4.00	200	Vertical	Pass
5	12508.701	53.34	74.0	20.66	Peak	118.00	200	Vertical	Pass
5**	12508.701	44.30	54.0	9.70	AV	118.00	200	Vertical	Pass
6	15672.150	53.91	74.0	20.09	Peak	77.00	400	Vertical	Pass
6**	15672.150	44.96	54.0	9.04	AV	77.00	400	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.400	38.98	74.0	35.02	Peak	334.00	200	Horizontal	Pass
1**	1626.400	28.57	54.0	25.43	AV	334.00	200	Horizontal	Pass
2	4317.000	47.19	74.0	26.81	Peak	343.00	200	Horizontal	Pass
2**	4317.000	38.36	54.0	15.64	AV	343.00	200	Horizontal	Pass
3	5212.500	101.88	--	--	Peak	47.00	100	Horizontal	N/A
3**	5212.500	94.68	--	--	AV	47.00	100	Horizontal	N/A
4	7670.750	53.23	74.0	20.77	Peak	4.00	100	Horizontal	Pass
4**	7670.750	42.72	54.0	11.28	AV	4.00	100	Horizontal	Pass
5	12501.338	53.77	74.0	20.23	Peak	115.00	200	Horizontal	Pass
5**	12501.338	44.58	54.0	9.42	AV	115.00	200	Horizontal	Pass
6	15909.188	54.74	74.0	19.26	Peak	207.00	200	Horizontal	Pass
6**	15909.188	44.72	54.0	9.28	AV	207.00	200	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.300	38.31	74.0	35.69	Peak	356.00	100	Vertical	Pass
1**	1620.300	30.01	54.0	23.99	AV	356.00	100	Vertical	Pass
2	4246.250	47.04	74.0	26.96	Peak	226.00	100	Vertical	Pass
2**	4246.250	38.33	54.0	15.67	AV	226.00	100	Vertical	Pass
3	5214.750	90.88	--	--	Peak	28.00	100	Vertical	N/A
3**	5214.750	81.84	--	--	AV	28.00	100	Vertical	N/A
4	7603.750	53.41	74.0	20.59	Peak	4.00	400	Vertical	Pass
4**	7603.750	44.18	54.0	9.82	AV	4.00	400	Vertical	Pass
5	12515.588	53.12	74.0	20.88	Peak	159.00	200	Vertical	Pass
5**	12515.588	44.46	54.0	9.54	AV	159.00	200	Vertical	Pass
6	15885.038	54.11	74.0	19.89	Peak	350.00	400	Vertical	Pass
6**	15885.038	45.29	54.0	8.71	AV	350.00	400	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.300	38.73	74.0	35.27	Peak	360.00	100	Horizontal	Pass
1**	1460.300	28.88	54.0	25.12	AV	360.00	100	Horizontal	Pass
2	4315.500	47.60	74.0	26.40	Peak	141.00	100	Horizontal	Pass
2**	4315.500	39.02	54.0	14.98	AV	141.00	100	Horizontal	Pass
3	5181.000	107.87	--	--	Peak	180.00	100	Horizontal	N/A
3**	5181.000	100.33	--	--	AV	180.00	100	Horizontal	N/A
4	7603.500	52.79	74.0	21.21	Peak	200.00	400	Horizontal	Pass
4**	7603.500	43.77	54.0	10.23	AV	200.00	400	Horizontal	Pass
5	12474.263	53.39	74.0	20.61	Peak	0.00	100	Horizontal	Pass
5**	12474.263	43.84	54.0	10.16	AV	0.00	100	Horizontal	Pass
6	16147.013	54.34	74.0	19.66	Peak	224.00	100	Horizontal	Pass
6**	16147.013	44.84	54.0	9.16	AV	224.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.000	39.05	74.0	34.95	Peak	252.00	300	Vertical	Pass
1**	1516.000	29.42	54.0	24.58	AV	252.00	300	Vertical	Pass
2	4337.250	47.43	74.0	26.57	Peak	360.00	100	Vertical	Pass
2**	4337.250	37.59	54.0	16.41	AV	360.00	100	Vertical	Pass
3	5187.750	99.49	--	--	Peak	25.00	200	Vertical	N/A
3**	5187.750	88.79	--	--	AV	25.00	200	Vertical	N/A
4	7657.500	52.75	74.0	21.25	Peak	4.00	200	Vertical	Pass
4**	7657.500	43.77	54.0	10.23	AV	4.00	200	Vertical	Pass
5	12530.076	52.87	74.0	21.13	Peak	149.00	200	Vertical	Pass
5**	12530.076	43.93	54.0	10.07	AV	149.00	200	Vertical	Pass
6	16105.538	54.56	74.0	19.44	Peak	360.00	100	Vertical	Pass
6**	16105.538	45.03	54.0	8.97	AV	360.00	100	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.700	37.86	74.0	36.14	Peak	86.00	400	Horizontal	Pass
1**	1612.700	29.37	54.0	24.63	AV	86.00	400	Horizontal	Pass
2	4350.500	46.79	74.0	27.21	Peak	319.00	400	Horizontal	Pass
2**	4350.500	38.64	54.0	15.36	AV	319.00	400	Horizontal	Pass
3	5218.500	108.77	--	--	Peak	4.00	200	Horizontal	N/A
3**	5218.500	100.30	--	--	AV	4.00	200	Horizontal	N/A
4	7601.750	52.64	74.0	21.36	Peak	297.00	300	Horizontal	Pass
4**	7601.750	44.70	54.0	9.30	AV	297.00	300	Horizontal	Pass
5	12477.112	53.08	74.0	20.92	Peak	269.00	100	Horizontal	Pass
5**	12477.112	44.23	54.0	9.77	AV	269.00	100	Horizontal	Pass
6	16132.575	54.70	74.0	19.30	Peak	89.00	300	Horizontal	Pass
6**	16132.575	45.46	54.0	8.54	AV	89.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.600	38.23	74.0	35.77	Peak	6.00	300	Vertical	Pass
1**	1577.600	28.24	54.0	25.76	AV	6.00	300	Vertical	Pass
2	4337.250	46.92	74.0	27.08	Peak	255.00	300	Vertical	Pass
2**	4337.250	38.55	54.0	15.45	AV	255.00	300	Vertical	Pass
3	5220.250	98.30	--	--	Peak	26.00	150	Vertical	N/A
3**	5220.250	88.98	--	--	AV	26.00	150	Vertical	N/A
4	7362.250	53.31	74.0	20.69	Peak	108.00	400	Vertical	Pass
4**	7362.250	43.81	54.0	10.19	AV	108.00	400	Vertical	Pass
5	12460.488	53.05	74.0	20.95	Peak	171.00	100	Vertical	Pass
5**	12460.488	44.44	54.0	9.56	AV	171.00	100	Vertical	Pass
6	15667.425	54.63	74.0	19.37	Peak	81.00	300	Vertical	Pass
6**	15667.425	45.60	54.0	8.40	AV	81.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.400	38.30	74.0	35.70	Peak	67.00	300	Horizontal	Pass
1**	1518.400	29.60	54.0	24.40	AV	67.00	300	Horizontal	Pass
2	4295.000	47.17	74.0	26.83	Peak	263.00	300	Horizontal	Pass
2**	4295.000	37.89	54.0	16.11	AV	263.00	300	Horizontal	Pass
3	5233.750	108.93	--	--	Peak	47.00	100	Horizontal	N/A
3**	5233.750	100.97	--	--	AV	47.00	100	Horizontal	N/A
4	7365.750	53.00	74.0	21.00	Peak	4.00	200	Horizontal	Pass
4**	7365.750	43.78	54.0	10.22	AV	4.00	200	Horizontal	Pass
5	12469.276	53.33	74.0	20.67	Peak	250.00	200	Horizontal	Pass
5**	12469.276	44.31	54.0	9.69	AV	250.00	200	Horizontal	Pass
6	16152.787	54.74	74.0	19.26	Peak	258.00	200	Horizontal	Pass
6**	16152.787	44.40	54.0	9.60	AV	258.00	200	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.100	38.04	74.0	35.96	Peak	360.00	200	Vertical	Pass
1**	1616.100	29.80	54.0	24.20	AV	360.00	200	Vertical	Pass
2	4295.000	47.10	74.0	26.90	Peak	343.00	400	Vertical	Pass
2**	4295.000	37.20	54.0	16.80	AV	343.00	400	Vertical	Pass
3	5235.500	98.57	--	--	Peak	26.00	150	Vertical	N/A
3**	5235.500	89.06	--	--	AV	26.00	150	Vertical	N/A
4	7360.000	53.02	74.0	20.98	Peak	360.00	300	Vertical	Pass
4**	7360.000	44.50	54.0	9.50	AV	360.00	300	Vertical	Pass
5	12485.425	53.84	74.0	20.16	Peak	191.00	200	Vertical	Pass
5**	12485.425	44.69	54.0	9.31	AV	191.00	200	Vertical	Pass
6	15729.112	55.19	74.0	18.81	Peak	103.00	400	Vertical	Pass
6**	15729.112	44.78	54.0	9.22	AV	103.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.200	39.02	74.0	34.98	Peak	169.00	400	Horizontal	Pass
1**	1578.200	28.86	54.0	25.14	AV	169.00	400	Horizontal	Pass
2	4330.750	46.95	74.0	27.05	Peak	65.00	300	Horizontal	Pass
2**	4330.750	38.08	54.0	15.92	AV	65.00	300	Horizontal	Pass
3	5186.750	105.52	--	--	Peak	26.00	150	Horizontal	N/A
3**	5186.750	96.63	--	--	AV	26.00	150	Horizontal	N/A
4	7421.000	53.66	74.0	20.34	Peak	249.00	400	Horizontal	Pass
4**	7421.000	43.98	54.0	10.02	AV	249.00	400	Horizontal	Pass
5	12486.375	53.59	74.0	20.41	Peak	354.00	200	Horizontal	Pass
5**	12486.375	45.06	54.0	8.94	AV	354.00	200	Horizontal	Pass
6	16087.162	54.19	74.0	19.81	Peak	135.00	100	Horizontal	Pass
6**	16087.162	45.50	54.0	8.50	AV	135.00	100	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.800	38.51	74.0	35.49	Peak	356.00	100	Vertical	Pass
1**	1446.800	29.11	54.0	24.89	AV	356.00	100	Vertical	Pass
2	4340.750	46.88	74.0	27.12	Peak	106.00	400	Vertical	Pass
2**	4340.750	37.79	54.0	16.21	AV	106.00	400	Vertical	Pass
3	5185.000	94.87	--	--	Peak	28.00	200	Vertical	N/A
3**	5185.000	85.24	--	--	AV	28.00	200	Vertical	N/A
4	7618.000	53.55	74.0	20.45	Peak	283.00	400	Vertical	Pass
4**	7618.000	43.00	54.0	11.00	AV	283.00	400	Vertical	Pass
5	12483.049	52.98	74.0	21.02	Peak	132.00	150	Vertical	Pass
5**	12483.049	45.12	54.0	8.88	AV	132.00	150	Vertical	Pass
6	16102.912	53.55	74.0	20.45	Peak	326.00	400	Vertical	Pass
6**	16102.912	44.91	54.0	9.09	AV	326.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.700	38.31	74.0	35.69	Peak	103.00	400	Horizontal	Pass
1**	1612.700	29.11	54.0	24.89	AV	103.00	400	Horizontal	Pass
2	4353.250	47.06	74.0	26.94	Peak	105.00	300	Horizontal	Pass
2**	4353.250	38.46	54.0	15.54	AV	105.00	300	Horizontal	Pass
3	5231.750	105.55	--	--	Peak	360.00	200	Horizontal	N/A
3**	5231.750	96.58	--	--	AV	360.00	200	Horizontal	N/A
4	7358.500	52.72	74.0	21.28	Peak	360.00	100	Horizontal	Pass
4**	7358.500	43.98	54.0	10.02	AV	360.00	100	Horizontal	Pass
5	12533.162	53.19	74.0	20.81	Peak	0.00	200	Horizontal	Pass
5**	12533.162	43.95	54.0	10.05	AV	0.00	200	Horizontal	Pass
6	15678.713	53.53	74.0	20.47	Peak	6.00	200	Horizontal	Pass
6**	15678.713	44.37	54.0	9.63	AV	6.00	200	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.800	38.52	74.0	35.48	Peak	251.00	400	Vertical	Pass
1**	1612.800	29.20	54.0	24.80	AV	251.00	400	Vertical	Pass
2	4322.000	47.02	74.0	26.98	Peak	106.00	300	Vertical	Pass
2**	4322.000	37.82	54.0	16.18	AV	106.00	300	Vertical	Pass
3	5236.250	93.99	--	--	Peak	125.00	100	Vertical	N/A
3**	5236.250	84.06	--	--	AV	125.00	100	Vertical	N/A
4	7362.000	53.03	74.0	20.97	Peak	302.00	400	Vertical	Pass
4**	7362.000	44.23	54.0	9.77	AV	302.00	400	Vertical	Pass
5	12517.250	53.30	74.0	20.70	Peak	69.00	150	Vertical	Pass
5**	12517.250	44.42	54.0	9.58	AV	69.00	150	Vertical	Pass
6	15891.338	53.89	74.0	20.11	Peak	72.00	200	Vertical	Pass
6**	15891.338	44.80	54.0	9.20	AV	72.00	200	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.800	38.39	74.0	35.61	Peak	247.00	300	Horizontal	Pass
1**	1448.800	30.05	54.0	23.95	AV	247.00	300	Horizontal	Pass
2	4348.000	47.80	74.0	26.20	Peak	360.00	200	Horizontal	Pass
2**	4348.000	38.38	54.0	15.62	AV	360.00	200	Horizontal	Pass
3	5207.750	102.09	--	--	Peak	45.00	150	Horizontal	N/A
3**	5207.750	94.36	--	--	AV	45.00	150	Horizontal	N/A
4	7621.250	52.77	74.0	21.23	Peak	2.00	300	Horizontal	Pass
4**	7621.250	43.37	54.0	10.63	AV	2.00	300	Horizontal	Pass
5	12471.412	53.33	74.0	20.67	Peak	103.00	150	Horizontal	Pass
5**	12471.412	44.21	54.0	9.79	AV	103.00	150	Horizontal	Pass
6	16107.900	53.88	74.0	20.12	Peak	178.00	300	Horizontal	Pass
6**	16107.900	44.99	54.0	9.01	AV	178.00	300	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.200	38.06	74.0	35.94	Peak	2.00	100	Vertical	Pass
1**	1450.200	29.07	54.0	24.93	AV	2.00	100	Vertical	Pass
2	4273.500	47.74	74.0	26.26	Peak	360.00	100	Vertical	Pass
2**	4273.500	37.23	54.0	16.77	AV	360.00	100	Vertical	Pass
3	5191.250	90.39	--	--	Peak	25.00	100	Vertical	N/A
3**	5191.250	83.03	--	--	AV	25.00	100	Vertical	N/A
4	7359.250	53.92	74.0	20.08	Peak	261.00	400	Vertical	Pass
4**	7359.250	43.95	54.0	10.05	AV	261.00	400	Vertical	Pass
5	12503.000	53.56	74.0	20.44	Peak	240.00	150	Vertical	Pass
5**	12503.000	44.37	54.0	9.63	AV	240.00	150	Vertical	Pass
6	16106.849	54.72	74.0	19.28	Peak	135.00	200	Vertical	Pass
6**	16106.849	45.03	54.0	8.97	AV	135.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	38.25	74.0	35.75	Peak	246.00	200	Horizontal	Pass
1**	1599.800	29.19	54.0	24.81	AV	246.00	200	Horizontal	Pass
2	4387.250	47.31	74.0	26.69	Peak	301.00	100	Horizontal	Pass
2**	4387.250	37.57	54.0	16.43	AV	301.00	100	Horizontal	Pass
3	5251.500	107.59	--	--	Peak	47.00	200	Horizontal	N/A
3**	5251.500	99.75	--	--	AV	47.00	200	Horizontal	N/A
4	7599.500	52.76	74.0	21.24	Peak	125.00	200	Horizontal	Pass
4**	7599.500	43.83	54.0	10.17	AV	125.00	200	Horizontal	Pass
5	12498.962	53.21	74.0	20.79	Peak	56.00	200	Horizontal	Pass
5**	12498.962	44.79	54.0	9.21	AV	56.00	200	Horizontal	Pass
6	15707.325	53.62	74.0	20.38	Peak	131.00	300	Horizontal	Pass
6**	15707.325	45.04	54.0	8.96	AV	131.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.400	38.62	74.0	35.38	Peak	129.00	200	Vertical	Pass
1**	1486.400	29.99	54.0	24.01	AV	129.00	200	Vertical	Pass
2	4342.000	48.07	74.0	25.93	Peak	104.00	300	Vertical	Pass
2**	4342.000	38.11	54.0	15.89	AV	104.00	300	Vertical	Pass
3	5253.250	98.96	--	--	Peak	4.00	150	Vertical	N/A
3**	5253.250	88.40	--	--	AV	4.00	150	Vertical	N/A
4	7616.500	53.25	74.0	20.75	Peak	301.00	100	Vertical	Pass
4**	7616.500	43.55	54.0	10.45	AV	301.00	100	Vertical	Pass
5	12473.550	53.66	74.0	20.34	Peak	217.00	100	Vertical	Pass
5**	12473.550	44.47	54.0	9.53	AV	217.00	100	Vertical	Pass
6	16098.450	54.12	74.0	19.88	Peak	305.00	200	Vertical	Pass
6**	16098.450	44.18	54.0	9.82	AV	305.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.600	38.54	74.0	35.46	Peak	354.00	200	Horizontal	Pass
1**	1592.600	29.16	54.0	24.84	AV	354.00	200	Horizontal	Pass
2	4326.500	47.69	74.0	26.31	Peak	262.00	300	Horizontal	Pass
2**	4326.500	37.84	54.0	16.16	AV	262.00	300	Horizontal	Pass
3	5291.000	108.90	--	--	Peak	30.00	100	Horizontal	N/A
3**	5291.000	99.02	--	--	AV	30.00	100	Horizontal	N/A
4	7356.250	53.11	74.0	20.89	Peak	341.00	300	Horizontal	Pass
4**	7356.250	43.20	54.0	10.80	AV	341.00	300	Horizontal	Pass
5	12503.000	52.96	74.0	21.04	Peak	197.00	100	Horizontal	Pass
5**	12503.000	44.07	54.0	9.93	AV	197.00	100	Horizontal	Pass
6	15891.338	53.59	74.0	20.41	Peak	251.00	200	Horizontal	Pass
6**	15891.338	44.65	54.0	9.35	AV	251.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.000	38.68	74.0	35.32	Peak	29.00	400	Vertical	Pass
1**	1620.000	29.70	54.0	24.30	AV	29.00	400	Vertical	Pass
2	4336.000	46.66	74.0	27.34	Peak	6.00	200	Vertical	Pass
2**	4336.000	38.98	54.0	15.02	AV	6.00	200	Vertical	Pass
3	5300.750	96.93	--	--	Peak	6.00	150	Vertical	N/A
3**	5300.750	89.01	--	--	AV	6.00	150	Vertical	N/A
4	7374.250	52.62	74.0	21.38	Peak	184.00	300	Vertical	Pass
4**	7374.250	43.46	54.0	10.54	AV	184.00	300	Vertical	Pass
5	12492.075	53.34	74.0	20.66	Peak	57.00	150	Vertical	Pass
5**	12492.075	44.32	54.0	9.68	AV	57.00	150	Vertical	Pass
6	16132.575	53.86	74.0	20.14	Peak	30.00	100	Vertical	Pass
6**	16132.575	44.44	54.0	9.56	AV	30.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.100	39.15	74.0	34.85	Peak	186.00	400	Horizontal	Pass
1**	1512.100	29.62	54.0	24.38	AV	186.00	400	Horizontal	Pass
2	4321.500	47.05	74.0	26.95	Peak	360.00	200	Horizontal	Pass
2**	4321.500	37.71	54.0	16.29	AV	360.00	200	Horizontal	Pass
3	5315.750	108.31	--	--	Peak	50.00	150	Horizontal	N/A
3**	5315.750	99.11	--	--	AV	50.00	150	Horizontal	N/A
4	7595.250	52.71	74.0	21.29	Peak	322.00	300	Horizontal	Pass
4**	7595.250	44.97	54.0	9.03	AV	322.00	300	Horizontal	Pass
5	12517.724	53.08	74.0	20.92	Peak	235.00	100	Horizontal	Pass
5**	12517.724	43.72	54.0	10.28	AV	235.00	100	Horizontal	Pass
6	16133.100	53.83	74.0	20.17	Peak	360.00	400	Horizontal	Pass
6**	16133.100	44.39	54.0	9.61	AV	360.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.300	38.84	74.0	35.16	Peak	249.00	400	Vertical	Pass
1**	1565.300	28.76	54.0	25.24	AV	249.00	400	Vertical	Pass
2	4365.500	46.78	74.0	27.22	Peak	184.00	400	Vertical	Pass
2**	4365.500	38.17	54.0	15.83	AV	184.00	400	Vertical	Pass
3	5322.500	96.72	--	--	Peak	360.00	100	Vertical	N/A
3**	5322.500	87.68	--	--	AV	360.00	100	Vertical	N/A
4	7423.000	53.04	74.0	20.96	Peak	147.00	300	Vertical	Pass
4**	7423.000	43.51	54.0	10.49	AV	147.00	300	Vertical	Pass
5	12506.563	53.18	74.0	20.82	Peak	354.00	150	Vertical	Pass
5**	12506.563	44.94	54.0	9.06	AV	354.00	150	Vertical	Pass
6	15964.049	53.79	74.0	20.21	Peak	74.00	400	Vertical	Pass
6**	15964.049	44.27	54.0	9.73	AV	74.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.700	38.18	74.0	35.82	Peak	109.00	400	Horizontal	Pass
1**	1447.700	28.44	54.0	25.56	AV	109.00	400	Horizontal	Pass
2	4266.500	47.17	74.0	26.83	Peak	69.00	400	Horizontal	Pass
2**	4266.500	37.25	54.0	16.75	AV	69.00	400	Horizontal	Pass
3	5252.750	107.73	--	--	Peak	30.00	200	Horizontal	N/A
3**	5252.750	99.96	--	--	AV	30.00	200	Horizontal	N/A
4	7495.000	53.45	74.0	20.55	Peak	343.00	300	Horizontal	Pass
4**	7495.000	42.98	54.0	11.02	AV	343.00	300	Horizontal	Pass
5	12494.687	52.93	74.0	21.07	Peak	248.00	100	Horizontal	Pass
5**	12494.687	45.79	54.0	8.21	AV	248.00	100	Horizontal	Pass
6	16089.787	54.21	74.0	19.79	Peak	50.00	200	Horizontal	Pass
6**	16089.787	44.81	54.0	9.19	AV	50.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.900	38.78	74.0	35.22	Peak	139.00	300	Vertical	Pass
1**	1468.900	29.36	54.0	24.64	AV	139.00	300	Vertical	Pass
2	4280.500	47.18	74.0	26.82	Peak	339.00	400	Vertical	Pass
2**	4280.500	38.10	54.0	15.90	AV	339.00	400	Vertical	Pass
3	5251.250	98.15	--	--	Peak	26.00	200	Vertical	N/A
3**	5251.250	89.22	--	--	AV	26.00	200	Vertical	N/A
4	7606.750	52.81	74.0	21.19	Peak	123.00	200	Vertical	Pass
4**	7606.750	44.67	54.0	9.33	AV	123.00	200	Vertical	Pass
5	12485.425	53.55	74.0	20.45	Peak	356.00	100	Vertical	Pass
5**	12485.425	44.36	54.0	9.64	AV	356.00	100	Vertical	Pass
6	15764.025	54.63	74.0	19.37	Peak	81.00	400	Vertical	Pass
6**	15764.025	43.77	54.0	10.23	AV	81.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.800	38.05	74.0	35.95	Peak	191.00	300	Horizontal	Pass
1**	1506.800	28.60	54.0	25.40	AV	191.00	300	Horizontal	Pass
2	4235.500	46.64	74.0	27.36	Peak	360.00	200	Horizontal	Pass
2**	4235.500	37.36	54.0	16.64	AV	360.00	200	Horizontal	Pass
3	5301.500	108.08	--	--	Peak	47.00	200	Horizontal	N/A
3**	5301.500	99.51	--	--	AV	47.00	200	Horizontal	N/A
4	7588.250	53.70	74.0	20.30	Peak	261.00	200	Horizontal	Pass
4**	7588.250	44.44	54.0	9.56	AV	261.00	200	Horizontal	Pass
5	12493.975	53.53	74.0	20.47	Peak	246.00	100	Horizontal	Pass
5**	12493.975	44.64	54.0	9.36	AV	246.00	100	Horizontal	Pass
6	15659.550	53.64	74.0	20.36	Peak	101.00	100	Horizontal	Pass
6**	15659.550	45.22	54.0	8.78	AV	101.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.500	38.31	74.0	35.69	Peak	353.00	200	Vertical	Pass
1**	1618.500	29.51	54.0	24.49	AV	353.00	200	Vertical	Pass
2	4275.000	47.66	74.0	26.34	Peak	360.00	200	Vertical	Pass
2**	4275.000	38.04	54.0	15.96	AV	360.00	200	Vertical	Pass
3	5301.500	97.47	--	--	Peak	4.00	200	Vertical	N/A
3**	5301.500	88.69	--	--	AV	4.00	200	Vertical	N/A
4	7617.250	52.53	74.0	21.47	Peak	143.00	400	Vertical	Pass
4**	7617.250	43.01	54.0	10.99	AV	143.00	400	Vertical	Pass
5	12510.838	53.62	74.0	20.38	Peak	217.00	200	Vertical	Pass
5**	12510.838	44.19	54.0	9.81	AV	217.00	200	Vertical	Pass
6	15913.650	54.01	74.0	19.99	Peak	118.00	400	Vertical	Pass
6**	15913.650	44.08	54.0	9.92	AV	118.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.200	38.75	74.0	35.25	Peak	36.00	100	Horizontal	Pass
1**	1613.200	29.65	54.0	24.35	AV	36.00	100	Horizontal	Pass
2	4334.250	47.07	74.0	26.93	Peak	67.00	100	Horizontal	Pass
2**	4334.250	38.27	54.0	15.73	AV	67.00	100	Horizontal	Pass
3	5313.750	108.09	--	--	Peak	48.00	100	Horizontal	N/A
3**	5313.750	98.47	--	--	AV	48.00	100	Horizontal	N/A
4	7348.000	52.97	74.0	21.03	Peak	86.00	400	Horizontal	Pass
4**	7348.000	42.87	54.0	11.13	AV	86.00	400	Horizontal	Pass
5	12436.500	53.33	74.0	20.67	Peak	57.00	150	Horizontal	Pass
5**	12436.500	43.94	54.0	10.06	AV	57.00	150	Horizontal	Pass
6	16129.162	53.81	74.0	20.19	Peak	212.00	200	Horizontal	Pass
6**	16129.162	44.07	54.0	9.93	AV	212.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.300	38.41	74.0	35.59	Peak	33.00	200	Vertical	Pass
1**	1463.300	29.45	54.0	24.55	AV	33.00	200	Vertical	Pass
2	4270.750	46.43	74.0	27.57	Peak	360.00	300	Vertical	Pass
2**	4270.750	38.12	54.0	15.88	AV	360.00	300	Vertical	Pass
3	5312.250	97.11	--	--	Peak	6.00	200	Vertical	N/A
3**	5312.250	88.62	--	--	AV	6.00	200	Vertical	N/A
4	7590.750	53.07	74.0	20.93	Peak	186.00	200	Vertical	Pass
4**	7590.750	44.16	54.0	9.84	AV	186.00	200	Vertical	Pass
5	12461.674	52.79	74.0	21.21	Peak	353.00	100	Vertical	Pass
5**	12461.674	44.13	54.0	9.87	AV	353.00	100	Vertical	Pass
6	16147.013	53.68	74.0	20.32	Peak	325.00	300	Vertical	Pass
6**	16147.013	46.03	54.0	7.97	AV	325.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.900	39.03	74.0	34.97	Peak	86.00	400	Horizontal	Pass
1**	1441.900	29.34	54.0	24.66	AV	86.00	400	Horizontal	Pass
2	4114.750	47.09	74.0	26.91	Peak	264.00	300	Horizontal	Pass
2**	4114.750	36.64	54.0	17.36	AV	264.00	300	Horizontal	Pass
3	5266.250	106.45	--	--	Peak	36.00	200	Horizontal	N/A
3**	5266.250	99.06	--	--	AV	36.00	200	Horizontal	N/A
4	7350.250	53.04	74.0	20.96	Peak	140.00	200	Horizontal	Pass
4**	7350.250	42.71	54.0	11.29	AV	140.00	200	Horizontal	Pass
5	12468.325	53.94	74.0	20.06	Peak	329.00	100	Horizontal	Pass
5**	12468.325	43.72	54.0	10.28	AV	329.00	100	Horizontal	Pass
6	16063.275	53.54	74.0	20.46	Peak	268.00	400	Horizontal	Pass
6**	16063.275	44.08	54.0	9.92	AV	268.00	400	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.800	38.48	74.0	35.52	Peak	344.00	100	Vertical	Pass
1**	1446.800	29.09	54.0	24.91	AV	344.00	100	Vertical	Pass
2	4230.750	47.50	74.0	26.50	Peak	76.00	400	Vertical	Pass
2**	4230.750	37.69	54.0	16.31	AV	76.00	400	Vertical	Pass
3	5268.250	94.92	--	--	Peak	179.00	100	Vertical	N/A
3**	5268.250	87.11	--	--	AV	179.00	100	Vertical	N/A
4	7647.000	52.89	74.0	21.11	Peak	360.00	300	Vertical	Pass
4**	7647.000	44.34	54.0	9.66	AV	360.00	300	Vertical	Pass
5	12489.938	53.20	74.0	20.80	Peak	266.00	200	Vertical	Pass
5**	12489.938	44.63	54.0	9.37	AV	266.00	200	Vertical	Pass
6	15813.638	55.31	74.0	18.69	Peak	98.00	400	Vertical	Pass
6**	15813.638	46.01	54.0	7.99	AV	98.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.400	38.79	74.0	35.21	Peak	125.00	300	Horizontal	Pass
1**	1620.400	29.20	54.0	24.80	AV	125.00	300	Horizontal	Pass
2	4143.250	47.17	74.0	26.83	Peak	305.00	100	Horizontal	Pass
2**	4143.250	36.47	54.0	17.53	AV	305.00	100	Horizontal	Pass
3	5314.750	106.52	--	--	Peak	35.00	100	Horizontal	N/A
3**	5314.750	99.88	--	--	AV	35.00	100	Horizontal	N/A
4	7600.250	52.70	74.0	21.30	Peak	263.00	200	Horizontal	Pass
4**	7600.250	43.58	54.0	10.42	AV	263.00	200	Horizontal	Pass
5	12420.350	53.25	74.0	20.75	Peak	193.00	200	Horizontal	Pass
5**	12420.350	43.26	54.0	10.74	AV	193.00	200	Horizontal	Pass
6	15902.099	53.89	74.0	20.11	Peak	227.00	100	Horizontal	Pass
6**	15902.099	44.89	54.0	9.11	AV	227.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.800	38.84	74.0	35.16	Peak	290.00	200	Vertical	Pass
1**	1575.800	29.19	54.0	24.81	AV	290.00	200	Vertical	Pass
2	4244.250	48.35	74.0	25.65	Peak	36.00	300	Vertical	Pass
2**	4244.250	38.26	54.0	15.74	AV	36.00	300	Vertical	Pass
3	5305.500	95.82	--	--	Peak	9.00	200	Vertical	N/A
3**	5305.500	89.00	--	--	AV	9.00	200	Vertical	N/A
4	7310.000	53.04	74.0	20.96	Peak	353.00	200	Vertical	Pass
4**	7310.000	43.93	54.0	10.07	AV	353.00	200	Vertical	Pass
5	12486.612	53.59	74.0	20.41	Peak	50.00	150	Vertical	Pass
5**	12486.612	44.38	54.0	9.62	AV	50.00	150	Vertical	Pass
6	15918.900	54.13	74.0	19.87	Peak	111.00	300	Vertical	Pass
6**	15918.900	45.20	54.0	8.80	AV	111.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.700	38.82	74.0	35.18	Peak	51.00	100	Horizontal	Pass
1**	1509.700	28.32	54.0	25.68	AV	51.00	100	Horizontal	Pass
2	4163.750	46.87	74.0	27.13	Peak	166.00	200	Horizontal	Pass
2**	4163.750	37.55	54.0	16.45	AV	166.00	200	Horizontal	Pass
3	5259.500	108.05	--	--	Peak	28.00	200	Horizontal	N/A
3**	5259.500	98.78	--	--	AV	28.00	200	Horizontal	N/A
4	7648.750	52.93	74.0	21.07	Peak	205.00	100	Horizontal	Pass
4**	7648.750	43.59	54.0	10.41	AV	205.00	100	Horizontal	Pass
5	12506.087	52.75	74.0	21.25	Peak	197.00	150	Horizontal	Pass
5**	12506.087	44.67	54.0	9.33	AV	197.00	150	Horizontal	Pass
6	15465.300	53.93	74.0	20.07	Peak	228.00	300	Horizontal	Pass
6**	15465.300	44.25	54.0	9.75	AV	228.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.800	38.59	74.0	35.41	Peak	190.00	400	Vertical	Pass
1**	1450.800	29.43	54.0	24.57	AV	190.00	400	Vertical	Pass
2	4396.500	46.57	74.0	27.43	Peak	262.00	400	Vertical	Pass
2**	4396.500	37.18	54.0	16.82	AV	262.00	400	Vertical	Pass
3	5257.750	97.24	--	--	Peak	6.00	100	Vertical	N/A
3**	5257.750	88.45	--	--	AV	6.00	100	Vertical	N/A
4	7590.750	53.20	74.0	20.80	Peak	48.00	400	Vertical	Pass
4**	7590.750	44.69	54.0	9.31	AV	48.00	400	Vertical	Pass
5	12472.838	53.64	74.0	20.36	Peak	325.00	200	Vertical	Pass
5**	12472.838	43.97	54.0	10.03	AV	325.00	200	Vertical	Pass
6	16099.500	54.13	74.0	19.87	Peak	360.00	100	Vertical	Pass
6**	16099.500	45.21	54.0	8.79	AV	360.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.400	39.43	74.0	34.57	Peak	15.00	400	Horizontal	Pass
1**	1512.400	28.94	54.0	25.06	AV	15.00	400	Horizontal	Pass
2	4349.250	47.31	74.0	26.69	Peak	144.00	400	Horizontal	Pass
2**	4349.250	37.39	54.0	16.61	AV	144.00	400	Horizontal	Pass
3	5291.500	108.37	--	--	Peak	28.00	200	Horizontal	N/A
3**	5291.500	99.10	--	--	AV	28.00	200	Horizontal	N/A
4	7614.000	53.51	74.0	20.49	Peak	341.00	400	Horizontal	Pass
4**	7614.000	43.64	54.0	10.36	AV	341.00	400	Horizontal	Pass
5	12507.987	53.15	74.0	20.85	Peak	30.00	150	Horizontal	Pass
5**	12507.987	44.14	54.0	9.86	AV	30.00	150	Horizontal	Pass
6	16129.688	54.36	74.0	19.64	Peak	147.00	100	Horizontal	Pass
6**	16129.688	44.99	54.0	9.01	AV	147.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.200	38.25	74.0	35.75	Peak	54.00	300	Vertical	Pass
1**	1566.200	28.22	54.0	25.78	AV	54.00	300	Vertical	Pass
2	4246.250	47.82	74.0	26.18	Peak	67.00	400	Vertical	Pass
2**	4246.250	38.33	54.0	15.67	AV	67.00	400	Vertical	Pass
3	5301.750	97.91	--	--	Peak	4.00	150	Vertical	N/A
3**	5301.750	88.64	--	--	AV	4.00	150	Vertical	N/A
4	7597.250	52.66	74.0	21.34	Peak	104.00	300	Vertical	Pass
4**	7597.250	44.11	54.0	9.89	AV	104.00	300	Vertical	Pass
5	12432.463	53.03	74.0	20.97	Peak	319.00	100	Vertical	Pass
5**	12432.463	43.43	54.0	10.57	AV	319.00	100	Vertical	Pass
6	15897.113	54.24	74.0	19.76	Peak	72.00	300	Vertical	Pass
6**	15897.113	45.32	54.0	8.68	AV	72.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.200	38.85	74.0	35.15	Peak	139.00	400	Horizontal	Pass
1**	1617.200	29.11	54.0	24.89	AV	139.00	400	Horizontal	Pass
2	4125.750	47.58	74.0	26.42	Peak	359.00	200	Horizontal	Pass
2**	4125.750	37.63	54.0	16.37	AV	359.00	200	Horizontal	Pass
3	5327.750	107.36	--	--	Peak	30.00	200	Horizontal	N/A
3**	5327.750	99.05	--	--	AV	30.00	200	Horizontal	N/A
4	7701.750	52.86	74.0	21.14	Peak	50.00	300	Horizontal	Pass
4**	7701.750	42.89	54.0	11.11	AV	50.00	300	Horizontal	Pass
5	12486.850	53.32	74.0	20.68	Peak	21.00	150	Horizontal	Pass
5**	12486.850	43.88	54.0	10.12	AV	21.00	150	Horizontal	Pass
6	16109.213	53.80	74.0	20.20	Peak	127.00	300	Horizontal	Pass
6**	16109.213	45.17	54.0	8.83	AV	127.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.400	38.61	74.0	35.39	Peak	190.00	300	Vertical	Pass
1**	1464.400	29.08	54.0	24.92	AV	190.00	300	Vertical	Pass
2	4188.500	47.25	74.0	26.75	Peak	324.00	400	Vertical	Pass
2**	4188.500	36.91	54.0	17.09	AV	324.00	400	Vertical	Pass
3	5316.250	96.33	--	--	Peak	167.00	150	Vertical	N/A
3**	5316.250	87.88	--	--	AV	167.00	150	Vertical	N/A
4	7618.250	52.66	74.0	21.34	Peak	342.00	200	Vertical	Pass
4**	7618.250	43.29	54.0	10.71	AV	342.00	200	Vertical	Pass
5	12475.213	53.14	74.0	20.86	Peak	331.00	100	Vertical	Pass
5**	12475.213	44.66	54.0	9.34	AV	331.00	100	Vertical	Pass
6	15677.400	54.07	74.0	19.93	Peak	184.00	100	Vertical	Pass
6**	15677.400	44.57	54.0	9.43	AV	184.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.200	39.14	74.0	34.86	Peak	252.00	400	Horizontal	Pass
1**	1619.200	29.72	54.0	24.28	AV	252.00	400	Horizontal	Pass
2	4096.750	46.76	74.0	27.24	Peak	181.00	100	Horizontal	Pass
2**	4096.750	37.77	54.0	16.23	AV	181.00	100	Horizontal	Pass
3	5273.750	107.16	--	--	Peak	35.00	200	Horizontal	N/A
3**	5273.750	99.01	--	--	AV	35.00	200	Horizontal	N/A
4	7488.750	52.97	74.0	21.03	Peak	324.00	100	Horizontal	Pass
4**	7488.750	44.08	54.0	9.92	AV	324.00	100	Horizontal	Pass
5	12441.487	53.60	74.0	20.40	Peak	351.00	200	Horizontal	Pass
5**	12441.487	44.43	54.0	9.57	AV	351.00	200	Horizontal	Pass
6	15648.000	53.85	74.0	20.15	Peak	285.00	400	Horizontal	Pass
6**	15648.000	43.84	54.0	10.16	AV	285.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.100	39.02	74.0	34.98	Peak	186.00	400	Vertical	Pass
1**	1435.100	28.23	54.0	25.77	AV	186.00	400	Vertical	Pass
2	4321.500	47.03	74.0	26.97	Peak	35.00	100	Vertical	Pass
2**	4321.500	37.53	54.0	16.47	AV	35.00	100	Vertical	Pass
3	5273.500	95.02	--	--	Peak	181.00	150	Vertical	N/A
3**	5273.500	87.49	--	--	AV	181.00	150	Vertical	N/A
4	7596.250	53.93	74.0	20.07	Peak	181.00	200	Vertical	Pass
4**	7596.250	43.54	54.0	10.46	AV	181.00	200	Vertical	Pass
5	12478.775	53.01	74.0	20.99	Peak	154.00	100	Vertical	Pass
5**	12478.775	43.91	54.0	10.09	AV	154.00	100	Vertical	Pass
6	15811.276	54.67	74.0	19.33	Peak	84.00	400	Vertical	Pass
6**	15811.276	45.25	54.0	8.75	AV	84.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.400	38.38	74.0	35.62	Peak	0.00	200	Horizontal	Pass
1**	1443.400	30.08	54.0	23.92	AV	0.00	200	Horizontal	Pass
2	4132.500	46.77	74.0	27.23	Peak	203.00	400	Horizontal	Pass
2**	4132.500	36.78	54.0	17.22	AV	203.00	400	Horizontal	Pass
3	5313.250	106.73	--	--	Peak	35.00	200	Horizontal	N/A
3**	5313.250	99.30	--	--	AV	35.00	200	Horizontal	N/A
4	7486.000	52.68	74.0	21.32	Peak	35.00	100	Horizontal	Pass
4**	7486.000	43.69	54.0	10.31	AV	35.00	100	Horizontal	Pass
5	12471.175	53.15	74.0	20.85	Peak	0.00	200	Horizontal	Pass
5**	12471.175	43.85	54.0	10.15	AV	0.00	200	Horizontal	Pass
6	16103.700	54.45	74.0	19.55	Peak	302.00	100	Horizontal	Pass
6**	16103.700	45.57	54.0	8.43	AV	302.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.200	38.67	74.0	35.33	Peak	0.00	200	Vertical	Pass
1**	1581.200	28.89	54.0	25.11	AV	0.00	200	Vertical	Pass
2	4336.250	47.08	74.0	26.92	Peak	9.00	200	Vertical	Pass
2**	4336.250	38.27	54.0	15.73	AV	9.00	200	Vertical	Pass
3	5305.750	96.40	--	--	Peak	9.00	100	Vertical	N/A
3**	5305.750	88.85	--	--	AV	9.00	100	Vertical	N/A
4	7592.250	52.74	74.0	21.26	Peak	36.00	100	Vertical	Pass
4**	7592.250	43.80	54.0	10.20	AV	36.00	100	Vertical	Pass
5	12404.675	52.91	74.0	21.09	Peak	351.00	200	Vertical	Pass
5**	12404.675	43.55	54.0	10.45	AV	351.00	200	Vertical	Pass
6	15916.800	54.15	74.0	19.85	Peak	315.00	400	Vertical	Pass
6**	15916.800	46.28	54.0	7.72	AV	315.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.000	38.92	74.0	35.08	Peak	50.00	100	Horizontal	Pass
1**	1605.000	28.49	54.0	25.51	AV	50.00	100	Horizontal	Pass
2	4332.250	46.86	74.0	27.14	Peak	8.00	200	Horizontal	Pass
2**	4332.250	38.16	54.0	15.84	AV	8.00	200	Horizontal	Pass
3	5290.750	102.85	--	--	Peak	8.00	200	Horizontal	N/A
3**	5290.750	93.95	--	--	AV	8.00	200	Horizontal	N/A
4	7647.250	53.06	74.0	20.94	Peak	8.00	200	Horizontal	Pass
4**	7647.250	43.90	54.0	10.10	AV	8.00	200	Horizontal	Pass
5	12499.675	53.76	74.0	20.24	Peak	353.00	100	Horizontal	Pass
5**	12499.675	43.71	54.0	10.29	AV	353.00	100	Horizontal	Pass
6	16112.888	53.51	74.0	20.49	Peak	162.00	300	Horizontal	Pass
6**	16112.888	45.36	54.0	8.64	AV	162.00	300	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	38.55	74.0	35.45	Peak	139.00	400	Vertical	Pass
1**	1613.500	29.13	54.0	24.87	AV	139.00	400	Vertical	Pass
2	4342.500	47.85	74.0	26.15	Peak	303.00	200	Vertical	Pass
2**	4342.500	38.47	54.0	15.53	AV	303.00	200	Vertical	Pass
3	5293.500	92.56	--	--	Peak	8.00	200	Vertical	N/A
3**	5293.500	82.37	--	--	AV	8.00	200	Vertical	N/A
4	7492.750	53.55	74.0	20.45	Peak	183.00	400	Vertical	Pass
4**	7492.750	43.86	54.0	10.14	AV	183.00	400	Vertical	Pass
5	12518.912	52.83	74.0	21.17	Peak	137.00	150	Vertical	Pass
5**	12518.912	44.27	54.0	9.73	AV	137.00	150	Vertical	Pass
6	16100.287	53.57	74.0	20.43	Peak	215.00	200	Vertical	Pass
6**	16100.287	44.87	54.0	9.13	AV	215.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.700	38.03	74.0	35.97	Peak	354.00	200	Horizontal	Pass
1**	1500.700	29.51	54.0	24.49	AV	354.00	200	Horizontal	Pass
2	4289.750	47.07	74.0	26.93	Peak	87.00	400	Horizontal	Pass
2**	4289.750	37.88	54.0	16.12	AV	87.00	400	Horizontal	Pass
3	5251.250	108.46	--	--	Peak	184.00	100	Horizontal	N/A
3**	5251.250	98.84	--	--	AV	184.00	100	Horizontal	N/A
4	7485.250	52.79	74.0	21.21	Peak	48.00	300	Horizontal	Pass
4**	7485.250	44.35	54.0	9.65	AV	48.00	300	Horizontal	Pass
5	12408.237	53.44	74.0	20.56	Peak	124.00	100	Horizontal	Pass
5**	12408.237	43.40	54.0	10.60	AV	124.00	100	Horizontal	Pass
6	16113.412	53.48	74.0	20.52	Peak	179.00	200	Horizontal	Pass
6**	16113.412	44.31	54.0	9.69	AV	179.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.700	38.19	74.0	35.81	Peak	12.00	400	Vertical	Pass
1**	1531.700	29.00	54.0	25.00	AV	12.00	400	Vertical	Pass
2	4353.000	47.10	74.0	26.90	Peak	283.00	200	Vertical	Pass
2**	4353.000	38.24	54.0	15.76	AV	283.00	200	Vertical	Pass
3	5258.000	96.92	--	--	Peak	4.00	150	Vertical	N/A
3**	5258.000	88.90	--	--	AV	4.00	150	Vertical	N/A
4	7349.000	52.80	74.0	21.20	Peak	283.00	300	Vertical	Pass
4**	7349.000	43.62	54.0	10.38	AV	283.00	300	Vertical	Pass
5	12487.088	53.47	74.0	20.53	Peak	224.00	100	Vertical	Pass
5**	12487.088	44.59	54.0	9.41	AV	224.00	100	Vertical	Pass
6	16116.300	53.98	74.0	20.02	Peak	267.00	200	Vertical	Pass
6**	16116.300	44.17	54.0	9.83	AV	267.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.100	38.34	74.0	35.66	Peak	331.00	300	Horizontal	Pass
1**	1606.100	29.81	54.0	24.19	AV	331.00	300	Horizontal	Pass
2	4109.500	47.88	74.0	26.12	Peak	358.00	100	Horizontal	Pass
2**	4109.500	36.60	54.0	17.40	AV	358.00	100	Horizontal	Pass
3	5302.750	107.84	--	--	Peak	164.00	200	Horizontal	N/A
3**	5302.750	98.40	--	--	AV	164.00	200	Horizontal	N/A
4	7485.500	53.46	74.0	20.54	Peak	183.00	300	Horizontal	Pass
4**	7485.500	44.22	54.0	9.78	AV	183.00	300	Horizontal	Pass
5	12446.000	53.48	74.0	20.52	Peak	218.00	200	Horizontal	Pass
5**	12446.000	43.12	54.0	10.88	AV	218.00	200	Horizontal	Pass
6	16108.687	53.92	74.0	20.08	Peak	31.00	300	Horizontal	Pass
6**	16108.687	45.18	54.0	8.82	AV	31.00	300	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.200	38.27	74.0	35.73	Peak	0.00	300	Vertical	Pass
1**	1594.200	28.62	54.0	25.38	AV	0.00	300	Vertical	Pass
2	4353.500	46.91	74.0	27.09	Peak	28.00	300	Vertical	Pass
2**	4353.500	39.10	54.0	14.90	AV	28.00	300	Vertical	Pass
3	5298.500	97.44	--	--	Peak	28.00	150	Vertical	N/A
3**	5298.500	88.05	--	--	AV	28.00	150	Vertical	N/A
4	7650.750	52.76	74.0	21.24	Peak	123.00	100	Vertical	Pass
4**	7650.750	44.49	54.0	9.51	AV	123.00	100	Vertical	Pass
5	12476.162	53.09	74.0	20.91	Peak	114.00	200	Vertical	Pass
5**	12476.162	44.10	54.0	9.90	AV	114.00	200	Vertical	Pass
6	16113.150	54.30	74.0	19.70	Peak	359.00	100	Vertical	Pass
6**	16113.150	44.79	54.0	9.21	AV	359.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.200	38.15	74.0	35.85	Peak	303.00	100	Horizontal	Pass
1**	1609.200	29.00	54.0	25.00	AV	303.00	100	Horizontal	Pass
2	4365.750	47.21	74.0	26.79	Peak	304.00	200	Horizontal	Pass
2**	4365.750	38.25	54.0	15.75	AV	304.00	200	Horizontal	Pass
3	5314.000	107.97	--	--	Peak	31.00	100	Horizontal	N/A
3**	5314.000	97.76	--	--	AV	31.00	100	Horizontal	N/A
4	7653.500	53.03	74.0	20.97	Peak	89.00	100	Horizontal	Pass
4**	7653.500	43.05	54.0	10.95	AV	89.00	100	Horizontal	Pass
5	12507.275	53.27	74.0	20.73	Peak	93.00	100	Horizontal	Pass
5**	12507.275	44.28	54.0	9.72	AV	93.00	100	Horizontal	Pass
6	15895.276	53.56	74.0	20.44	Peak	89.00	400	Horizontal	Pass
6**	15895.276	45.92	54.0	8.08	AV	89.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.400	38.21	74.0	35.79	Peak	319.00	200	Vertical	Pass
1**	1513.400	29.30	54.0	24.70	AV	319.00	200	Vertical	Pass
2	4351.000	47.01	74.0	26.99	Peak	360.00	400	Vertical	Pass
2**	4351.000	38.39	54.0	15.61	AV	360.00	400	Vertical	Pass
3	5315.000	96.86	--	--	Peak	8.00	200	Vertical	N/A
3**	5315.000	87.44	--	--	AV	8.00	200	Vertical	N/A
4	7589.500	53.53	74.0	20.47	Peak	360.00	100	Vertical	Pass
4**	7589.500	44.24	54.0	9.76	AV	360.00	100	Vertical	Pass
5	12517.724	52.89	74.0	21.11	Peak	98.00	200	Vertical	Pass
5**	12517.724	44.05	54.0	9.95	AV	98.00	200	Vertical	Pass
6	16105.012	53.54	74.0	20.46	Peak	38.00	400	Vertical	Pass
6**	16105.012	44.40	54.0	9.60	AV	38.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.400	38.27	74.0	35.73	Peak	308.00	200	Horizontal	Pass
1**	1592.400	29.02	54.0	24.98	AV	308.00	200	Horizontal	Pass
2	4258.250	47.57	74.0	26.43	Peak	172.00	200	Horizontal	Pass
2**	4258.250	38.95	54.0	15.05	AV	172.00	200	Horizontal	Pass
3	5273.250	105.11	--	--	Peak	35.00	200	Horizontal	N/A
3**	5273.250	97.10	--	--	AV	35.00	200	Horizontal	N/A
4	7657.750	52.67	74.0	21.33	Peak	212.00	100	Horizontal	Pass
4**	7657.750	43.27	54.0	10.73	AV	212.00	100	Horizontal	Pass
5	12442.675	53.33	74.0	20.67	Peak	0.00	100	Horizontal	Pass
5**	12442.675	43.79	54.0	10.21	AV	0.00	100	Horizontal	Pass
6	16128.375	54.04	74.0	19.96	Peak	8.00	100	Horizontal	Pass
6**	16128.375	45.07	54.0	8.93	AV	8.00	100	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.900	38.38	74.0	35.62	Peak	317.00	100	Vertical	Pass
1**	1597.900	29.43	54.0	24.57	AV	317.00	100	Vertical	Pass
2	4347.500	47.72	74.0	26.28	Peak	273.00	100	Vertical	Pass
2**	4347.500	37.96	54.0	16.04	AV	273.00	100	Vertical	Pass
3	5266.000	93.98	--	--	Peak	9.00	200	Vertical	N/A
3**	5266.000	84.87	--	--	AV	9.00	200	Vertical	N/A
4	7584.000	53.01	74.0	20.99	Peak	234.00	100	Vertical	Pass
4**	7584.000	43.83	54.0	10.17	AV	234.00	100	Vertical	Pass
5	12482.575	53.50	74.0	20.50	Peak	239.00	150	Vertical	Pass
5**	12482.575	44.10	54.0	9.90	AV	239.00	150	Vertical	Pass
6	16112.625	53.71	74.0	20.29	Peak	358.00	200	Vertical	Pass
6**	16112.625	44.48	54.0	9.52	AV	358.00	200	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.000	38.32	74.0	35.68	Peak	0.00	300	Horizontal	Pass
1**	1560.000	28.32	54.0	25.68	AV	0.00	300	Horizontal	Pass
2	4289.250	47.08	74.0	26.92	Peak	9.00	100	Horizontal	Pass
2**	4289.250	37.65	54.0	16.35	AV	9.00	100	Horizontal	Pass
3	5307.250	105.99	--	--	Peak	35.00	200	Horizontal	N/A
3**	5307.250	96.45	--	--	AV	35.00	200	Horizontal	N/A
4	7696.750	52.88	74.0	21.12	Peak	134.00	400	Horizontal	Pass
4**	7696.750	43.61	54.0	10.39	AV	134.00	400	Horizontal	Pass
5	12498.487	53.32	74.0	20.68	Peak	210.00	100	Horizontal	Pass
5**	12498.487	44.54	54.0	9.46	AV	210.00	100	Horizontal	Pass
6	16133.888	53.84	74.0	20.16	Peak	216.00	200	Horizontal	Pass
6**	16133.888	44.28	54.0	9.72	AV	216.00	200	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.200	39.14	74.0	34.86	Peak	91.00	100	Vertical	Pass
1**	1473.200	28.12	54.0	25.88	AV	91.00	100	Vertical	Pass
2	3992.250	47.33	74.0	26.67	Peak	327.00	200	Vertical	Pass
2**	3992.250	36.38	54.0	17.62	AV	327.00	200	Vertical	Pass
3	5308.000	94.83	--	--	Peak	8.00	150	Vertical	N/A
3**	5308.000	85.87	--	--	AV	8.00	150	Vertical	N/A
4	7657.000	53.24	74.0	20.76	Peak	171.00	100	Vertical	Pass
4**	7657.000	45.00	54.0	9.00	AV	171.00	100	Vertical	Pass
5	12467.375	53.52	74.0	20.48	Peak	193.00	200	Vertical	Pass
5**	12467.375	44.06	54.0	9.94	AV	193.00	200	Vertical	Pass
6	15928.088	53.82	74.0	20.18	Peak	64.00	200	Vertical	Pass
6**	15928.088	45.00	54.0	9.00	AV	64.00	200	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.100	38.36	74.0	35.64	Peak	353.00	100	Horizontal	Pass
1**	1435.100	29.07	54.0	24.93	AV	353.00	100	Horizontal	Pass
2	4369.500	47.40	74.0	26.60	Peak	8.00	200	Horizontal	Pass
2**	4369.500	37.79	54.0	16.21	AV	8.00	200	Horizontal	Pass
3	5294.000	103.03	--	--	Peak	172.00	150	Horizontal	N/A
3**	5294.000	94.05	--	--	AV	172.00	150	Horizontal	N/A
4	7355.750	52.78	74.0	21.22	Peak	93.00	100	Horizontal	Pass
4**	7355.750	43.21	54.0	10.79	AV	93.00	100	Horizontal	Pass
5	12539.575	53.20	74.0	20.80	Peak	0.00	200	Horizontal	Pass
5**	12539.575	43.78	54.0	10.22	AV	0.00	200	Horizontal	Pass
6	16132.575	53.93	74.0	20.07	Peak	290.00	300	Horizontal	Pass
6**	16132.575	44.73	54.0	9.27	AV	290.00	300	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.700	38.63	74.0	35.37	Peak	183.00	400	Vertical	Pass
1**	1512.700	28.48	54.0	25.52	AV	183.00	400	Vertical	Pass
2	4331.500	47.08	74.0	26.92	Peak	70.00	400	Vertical	Pass
2**	4331.500	38.00	54.0	16.00	AV	70.00	400	Vertical	Pass
3	5297.250	92.05	--	--	Peak	31.00	200	Vertical	N/A
3**	5297.250	82.93	--	--	AV	31.00	200	Vertical	N/A
4	7611.750	53.26	74.0	20.74	Peak	329.00	200	Vertical	Pass
4**	7611.750	44.82	54.0	9.18	AV	329.00	200	Vertical	Pass
5	12420.825	54.30	74.0	19.70	Peak	132.00	150	Vertical	Pass
5**	12420.825	43.48	54.0	10.52	AV	132.00	150	Vertical	Pass
6	16126.276	53.93	74.0	20.07	Peak	33.00	400	Vertical	Pass
6**	16126.276	44.64	54.0	9.36	AV	33.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.300	39.42	74.0	34.58	Peak	188.00	300	Horizontal	Pass
1**	1611.300	28.67	54.0	25.33	AV	188.00	300	Horizontal	Pass
2	4248.750	47.08	74.0	26.92	Peak	317.00	300	Horizontal	Pass
2**	4248.750	37.41	54.0	16.59	AV	317.00	300	Horizontal	Pass
3	5502.000	107.79	--	--	Peak	35.00	100	Horizontal	N/A
3**	5502.000	98.53	--	--	AV	35.00	100	Horizontal	N/A
4	7421.500	53.52	74.0	20.48	Peak	360.00	300	Horizontal	Pass
4**	7421.500	43.49	54.0	10.51	AV	360.00	300	Horizontal	Pass
5	12496.825	53.25	74.0	20.75	Peak	31.00	150	Horizontal	Pass
5**	12496.825	44.31	54.0	9.69	AV	31.00	150	Horizontal	Pass
6	15921.263	54.19	74.0	19.81	Peak	35.00	400	Horizontal	Pass
6**	15921.263	44.19	54.0	9.81	AV	35.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	38.80	74.0	35.20	Peak	84.00	300	Vertical	Pass
1**	1599.900	29.27	54.0	24.73	AV	84.00	300	Vertical	Pass
2	4292.500	47.12	74.0	26.88	Peak	353.00	100	Vertical	Pass
2**	4292.500	37.86	54.0	16.14	AV	353.00	100	Vertical	Pass
3	5494.250	98.90	--	--	Peak	360.00	100	Vertical	N/A
3**	5494.250	89.09	--	--	AV	360.00	100	Vertical	N/A
4	7427.750	53.29	74.0	20.71	Peak	275.00	200	Vertical	Pass
4**	7427.750	44.07	54.0	9.93	AV	275.00	200	Vertical	Pass
5	12546.463	53.29	74.0	20.71	Peak	10.00	200	Vertical	Pass
5**	12546.463	43.73	54.0	10.27	AV	10.00	200	Vertical	Pass
6	16492.988	54.94	68.2	13.26	Peak	59.00	100	Vertical	Pass
6**	16492.988	49.91	--	--	AV	59.00	100	Vertical	N/A

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	38.51	74.0	35.49	Peak	0.00	300	Horizontal	Pass
1**	1440.400	29.07	54.0	24.93	AV	0.00	300	Horizontal	Pass
2	4354.250	47.37	74.0	26.63	Peak	193.00	100	Horizontal	Pass
2**	4354.250	37.85	54.0	16.15	AV	193.00	100	Horizontal	Pass
3	5578.750	107.72	--	--	Peak	33.00	100	Horizontal	N/A
3**	5578.750	100.69	--	--	AV	33.00	100	Horizontal	N/A
4	7591.500	53.37	74.0	20.63	Peak	271.00	300	Horizontal	Pass
4**	7591.500	44.94	54.0	9.06	AV	271.00	300	Horizontal	Pass
5	12510.125	53.55	74.0	20.45	Peak	210.00	200	Horizontal	Pass
5**	12510.125	43.91	54.0	10.09	AV	210.00	200	Horizontal	Pass
6	15677.924	53.98	74.0	20.02	Peak	185.00	400	Horizontal	Pass
6**	15677.924	44.65	54.0	9.35	AV	185.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.100	38.78	74.0	35.22	Peak	166.00	300	Vertical	Pass
1**	1455.100	28.81	54.0	25.19	AV	166.00	300	Vertical	Pass
2	4323.000	46.96	74.0	27.04	Peak	9.00	200	Vertical	Pass
2**	4323.000	37.89	54.0	16.11	AV	9.00	200	Vertical	Pass
3	5581.750	96.46	--	--	Peak	9.00	150	Vertical	N/A
3**	5581.750	89.72	--	--	AV	9.00	150	Vertical	N/A
4	7357.500	52.77	74.0	21.23	Peak	294.00	300	Vertical	Pass
4**	7357.500	44.43	54.0	9.57	AV	294.00	300	Vertical	Pass
5	12513.688	53.15	74.0	20.85	Peak	351.00	200	Vertical	Pass
5**	12513.688	44.03	54.0	9.97	AV	351.00	200	Vertical	Pass
6	16736.325	60.81	68.2	7.39	Peak	101.00	100	Vertical	Pass
6**	16736.325	49.96	--	--	AV	101.00	100	Vertical	N/A

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.500	38.33	74.0	35.67	Peak	10.00	100	Horizontal	Pass
1**	1505.500	29.02	54.0	24.98	AV	10.00	100	Horizontal	Pass
2	4314.250	47.73	74.0	26.27	Peak	9.00	400	Horizontal	Pass
2**	4314.250	39.72	54.0	14.28	AV	9.00	400	Horizontal	Pass
3	5706.750	108.33	--	--	Peak	36.00	200	Horizontal	N/A
3**	5706.750	98.76	--	--	AV	36.00	200	Horizontal	N/A
4	7640.500	52.73	74.0	21.27	Peak	98.00	100	Horizontal	Pass
4**	7640.500	43.60	54.0	10.40	AV	98.00	100	Horizontal	Pass
5	12525.563	53.84	74.0	20.16	Peak	273.00	100	Horizontal	Pass
5**	12525.563	44.43	54.0	9.57	AV	273.00	100	Horizontal	Pass
6	16138.087	54.07	74.0	19.93	Peak	244.00	200	Horizontal	Pass
6**	16138.087	44.78	54.0	9.22	AV	244.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.700	38.23	74.0	35.77	Peak	49.00	200	Vertical	Pass
1**	1523.700	28.59	54.0	25.41	AV	49.00	200	Vertical	Pass
2	4225.000	47.40	74.0	26.60	Peak	116.00	100	Vertical	Pass
2**	4225.000	37.82	54.0	16.18	AV	116.00	100	Vertical	Pass
3	5695.500	97.84	--	--	Peak	9.00	200	Vertical	N/A
3**	5695.500	89.23	--	--	AV	9.00	200	Vertical	N/A
4	7484.750	53.34	74.0	20.66	Peak	176.00	300	Vertical	Pass
4**	7484.750	44.49	54.0	9.51	AV	176.00	300	Vertical	Pass
5	12488.750	54.00	74.0	20.00	Peak	273.00	200	Vertical	Pass
5**	12488.750	44.24	54.0	9.76	AV	273.00	200	Vertical	Pass
6	17100.412	60.62	68.2	7.58	Peak	91.00	100	Vertical	Pass
6**	17100.412	50.07	--	--	AV	91.00	100	Vertical	N/A

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.600	38.56	74.0	35.44	Peak	47.00	100	Horizontal	Pass
1**	1535.600	28.85	54.0	25.15	AV	47.00	100	Horizontal	Pass
2	4330.500	46.91	74.0	27.09	Peak	232.00	300	Horizontal	Pass
2**	4330.500	38.09	54.0	15.91	AV	232.00	300	Horizontal	Pass
3	5494.000	107.94	--	--	Peak	35.00	100	Horizontal	N/A
3**	5494.000	98.42	--	--	AV	35.00	100	Horizontal	N/A
4	7494.000	53.32	74.0	20.68	Peak	312.00	100	Horizontal	Pass
4**	7494.000	43.04	54.0	10.96	AV	312.00	100	Horizontal	Pass
5	12480.201	53.19	74.0	20.81	Peak	290.00	100	Horizontal	Pass
5**	12480.201	44.56	54.0	9.44	AV	290.00	100	Horizontal	Pass
6	16132.050	53.81	74.0	20.19	Peak	169.00	100	Horizontal	Pass
6**	16132.050	44.38	54.0	9.62	AV	169.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.900	38.45	74.0	35.55	Peak	324.00	100	Vertical	Pass
1**	1622.900	28.51	54.0	25.49	AV	324.00	100	Vertical	Pass
2	4330.500	47.47	74.0	26.53	Peak	271.00	100	Vertical	Pass
2**	4330.500	37.93	54.0	16.07	AV	271.00	100	Vertical	Pass
3	5506.000	97.57	--	--	Peak	360.00	100	Vertical	N/A
3**	5506.000	87.94	--	--	AV	360.00	100	Vertical	N/A
4	7534.000	53.03	74.0	20.97	Peak	360.00	100	Vertical	Pass
4**	7534.000	43.37	54.0	10.63	AV	360.00	100	Vertical	Pass
5	12517.963	53.58	74.0	20.42	Peak	16.00	100	Vertical	Pass
5**	12517.963	43.95	54.0	10.05	AV	16.00	100	Vertical	Pass
6	16125.750	53.75	74.0	20.25	Peak	57.00	300	Vertical	Pass
6**	16125.750	45.64	54.0	8.36	AV	57.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.600	38.24	74.0	35.76	Peak	8.00	300	Horizontal	Pass
1**	1581.600	28.93	54.0	25.07	AV	8.00	300	Horizontal	Pass
2	4350.500	47.53	74.0	26.47	Peak	351.00	200	Horizontal	Pass
2**	4350.500	39.17	54.0	14.83	AV	351.00	200	Horizontal	Pass
3	5583.000	107.80	--	--	Peak	36.00	200	Horizontal	N/A
3**	5583.000	99.44	--	--	AV	36.00	200	Horizontal	N/A
4	7704.500	53.42	74.0	20.58	Peak	253.00	200	Horizontal	Pass
4**	7704.500	43.10	54.0	10.90	AV	253.00	200	Horizontal	Pass
5	12505.375	53.55	74.0	20.45	Peak	64.00	150	Horizontal	Pass
5**	12505.375	44.58	54.0	9.42	AV	64.00	150	Horizontal	Pass
6	16121.287	53.76	74.0	20.24	Peak	140.00	200	Horizontal	Pass
6**	16121.287	44.94	54.0	9.06	AV	140.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.600	38.69	74.0	35.31	Peak	125.00	100	Vertical	Pass
1**	1582.600	28.51	54.0	25.49	AV	125.00	100	Vertical	Pass
2	4336.250	47.04	74.0	26.96	Peak	55.00	300	Vertical	Pass
2**	4336.250	38.47	54.0	15.53	AV	55.00	300	Vertical	Pass
3	5586.500	98.66	--	--	Peak	360.00	200	Vertical	N/A
3**	5586.500	88.66	--	--	AV	360.00	200	Vertical	N/A
4	7606.000	52.96	74.0	21.04	Peak	76.00	300	Vertical	Pass
4**	7606.000	43.72	54.0	10.28	AV	76.00	300	Vertical	Pass
5	12458.350	53.83	74.0	20.17	Peak	351.00	200	Vertical	Pass
5**	12458.350	45.02	54.0	8.98	AV	351.00	200	Vertical	Pass
6	16748.136	61.36	68.2	6.84	Peak	101.00	100	Vertical	Pass
6**	16748.136	50.76	--	--	AV	101.00	100	Vertical	N/A

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.700	38.65	74.0	35.35	Peak	150.00	100	Horizontal	Pass
1**	1613.700	28.98	54.0	25.02	AV	150.00	100	Horizontal	Pass
2	4158.250	46.76	74.0	27.24	Peak	360.00	300	Horizontal	Pass
2**	4158.250	37.56	54.0	16.44	AV	360.00	300	Horizontal	Pass
3	5703.000	108.45	--	--	Peak	38.00	200	Horizontal	N/A
3**	5703.000	99.63	--	--	AV	38.00	200	Horizontal	N/A
4	7495.500	52.91	74.0	21.09	Peak	258.00	200	Horizontal	Pass
4**	7495.500	43.92	54.0	10.08	AV	258.00	200	Horizontal	Pass
5	12487.326	53.74	74.0	20.26	Peak	273.00	150	Horizontal	Pass
5**	12487.326	44.31	54.0	9.69	AV	273.00	150	Horizontal	Pass
6	16099.237	53.71	74.0	20.29	Peak	260.00	400	Horizontal	Pass
6**	16099.237	45.36	54.0	8.64	AV	260.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.000	38.10	74.0	35.90	Peak	66.00	200	Vertical	Pass
1**	1614.000	29.73	54.0	24.27	AV	66.00	200	Vertical	Pass
2	4346.750	48.09	74.0	25.91	Peak	317.00	300	Vertical	Pass
2**	4346.750	38.20	54.0	15.80	AV	317.00	300	Vertical	Pass
3	5699.000	98.39	--	--	Peak	360.00	200	Vertical	N/A
3**	5699.000	89.09	--	--	AV	360.00	200	Vertical	N/A
4	7595.000	53.81	74.0	20.19	Peak	96.00	200	Vertical	Pass
4**	7595.000	43.99	54.0	10.01	AV	96.00	200	Vertical	Pass
5	12521.287	52.90	74.0	21.10	Peak	57.00	100	Vertical	Pass
5**	12521.287	43.90	54.0	10.10	AV	57.00	100	Vertical	Pass
6	17099.625	60.50	68.2	7.70	Peak	113.00	100	Vertical	Pass
6**	17099.625	51.73	--	--	AV	113.00	100	Vertical	N/A