

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.200	38.84	74.0	35.16	Peak	43.00	200	Horizontal	Pass
1**	1612.200	28.72	54.0	25.28	AV	43.00	200	Horizontal	Pass
2	4363.500	47.13	74.0	26.87	Peak	316.00	400	Horizontal	Pass
2**	4363.500	38.04	54.0	15.96	AV	316.00	400	Horizontal	Pass
3	5512.250	105.31	--	--	Peak	36.00	200	Horizontal	N/A
3**	5512.250	98.59	--	--	AV	36.00	200	Horizontal	N/A
4	7604.250	52.68	74.0	21.32	Peak	236.00	400	Horizontal	Pass
4**	7604.250	44.44	54.0	9.56	AV	236.00	400	Horizontal	Pass
5	12516.537	53.67	74.0	20.33	Peak	60.00	150	Horizontal	Pass
5**	12516.537	44.02	54.0	9.98	AV	60.00	150	Horizontal	Pass
6	15668.737	53.65	74.0	20.35	Peak	120.00	400	Horizontal	Pass
6**	15668.737	43.95	54.0	10.05	AV	120.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.800	38.80	74.0	35.20	Peak	169.00	200	Vertical	Pass
1**	1440.800	29.26	54.0	24.74	AV	169.00	200	Vertical	Pass
2	4288.000	46.88	74.0	27.12	Peak	336.00	400	Vertical	Pass
2**	4288.000	37.59	54.0	16.41	AV	336.00	400	Vertical	Pass
3	5518.750	94.48	--	--	Peak	360.00	200	Vertical	N/A
3**	5518.750	86.23	--	--	AV	360.00	200	Vertical	N/A
4	7598.250	53.52	74.0	20.48	Peak	316.00	400	Vertical	Pass
4**	7598.250	44.01	54.0	9.99	AV	316.00	400	Vertical	Pass
5	12515.588	52.96	74.0	21.04	Peak	293.00	200	Vertical	Pass
5**	12515.588	44.34	54.0	9.66	AV	293.00	200	Vertical	Pass
6	16125.225	53.95	74.0	20.05	Peak	226.00	200	Vertical	Pass
6**	16125.225	45.08	54.0	8.92	AV	226.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.900	38.30	74.0	35.70	Peak	43.00	200	Horizontal	Pass
1**	1513.900	28.62	54.0	25.38	AV	43.00	200	Horizontal	Pass
2	4334.500	47.18	74.0	26.82	Peak	356.00	100	Horizontal	Pass
2**	4334.500	38.10	54.0	15.90	AV	356.00	100	Horizontal	Pass
3	5588.500	107.31	--	--	Peak	38.00	200	Horizontal	N/A
3**	5588.500	99.95	--	--	AV	38.00	200	Horizontal	N/A
4	7652.250	53.75	74.0	20.25	Peak	360.00	200	Horizontal	Pass
4**	7652.250	43.70	54.0	10.30	AV	360.00	200	Horizontal	Pass
5	12461.912	54.22	74.0	19.78	Peak	84.00	150	Horizontal	Pass
5**	12461.912	44.10	54.0	9.90	AV	84.00	150	Horizontal	Pass
6	15660.599	53.77	74.0	20.23	Peak	76.00	400	Horizontal	Pass
6**	15660.599	45.99	54.0	8.01	AV	76.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.700	38.40	74.0	35.60	Peak	188.00	200	Vertical	Pass
1**	1527.700	28.29	54.0	25.71	AV	188.00	200	Vertical	Pass
2	4351.250	46.94	74.0	27.06	Peak	236.00	400	Vertical	Pass
2**	4351.250	38.19	54.0	15.81	AV	236.00	400	Vertical	Pass
3	5595.750	95.71	--	--	Peak	9.00	100	Vertical	N/A
3**	5595.750	88.03	--	--	AV	9.00	100	Vertical	N/A
4	7600.500	53.05	74.0	20.95	Peak	356.00	300	Vertical	Pass
4**	7600.500	43.69	54.0	10.31	AV	356.00	300	Vertical	Pass
5	12506.800	54.34	74.0	19.66	Peak	349.00	100	Vertical	Pass
5**	12506.800	44.92	54.0	9.08	AV	349.00	100	Vertical	Pass
6	16100.550	54.01	74.0	19.99	Peak	264.00	400	Vertical	Pass
6**	16100.550	44.54	54.0	9.46	AV	264.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.900	38.20	74.0	35.80	Peak	349.00	300	Horizontal	Pass
1**	1596.900	29.44	54.0	24.56	AV	349.00	300	Horizontal	Pass
2	4351.750	47.03	74.0	26.97	Peak	180.00	400	Horizontal	Pass
2**	4351.750	37.80	54.0	16.20	AV	180.00	400	Horizontal	Pass
3	5671.500	106.06	--	--	Peak	40.00	200	Horizontal	N/A
3**	5671.500	100.29	--	--	AV	40.00	200	Horizontal	N/A
4	7422.750	52.64	74.0	21.36	Peak	60.00	100	Horizontal	Pass
4**	7422.750	43.64	54.0	10.36	AV	60.00	100	Horizontal	Pass
5	12505.612	52.92	74.0	21.08	Peak	32.00	150	Horizontal	Pass
5**	12505.612	44.05	54.0	9.95	AV	32.00	150	Horizontal	Pass
6	16147.537	53.78	74.0	20.22	Peak	319.00	100	Horizontal	Pass
6**	16147.537	44.60	54.0	9.40	AV	319.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.800	38.43	74.0	35.57	Peak	21.00	300	Vertical	Pass
1**	1606.800	28.98	54.0	25.02	AV	21.00	300	Vertical	Pass
2	4365.000	46.74	74.0	27.26	Peak	139.00	400	Vertical	Pass
2**	4365.000	37.40	54.0	16.60	AV	139.00	400	Vertical	Pass
3	5671.750	95.61	--	--	Peak	358.00	100	Vertical	N/A
3**	5671.750	87.85	--	--	AV	358.00	100	Vertical	N/A
4	7607.500	52.67	74.0	21.33	Peak	239.00	300	Vertical	Pass
4**	7607.500	44.85	54.0	9.15	AV	239.00	300	Vertical	Pass
5	12478.537	52.97	74.0	21.03	Peak	57.00	150	Vertical	Pass
5**	12478.537	44.44	54.0	9.56	AV	57.00	150	Vertical	Pass
6	15640.388	53.75	74.0	20.25	Peak	11.00	100	Vertical	Pass
6**	15640.388	44.65	54.0	9.35	AV	11.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	38.39	74.0	35.61	Peak	42.00	300	Horizontal	Pass
1**	1600.000	28.94	54.0	25.06	AV	42.00	300	Horizontal	Pass
2	4340.750	47.39	74.0	26.61	Peak	94.00	300	Horizontal	Pass
2**	4340.750	37.74	54.0	16.26	AV	94.00	300	Horizontal	Pass
3	5506.000	108.22	--	--	Peak	33.00	150	Horizontal	N/A
3**	5506.000	98.71	--	--	AV	33.00	150	Horizontal	N/A
4	7705.250	53.56	74.0	20.44	Peak	295.00	300	Horizontal	Pass
4**	7705.250	44.13	54.0	9.87	AV	295.00	300	Horizontal	Pass
5	12454.787	53.14	74.0	20.86	Peak	23.00	150	Horizontal	Pass
5**	12454.787	44.01	54.0	9.99	AV	23.00	150	Horizontal	Pass
6	15916.013	53.94	74.0	20.06	Peak	316.00	200	Horizontal	Pass
6**	15916.013	44.64	54.0	9.36	AV	316.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.700	38.62	74.0	35.38	Peak	185.00	100	Vertical	Pass
1**	1447.700	28.47	54.0	25.53	AV	185.00	100	Vertical	Pass
2	4347.500	47.10	74.0	26.90	Peak	195.00	400	Vertical	Pass
2**	4347.500	37.72	54.0	16.28	AV	195.00	400	Vertical	Pass
3	5493.250	97.58	--	--	Peak	360.00	200	Vertical	N/A
3**	5493.250	88.82	--	--	AV	360.00	200	Vertical	N/A
4	7614.000	53.23	74.0	20.77	Peak	360.00	300	Vertical	Pass
4**	7614.000	44.21	54.0	9.79	AV	360.00	300	Vertical	Pass
5	12476.637	53.29	74.0	20.71	Peak	324.00	150	Vertical	Pass
5**	12476.637	44.74	54.0	9.26	AV	324.00	150	Vertical	Pass
6	15917.325	53.96	74.0	20.04	Peak	186.00	300	Vertical	Pass
6**	15917.325	44.70	54.0	9.30	AV	186.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.400	38.74	74.0	35.26	Peak	201.00	100	Horizontal	Pass
1**	1463.400	28.30	54.0	25.70	AV	201.00	100	Horizontal	Pass
2	4208.750	48.02	74.0	25.98	Peak	360.00	400	Horizontal	Pass
2**	4208.750	37.85	54.0	16.15	AV	360.00	400	Horizontal	Pass
3	5581.000	107.61	--	--	Peak	35.00	150	Horizontal	N/A
3**	5581.000	100.70	--	--	AV	35.00	150	Horizontal	N/A
4	7357.000	52.92	74.0	21.08	Peak	292.00	300	Horizontal	Pass
4**	7357.000	44.76	54.0	9.24	AV	292.00	300	Horizontal	Pass
5	12521.525	53.29	74.0	20.71	Peak	195.00	100	Horizontal	Pass
5**	12521.525	43.59	54.0	10.41	AV	195.00	100	Horizontal	Pass
6	16122.599	54.20	74.0	19.80	Peak	82.00	400	Horizontal	Pass
6**	16122.599	44.62	54.0	9.38	AV	82.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.700	38.48	74.0	35.52	Peak	142.00	200	Vertical	Pass
1**	1617.700	29.98	54.0	24.02	AV	142.00	200	Vertical	Pass
2	4259.250	46.97	74.0	27.03	Peak	113.00	100	Vertical	Pass
2**	4259.250	38.82	54.0	15.18	AV	113.00	100	Vertical	Pass
3	5588.500	99.70	--	--	Peak	8.00	150	Vertical	N/A
3**	5588.500	88.82	--	--	AV	8.00	150	Vertical	N/A
4	7602.000	52.67	74.0	21.33	Peak	35.00	400	Vertical	Pass
4**	7602.000	42.99	54.0	11.01	AV	35.00	400	Vertical	Pass
5	12472.125	53.59	74.0	20.41	Peak	205.00	200	Vertical	Pass
5**	12472.125	44.12	54.0	9.88	AV	205.00	200	Vertical	Pass
6	16741.313	58.33	68.2	9.87	Peak	74.00	100	Vertical	Pass
6**	16741.313	50.98	--	--	AV	74.00	100	Vertical	N/A

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.100	38.33	74.0	35.67	Peak	109.00	200	Horizontal	Pass
1**	1439.100	28.90	54.0	25.10	AV	109.00	200	Horizontal	Pass
2	4377.250	46.99	74.0	27.01	Peak	237.00	200	Horizontal	Pass
2**	4377.250	37.16	54.0	16.84	AV	237.00	200	Horizontal	Pass
3	5706.500	107.54	--	--	Peak	38.00	200	Horizontal	N/A
3**	5706.500	98.29	--	--	AV	38.00	200	Horizontal	N/A
4	7616.750	52.79	74.0	21.21	Peak	9.00	200	Horizontal	Pass
4**	7616.750	43.04	54.0	10.96	AV	9.00	200	Horizontal	Pass
5	12458.112	53.18	74.0	20.82	Peak	108.00	150	Horizontal	Pass
5**	12458.112	43.68	54.0	10.32	AV	108.00	150	Horizontal	Pass
6	16090.313	54.25	74.0	19.75	Peak	347.00	100	Horizontal	Pass
6**	16090.313	44.75	54.0	9.25	AV	347.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.300	38.24	74.0	35.76	Peak	32.00	100	Vertical	Pass
1**	1534.300	28.35	54.0	25.65	AV	32.00	100	Vertical	Pass
2	4355.750	46.82	74.0	27.18	Peak	96.00	400	Vertical	Pass
2**	4355.750	38.42	54.0	15.58	AV	96.00	400	Vertical	Pass
3	5693.000	98.74	--	--	Peak	360.00	150	Vertical	N/A
3**	5693.000	88.27	--	--	AV	360.00	150	Vertical	N/A
4	7359.250	53.72	74.0	20.28	Peak	197.00	100	Vertical	Pass
4**	7359.250	43.95	54.0	10.05	AV	197.00	100	Vertical	Pass
5	12460.963	53.09	74.0	20.91	Peak	157.00	150	Vertical	Pass
5**	12460.963	43.91	54.0	10.09	AV	157.00	150	Vertical	Pass
6	17098.838	62.10	68.2	6.10	Peak	98.00	100	Vertical	Pass
6**	17098.838	50.00	--	--	AV	98.00	100	Vertical	N/A

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.300	38.46	74.0	35.54	Peak	115.00	400	Horizontal	Pass
1**	1471.300	28.94	54.0	25.06	AV	115.00	400	Horizontal	Pass
2	4280.000	47.72	74.0	26.28	Peak	295.00	100	Horizontal	Pass
2**	4280.000	38.39	54.0	15.61	AV	295.00	100	Horizontal	Pass
3	5512.500	105.51	--	--	Peak	36.00	150	Horizontal	N/A
3**	5512.500	98.04	--	--	AV	36.00	150	Horizontal	N/A
4	7665.000	52.80	74.0	21.20	Peak	215.00	400	Horizontal	Pass
4**	7665.000	43.31	54.0	10.69	AV	215.00	400	Horizontal	Pass
5	12456.925	53.05	74.0	20.95	Peak	229.00	150	Horizontal	Pass
5**	12456.925	44.22	54.0	9.78	AV	229.00	150	Horizontal	Pass
6	16137.037	53.45	74.0	20.55	Peak	360.00	300	Horizontal	Pass
6**	16137.037	44.44	54.0	9.56	AV	360.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.900	38.39	74.0	35.61	Peak	351.00	400	Vertical	Pass
1**	1529.900	29.06	54.0	24.94	AV	351.00	400	Vertical	Pass
2	4351.250	47.53	74.0	26.47	Peak	360.00	400	Vertical	Pass
2**	4351.250	38.68	54.0	15.32	AV	360.00	400	Vertical	Pass
3	5508.500	94.28	--	--	Peak	360.00	100	Vertical	N/A
3**	5508.500	87.50	--	--	AV	360.00	100	Vertical	N/A
4	7601.000	53.56	74.0	20.44	Peak	9.00	200	Vertical	Pass
4**	7601.000	43.80	54.0	10.20	AV	9.00	200	Vertical	Pass
5	12483.049	53.75	74.0	20.25	Peak	0.00	100	Vertical	Pass
5**	12483.049	44.82	54.0	9.18	AV	0.00	100	Vertical	Pass
6	16137.825	53.89	74.0	20.11	Peak	120.00	400	Vertical	Pass
6**	16137.825	44.64	54.0	9.36	AV	120.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.700	38.60	74.0	35.40	Peak	154.00	200	Horizontal	Pass
1**	1614.700	29.95	54.0	24.05	AV	154.00	200	Horizontal	Pass
2	4255.500	47.86	74.0	26.14	Peak	315.00	200	Horizontal	Pass
2**	4255.500	37.59	54.0	16.41	AV	315.00	200	Horizontal	Pass
3	5584.250	106.26	--	--	Peak	38.00	100	Horizontal	N/A
3**	5584.250	99.35	--	--	AV	38.00	100	Horizontal	N/A
4	7354.000	53.38	74.0	20.62	Peak	217.00	100	Horizontal	Pass
4**	7354.000	43.42	54.0	10.58	AV	217.00	100	Horizontal	Pass
5	12479.250	53.26	74.0	20.74	Peak	57.00	100	Horizontal	Pass
5**	12479.250	43.61	54.0	10.39	AV	57.00	100	Horizontal	Pass
6	15893.437	53.42	74.0	20.58	Peak	186.00	200	Horizontal	Pass
6**	15893.437	44.14	54.0	9.86	AV	186.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.700	38.61	74.0	35.39	Peak	195.00	300	Vertical	Pass
1**	1443.700	29.65	54.0	24.35	AV	195.00	300	Vertical	Pass
2	4338.500	47.35	74.0	26.65	Peak	79.00	400	Vertical	Pass
2**	4338.500	38.02	54.0	15.98	AV	79.00	400	Vertical	Pass
3	5597.750	96.25	--	--	Peak	11.00	200	Vertical	N/A
3**	5597.750	87.27	--	--	AV	11.00	200	Vertical	N/A
4	7647.000	53.45	74.0	20.55	Peak	317.00	200	Vertical	Pass
4**	7647.000	43.84	54.0	10.16	AV	317.00	200	Vertical	Pass
5	12483.526	53.02	74.0	20.98	Peak	271.00	100	Vertical	Pass
5**	12483.526	45.16	54.0	8.84	AV	271.00	100	Vertical	Pass
6	16126.012	53.88	74.0	20.12	Peak	281.00	100	Vertical	Pass
6**	16126.012	44.74	54.0	9.26	AV	281.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.000	38.36	74.0	35.64	Peak	114.00	100	Horizontal	Pass
1**	1624.000	30.07	54.0	23.93	AV	114.00	100	Horizontal	Pass
2	4253.750	46.83	74.0	27.17	Peak	199.00	400	Horizontal	Pass
2**	4253.750	37.52	54.0	16.48	AV	199.00	400	Horizontal	Pass
3	5672.000	106.46	--	--	Peak	38.00	200	Horizontal	N/A
3**	5672.000	99.49	--	--	AV	38.00	200	Horizontal	N/A
4	7639.500	53.15	74.0	20.85	Peak	279.00	400	Horizontal	Pass
4**	7639.500	43.63	54.0	10.37	AV	279.00	400	Horizontal	Pass
5	12531.738	53.75	74.0	20.25	Peak	169.00	150	Horizontal	Pass
5**	12531.738	43.38	54.0	10.62	AV	169.00	150	Horizontal	Pass
6	16103.700	54.31	74.0	19.69	Peak	336.00	100	Horizontal	Pass
6**	16103.700	44.73	54.0	9.27	AV	336.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.900	38.61	74.0	35.39	Peak	351.00	100	Vertical	Pass
1**	1471.900	29.78	54.0	24.22	AV	351.00	100	Vertical	Pass
2	4332.250	47.19	74.0	26.81	Peak	157.00	100	Vertical	Pass
2**	4332.250	38.68	54.0	15.32	AV	157.00	100	Vertical	Pass
3	5671.750	95.59	--	--	Peak	360.00	200	Vertical	N/A
3**	5671.750	88.21	--	--	AV	360.00	200	Vertical	N/A
4	7648.250	53.14	74.0	20.86	Peak	277.00	400	Vertical	Pass
4**	7648.250	44.89	54.0	9.11	AV	277.00	400	Vertical	Pass
5	12491.600	53.36	74.0	20.64	Peak	82.00	150	Vertical	Pass
5**	12491.600	44.28	54.0	9.72	AV	82.00	150	Vertical	Pass
6	16099.500	53.81	74.0	20.19	Peak	108.00	400	Vertical	Pass
6**	16099.500	44.90	54.0	9.10	AV	108.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.700	38.73	74.0	35.27	Peak	268.00	300	Horizontal	Pass
1**	1555.700	28.98	54.0	25.02	AV	268.00	300	Horizontal	Pass
2	4365.250	47.59	74.0	26.41	Peak	178.00	400	Horizontal	Pass
2**	4365.250	38.00	54.0	16.00	AV	178.00	400	Horizontal	Pass
3	5527.250	101.29	--	--	Peak	40.00	100	Horizontal	N/A
3**	5527.250	93.15	--	--	AV	40.00	100	Horizontal	N/A
4	7606.750	53.17	74.0	20.83	Peak	98.00	400	Horizontal	Pass
4**	7606.750	44.94	54.0	9.06	AV	98.00	400	Horizontal	Pass
5	12512.500	53.87	74.0	20.13	Peak	5.00	150	Horizontal	Pass
5**	12512.500	44.55	54.0	9.45	AV	5.00	150	Horizontal	Pass
6	16071.412	54.26	74.0	19.74	Peak	251.00	300	Horizontal	Pass
6**	16071.412	44.30	54.0	9.70	AV	251.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.100	38.54	74.0	35.46	Peak	303.00	100	Vertical	Pass
1**	1489.100	28.96	54.0	25.04	AV	303.00	100	Vertical	Pass
2	4333.750	47.11	74.0	26.89	Peak	11.00	400	Vertical	Pass
2**	4333.750	38.62	54.0	15.38	AV	11.00	400	Vertical	Pass
3	5532.000	89.94	--	--	Peak	11.00	100	Vertical	N/A
3**	5532.000	82.75	--	--	AV	11.00	100	Vertical	N/A
4	7616.500	53.06	74.0	20.94	Peak	357.00	400	Vertical	Pass
4**	7616.500	43.50	54.0	10.50	AV	357.00	400	Vertical	Pass
5	12507.987	53.69	74.0	20.31	Peak	360.00	100	Vertical	Pass
5**	12507.987	44.53	54.0	9.47	AV	360.00	100	Vertical	Pass
6	15649.838	53.58	74.0	20.42	Peak	313.00	100	Vertical	Pass
6**	15649.838	44.23	54.0	9.77	AV	313.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	38.60	74.0	35.40	Peak	0.00	100	Horizontal	Pass
1**	1440.400	28.56	54.0	25.44	AV	0.00	100	Horizontal	Pass
2	4341.750	47.13	74.0	26.87	Peak	59.00	200	Horizontal	Pass
2**	4341.750	39.01	54.0	14.99	AV	59.00	200	Horizontal	Pass
3	5601.750	101.40	--	--	Peak	40.00	100	Horizontal	N/A
3**	5601.750	92.96	--	--	AV	40.00	100	Horizontal	N/A
4	7360.500	52.65	74.0	21.35	Peak	360.00	200	Horizontal	Pass
4**	7360.500	43.91	54.0	10.09	AV	360.00	200	Horizontal	Pass
5	12478.300	53.48	74.0	20.52	Peak	176.00	100	Horizontal	Pass
5**	12478.300	44.20	54.0	9.80	AV	176.00	100	Horizontal	Pass
6	15684.750	54.22	74.0	19.78	Peak	40.00	200	Horizontal	Pass
6**	15684.750	44.01	54.0	9.99	AV	40.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	38.32	74.0	35.68	Peak	188.00	100	Vertical	Pass
1**	1497.100	29.35	54.0	24.65	AV	188.00	100	Vertical	Pass
2	4350.500	47.09	74.0	26.91	Peak	236.00	100	Vertical	Pass
2**	4350.500	37.88	54.0	16.12	AV	236.00	100	Vertical	Pass
3	5604.500	90.11	--	--	Peak	360.00	100	Vertical	N/A
3**	5604.500	82.66	--	--	AV	360.00	100	Vertical	N/A
4	7533.500	52.96	74.0	21.04	Peak	11.00	300	Vertical	Pass
4**	7533.500	43.27	54.0	10.73	AV	11.00	300	Vertical	Pass
5	12496.588	53.97	74.0	20.03	Peak	69.00	150	Vertical	Pass
5**	12496.588	45.46	54.0	8.54	AV	69.00	150	Vertical	Pass
6	16110.262	54.63	74.0	19.37	Peak	348.00	100	Vertical	Pass
6**	16110.262	44.71	54.0	9.29	AV	348.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.000	38.24	74.0	35.76	Peak	111.00	100	Horizontal	Pass
1**	1439.000	29.48	54.0	24.52	AV	111.00	100	Horizontal	Pass
2	4360.500	46.85	74.0	27.15	Peak	93.00	300	Horizontal	Pass
2**	4360.500	38.31	54.0	15.69	AV	93.00	300	Horizontal	Pass
3	5508.500	107.21	--	--	Peak	33.00	200	Horizontal	N/A
3**	5508.500	99.48	--	--	AV	33.00	200	Horizontal	N/A
4	7645.750	53.61	74.0	20.39	Peak	360.00	400	Horizontal	Pass
4**	7645.750	43.87	54.0	10.13	AV	360.00	400	Horizontal	Pass
5	12484.712	53.24	74.0	20.76	Peak	325.00	150	Horizontal	Pass
5**	12484.712	44.41	54.0	9.59	AV	325.00	150	Horizontal	Pass
6	16126.800	53.56	74.0	20.44	Peak	9.00	300	Horizontal	Pass
6**	16126.800	44.76	54.0	9.24	AV	9.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.900	38.59	74.0	35.41	Peak	254.00	200	Vertical	Pass
1**	1602.900	29.05	54.0	24.95	AV	254.00	200	Vertical	Pass
2	4224.250	46.99	74.0	27.01	Peak	152.00	200	Vertical	Pass
2**	4224.250	37.53	54.0	16.47	AV	152.00	200	Vertical	Pass
3	5498.250	97.99	--	--	Peak	8.00	200	Vertical	N/A
3**	5498.250	89.04	--	--	AV	8.00	200	Vertical	N/A
4	7598.750	52.80	74.0	21.20	Peak	360.00	400	Vertical	Pass
4**	7598.750	45.12	54.0	8.88	AV	360.00	400	Vertical	Pass
5	12478.300	53.98	74.0	20.02	Peak	103.00	150	Vertical	Pass
5**	12478.300	43.97	54.0	10.03	AV	103.00	150	Vertical	Pass
6	16137.825	53.78	74.0	20.22	Peak	290.00	300	Vertical	Pass
6**	16137.825	44.60	54.0	9.40	AV	290.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.000	38.72	74.0	35.28	Peak	178.00	400	Horizontal	Pass
1**	1610.000	28.62	54.0	25.38	AV	178.00	400	Horizontal	Pass
2	4283.500	47.29	74.0	26.71	Peak	273.00	200	Horizontal	Pass
2**	4283.500	37.96	54.0	16.04	AV	273.00	200	Horizontal	Pass
3	5577.750	108.24	--	--	Peak	36.00	200	Horizontal	N/A
3**	5577.750	101.21	--	--	AV	36.00	200	Horizontal	N/A
4	7645.750	53.19	74.0	20.81	Peak	353.00	400	Horizontal	Pass
4**	7645.750	44.57	54.0	9.43	AV	353.00	400	Horizontal	Pass
5	12552.401	53.04	74.0	20.96	Peak	86.00	150	Horizontal	Pass
5**	12552.401	43.50	54.0	10.50	AV	86.00	150	Horizontal	Pass
6	16132.838	54.69	74.0	19.31	Peak	360.00	100	Horizontal	Pass
6**	16132.838	45.07	54.0	8.93	AV	360.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.800	38.15	74.0	35.85	Peak	351.00	100	Vertical	Pass
1**	1504.800	28.29	54.0	25.71	AV	351.00	100	Vertical	Pass
2	4249.000	47.57	74.0	26.43	Peak	96.00	100	Vertical	Pass
2**	4249.000	37.65	54.0	16.35	AV	96.00	100	Vertical	Pass
3	5581.500	96.67	--	--	Peak	9.00	150	Vertical	N/A
3**	5581.500	89.58	--	--	AV	9.00	150	Vertical	N/A
4	7647.500	52.78	74.0	21.22	Peak	75.00	200	Vertical	Pass
4**	7647.500	44.36	54.0	9.64	AV	75.00	200	Vertical	Pass
5	12506.325	53.89	74.0	20.11	Peak	360.00	200	Vertical	Pass
5**	12506.325	44.18	54.0	9.82	AV	360.00	200	Vertical	Pass
6	16734.224	59.82	68.2	8.38	Peak	110.00	100	Vertical	Pass
6**	16734.224	47.87	--	--	AV	110.00	100	Vertical	N/A

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.400	38.89	74.0	35.11	Peak	0.00	200	Horizontal	Pass
1**	1599.400	29.20	54.0	24.80	AV	0.00	200	Horizontal	Pass
2	4245.000	46.82	74.0	27.18	Peak	76.00	200	Horizontal	Pass
2**	4245.000	38.31	54.0	15.69	AV	76.00	200	Horizontal	Pass
3	5692.000	108.98	--	--	Peak	36.00	150	Horizontal	N/A
3**	5692.000	99.33	--	--	AV	36.00	150	Horizontal	N/A
4	7657.000	52.66	74.0	21.34	Peak	295.00	300	Horizontal	Pass
4**	7657.000	43.75	54.0	10.25	AV	295.00	300	Horizontal	Pass
5	12456.925	54.18	74.0	19.82	Peak	142.00	100	Horizontal	Pass
5**	12456.925	43.46	54.0	10.54	AV	142.00	100	Horizontal	Pass
6	16126.800	53.75	74.0	20.25	Peak	345.00	400	Horizontal	Pass
6**	16126.800	44.97	54.0	9.03	AV	345.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.300	38.66	74.0	35.34	Peak	100.00	200	Vertical	Pass
1**	1626.300	29.47	54.0	24.53	AV	100.00	200	Vertical	Pass
2	4359.250	47.65	74.0	26.35	Peak	314.00	300	Vertical	Pass
2**	4359.250	38.29	54.0	15.71	AV	314.00	300	Vertical	Pass
3	5691.250	96.98	--	--	Peak	9.00	100	Vertical	N/A
3**	5691.250	87.98	--	--	AV	9.00	100	Vertical	N/A
4	7356.000	53.16	74.0	20.84	Peak	234.00	100	Vertical	Pass
4**	7356.000	43.48	54.0	10.52	AV	234.00	100	Vertical	Pass
5	12516.062	53.59	74.0	20.41	Peak	4.00	150	Vertical	Pass
5**	12516.062	44.22	54.0	9.78	AV	4.00	150	Vertical	Pass
6	17107.762	60.00	68.2	8.20	Peak	111.00	100	Vertical	Pass
6**	17107.762	50.87	--	--	AV	111.00	100	Vertical	N/A

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	39.01	74.0	34.99	Peak	242.00	100	Horizontal	Pass
1**	1440.300	28.51	54.0	25.49	AV	242.00	100	Horizontal	Pass
2	4350.500	46.76	74.0	27.24	Peak	178.00	100	Horizontal	Pass
2**	4350.500	38.54	54.0	15.46	AV	178.00	100	Horizontal	Pass
3	5506.250	103.59	--	--	Peak	40.00	150	Horizontal	N/A
3**	5506.250	95.34	--	--	AV	40.00	150	Horizontal	N/A
4	7604.000	52.87	74.0	21.13	Peak	277.00	100	Horizontal	Pass
4**	7604.000	44.44	54.0	9.56	AV	277.00	100	Horizontal	Pass
5	12372.375	53.11	74.0	20.89	Peak	0.00	200	Horizontal	Pass
5**	12372.375	43.29	54.0	10.71	AV	0.00	200	Horizontal	Pass
6	16125.750	54.19	74.0	19.81	Peak	168.00	100	Horizontal	Pass
6**	16125.750	45.15	54.0	8.85	AV	168.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.600	38.26	74.0	35.74	Peak	212.00	300	Vertical	Pass
1**	1592.600	29.13	54.0	24.87	AV	212.00	300	Vertical	Pass
2	4153.250	47.17	74.0	26.83	Peak	38.00	400	Vertical	Pass
2**	4153.250	37.08	54.0	16.92	AV	38.00	400	Vertical	Pass
3	5508.500	94.19	--	--	Peak	360.00	100	Vertical	N/A
3**	5508.500	84.25	--	--	AV	360.00	100	Vertical	N/A
4	7586.500	52.87	74.0	21.13	Peak	360.00	100	Vertical	Pass
4**	7586.500	44.37	54.0	9.63	AV	360.00	100	Vertical	Pass
5	12478.063	53.51	74.0	20.49	Peak	312.00	200	Vertical	Pass
5**	12478.063	43.79	54.0	10.21	AV	312.00	200	Vertical	Pass
6	15792.900	54.58	74.0	19.42	Peak	360.00	200	Vertical	Pass
6**	15792.900	43.52	54.0	10.48	AV	360.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.000	38.07	74.0	35.93	Peak	349.00	100	Horizontal	Pass
1**	1512.000	29.41	54.0	24.59	AV	349.00	100	Horizontal	Pass
2	4308.000	47.24	74.0	26.76	Peak	101.00	200	Horizontal	Pass
2**	4308.000	37.67	54.0	16.33	AV	101.00	200	Horizontal	Pass
3	5588.750	105.79	--	--	Peak	40.00	100	Horizontal	N/A
3**	5588.750	97.49	--	--	AV	40.00	100	Horizontal	N/A
4	7599.000	52.66	74.0	21.34	Peak	161.00	100	Horizontal	Pass
4**	7599.000	44.55	54.0	9.45	AV	161.00	100	Horizontal	Pass
5	12489.463	53.06	74.0	20.94	Peak	0.00	100	Horizontal	Pass
5**	12489.463	44.70	54.0	9.30	AV	0.00	100	Horizontal	Pass
6	16153.838	54.35	74.0	19.65	Peak	185.00	100	Horizontal	Pass
6**	16153.838	44.41	54.0	9.59	AV	185.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	38.82	74.0	35.18	Peak	320.00	300	Vertical	Pass
1**	1572.800	28.49	54.0	25.51	AV	320.00	300	Vertical	Pass
2	4251.000	47.21	74.0	26.79	Peak	334.00	300	Vertical	Pass
2**	4251.000	37.85	54.0	16.15	AV	334.00	300	Vertical	Pass
3	5589.500	94.98	--	--	Peak	11.00	150	Vertical	N/A
3**	5589.500	85.39	--	--	AV	11.00	150	Vertical	N/A
4	7360.000	52.84	74.0	21.16	Peak	237.00	300	Vertical	Pass
4**	7360.000	44.60	54.0	9.40	AV	237.00	300	Vertical	Pass
5	12482.099	53.17	74.0	20.83	Peak	213.00	150	Vertical	Pass
5**	12482.099	44.02	54.0	9.98	AV	213.00	150	Vertical	Pass
6	16061.438	53.62	74.0	20.38	Peak	249.00	200	Vertical	Pass
6**	16061.438	44.80	54.0	9.20	AV	249.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.800	38.31	74.0	35.69	Peak	239.00	400	Horizontal	Pass
1**	1613.800	29.08	54.0	24.92	AV	239.00	400	Horizontal	Pass
2	3971.000	46.88	74.0	27.12	Peak	297.00	200	Horizontal	Pass
2**	3971.000	37.23	54.0	16.77	AV	297.00	200	Horizontal	Pass
3	5674.000	106.19	--	--	Peak	42.00	200	Horizontal	N/A
3**	5674.000	95.16	--	--	AV	42.00	200	Horizontal	N/A
4	7607.750	53.82	74.0	20.18	Peak	140.00	100	Horizontal	Pass
4**	7607.750	43.99	54.0	10.01	AV	140.00	100	Horizontal	Pass
5	12466.425	53.35	74.0	20.65	Peak	6.00	200	Horizontal	Pass
5**	12466.425	44.86	54.0	9.14	AV	6.00	200	Horizontal	Pass
6	15646.687	54.74	74.0	19.26	Peak	220.00	300	Horizontal	Pass
6**	15646.687	44.45	54.0	9.55	AV	220.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.800	38.18	74.0	35.82	Peak	222.00	100	Vertical	Pass
1**	1504.800	29.18	54.0	24.82	AV	222.00	100	Vertical	Pass
2	4348.000	46.88	74.0	27.12	Peak	360.00	100	Vertical	Pass
2**	4348.000	37.81	54.0	16.19	AV	360.00	100	Vertical	Pass
3	5659.500	94.91	--	--	Peak	360.00	150	Vertical	N/A
3**	5659.500	83.93	--	--	AV	360.00	150	Vertical	N/A
4	7480.250	53.89	74.0	20.11	Peak	101.00	200	Vertical	Pass
4**	7480.250	43.85	54.0	10.15	AV	101.00	200	Vertical	Pass
5	12504.662	53.40	74.0	20.60	Peak	0.00	150	Vertical	Pass
5**	12504.662	44.68	54.0	9.32	AV	0.00	150	Vertical	Pass
6	16103.437	53.63	74.0	20.37	Peak	42.00	400	Vertical	Pass
6**	16103.437	44.71	54.0	9.29	AV	42.00	400	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	38.44	74.0	35.56	Peak	0.00	100	Horizontal	Pass
1**	1599.800	29.02	54.0	24.98	AV	0.00	100	Horizontal	Pass
2	4241.500	47.62	74.0	26.38	Peak	62.00	200	Horizontal	Pass
2**	4241.500	37.36	54.0	16.64	AV	62.00	200	Horizontal	Pass
3	5542.500	101.04	--	--	Peak	42.00	150	Horizontal	N/A
3**	5542.500	91.33	--	--	AV	42.00	150	Horizontal	N/A
4	7418.000	52.84	74.0	21.16	Peak	261.00	200	Horizontal	Pass
4**	7418.000	44.55	54.0	9.45	AV	261.00	200	Horizontal	Pass
5	12531.500	53.48	74.0	20.52	Peak	349.00	100	Horizontal	Pass
5**	12531.500	44.00	54.0	10.00	AV	349.00	100	Horizontal	Pass
6	16116.825	54.33	74.0	19.67	Peak	192.00	200	Horizontal	Pass
6**	16116.825	44.40	54.0	9.60	AV	192.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.000	38.06	74.0	35.94	Peak	79.00	400	Vertical	Pass
1**	1578.000	28.42	54.0	25.58	AV	79.00	400	Vertical	Pass
2	4256.500	46.71	74.0	27.29	Peak	11.00	400	Vertical	Pass
2**	4256.500	39.50	54.0	14.50	AV	11.00	400	Vertical	Pass
3	5528.750	91.66	--	--	Peak	11.00	100	Vertical	N/A
3**	5528.750	80.99	--	--	AV	11.00	100	Vertical	N/A
4	7491.750	52.78	74.0	21.22	Peak	11.00	100	Vertical	Pass
4**	7491.750	43.61	54.0	10.39	AV	11.00	100	Vertical	Pass
5	12519.625	53.49	74.0	20.51	Peak	0.00	200	Vertical	Pass
5**	12519.625	45.52	54.0	8.48	AV	0.00	200	Vertical	Pass
6	16134.150	54.28	74.0	19.72	Peak	198.00	300	Vertical	Pass
6**	16134.150	44.66	54.0	9.34	AV	198.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.500	38.68	74.0	35.32	Peak	319.00	100	Horizontal	Pass
1**	1612.500	29.35	54.0	24.65	AV	319.00	100	Horizontal	Pass
2	4371.500	47.39	74.0	26.61	Peak	197.00	300	Horizontal	Pass
2**	4371.500	37.30	54.0	16.70	AV	197.00	300	Horizontal	Pass
3	5611.500	102.42	--	--	Peak	38.00	150	Horizontal	N/A
3**	5611.500	92.00	--	--	AV	38.00	150	Horizontal	N/A
4	7643.250	52.48	74.0	21.52	Peak	360.00	100	Horizontal	Pass
4**	7643.250	43.90	54.0	10.10	AV	360.00	100	Horizontal	Pass
5	12493.975	53.67	74.0	20.33	Peak	34.00	200	Horizontal	Pass
5**	12493.975	45.14	54.0	8.86	AV	34.00	200	Horizontal	Pass
6	16073.250	53.98	74.0	20.02	Peak	13.00	200	Horizontal	Pass
6**	16073.250	44.22	54.0	9.78	AV	13.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.100	38.06	74.0	35.94	Peak	33.00	100	Vertical	Pass
1**	1608.100	28.14	54.0	25.86	AV	33.00	100	Vertical	Pass
2	4257.000	46.78	74.0	27.22	Peak	360.00	200	Vertical	Pass
2**	4257.000	37.88	54.0	16.12	AV	360.00	200	Vertical	Pass
3	5601.250	90.29	--	--	Peak	360.00	100	Vertical	N/A
3**	5601.250	80.82	--	--	AV	360.00	100	Vertical	N/A
4	7358.750	53.27	74.0	20.73	Peak	301.00	400	Vertical	Pass
4**	7358.750	43.45	54.0	10.55	AV	301.00	400	Vertical	Pass
5	12490.174	54.05	74.0	19.95	Peak	360.00	100	Vertical	Pass
5**	12490.174	44.13	54.0	9.87	AV	360.00	100	Vertical	Pass
6	16111.050	53.75	74.0	20.25	Peak	187.00	300	Vertical	Pass
6**	16111.050	44.28	54.0	9.72	AV	187.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.700	38.36	74.0	35.64	Peak	346.00	400	Horizontal	Pass
1**	1504.700	28.77	54.0	25.23	AV	346.00	400	Horizontal	Pass
2	4371.250	46.71	74.0	27.29	Peak	42.00	300	Horizontal	Pass
2**	4371.250	37.40	54.0	16.60	AV	42.00	300	Horizontal	Pass
3	5752.000	106.84	--	--	Peak	42.00	100	Horizontal	N/A
3**	5752.000	98.42	--	--	AV	42.00	100	Horizontal	N/A
4	7362.000	53.11	74.0	20.89	Peak	360.00	100	Horizontal	Pass
4**	7362.000	44.72	54.0	9.28	AV	360.00	100	Horizontal	Pass
5	12503.474	54.04	74.0	19.96	Peak	139.00	200	Horizontal	Pass
5**	12503.474	44.30	54.0	9.70	AV	139.00	200	Horizontal	Pass
6	16100.550	53.83	74.0	20.17	Peak	273.00	400	Horizontal	Pass
6**	16100.550	45.13	54.0	8.87	AV	273.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.900	38.94	74.0	35.06	Peak	138.00	400	Vertical	Pass
1**	1457.900	29.76	54.0	24.24	AV	138.00	400	Vertical	Pass
2	4321.000	46.89	74.0	27.11	Peak	124.00	100	Vertical	Pass
2**	4321.000	38.43	54.0	15.57	AV	124.00	100	Vertical	Pass
3	5744.750	98.73	--	--	Peak	13.00	200	Vertical	N/A
3**	5744.750	89.16	--	--	AV	13.00	200	Vertical	N/A
4	7601.500	52.59	74.0	21.41	Peak	360.00	200	Vertical	Pass
4**	7601.500	44.19	54.0	9.81	AV	360.00	200	Vertical	Pass
5	12454.313	53.41	74.0	20.59	Peak	2.00	200	Vertical	Pass
5**	12454.313	44.04	54.0	9.96	AV	2.00	200	Vertical	Pass
6	17233.500	58.98	68.2	9.22	Peak	110.00	100	Vertical	Pass
6**	17233.500	49.87	--	--	AV	110.00	100	Vertical	N/A

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.600	38.85	74.0	35.15	Peak	347.00	300	Horizontal	Pass
1**	1471.600	28.83	54.0	25.17	AV	347.00	300	Horizontal	Pass
2	4256.750	47.07	74.0	26.93	Peak	13.00	200	Horizontal	Pass
2**	4256.750	38.19	54.0	15.81	AV	13.00	200	Horizontal	Pass
3	5792.250	108.21	--	--	Peak	164.00	150	Horizontal	N/A
3**	5792.250	97.89	--	--	AV	164.00	150	Horizontal	N/A
4	7705.250	53.06	74.0	20.94	Peak	205.00	300	Horizontal	Pass
4**	7705.250	43.47	54.0	10.53	AV	205.00	300	Horizontal	Pass
5	12465.237	53.26	74.0	20.74	Peak	150.00	100	Horizontal	Pass
5**	12465.237	43.94	54.0	10.06	AV	150.00	100	Horizontal	Pass
6	16112.888	53.72	74.0	20.28	Peak	81.00	200	Horizontal	Pass
6**	16112.888	44.50	54.0	9.50	AV	81.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	38.23	74.0	35.77	Peak	360.00	200	Vertical	Pass
1**	1436.900	29.81	54.0	24.19	AV	360.00	200	Vertical	Pass
2	4332.750	47.24	74.0	26.76	Peak	197.00	400	Vertical	Pass
2**	4332.750	37.92	54.0	16.08	AV	197.00	400	Vertical	Pass
3	5786.500	97.76	--	--	Peak	360.00	150	Vertical	N/A
3**	5786.500	88.69	--	--	AV	360.00	150	Vertical	N/A
4	7637.500	53.26	74.0	20.74	Peak	295.00	100	Vertical	Pass
4**	7637.500	43.49	54.0	10.51	AV	295.00	100	Vertical	Pass
5	12477.825	53.33	74.0	20.67	Peak	21.00	100	Vertical	Pass
5**	12477.825	44.76	54.0	9.24	AV	21.00	100	Vertical	Pass
6	16123.650	54.36	74.0	19.64	Peak	275.00	400	Vertical	Pass
6**	16123.650	44.90	54.0	9.10	AV	275.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.100	38.71	74.0	35.29	Peak	237.00	200	Horizontal	Pass
1**	1624.100	29.60	54.0	24.40	AV	237.00	200	Horizontal	Pass
2	4041.500	47.24	74.0	26.76	Peak	355.00	100	Horizontal	Pass
2**	4041.500	37.06	54.0	16.94	AV	355.00	100	Horizontal	Pass
3	5827.500	108.41	--	--	Peak	42.00	200	Horizontal	N/A
3**	5827.500	98.16	--	--	AV	42.00	200	Horizontal	N/A
4	7323.000	52.94	74.0	21.06	Peak	295.00	200	Horizontal	Pass
4**	7323.000	42.79	54.0	11.21	AV	295.00	200	Horizontal	Pass
5	12458.825	53.22	74.0	20.78	Peak	360.00	200	Horizontal	Pass
5**	12458.825	44.47	54.0	9.53	AV	360.00	200	Horizontal	Pass
6	16116.300	53.81	74.0	20.19	Peak	268.00	300	Horizontal	Pass
6**	16116.300	44.71	54.0	9.29	AV	268.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.400	39.35	74.0	34.65	Peak	317.00	300	Vertical	Pass
1**	1565.400	29.00	54.0	25.00	AV	317.00	300	Vertical	Pass
2	4328.500	47.32	74.0	26.68	Peak	181.00	100	Vertical	Pass
2**	4328.500	38.30	54.0	15.70	AV	181.00	100	Vertical	Pass
3	5822.000	96.67	--	--	Peak	360.00	150	Vertical	N/A
3**	5822.000	87.51	--	--	AV	360.00	150	Vertical	N/A
4	7607.000	53.15	74.0	20.85	Peak	13.00	400	Vertical	Pass
4**	7607.000	43.58	54.0	10.42	AV	13.00	400	Vertical	Pass
5	12511.075	53.20	74.0	20.80	Peak	166.00	150	Vertical	Pass
5**	12511.075	44.04	54.0	9.96	AV	166.00	150	Vertical	Pass
6	15913.912	54.25	74.0	19.75	Peak	50.00	100	Vertical	Pass
6**	15913.912	44.50	54.0	9.50	AV	50.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.400	38.70	74.0	35.30	Peak	302.00	200	Horizontal	Pass
1**	1475.400	29.44	54.0	24.56	AV	302.00	200	Horizontal	Pass
2	4265.500	47.45	74.0	26.55	Peak	81.00	400	Horizontal	Pass
2**	4265.500	37.47	54.0	16.53	AV	81.00	400	Horizontal	Pass
3	5743.750	107.80	--	--	Peak	42.00	200	Horizontal	N/A
3**	5743.750	98.95	--	--	AV	42.00	200	Horizontal	N/A
4	7605.750	53.05	74.0	20.95	Peak	336.00	300	Horizontal	Pass
4**	7605.750	43.73	54.0	10.27	AV	336.00	300	Horizontal	Pass
5	12475.450	53.28	74.0	20.72	Peak	348.00	150	Horizontal	Pass
5**	12475.450	44.23	54.0	9.77	AV	348.00	150	Horizontal	Pass
6	15905.776	54.15	74.0	19.85	Peak	246.00	400	Horizontal	Pass
6**	15905.776	44.59	54.0	9.41	AV	246.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.800	38.64	74.0	35.36	Peak	347.00	400	Vertical	Pass
1**	1613.800	29.46	54.0	24.54	AV	347.00	400	Vertical	Pass
2	4387.000	47.07	74.0	26.93	Peak	60.00	200	Vertical	Pass
2**	4387.000	38.47	54.0	15.53	AV	60.00	200	Vertical	Pass
3	5748.250	97.46	--	--	Peak	11.00	150	Vertical	N/A
3**	5748.250	88.66	--	--	AV	11.00	150	Vertical	N/A
4	7706.000	53.04	74.0	20.96	Peak	322.00	400	Vertical	Pass
4**	7706.000	43.20	54.0	10.80	AV	322.00	400	Vertical	Pass
5	12525.325	53.48	74.0	20.52	Peak	101.00	200	Vertical	Pass
5**	12525.325	43.65	54.0	10.35	AV	101.00	200	Vertical	Pass
6	16067.213	53.92	74.0	20.08	Peak	147.00	400	Vertical	Pass
6**	16067.213	44.75	54.0	9.25	AV	147.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.500	38.22	74.0	35.78	Peak	347.00	400	Horizontal	Pass
1**	1626.500	29.17	54.0	24.83	AV	347.00	400	Horizontal	Pass
2	4358.000	47.04	74.0	26.96	Peak	84.00	300	Horizontal	Pass
2**	4358.000	38.55	54.0	15.45	AV	84.00	300	Horizontal	Pass
3	5786.000	107.14	--	--	Peak	43.00	200	Horizontal	N/A
3**	5786.000	97.86	--	--	AV	43.00	200	Horizontal	N/A
4	7647.500	52.90	74.0	21.10	Peak	166.00	100	Horizontal	Pass
4**	7647.500	44.03	54.0	9.97	AV	166.00	100	Horizontal	Pass
5	12512.263	53.18	74.0	20.82	Peak	62.00	100	Horizontal	Pass
5**	12512.263	44.38	54.0	9.62	AV	62.00	100	Horizontal	Pass
6	16118.400	54.26	74.0	19.74	Peak	106.00	300	Horizontal	Pass
6**	16118.400	44.41	54.0	9.59	AV	106.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.000	38.56	74.0	35.44	Peak	154.00	200	Vertical	Pass
1**	1610.000	29.50	54.0	24.50	AV	154.00	200	Vertical	Pass
2	4206.750	46.86	74.0	27.14	Peak	181.00	200	Vertical	Pass
2**	4206.750	37.65	54.0	16.35	AV	181.00	200	Vertical	Pass
3	5784.000	97.92	--	--	Peak	360.00	200	Vertical	N/A
3**	5784.000	88.41	--	--	AV	360.00	200	Vertical	N/A
4	7593.000	52.73	74.0	21.27	Peak	13.00	100	Vertical	Pass
4**	7593.000	43.51	54.0	10.49	AV	13.00	100	Vertical	Pass
5	12501.812	53.68	74.0	20.32	Peak	312.00	150	Vertical	Pass
5**	12501.812	44.32	54.0	9.68	AV	312.00	150	Vertical	Pass
6	17358.186	60.72	68.2	7.48	Peak	59.00	100	Vertical	Pass
6**	17358.186	48.55	--	--	AV	59.00	100	Vertical	N/A

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.100	38.62	74.0	35.38	Peak	229.00	100	Horizontal	Pass
1**	1614.100	28.99	54.0	25.01	AV	229.00	100	Horizontal	Pass
2	4343.000	47.82	74.0	26.18	Peak	43.00	400	Horizontal	Pass
2**	4343.000	37.94	54.0	16.06	AV	43.00	400	Horizontal	Pass
3	5817.250	106.62	--	--	Peak	13.00	100	Horizontal	N/A
3**	5817.250	97.24	--	--	AV	13.00	100	Horizontal	N/A
4	7606.750	53.53	74.0	20.47	Peak	13.00	200	Horizontal	Pass
4**	7606.750	43.94	54.0	10.06	AV	13.00	200	Horizontal	Pass
5	12492.550	53.05	74.0	20.95	Peak	230.00	150	Horizontal	Pass
5**	12492.550	44.90	54.0	9.10	AV	230.00	150	Horizontal	Pass
6	16136.250	53.91	74.0	20.09	Peak	290.00	300	Horizontal	Pass
6**	16136.250	45.80	54.0	8.20	AV	290.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.000	38.07	74.0	35.93	Peak	235.00	400	Vertical	Pass
1**	1474.000	29.20	54.0	24.80	AV	235.00	400	Vertical	Pass
2	4168.000	47.46	74.0	26.54	Peak	81.00	400	Vertical	Pass
2**	4168.000	38.42	54.0	15.58	AV	81.00	400	Vertical	Pass
3	5827.750	96.37	--	--	Peak	360.00	100	Vertical	N/A
3**	5827.750	88.54	--	--	AV	360.00	100	Vertical	N/A
4	7648.500	52.85	74.0	21.15	Peak	120.00	300	Vertical	Pass
4**	7648.500	44.09	54.0	9.91	AV	120.00	300	Vertical	Pass
5	12537.675	53.07	74.0	20.93	Peak	229.00	150	Vertical	Pass
5**	12537.675	43.72	54.0	10.28	AV	229.00	150	Vertical	Pass
6	16095.037	54.05	74.0	19.95	Peak	360.00	200	Vertical	Pass
6**	16095.037	44.22	54.0	9.78	AV	360.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.800	38.52	74.0	35.48	Peak	70.00	200	Horizontal	Pass
1**	1600.800	28.83	54.0	25.17	AV	70.00	200	Horizontal	Pass
2	4343.250	47.21	74.0	26.79	Peak	202.00	300	Horizontal	Pass
2**	4343.250	37.49	54.0	16.51	AV	202.00	300	Horizontal	Pass
3	5750.750	105.47	--	--	Peak	45.00	200	Horizontal	N/A
3**	5750.750	97.69	--	--	AV	45.00	200	Horizontal	N/A
4	7488.750	52.69	74.0	21.31	Peak	84.00	200	Horizontal	Pass
4**	7488.750	43.61	54.0	10.39	AV	84.00	200	Horizontal	Pass
5	12484.712	53.39	74.0	20.61	Peak	251.00	200	Horizontal	Pass
5**	12484.712	43.87	54.0	10.13	AV	251.00	200	Horizontal	Pass
6	16093.987	54.57	74.0	19.43	Peak	111.00	400	Horizontal	Pass
6**	16093.987	45.00	54.0	9.00	AV	111.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.000	38.50	74.0	35.50	Peak	235.00	300	Vertical	Pass
1**	1560.000	29.46	54.0	24.54	AV	235.00	300	Vertical	Pass
2	4173.750	46.95	74.0	27.05	Peak	11.00	200	Vertical	Pass
2**	4173.750	36.95	54.0	17.05	AV	11.00	200	Vertical	Pass
3	5750.250	94.92	--	--	Peak	11.00	100	Vertical	N/A
3**	5750.250	87.96	--	--	AV	11.00	100	Vertical	N/A
4	7605.500	53.35	74.0	20.65	Peak	42.00	400	Vertical	Pass
4**	7605.500	43.42	54.0	10.58	AV	42.00	400	Vertical	Pass
5	12490.651	53.41	74.0	20.59	Peak	360.00	200	Vertical	Pass
5**	12490.651	44.55	54.0	9.45	AV	360.00	200	Vertical	Pass
6	15957.750	53.72	74.0	20.28	Peak	82.00	100	Vertical	Pass
6**	15957.750	43.58	54.0	10.42	AV	82.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.100	38.72	74.0	35.28	Peak	0.00	400	Horizontal	Pass
1**	1535.100	28.72	54.0	25.28	AV	0.00	400	Horizontal	Pass
2	4270.500	46.64	74.0	27.36	Peak	341.00	200	Horizontal	Pass
2**	4270.500	37.41	54.0	16.59	AV	341.00	200	Horizontal	Pass
3	5798.000	105.49	--	--	Peak	47.00	200	Horizontal	N/A
3**	5798.000	97.89	--	--	AV	47.00	200	Horizontal	N/A
4	7607.250	53.57	74.0	20.43	Peak	282.00	300	Horizontal	Pass
4**	7607.250	44.35	54.0	9.65	AV	282.00	300	Horizontal	Pass
5	12475.924	52.95	74.0	21.05	Peak	348.00	150	Horizontal	Pass
5**	12475.924	44.26	54.0	9.74	AV	348.00	150	Horizontal	Pass
6	15690.787	53.48	74.0	20.52	Peak	45.00	100	Horizontal	Pass
6**	15690.787	43.68	54.0	10.32	AV	45.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.100	37.99	74.0	36.01	Peak	263.00	200	Vertical	Pass
1**	1518.100	29.16	54.0	24.84	AV	263.00	200	Vertical	Pass
2	4280.750	47.10	74.0	26.90	Peak	222.00	100	Vertical	Pass
2**	4280.750	37.87	54.0	16.13	AV	222.00	100	Vertical	Pass
3	5793.250	95.19	--	--	Peak	358.00	100	Vertical	N/A
3**	5793.250	87.36	--	--	AV	358.00	100	Vertical	N/A
4	7479.750	53.72	74.0	20.28	Peak	222.00	200	Vertical	Pass
4**	7479.750	43.80	54.0	10.20	AV	222.00	200	Vertical	Pass
5	12549.313	53.47	74.0	20.53	Peak	0.00	200	Vertical	Pass
5**	12549.313	43.12	54.0	10.88	AV	0.00	200	Vertical	Pass
6	16132.575	53.52	74.0	20.48	Peak	195.00	100	Vertical	Pass
6**	16132.575	44.62	54.0	9.38	AV	195.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.800	38.13	74.0	35.87	Peak	3.00	300	Horizontal	Pass
1**	1476.800	29.03	54.0	24.97	AV	3.00	300	Horizontal	Pass
2	4245.750	46.75	74.0	27.25	Peak	11.00	100	Horizontal	Pass
2**	4245.750	37.65	54.0	16.35	AV	11.00	100	Horizontal	Pass
3	5742.250	107.43	--	--	Peak	140.00	150	Horizontal	N/A
3**	5742.250	98.48	--	--	AV	140.00	150	Horizontal	N/A
4	7637.250	53.18	74.0	20.82	Peak	120.00	300	Horizontal	Pass
4**	7637.250	44.20	54.0	9.80	AV	120.00	300	Horizontal	Pass
5	12474.738	53.58	74.0	20.42	Peak	193.00	200	Horizontal	Pass
5**	12474.738	44.24	54.0	9.76	AV	193.00	200	Horizontal	Pass
6	16084.799	55.18	74.0	18.82	Peak	42.00	400	Horizontal	Pass
6**	16084.799	44.27	54.0	9.73	AV	42.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.100	38.37	74.0	35.63	Peak	348.00	300	Vertical	Pass
1**	1503.100	28.89	54.0	25.11	AV	348.00	300	Vertical	Pass
2	4349.500	47.19	74.0	26.81	Peak	181.00	100	Vertical	Pass
2**	4349.500	38.25	54.0	15.75	AV	181.00	100	Vertical	Pass
3	5744.250	97.82	--	--	Peak	13.00	200	Vertical	N/A
3**	5744.250	88.65	--	--	AV	13.00	200	Vertical	N/A
4	7611.000	53.26	74.0	20.74	Peak	338.00	400	Vertical	Pass
4**	7611.000	43.79	54.0	10.21	AV	338.00	400	Vertical	Pass
5	12495.875	53.84	74.0	20.16	Peak	0.00	150	Vertical	Pass
5**	12495.875	44.38	54.0	9.62	AV	0.00	150	Vertical	Pass
6	15905.776	53.74	74.0	20.26	Peak	103.00	400	Vertical	Pass
6**	15905.776	44.13	54.0	9.87	AV	103.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.000	39.36	74.0	34.64	Peak	347.00	300	Horizontal	Pass
1**	1587.000	29.62	54.0	24.38	AV	347.00	300	Horizontal	Pass
2	4096.750	47.24	74.0	26.76	Peak	161.00	100	Horizontal	Pass
2**	4096.750	36.85	54.0	17.15	AV	161.00	100	Horizontal	Pass
3	5777.000	107.83	--	--	Peak	43.00	200	Horizontal	N/A
3**	5777.000	97.28	--	--	AV	43.00	200	Horizontal	N/A
4	7599.500	53.43	74.0	20.57	Peak	64.00	200	Horizontal	Pass
4**	7599.500	43.95	54.0	10.05	AV	64.00	200	Horizontal	Pass
5	12503.238	53.92	74.0	20.08	Peak	7.00	100	Horizontal	Pass
5**	12503.238	44.82	54.0	9.18	AV	7.00	100	Horizontal	Pass
6	15720.450	53.88	74.0	20.12	Peak	88.00	100	Horizontal	Pass
6**	15720.450	43.91	54.0	10.09	AV	88.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.700	38.52	74.0	35.48	Peak	58.00	100	Vertical	Pass
1**	1531.700	29.68	54.0	24.32	AV	58.00	100	Vertical	Pass
2	4354.250	47.18	74.0	26.82	Peak	101.00	100	Vertical	Pass
2**	4354.250	38.13	54.0	15.87	AV	101.00	100	Vertical	Pass
3	5782.750	97.13	--	--	Peak	13.00	200	Vertical	N/A
3**	5782.750	87.68	--	--	AV	13.00	200	Vertical	N/A
4	7586.750	53.52	74.0	20.48	Peak	62.00	200	Vertical	Pass
4**	7586.750	44.19	54.0	9.81	AV	62.00	200	Vertical	Pass
5	12410.613	53.56	74.0	20.44	Peak	349.00	150	Vertical	Pass
5**	12410.613	44.42	54.0	9.58	AV	349.00	150	Vertical	Pass
6	17346.900	59.89	68.2	8.31	Peak	88.00	100	Vertical	Pass
6**	17346.900	47.91	--	--	AV	88.00	100	Vertical	N/A

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.600	38.39	74.0	35.61	Peak	293.00	300	Horizontal	Pass
1**	1606.600	29.91	54.0	24.09	AV	293.00	300	Horizontal	Pass
2	4260.750	47.38	74.0	26.62	Peak	299.00	100	Horizontal	Pass
2**	4260.750	38.06	54.0	15.94	AV	299.00	100	Horizontal	Pass
3	5817.500	106.79	--	--	Peak	43.00	100	Horizontal	N/A
3**	5817.500	97.08	--	--	AV	43.00	100	Horizontal	N/A
4	7486.500	52.94	74.0	21.06	Peak	319.00	300	Horizontal	Pass
4**	7486.500	43.46	54.0	10.54	AV	319.00	300	Horizontal	Pass
5	12505.612	53.50	74.0	20.50	Peak	287.00	100	Horizontal	Pass
5**	12505.612	44.22	54.0	9.78	AV	287.00	100	Horizontal	Pass
6	16101.338	53.75	74.0	20.25	Peak	180.00	400	Horizontal	Pass
6**	16101.338	45.55	54.0	8.45	AV	180.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.200	38.24	74.0	35.76	Peak	347.00	400	Vertical	Pass
1**	1613.200	29.87	54.0	24.13	AV	347.00	400	Vertical	Pass
2	4351.250	47.02	74.0	26.98	Peak	139.00	300	Vertical	Pass
2**	4351.250	38.57	54.0	15.43	AV	139.00	300	Vertical	Pass
3	5826.750	96.40	--	--	Peak	360.00	100	Vertical	N/A
3**	5826.750	87.28	--	--	AV	360.00	100	Vertical	N/A
4	7494.000	52.89	74.0	21.11	Peak	11.00	200	Vertical	Pass
4**	7494.000	43.42	54.0	10.58	AV	11.00	200	Vertical	Pass
5	12420.588	52.98	74.0	21.02	Peak	166.00	100	Vertical	Pass
5**	12420.588	43.48	54.0	10.52	AV	166.00	100	Vertical	Pass
6	15904.725	53.91	74.0	20.09	Peak	217.00	200	Vertical	Pass
6**	15904.725	44.74	54.0	9.26	AV	217.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.600	38.32	74.0	35.68	Peak	315.00	400	Horizontal	Pass
1**	1613.600	29.03	54.0	24.97	AV	315.00	400	Horizontal	Pass
2	4291.750	46.96	74.0	27.04	Peak	239.00	300	Horizontal	Pass
2**	4291.750	37.84	54.0	16.16	AV	239.00	300	Horizontal	Pass
3	5752.750	105.80	--	--	Peak	45.00	150	Horizontal	N/A
3**	5752.750	97.95	--	--	AV	45.00	150	Horizontal	N/A
4	7641.750	52.68	74.0	21.32	Peak	299.00	400	Horizontal	Pass
4**	7641.750	44.71	54.0	9.29	AV	299.00	400	Horizontal	Pass
5	12481.625	53.79	74.0	20.21	Peak	230.00	150	Horizontal	Pass
5**	12481.625	43.89	54.0	10.11	AV	230.00	150	Horizontal	Pass
6	16086.901	53.71	74.0	20.29	Peak	331.00	100	Horizontal	Pass
6**	16086.901	44.40	54.0	9.60	AV	331.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.900	38.31	74.0	35.69	Peak	33.00	300	Vertical	Pass
1**	1551.900	29.04	54.0	24.96	AV	33.00	300	Vertical	Pass
2	4319.250	46.73	74.0	27.27	Peak	278.00	300	Vertical	Pass
2**	4319.250	38.01	54.0	15.99	AV	278.00	300	Vertical	Pass
3	5748.500	94.53	--	--	Peak	13.00	150	Vertical	N/A
3**	5748.500	86.73	--	--	AV	13.00	150	Vertical	N/A
4	7606.250	53.66	74.0	20.34	Peak	356.00	400	Vertical	Pass
4**	7606.250	44.20	54.0	9.80	AV	356.00	400	Vertical	Pass
5	12467.849	53.13	74.0	20.87	Peak	346.00	200	Vertical	Pass
5**	12467.849	43.71	54.0	10.29	AV	346.00	200	Vertical	Pass
6	16126.800	53.94	74.0	20.06	Peak	134.00	300	Vertical	Pass
6**	16126.800	44.65	54.0	9.35	AV	134.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.100	38.33	74.0	35.67	Peak	91.00	300	Horizontal	Pass
1**	1613.100	29.28	54.0	24.72	AV	91.00	300	Horizontal	Pass
2	4269.500	47.26	74.0	26.74	Peak	360.00	400	Horizontal	Pass
2**	4269.500	37.45	54.0	16.55	AV	360.00	400	Horizontal	Pass
3	5793.000	105.33	--	--	Peak	43.00	150	Horizontal	N/A
3**	5793.000	97.38	--	--	AV	43.00	150	Horizontal	N/A
4	7647.250	52.53	74.0	21.47	Peak	122.00	100	Horizontal	Pass
4**	7647.250	44.23	54.0	9.77	AV	122.00	100	Horizontal	Pass
5	12500.862	53.21	74.0	20.79	Peak	346.00	200	Horizontal	Pass
5**	12500.862	44.49	54.0	9.51	AV	346.00	200	Horizontal	Pass
6	15976.388	53.86	74.0	20.14	Peak	302.00	100	Horizontal	Pass
6**	15976.388	43.90	54.0	10.10	AV	302.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.100	38.32	74.0	35.68	Peak	84.00	200	Vertical	Pass
1**	1617.100	28.88	54.0	25.12	AV	84.00	200	Vertical	Pass
2	4361.750	46.82	74.0	27.18	Peak	202.00	200	Vertical	Pass
2**	4361.750	37.70	54.0	16.30	AV	202.00	200	Vertical	Pass
3	5791.750	94.80	--	--	Peak	360.00	100	Vertical	N/A
3**	5791.750	86.86	--	--	AV	360.00	100	Vertical	N/A
4	7425.750	53.52	74.0	20.48	Peak	183.00	100	Vertical	Pass
4**	7425.750	43.59	54.0	10.41	AV	183.00	100	Vertical	Pass
5	12473.550	53.49	74.0	20.51	Peak	172.00	150	Vertical	Pass
5**	12473.550	43.92	54.0	10.08	AV	172.00	150	Vertical	Pass
6	16126.800	54.30	74.0	19.70	Peak	91.00	100	Vertical	Pass
6**	16126.800	44.61	54.0	9.39	AV	91.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.500	38.62	74.0	35.38	Peak	110.00	400	Horizontal	Pass
1**	1442.500	29.06	54.0	24.94	AV	110.00	400	Horizontal	Pass
2	4283.250	47.66	74.0	26.34	Peak	106.00	300	Horizontal	Pass
2**	4283.250	37.76	54.0	16.24	AV	106.00	300	Horizontal	Pass
3	5769.250	99.57	--	--	Peak	47.00	150	Horizontal	N/A
3**	5769.250	91.99	--	--	AV	47.00	150	Horizontal	N/A
4	7606.000	53.09	74.0	20.91	Peak	67.00	300	Horizontal	Pass
4**	7606.000	43.85	54.0	10.15	AV	67.00	300	Horizontal	Pass
5	12477.350	53.38	74.0	20.62	Peak	150.00	200	Horizontal	Pass
5**	12477.350	43.88	54.0	10.12	AV	150.00	200	Horizontal	Pass
6	15899.737	54.28	74.0	19.72	Peak	105.00	200	Horizontal	Pass
6**	15899.737	44.44	54.0	9.56	AV	105.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.000	38.31	74.0	35.69	Peak	1.00	300	Vertical	Pass
1**	1609.000	29.12	54.0	24.88	AV	1.00	300	Vertical	Pass
2	4342.000	48.30	74.0	25.70	Peak	219.00	200	Vertical	Pass
2**	4342.000	38.22	54.0	15.78	AV	219.00	200	Vertical	Pass
3	5749.500	89.02	--	--	Peak	13.00	100	Vertical	N/A
3**	5749.500	81.77	--	--	AV	13.00	100	Vertical	N/A
4	7309.000	52.68	74.0	21.32	Peak	43.00	400	Vertical	Pass
4**	7309.000	43.02	54.0	10.98	AV	43.00	400	Vertical	Pass
5	12504.901	53.21	74.0	20.79	Peak	162.00	200	Vertical	Pass
5**	12504.901	44.44	54.0	9.56	AV	162.00	200	Vertical	Pass
6	16141.763	53.95	74.0	20.05	Peak	236.00	200	Vertical	Pass
6**	16141.763	45.10	54.0	8.90	AV	236.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.900	38.38	74.0	35.62	Peak	285.00	100	Horizontal	Pass
1**	1470.900	28.61	54.0	25.39	AV	285.00	100	Horizontal	Pass
2	4365.750	46.93	74.0	27.07	Peak	11.00	300	Horizontal	Pass
2**	4365.750	37.75	54.0	16.25	AV	11.00	300	Horizontal	Pass
3	5746.250	106.96	--	--	Peak	40.00	100	Horizontal	N/A
3**	5746.250	98.42	--	--	AV	40.00	100	Horizontal	N/A
4	7600.250	53.05	74.0	20.95	Peak	138.00	200	Horizontal	Pass
4**	7600.250	44.35	54.0	9.65	AV	138.00	200	Horizontal	Pass
5	12436.975	52.95	74.0	21.05	Peak	21.00	200	Horizontal	Pass
5**	12436.975	43.40	54.0	10.60	AV	21.00	200	Horizontal	Pass
6	16140.450	53.80	74.0	20.20	Peak	205.00	100	Horizontal	Pass
6**	16140.450	45.94	54.0	8.06	AV	205.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.100	38.36	74.0	35.64	Peak	138.00	100	Vertical	Pass
1**	1614.100	29.41	54.0	24.59	AV	138.00	100	Vertical	Pass
2	4047.500	47.50	74.0	26.50	Peak	200.00	300	Vertical	Pass
2**	4047.500	37.00	54.0	17.00	AV	200.00	300	Vertical	Pass
3	5745.750	97.68	--	--	Peak	13.00	150	Vertical	N/A
3**	5745.750	88.37	--	--	AV	13.00	150	Vertical	N/A
4	7686.750	52.80	74.0	21.20	Peak	200.00	100	Vertical	Pass
4**	7686.750	43.07	54.0	10.93	AV	200.00	100	Vertical	Pass
5	12504.901	53.28	74.0	20.72	Peak	176.00	200	Vertical	Pass
5**	12504.901	44.78	54.0	9.22	AV	176.00	200	Vertical	Pass
6	16133.625	54.69	74.0	19.31	Peak	110.00	300	Vertical	Pass
6**	16133.625	44.18	54.0	9.82	AV	110.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.000	38.80	74.0	35.20	Peak	48.00	300	Horizontal	Pass
1**	1505.000	29.16	54.0	24.84	AV	48.00	300	Horizontal	Pass
2	4246.500	46.72	74.0	27.28	Peak	297.00	300	Horizontal	Pass
2**	4246.500	37.62	54.0	16.38	AV	297.00	300	Horizontal	Pass
3	5789.750	108.30	--	--	Peak	181.00	100	Horizontal	N/A
3**	5789.750	98.11	--	--	AV	181.00	100	Horizontal	N/A
4	7590.750	52.87	74.0	21.13	Peak	258.00	100	Horizontal	Pass
4**	7590.750	44.25	54.0	9.75	AV	258.00	100	Horizontal	Pass
5	12513.925	53.07	74.0	20.93	Peak	31.00	200	Horizontal	Pass
5**	12513.925	44.35	54.0	9.65	AV	31.00	200	Horizontal	Pass
6	16058.812	53.86	74.0	20.14	Peak	95.00	400	Horizontal	Pass
6**	16058.812	43.88	54.0	10.12	AV	95.00	400	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.800	38.43	74.0	35.57	Peak	271.00	400	Vertical	Pass
1**	1598.800	28.93	54.0	25.07	AV	271.00	400	Vertical	Pass
2	4173.250	47.11	74.0	26.89	Peak	360.00	100	Vertical	Pass
2**	4173.250	37.44	54.0	16.56	AV	360.00	100	Vertical	Pass
3	5779.500	96.39	--	--	Peak	360.00	200	Vertical	N/A
3**	5779.500	87.82	--	--	AV	360.00	200	Vertical	N/A
4	7368.750	52.52	74.0	21.48	Peak	122.00	400	Vertical	Pass
4**	7368.750	43.23	54.0	10.77	AV	122.00	400	Vertical	Pass
5	12479.487	53.11	74.0	20.89	Peak	266.00	100	Vertical	Pass
5**	12479.487	44.00	54.0	10.00	AV	266.00	100	Vertical	Pass
6	16113.675	53.74	74.0	20.26	Peak	360.00	100	Vertical	Pass
6**	16113.675	45.33	54.0	8.67	AV	360.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.500	38.17	74.0	35.83	Peak	43.00	200	Horizontal	Pass
1**	1581.500	28.55	54.0	25.45	AV	43.00	200	Horizontal	Pass
2	4119.750	47.49	74.0	26.51	Peak	340.00	300	Horizontal	Pass
2**	4119.750	37.74	54.0	16.26	AV	340.00	300	Horizontal	Pass
3	5823.500	107.16	--	--	Peak	45.00	150	Horizontal	N/A
3**	5823.500	97.15	--	--	AV	45.00	150	Horizontal	N/A
4	7605.250	52.90	74.0	21.10	Peak	14.00	200	Horizontal	Pass
4**	7605.250	43.67	54.0	10.33	AV	14.00	200	Horizontal	Pass
5	12500.150	53.90	74.0	20.10	Peak	28.00	100	Horizontal	Pass
5**	12500.150	43.92	54.0	10.08	AV	28.00	100	Horizontal	Pass
6	16125.225	54.40	74.0	19.60	Peak	314.00	100	Horizontal	Pass
6**	16125.225	45.03	54.0	8.97	AV	314.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.500	38.56	74.0	35.44	Peak	138.00	400	Vertical	Pass
1**	1530.500	28.82	54.0	25.18	AV	138.00	400	Vertical	Pass
2	4383.250	47.62	74.0	26.38	Peak	47.00	200	Vertical	Pass
2**	4383.250	37.78	54.0	16.22	AV	47.00	200	Vertical	Pass
3	5820.000	96.76	--	--	Peak	14.00	150	Vertical	N/A
3**	5820.000	87.01	--	--	AV	14.00	150	Vertical	N/A
4	7652.000	52.91	74.0	21.09	Peak	47.00	100	Vertical	Pass
4**	7652.000	42.97	54.0	11.03	AV	47.00	100	Vertical	Pass
5	12482.099	54.14	74.0	19.86	Peak	317.00	100	Vertical	Pass
5**	12482.099	44.80	54.0	9.20	AV	317.00	100	Vertical	Pass
6	16127.588	54.12	74.0	19.88	Peak	42.00	400	Vertical	Pass
6**	16127.588	45.76	54.0	8.24	AV	42.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.100	39.05	74.0	34.95	Peak	22.00	400	Horizontal	Pass
1**	1521.100	28.85	54.0	25.15	AV	22.00	400	Horizontal	Pass
2	4346.750	46.76	74.0	27.24	Peak	360.00	300	Horizontal	Pass
2**	4346.750	38.17	54.0	15.83	AV	360.00	300	Horizontal	Pass
3	5752.000	104.59	--	--	Peak	50.00	200	Horizontal	N/A
3**	5752.000	95.10	--	--	AV	50.00	200	Horizontal	N/A
4	7605.750	53.29	74.0	20.71	Peak	251.00	300	Horizontal	Pass
4**	7605.750	45.34	54.0	8.66	AV	251.00	300	Horizontal	Pass
5	12527.225	53.40	74.0	20.60	Peak	360.00	200	Horizontal	Pass
5**	12527.225	44.01	54.0	9.99	AV	360.00	200	Horizontal	Pass
6	16137.825	53.85	74.0	20.15	Peak	89.00	100	Horizontal	Pass
6**	16137.825	44.49	54.0	9.51	AV	89.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.400	38.31	74.0	35.69	Peak	230.00	400	Vertical	Pass
1**	1606.400	28.91	54.0	25.09	AV	230.00	400	Vertical	Pass
2	4359.250	47.25	74.0	26.75	Peak	331.00	400	Vertical	Pass
2**	4359.250	37.31	54.0	16.69	AV	331.00	400	Vertical	Pass
3	5750.000	95.39	--	--	Peak	360.00	100	Vertical	N/A
3**	5750.000	85.17	--	--	AV	360.00	100	Vertical	N/A
4	7605.250	53.07	74.0	20.93	Peak	292.00	300	Vertical	Pass
4**	7605.250	43.73	54.0	10.27	AV	292.00	300	Vertical	Pass
5	12506.563	53.66	74.0	20.34	Peak	53.00	100	Vertical	Pass
5**	12506.563	44.17	54.0	9.83	AV	53.00	100	Vertical	Pass
6	16112.625	54.34	74.0	19.66	Peak	171.00	400	Vertical	Pass
6**	16112.625	44.58	54.0	9.42	AV	171.00	400	Vertical	Pass