






PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9625.81	50.70	42.57	-8.13	68.20	25.63	PK	Horizontal	PASS
2	10396.20	52.68	44.92	-7.76	68.20	23.28	PK	Horizontal	PASS
3	12387.19	50.66	44.39	-6.27	74.00	29.61	PK	Horizontal	PASS
4	14633.32	49.05	43.70	-5.35	68.20	24.50	PK	Horizontal	PASS
5	15994.00	48.40	44.71	-3.69	74.00	29.29	PK	Horizontal	PASS
6	17819.91	46.44	47.93	1.49	74.00	26.07	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10401.20	53.39	45.64	-7.75	68.20	22.56	PK	Vertical	PASS
2	11901.95	50.03	42.62	-7.41	74.00	31.38	PK	Vertical	PASS
3	13902.95	51.77	44.06	-7.71	68.20	24.14	PK	Vertical	PASS
4	14968.48	49.14	44.48	-4.66	68.20	23.72	PK	Vertical	PASS
5	16919.46	46.78	45.11	-1.67	68.20	23.09	PK	Vertical	PASS
6	17819.91	44.81	46.30	1.49	74.00	27.70	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9140.57	52.20	42.91	-9.29	74.00	31.09	PK	Horizontal	PASS
2	10476.24	52.17	44.40	-7.77	68.20	23.80	PK	Horizontal	PASS
3	12157.08	50.37	43.63	-6.74	74.00	30.37	PK	Horizontal	PASS
4	13677.84	51.99	43.68	-8.31	68.20	24.52	PK	Horizontal	PASS
5	15658.83	49.18	45.41	-3.77	74.00	28.59	PK	Horizontal	PASS
6	17809.90	45.47	47.05	1.58	74.00	26.95	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	51.73	42.93	-8.80	74.00	31.07	PK	Vertical	PASS
2	10486.24	53.69	45.91	-7.78	68.20	22.29	PK	Vertical	PASS
3	11446.72	49.45	42.55	-6.90	74.00	31.45	PK	Vertical	PASS
4	12642.32	50.47	42.97	-7.50	74.00	31.03	PK	Vertical	PASS
5	14428.21	50.20	43.63	-6.57	68.20	24.57	PK	Vertical	PASS
6	15838.92	49.24	45.18	-4.06	74.00	28.82	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9650.83	52.18	43.83	-8.35	68.20	24.37	PK	Horizontal	PASS
2	10521.26	53.02	45.41	-7.61	68.20	22.79	PK	Horizontal	PASS
3	11391.70	50.04	43.36	-6.68	74.00	30.64	PK	Horizontal	PASS
4	13627.81	53.46	45.02	-8.44	68.20	23.18	PK	Horizontal	PASS
5	15658.83	48.66	44.89	-3.77	74.00	29.11	PK	Horizontal	PASS
6	17744.87	46.12	47.10	0.98	74.00	26.90	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	51.30	42.50	-8.80	74.00	31.50	PK	Vertical	PASS
2	10516.26	52.46	44.81	-7.65	68.20	23.39	PK	Vertical	PASS
3	11756.88	50.71	43.22	-7.49	74.00	30.78	PK	Vertical	PASS
4	13702.85	52.92	44.67	-8.25	68.20	23.53	PK	Vertical	PASS
5	14953.48	49.27	44.66	-4.61	68.20	23.54	PK	Vertical	PASS
6	17834.92	46.13	47.48	1.35	74.00	26.52	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	51.43	42.46	-8.97	74.00	31.54	PK	Horizontal	PASS
2	10551.28	51.62	44.26	-7.36	68.20	23.94	PK	Horizontal	PASS
3	12272.14	51.11	44.36	-6.75	74.00	29.64	PK	Horizontal	PASS
4	14528.26	49.20	43.19	-6.01	68.20	25.01	PK	Horizontal	PASS
5	16029.01	47.54	43.81	-3.73	74.00	30.19	PK	Horizontal	PASS
6	17679.84	47.23	47.46	0.23	68.20	20.74	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	52.60	44.42	-8.18	68.20	23.78	PK	Vertical	PASS
2	10561.28	51.70	44.43	-7.27	68.20	23.77	PK	Vertical	PASS
3	12467.23	51.01	44.39	-6.62	74.00	29.61	PK	Vertical	PASS
4	14928.46	48.55	44.04	-4.51	68.20	24.16	PK	Vertical	PASS
5	16704.35	47.79	44.69	-3.10	68.20	23.51	PK	Vertical	PASS
6	17804.90	45.80	47.43	1.63	74.00	26.57	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9605.80	51.01	43.06	-7.95	68.20	25.14	PK	Horizontal	PASS
2	10636.32	53.00	46.09	-6.91	74.00	27.91	PK	Horizontal	PASS
3	12297.15	50.63	43.91	-6.72	74.00	30.09	PK	Horizontal	PASS
4	14513.26	49.21	43.07	-6.14	68.20	25.13	PK	Horizontal	PASS
5	16264.13	48.56	44.66	-3.90	68.20	23.54	PK	Horizontal	PASS
6	17744.87	45.96	46.94	0.98	74.00	27.06	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8825.41	52.87	42.78	-10.09	68.20	25.42	PK	Vertical	PASS
2	10641.32	53.01	46.10	-6.91	74.00	27.90	PK	Vertical	PASS
3	12402.20	50.36	44.14	-6.22	74.00	29.86	PK	Vertical	PASS
4	15028.51	49.67	44.86	-4.81	68.20	23.34	PK	Vertical	PASS
5	17114.56	47.25	45.35	-1.90	68.20	22.85	PK	Vertical	PASS
6	17809.90	46.28	47.86	1.58	74.00	26.14	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9590.80	51.17	43.17	-8.00	68.20	25.03	PK	Horizontal	PASS
2	11001.50	52.34	45.13	-7.21	74.00	28.87	PK	Horizontal	PASS
3	12412.21	50.79	44.50	-6.29	74.00	29.50	PK	Horizontal	PASS
4	14903.45	49.81	45.39	-4.42	68.20	22.81	PK	Horizontal	PASS
5	17034.52	47.42	45.64	-1.78	68.20	22.56	PK	Horizontal	PASS
6	17744.87	46.43	47.41	0.98	74.00	26.59	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9605.80	51.09	43.14	-7.95	68.20	25.06	PK	Vertical	PASS
2	10996.50	50.94	43.74	-7.20	74.00	30.26	PK	Vertical	PASS
3	12372.19	50.19	43.83	-6.36	74.00	30.17	PK	Vertical	PASS
4	14008.00	50.73	43.25	-7.48	68.20	24.95	PK	Vertical	PASS
5	15798.90	48.56	44.38	-4.18	74.00	29.62	PK	Vertical	PASS
6	17814.91	45.76	47.29	1.53	74.00	26.71	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10021.01	51.08	42.76	-8.32	68.20	25.44	PK	Horizontal	PASS
2	11156.58	53.17	47.39	-5.78	74.00	26.61	PK	Horizontal	PASS
3	12352.18	52.05	45.59	-6.46	74.00	28.41	PK	Horizontal	PASS
4	13882.94	51.57	43.75	-7.82	68.20	24.45	PK	Horizontal	PASS
5	15643.82	49.36	45.61	-3.75	74.00	28.39	PK	Horizontal	PASS
6	17819.91	46.18	47.67	1.49	74.00	26.33	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9490.75	51.62	42.59	-9.03	74.00	31.41	PK	Vertical	PASS
2	11156.58	50.58	44.80	-5.78	74.00	29.20	PK	Vertical	PASS
3	12762.38	51.22	43.07	-8.15	68.20	25.13	PK	Vertical	PASS
4	14443.22	49.87	43.36	-6.51	68.20	24.84	PK	Vertical	PASS
5	15643.82	48.84	45.09	-3.75	74.00	28.91	PK	Vertical	PASS
6	17804.90	45.48	47.11	1.63	74.00	26.89	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9610.81	50.93	42.93	-8.00	68.20	25.27	PK	Horizontal	PASS
2	11401.70	50.15	43.43	-6.72	74.00	30.57	PK	Horizontal	PASS
3	12592.30	52.30	45.16	-7.14	74.00	28.84	PK	Horizontal	PASS
4	14568.28	49.16	43.48	-5.68	68.20	24.72	PK	Horizontal	PASS
5	16529.26	47.36	43.72	-3.64	68.20	24.48	PK	Horizontal	PASS
6	17799.90	45.40	47.08	1.68	74.00	26.92	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9600.80	50.97	43.07	-7.90	68.20	25.13	PK	Vertical	PASS
2	11401.70	49.56	42.84	-6.72	74.00	31.16	PK	Vertical	PASS
3	12307.15	50.20	43.52	-6.68	74.00	30.48	PK	Vertical	PASS
4	13262.63	53.07	44.49	-8.58	74.00	29.51	PK	Vertical	PASS
5	15658.83	48.39	44.62	-3.77	74.00	29.38	PK	Vertical	PASS
6	17304.65	48.06	46.40	-1.66	68.20	21.80	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9570.79	52.18	43.95	-8.23	68.20	24.25	PK	Horizontal	PASS
2	11441.72	51.54	44.67	-6.87	74.00	29.33	PK	Horizontal	PASS
3	12407.20	51.31	45.05	-6.26	74.00	28.95	PK	Horizontal	PASS
4	14518.26	49.01	42.90	-6.11	68.20	25.30	PK	Horizontal	PASS
5	16609.30	46.64	43.70	-2.94	68.20	24.50	PK	Horizontal	PASS
6	17804.90	45.62	47.25	1.63	74.00	26.75	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	51.68	43.50	-8.18	68.20	24.70	PK	Vertical	PASS
2	11076.54	48.45	42.20	-6.25	74.00	31.80	PK	Vertical	PASS
3	12542.27	50.49	43.52	-6.97	74.00	30.48	PK	Vertical	PASS
4	14488.24	49.47	43.17	-6.30	74.00	30.83	PK	Vertical	PASS
5	16044.02	48.11	44.36	-3.75	74.00	29.64	PK	Vertical	PASS
6	17839.92	45.42	46.72	1.30	74.00	27.28	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8375.19	53.84	43.05	-10.79	74.00	30.95	PK	Horizontal	PASS
2	9560.78	52.04	43.70	-8.34	68.20	24.50	PK	Horizontal	PASS
3	11176.59	48.35	42.65	-5.70	74.00	31.35	PK	Horizontal	PASS
4	13302.65	52.21	43.74	-8.47	74.00	30.26	PK	Horizontal	PASS
5	15578.79	49.65	45.79	-3.86	74.00	28.21	PK	Horizontal	PASS
6	17809.90	45.23	46.81	1.58	74.00	27.19	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8345.17	53.59	42.49	-11.10	74.00	31.51	PK	Vertical	PASS
2	9960.98	51.77	43.37	-8.40	68.20	24.83	PK	Vertical	PASS
3	11201.60	48.23	42.59	-5.64	74.00	31.41	PK	Vertical	PASS
4	13007.50	52.23	43.04	-9.19	68.20	25.16	PK	Vertical	PASS
5	15088.54	50.02	45.12	-4.90	68.20	23.08	PK	Vertical	PASS
6	17804.90	45.52	47.15	1.63	74.00	26.85	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9675.84	52.16	43.60	-8.56	68.20	24.60	PK	Horizontal	PASS
2	11326.66	48.73	42.24	-6.49	74.00	31.76	PK	Horizontal	PASS
3	12877.44	51.97	43.36	-8.61	68.20	24.84	PK	Horizontal	PASS
4	13957.98	50.94	43.36	-7.58	68.20	24.84	PK	Horizontal	PASS
5	15533.77	49.46	45.26	-4.20	74.00	28.74	PK	Horizontal	PASS
6	17814.91	45.78	47.31	1.53	74.00	26.69	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9690.85	51.77	43.08	-8.69	68.20	25.12	PK	Vertical	PASS
2	11891.95	50.26	42.85	-7.41	74.00	31.15	PK	Vertical	PASS
3	13242.62	52.02	43.38	-8.64	68.20	24.82	PK	Vertical	PASS
4	14068.03	50.94	43.51	-7.43	68.20	24.69	PK	Vertical	PASS
5	15638.82	49.10	45.36	-3.74	74.00	28.64	PK	Vertical	PASS
6	17819.91	45.60	47.09	1.49	74.00	26.91	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10156.08	51.01	42.44	-8.57	68.20	25.76	PK	Horizontal	PASS
2	12412.21	49.68	43.39	-6.29	74.00	30.61	PK	Horizontal	PASS
3	14068.03	50.72	43.29	-7.43	68.20	24.91	PK	Horizontal	PASS
4	15098.55	49.59	44.69	-4.90	68.20	23.51	PK	Horizontal	PASS
5	16614.31	47.41	44.46	-2.95	68.20	23.74	PK	Horizontal	PASS
6	17844.92	45.51	46.76	1.25	74.00	27.24	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9600.80	51.09	43.19	-7.90	68.20	25.01	PK	Vertical	PASS
2	11836.92	50.15	42.77	-7.38	74.00	31.23	PK	Vertical	PASS
3	13237.62	52.38	43.73	-8.65	68.20	24.47	PK	Vertical	PASS
4	15648.82	49.18	45.43	-3.75	74.00	28.57	PK	Vertical	PASS
5	17124.56	47.52	45.49	-2.03	68.20	22.71	PK	Vertical	PASS
6	17934.97	45.99	46.58	0.59	74.00	27.42	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9490.75	51.66	42.63	-9.03	74.00	31.37	PK	Horizontal	PASS
2	10361.18	53.20	45.32	-7.88	68.20	22.88	PK	Horizontal	PASS
3	12222.11	50.50	43.71	-6.79	74.00	30.29	PK	Horizontal	PASS
4	14418.21	50.32	43.71	-6.61	68.20	24.49	PK	Horizontal	PASS
5	16034.02	47.81	44.07	-3.74	74.00	29.93	PK	Horizontal	PASS
6	17819.91	45.72	47.21	1.49	74.00	26.79	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	52.34	43.43	-8.91	74.00	30.57	PK	Vertical	PASS
2	10356.18	53.51	45.62	-7.89	68.20	22.58	PK	Vertical	PASS
3	12107.05	50.01	43.36	-6.65	74.00	30.64	PK	Vertical	PASS
4	13512.76	53.14	43.71	-9.43	68.20	24.49	PK	Vertical	PASS
5	15028.51	49.37	44.56	-4.81	68.20	23.64	PK	Vertical	PASS
6	17819.91	46.53	48.02	1.49	74.00	25.98	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	51.39	42.54	-8.85	74.00	31.46	PK	Horizontal	PASS
2	10401.20	53.56	45.81	-7.75	68.20	22.39	PK	Horizontal	PASS
3	12367.18	50.72	44.34	-6.38	74.00	29.66	PK	Horizontal	PASS
4	14458.23	49.73	43.30	-6.43	68.20	24.90	PK	Horizontal	PASS
5	15653.83	49.51	45.75	-3.76	74.00	28.25	PK	Horizontal	PASS
6	17819.91	45.34	46.83	1.49	74.00	27.17	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10401.20	52.69	44.94	-7.75	68.20	23.26	PK	Vertical	PASS
2	12097.05	50.14	43.48	-6.66	74.00	30.52	PK	Vertical	PASS
3	13622.81	52.88	44.43	-8.45	68.20	23.77	PK	Vertical	PASS
4	15593.80	49.42	45.67	-3.75	74.00	28.33	PK	Vertical	PASS
5	16674.34	47.89	44.86	-3.03	68.20	23.34	PK	Vertical	PASS
6	17824.91	46.09	47.52	1.43	74.00	26.48	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9640.82	51.72	43.46	-8.26	68.20	24.74	PK	Horizontal	PASS
2	10481.24	53.70	45.92	-7.78	68.20	22.28	PK	Horizontal	PASS
3	12557.28	51.09	44.08	-7.01	74.00	29.92	PK	Horizontal	PASS
4	14913.46	49.16	44.70	-4.46	68.20	23.50	PK	Horizontal	PASS
5	15833.92	48.34	44.27	-4.07	74.00	29.73	PK	Horizontal	PASS
6	17809.90	45.79	47.37	1.58	74.00	26.63	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9625.81	50.96	42.83	-8.13	68.20	25.37	PK	Vertical	PASS
2	10481.24	52.56	44.78	-7.78	68.20	23.42	PK	Vertical	PASS
3	12322.16	50.46	43.85	-6.61	74.00	30.15	PK	Vertical	PASS
4	13952.98	51.99	44.39	-7.60	68.20	23.81	PK	Vertical	PASS
5	14958.48	49.48	44.86	-4.62	68.20	23.34	PK	Vertical	PASS
6	16889.44	47.32	45.49	-1.83	68.20	22.71	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9320.66	51.87	42.67	-9.20	74.00	31.33	PK	Horizontal	PASS
2	10521.26	52.61	45.00	-7.61	68.20	23.20	PK	Horizontal	PASS
3	12467.23	50.39	43.77	-6.62	74.00	30.23	PK	Horizontal	PASS
4	13952.98	51.45	43.85	-7.60	68.20	24.35	PK	Horizontal	PASS
5	15823.91	49.94	45.83	-4.11	74.00	28.17	PK	Horizontal	PASS
6	17814.91	45.65	47.18	1.53	74.00	26.82	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	51.62	43.44	-8.18	68.20	24.76	PK	Vertical	PASS
2	10511.26	52.54	44.85	-7.69	68.20	23.35	PK	Vertical	PASS
3	12212.11	51.54	44.74	-6.80	74.00	29.26	PK	Vertical	PASS
4	14903.45	49.32	44.90	-4.42	68.20	23.30	PK	Vertical	PASS
5	15573.79	49.70	45.79	-3.91	74.00	28.21	PK	Vertical	PASS
6	17819.91	45.59	47.08	1.49	74.00	26.92	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8840.42	52.46	42.42	-10.04	68.20	25.78	PK	Horizontal	PASS
2	10556.28	54.10	46.78	-7.32	68.20	21.42	PK	Horizontal	PASS
3	12422.21	50.06	43.71	-6.35	74.00	30.29	PK	Horizontal	PASS
4	14068.03	50.37	42.94	-7.43	68.20	25.26	PK	Horizontal	PASS
5	15988.99	47.85	44.15	-3.70	74.00	29.85	PK	Horizontal	PASS
6	17804.90	45.27	46.90	1.63	74.00	27.10	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	51.78	42.81	-8.97	74.00	31.19	PK	Vertical	PASS
2	10561.28	50.98	43.71	-7.27	68.20	24.49	PK	Vertical	PASS
3	12237.12	51.16	44.39	-6.77	74.00	29.61	PK	Vertical	PASS
4	13782.89	52.04	43.70	-8.34	68.20	24.50	PK	Vertical	PASS
5	15648.82	48.33	44.58	-3.75	74.00	29.42	PK	Vertical	PASS
6	17699.85	46.34	46.76	0.42	68.20	21.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9625.81	51.77	43.64	-8.13	68.20	24.56	PK	Horizontal	PASS
2	10641.32	52.96	46.05	-6.91	74.00	27.95	PK	Horizontal	PASS
3	12347.17	50.69	44.21	-6.48	74.00	29.79	PK	Horizontal	PASS
4	15703.85	48.77	44.95	-3.82	74.00	29.05	PK	Horizontal	PASS
5	17299.65	47.20	45.54	-1.66	68.20	22.66	PK	Horizontal	PASS
6	17799.90	45.09	46.77	1.68	74.00	27.23	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9580.79	51.12	43.01	-8.11	68.20	25.19	PK	Vertical	PASS
2	10641.32	52.00	45.09	-6.91	74.00	28.91	PK	Vertical	PASS
3	12127.06	50.60	43.92	-6.68	74.00	30.08	PK	Vertical	PASS
4	14323.16	49.60	42.44	-7.16	68.20	25.76	PK	Vertical	PASS
5	15618.81	48.61	44.89	-3.72	74.00	29.11	PK	Vertical	PASS
6	17744.87	45.91	46.89	0.98	74.00	27.11	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9910.96	51.95	43.44	-8.51	68.20	24.76	PK	Horizontal	PASS
2	11001.50	54.74	47.53	-7.21	74.00	26.47	PK	Horizontal	PASS
3	12402.20	50.04	43.82	-6.22	74.00	30.18	PK	Horizontal	PASS
4	14333.17	50.04	42.95	-7.09	68.20	25.25	PK	Horizontal	PASS
5	15568.78	49.30	45.37	-3.93	74.00	28.63	PK	Horizontal	PASS
6	17854.93	45.71	46.86	1.15	74.00	27.14	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	51.55	43.37	-8.18	68.20	24.83	PK	Vertical	PASS
2	11006.50	52.12	44.97	-7.15	74.00	29.03	PK	Vertical	PASS
3	12407.20	50.09	43.83	-6.26	74.00	30.17	PK	Vertical	PASS
4	14073.04	50.90	43.47	-7.43	68.20	24.73	PK	Vertical	PASS
5	15583.79	49.37	45.55	-3.82	74.00	28.45	PK	Vertical	PASS
6	17759.88	45.59	46.76	1.17	74.00	27.24	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10016.01	52.14	43.83	-8.31	68.20	24.37	PK	Horizontal	PASS
2	11161.58	54.57	48.82	-5.75	74.00	25.18	PK	Horizontal	PASS
3	12247.12	51.38	44.62	-6.76	74.00	29.38	PK	Horizontal	PASS
4	14983.49	50.33	45.61	-4.72	68.20	22.59	PK	Horizontal	PASS
5	17049.52	47.23	45.46	-1.77	68.20	22.74	PK	Horizontal	PASS
6	17809.90	45.91	47.49	1.58	74.00	26.51	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9940.97	52.37	43.94	-8.43	68.20	24.26	PK	Vertical	PASS
2	11156.58	52.23	46.45	-5.78	74.00	27.55	PK	Vertical	PASS
3	12502.25	50.74	43.91	-6.83	74.00	30.09	PK	Vertical	PASS
4	13777.89	53.00	44.67	-8.33	68.20	23.53	PK	Vertical	PASS
5	16159.08	48.97	45.02	-3.95	74.00	28.98	PK	Vertical	PASS
6	17804.90	45.06	46.69	1.63	74.00	27.31	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9600.80	50.92	43.02	-7.90	68.20	25.18	PK	Horizontal	PASS
2	11391.70	51.05	44.37	-6.68	74.00	29.63	PK	Horizontal	PASS
3	12402.20	50.13	43.91	-6.22	74.00	30.09	PK	Horizontal	PASS
4	14883.44	49.25	44.64	-4.61	68.20	23.56	PK	Horizontal	PASS
5	16619.31	46.76	43.81	-2.95	68.20	24.39	PK	Horizontal	PASS
6	17729.86	46.72	47.52	0.80	74.00	26.48	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9700.85	51.38	42.60	-8.78	68.20	25.60	PK	Vertical	PASS
2	11396.70	50.04	43.34	-6.70	74.00	30.66	PK	Vertical	PASS
3	12407.20	50.44	44.18	-6.26	74.00	29.82	PK	Vertical	PASS
4	14433.22	50.41	43.86	-6.55	68.20	24.34	PK	Vertical	PASS
5	15908.95	48.82	44.97	-3.85	74.00	29.03	PK	Vertical	PASS
6	17884.94	46.30	47.17	0.87	74.00	26.83	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9960.98	52.28	43.88	-8.40	68.20	24.32	PK	Horizontal	PASS
2	11441.72	50.66	43.79	-6.87	74.00	30.21	PK	Horizontal	PASS
3	12417.21	50.51	44.19	-6.32	74.00	29.81	PK	Horizontal	PASS
4	14588.29	49.99	44.47	-5.52	68.20	23.73	PK	Horizontal	PASS
5	16029.01	47.44	43.71	-3.73	74.00	30.29	PK	Horizontal	PASS
6	17824.91	46.27	47.70	1.43	74.00	26.30	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8840.42	53.32	43.28	-10.04	68.20	24.92	PK	Vertical	PASS
2	11151.58	49.45	43.67	-5.78	74.00	30.33	PK	Vertical	PASS
3	12297.15	51.16	44.44	-6.72	74.00	29.56	PK	Vertical	PASS
4	13932.97	50.82	43.17	-7.65	68.20	25.03	PK	Vertical	PASS
5	15658.83	48.93	45.16	-3.77	74.00	28.84	PK	Vertical	PASS
6	17739.87	46.26	47.19	0.93	74.00	26.81	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8820.41	52.50	42.39	-10.11	68.20	25.81	PK	Horizontal	PASS
2	10196.10	51.63	42.93	-8.70	68.20	25.27	PK	Horizontal	PASS
3	11796.90	50.82	43.45	-7.37	74.00	30.55	PK	Horizontal	PASS
4	13667.83	52.16	43.83	-8.33	68.20	24.37	PK	Horizontal	PASS
5	15643.82	48.89	45.14	-3.75	74.00	28.86	PK	Horizontal	PASS
6	17819.91	46.34	47.83	1.49	74.00	26.17	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8840.42	52.58	42.54	-10.04	68.20	25.66	PK	Vertical	PASS
2	10456.23	50.73	42.97	-7.76	68.20	25.23	PK	Vertical	PASS
3	12467.23	51.22	44.60	-6.62	74.00	29.40	PK	Vertical	PASS
4	13677.84	53.62	45.31	-8.31	68.20	22.89	PK	Vertical	PASS
5	15643.82	48.55	44.80	-3.75	74.00	29.20	PK	Vertical	PASS
6	17824.91	45.89	47.32	1.43	74.00	26.68	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.31	43.03	-8.28	68.20	25.17	PK	Horizontal	PASS
2	11581.79	50.36	42.70	-7.66	74.00	31.30	PK	Horizontal	PASS
3	13332.67	52.04	43.36	-8.68	74.00	30.64	PK	Horizontal	PASS
4	15588.79	49.10	45.31	-3.79	74.00	28.69	PK	Horizontal	PASS
5	16909.45	46.55	44.91	-1.64	68.20	23.29	PK	Horizontal	PASS
6	17819.91	46.20	47.69	1.49	74.00	26.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9880.94	51.80	43.09	-8.71	68.20	25.11	PK	Vertical	PASS
2	11566.78	50.19	42.64	-7.55	74.00	31.36	PK	Vertical	PASS
3	13242.62	52.69	44.05	-8.64	68.20	24.15	PK	Vertical	PASS
4	15093.55	49.41	44.51	-4.90	68.20	23.69	PK	Vertical	PASS
5	16644.32	47.59	44.60	-2.99	68.20	23.60	PK	Vertical	PASS
6	17829.91	45.34	46.74	1.40	74.00	27.26	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9680.84	51.38	42.77	-8.61	68.20	25.43	PK	Horizontal	PASS
2	12147.07	51.33	44.61	-6.72	74.00	29.39	PK	Horizontal	PASS
3	13597.80	52.51	43.98	-8.53	68.20	24.22	PK	Horizontal	PASS
4	14913.46	49.17	44.71	-4.46	68.20	23.49	PK	Horizontal	PASS
5	16089.04	47.63	43.80	-3.83	74.00	30.20	PK	Horizontal	PASS
6	17799.90	45.28	46.96	1.68	74.00	27.04	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9610.81	51.06	43.06	-8.00	68.20	25.14	PK	Vertical	PASS
2	11436.72	49.74	42.88	-6.86	74.00	31.12	PK	Vertical	PASS
3	13252.63	53.12	44.52	-8.60	74.00	29.48	PK	Vertical	PASS
4	14973.49	49.67	44.98	-4.69	68.20	23.22	PK	Vertical	PASS
5	16904.45	46.11	44.47	-1.64	68.20	23.73	PK	Vertical	PASS
6	17844.92	45.56	46.81	1.25	74.00	27.19	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8830.42	52.12	42.05	-10.07	68.20	26.15	PK	Horizontal	PASS
2	10871.44	49.21	42.75	-6.46	74.00	31.25	PK	Horizontal	PASS
3	12412.21	50.08	43.79	-6.29	74.00	30.21	PK	Horizontal	PASS
4	14538.27	48.78	42.84	-5.94	68.20	25.36	PK	Horizontal	PASS
5	15583.79	50.09	46.27	-3.82	74.00	27.73	PK	Horizontal	PASS
6	17799.90	44.92	46.60	1.68	74.00	27.40	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8825.41	53.58	43.49	-10.09	68.20	24.71	PK	Vertical	PASS
2	10376.19	51.69	43.86	-7.83	68.20	24.34	PK	Vertical	PASS
3	12852.43	52.09	43.59	-8.50	68.20	24.61	PK	Vertical	PASS
4	13998.00	50.76	43.26	-7.50	68.20	24.94	PK	Vertical	PASS
5	15648.82	49.36	45.61	-3.75	74.00	28.39	PK	Vertical	PASS
6	17789.89	44.85	46.40	1.55	74.00	27.60	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9580.79	51.09	42.98	-8.11	68.20	25.22	PK	Horizontal	PASS
2	11131.57	48.25	42.40	-5.85	74.00	31.60	PK	Horizontal	PASS
3	13112.56	52.63	43.92	-8.71	68.20	24.28	PK	Horizontal	PASS
4	14583.29	48.76	43.20	-5.56	68.20	25.00	PK	Horizontal	PASS
5	15648.82	48.44	44.69	-3.75	74.00	29.31	PK	Horizontal	PASS
6	17694.85	46.13	46.50	0.37	68.20	21.70	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9640.82	51.13	42.87	-8.26	68.20	25.33	PK	Vertical	PASS
2	11396.70	49.12	42.42	-6.70	74.00	31.58	PK	Vertical	PASS
3	12467.23	50.87	44.25	-6.62	74.00	29.75	PK	Vertical	PASS
4	13637.82	53.36	44.94	-8.42	68.20	23.26	PK	Vertical	PASS
5	15653.83	49.10	45.34	-3.76	74.00	28.66	PK	Vertical	PASS
6	17309.65	47.01	45.35	-1.66	68.20	22.85	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	50.64	41.67	-8.97	74.00	32.33	PK	Horizontal	PASS
2	11861.93	49.94	42.55	-7.39	74.00	31.45	PK	Horizontal	PASS
3	13387.69	53.59	44.55	-9.04	74.00	29.45	PK	Horizontal	PASS
4	15643.82	49.05	45.30	-3.75	74.00	28.70	PK	Horizontal	PASS
5	16899.45	47.05	45.41	-1.64	68.20	22.79	PK	Horizontal	PASS
6	17809.90	45.11	46.69	1.58	74.00	27.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9105.55	52.44	42.79	-9.65	74.00	31.21	PK	Vertical	PASS
2	11076.54	48.74	42.49	-6.25	74.00	31.51	PK	Vertical	PASS
3	12497.25	50.60	43.79	-6.81	74.00	30.21	PK	Vertical	PASS
4	14593.30	49.29	43.82	-5.47	68.20	24.38	PK	Vertical	PASS
5	16124.06	47.80	43.91	-3.89	74.00	30.09	PK	Vertical	PASS
6	17814.91	45.21	46.74	1.53	74.00	27.26	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9625.81	51.89	43.76	-8.13	68.20	24.44	PK	Horizontal	PASS
2	11916.96	50.16	42.75	-7.41	74.00	31.25	PK	Horizontal	PASS
3	13262.63	52.91	44.33	-8.58	74.00	29.67	PK	Horizontal	PASS
4	15533.77	49.53	45.33	-4.20	74.00	28.67	PK	Horizontal	PASS
5	16954.48	47.59	45.85	-1.74	68.20	22.35	PK	Horizontal	PASS
6	17829.91	45.71	47.11	1.40	74.00	26.89	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	52.61	44.43	-8.18	68.20	23.77	PK	Vertical	PASS
2	10636.32	50.29	43.38	-6.91	74.00	30.62	PK	Vertical	PASS
3	12302.15	51.07	44.36	-6.71	74.00	29.64	PK	Vertical	PASS
4	14438.22	49.64	43.12	-6.52	68.20	25.08	PK	Vertical	PASS
5	15703.85	48.71	44.89	-3.82	74.00	29.11	PK	Vertical	PASS
6	17819.91	46.02	47.51	1.49	74.00	26.49	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	51.63	42.78	-8.85	74.00	31.22	PK	Horizontal	PASS
2	11221.61	47.82	42.01	-5.81	74.00	31.99	PK	Horizontal	PASS
3	13267.63	52.00	43.44	-8.56	74.00	30.56	PK	Horizontal	PASS
4	14948.47	49.37	44.78	-4.59	68.20	23.42	PK	Horizontal	PASS
5	16574.29	47.96	44.77	-3.19	68.20	23.43	PK	Horizontal	PASS
6	17749.87	46.35	47.39	1.04	74.00	26.61	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9605.80	51.37	43.42	-7.95	68.20	24.78	PK	Vertical	PASS
2	11106.55	47.93	42.00	-5.93	74.00	32.00	PK	Vertical	PASS
3	13237.62	51.96	43.31	-8.65	68.20	24.89	PK	Vertical	PASS
4	14903.45	48.59	44.17	-4.42	68.20	24.03	PK	Vertical	PASS
5	16884.44	45.97	44.05	-1.92	68.20	24.15	PK	Vertical	PASS
6	17819.91	45.64	47.13	1.49	74.00	26.87	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9630.82	51.04	42.88	-8.16	68.20	25.32	PK	Horizontal	PASS
2	11106.55	52.22	46.29	-5.93	74.00	27.71	PK	Horizontal	PASS
3	12497.25	50.79	43.98	-6.81	74.00	30.02	PK	Horizontal	PASS
4	14433.22	49.56	43.01	-6.55	68.20	25.19	PK	Horizontal	PASS
5	16619.31	47.83	44.88	-2.95	68.20	23.32	PK	Horizontal	PASS
6	17809.90	45.48	47.06	1.58	74.00	26.94	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9980.99	51.48	43.14	-8.34	68.20	25.06	PK	Vertical	PASS
2	11101.55	49.69	43.74	-5.95	74.00	30.26	PK	Vertical	PASS
3	12327.16	51.43	44.85	-6.58	74.00	29.15	PK	Vertical	PASS
4	14428.21	49.95	43.38	-6.57	68.20	24.82	PK	Vertical	PASS
5	16289.14	48.42	44.58	-3.84	68.20	23.62	PK	Vertical	PASS
6	17824.91	46.52	47.95	1.43	74.00	26.05	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9580.79	51.59	43.48	-8.11	68.20	24.72	PK	Horizontal	PASS
2	11356.68	49.48	42.89	-6.59	74.00	31.11	PK	Horizontal	PASS
3	13252.63	52.18	43.58	-8.60	74.00	30.42	PK	Horizontal	PASS
4	14968.48	49.44	44.78	-4.66	68.20	23.42	PK	Horizontal	PASS
5	17024.51	46.32	44.52	-1.80	68.20	23.68	PK	Horizontal	PASS
6	17759.88	46.01	47.18	1.17	74.00	26.82	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9585.79	51.15	43.09	-8.06	68.20	25.11	PK	Vertical	PASS
2	11071.54	49.42	43.10	-6.32	74.00	30.90	PK	Vertical	PASS
3	12297.15	52.16	45.44	-6.72	74.00	28.56	PK	Vertical	PASS
4	13627.81	52.03	43.59	-8.44	68.20	24.61	PK	Vertical	PASS
5	15573.79	48.73	44.82	-3.91	74.00	29.18	PK	Vertical	PASS
6	17829.91	46.00	47.40	1.40	74.00	26.60	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9980.99	51.87	43.53	-8.34	68.20	24.67	PK	Horizontal	PASS
2	11416.71	49.67	42.90	-6.77	74.00	31.10	PK	Horizontal	PASS
3	13242.62	52.23	43.59	-8.64	68.20	24.61	PK	Horizontal	PASS
4	15088.54	49.13	44.23	-4.90	68.20	23.97	PK	Horizontal	PASS
5	16524.26	46.85	43.17	-3.68	68.20	25.03	PK	Horizontal	PASS
6	17874.94	46.18	47.14	0.96	74.00	26.86	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10081.04	52.01	43.65	-8.36	68.20	24.55	PK	Vertical	PASS
2	12352.18	50.59	44.13	-6.46	74.00	29.87	PK	Vertical	PASS
3	13897.95	52.04	44.32	-7.72	68.20	23.88	PK	Vertical	PASS
4	15038.52	49.64	44.81	-4.83	68.20	23.39	PK	Vertical	PASS
5	16609.30	47.66	44.72	-2.94	68.20	23.48	PK	Vertical	PASS
6	17829.91	45.66	47.06	1.40	74.00	26.94	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9630.82	51.85	43.69	-8.16	68.20	24.51	PK	Horizontal	PASS
2	11511.76	50.06	42.87	-7.19	74.00	31.13	PK	Horizontal	PASS
3	13107.55	52.62	43.91	-8.71	68.20	24.29	PK	Horizontal	PASS
4	15588.79	48.24	44.45	-3.79	74.00	29.55	PK	Horizontal	PASS
5	17049.52	47.07	45.30	-1.77	68.20	22.90	PK	Horizontal	PASS
6	17799.90	45.87	47.55	1.68	74.00	26.45	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.80	43.52	-8.28	68.20	24.68	PK	Vertical	PASS
2	11146.57	48.38	42.58	-5.80	74.00	31.42	PK	Vertical	PASS
3	12477.24	50.05	43.37	-6.68	74.00	30.63	PK	Vertical	PASS
4	14473.24	49.16	42.79	-6.37	74.00	31.21	PK	Vertical	PASS
5	15823.91	48.24	44.13	-4.11	74.00	29.87	PK	Vertical	PASS
6	17749.87	46.79	47.83	1.04	74.00	26.17	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	51.70	42.90	-8.80	74.00	31.10	PK	Horizontal	PASS
2	11191.60	48.28	42.62	-5.66	74.00	31.38	PK	Horizontal	PASS
3	13122.56	51.99	43.27	-8.72	68.20	24.93	PK	Horizontal	PASS
4	14973.49	49.15	44.46	-4.69	68.20	23.74	PK	Horizontal	PASS
5	16649.32	47.03	44.03	-3.00	68.20	24.17	PK	Horizontal	PASS
6	17824.91	45.47	46.90	1.43	74.00	27.10	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8315.16	54.07	42.65	-11.42	74.00	31.35	PK	Vertical	PASS
2	9970.99	51.62	43.25	-8.37	68.20	24.95	PK	Vertical	PASS
3	12402.20	50.45	44.23	-6.22	74.00	29.77	PK	Vertical	PASS
4	13572.79	52.91	44.12	-8.79	68.20	24.08	PK	Vertical	PASS
5	15653.83	49.01	45.25	-3.76	74.00	28.75	PK	Vertical	PASS
6	17819.91	45.92	47.41	1.49	74.00	26.59	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9560.78	51.50	43.16	-8.34	68.20	25.04	PK	Horizontal	PASS
2	11826.91	49.87	42.50	-7.37	74.00	31.50	PK	Horizontal	PASS
3	13262.63	52.42	43.84	-8.58	74.00	30.16	PK	Horizontal	PASS
4	14968.48	49.02	44.36	-4.66	68.20	23.84	PK	Horizontal	PASS
5	16594.30	47.13	44.15	-2.98	68.20	24.05	PK	Horizontal	PASS
6	17814.91	45.54	47.07	1.53	74.00	26.93	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	51.39	42.59	-8.80	74.00	31.41	PK	Vertical	PASS
2	10906.45	48.97	42.63	-6.34	74.00	31.37	PK	Vertical	PASS
3	12487.24	51.07	44.32	-6.75	74.00	29.68	PK	Vertical	PASS
4	14438.22	49.05	42.53	-6.52	68.20	25.67	PK	Vertical	PASS
5	16039.02	47.48	43.73	-3.75	74.00	30.27	PK	Vertical	PASS
6	17804.90	45.90	47.53	1.63	74.00	26.47	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9635.82	51.09	42.87	-8.22	68.20	25.33	PK	Horizontal	PASS
2	12277.14	51.33	44.60	-6.73	74.00	29.40	PK	Horizontal	PASS
3	13902.95	51.72	44.01	-7.71	68.20	24.19	PK	Horizontal	PASS
4	15643.82	48.84	45.09	-3.75	74.00	28.91	PK	Horizontal	PASS
5	17349.67	46.71	45.00	-1.71	68.20	23.20	PK	Horizontal	PASS
6	17804.90	44.90	46.53	1.63	74.00	27.47	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.51	43.23	-8.28	68.20	24.97	PK	Vertical	PASS
2	11326.66	49.01	42.52	-6.49	74.00	31.48	PK	Vertical	PASS
3	12347.17	50.15	43.67	-6.48	74.00	30.33	PK	Vertical	PASS
4	14413.21	49.59	42.95	-6.64	68.20	25.25	PK	Vertical	PASS
5	16114.06	47.62	43.74	-3.88	74.00	30.26	PK	Vertical	PASS
6	17799.90	44.86	46.54	1.68	74.00	27.46	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9585.79	51.00	42.94	-8.06	68.20	25.26	PK	Horizontal	PASS
2	11361.68	50.15	43.55	-6.60	74.00	30.45	PK	Horizontal	PASS
3	12862.43	52.18	43.63	-8.55	68.20	24.57	PK	Horizontal	PASS
4	14958.48	49.19	44.57	-4.62	68.20	23.63	PK	Horizontal	PASS
5	16939.47	46.34	44.63	-1.71	68.20	23.57	PK	Horizontal	PASS
6	17814.91	46.39	47.92	1.53	74.00	26.08	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9605.80	50.80	42.85	-7.95	68.20	25.35	PK	Vertical	PASS
2	11736.87	49.94	42.40	-7.54	74.00	31.60	PK	Vertical	PASS
3	13242.62	51.93	43.29	-8.64	68.20	24.91	PK	Vertical	PASS
4	14398.20	49.94	43.24	-6.70	68.20	24.96	PK	Vertical	PASS
5	15623.81	49.11	45.38	-3.73	74.00	28.62	PK	Vertical	PASS
6	17114.56	46.49	44.59	-1.90	68.20	23.61	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9590.80	51.17	43.17	-8.00	68.20	25.03	PK	Horizontal	PASS
2	10486.24	50.77	42.99	-7.78	68.20	25.21	PK	Horizontal	PASS
3	12252.13	51.01	44.25	-6.76	74.00	29.75	PK	Horizontal	PASS
4	13947.97	50.76	43.15	-7.61	68.20	25.05	PK	Horizontal	PASS
5	15683.84	49.71	45.92	-3.79	74.00	28.08	PK	Horizontal	PASS
6	17809.90	45.82	47.40	1.58	74.00	26.60	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level