



TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	51.33	43.15	-8.18	68.20	25.05	PK	Vertical	PASS
2	13122.56	52.88	44.16	-8.72	68.20	24.04	PK	Vertical	PASS
3	13917.96	51.95	44.28	-7.67	68.20	23.92	PK	Vertical	PASS
4	15083.54	50.15	45.26	-4.89	68.20	22.94	PK	Vertical	PASS
5	17144.57	48.94	46.65	-2.29	68.20	21.55	PK	Vertical	PASS
6	17764.88	46.33	47.56	1.23	74.00	26.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10171.09	51.78	43.16	-8.62	68.20	25.04	PK	Horizontal	PASS
2	12222.11	50.87	44.08	-6.79	74.00	29.92	PK	Horizontal	PASS
3	13512.76	53.61	44.18	-9.43	68.20	24.02	PK	Horizontal	PASS
4	14643.32	51.07	45.74	-5.33	68.20	22.46	PK	Horizontal	PASS
5	15788.89	50.16	46.02	-4.14	74.00	27.98	PK	Horizontal	PASS
6	17764.88	46.19	47.42	1.23	74.00	26.58	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9605.80	51.85	43.90	-7.95	68.20	24.30	PK	Vertical	PASS
2	10526.26	50.65	43.09	-7.56	68.20	25.11	PK	Vertical	PASS
3	12192.10	50.84	44.04	-6.80	74.00	29.96	PK	Vertical	PASS
4	13642.82	52.02	43.62	-8.40	68.20	24.58	PK	Vertical	PASS
5	15498.75	49.91	45.44	-4.47	74.00	28.56	PK	Vertical	PASS
6	17829.91	47.24	48.64	1.40	74.00	25.36	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9625.81	50.89	42.76	-8.13	68.20	25.44	PK	Horizontal	PASS
2	10521.26	50.56	42.95	-7.61	68.20	25.25	PK	Horizontal	PASS
3	13262.63	53.38	44.80	-8.58	74.00	29.20	PK	Horizontal	PASS
4	15023.51	50.04	45.23	-4.81	68.20	22.97	PK	Horizontal	PASS
5	17069.53	49.62	47.87	-1.75	68.20	20.33	PK	Horizontal	PASS
6	17734.87	47.29	48.16	0.87	74.00	25.84	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10516.26	51.16	43.51	-7.65	68.20	24.69	PK	Vertical	PASS
2	12252.13	50.74	43.98	-6.76	74.00	30.02	PK	Vertical	PASS
3	13912.96	51.21	43.53	-7.68	68.20	24.67	PK	Vertical	PASS
4	15648.82	49.41	45.66	-3.75	74.00	28.34	PK	Vertical	PASS
5	16934.47	48.44	46.75	-1.69	68.20	21.45	PK	Vertical	PASS
6	17824.91	46.45	47.88	1.43	74.00	26.12	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	11586.79	50.94	43.25	-7.69	74.00	30.75	PK	Horizontal	PASS
2	12592.30	50.83	43.69	-7.14	74.00	30.31	PK	Horizontal	PASS
3	14923.46	50.05	45.55	-4.50	68.20	22.65	PK	Horizontal	PASS
4	16049.02	49.65	45.89	-3.76	74.00	28.11	PK	Horizontal	PASS
5	16934.47	48.97	47.28	-1.69	68.20	20.92	PK	Horizontal	PASS
6	17814.91	46.69	48.22	1.53	74.00	25.78	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8305.15	53.43	41.90	-11.53	74.00	32.10	PK	Vertical	PASS
2	12352.18	50.31	43.85	-6.46	74.00	30.15	PK	Vertical	PASS
3	15048.52	49.50	44.66	-4.84	68.20	23.54	PK	Vertical	PASS
4	15578.79	49.66	45.80	-3.86	74.00	28.20	PK	Vertical	PASS
5	16649.32	48.91	45.91	-3.00	68.20	22.29	PK	Vertical	PASS
6	17819.91	47.27	48.76	1.49	74.00	25.24	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10531.27	50.48	42.96	-7.52	68.20	25.24	PK	Horizontal	PASS
2	12192.10	51.16	44.36	-6.80	74.00	29.64	PK	Horizontal	PASS
3	13632.82	52.40	43.98	-8.42	68.20	24.22	PK	Horizontal	PASS
4	15648.82	50.05	46.30	-3.75	74.00	27.70	PK	Horizontal	PASS
5	17114.56	48.23	46.33	-1.90	68.20	21.87	PK	Horizontal	PASS
6	17764.88	46.81	48.04	1.23	74.00	25.96	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9495.75	51.13	42.11	-9.02	74.00	31.89	PK	Vertical	PASS
2	12162.08	50.58	43.83	-6.75	74.00	30.17	PK	Vertical	PASS
3	13722.86	51.81	43.55	-8.26	68.20	24.65	PK	Vertical	PASS
4	15588.79	49.64	45.85	-3.79	74.00	28.15	PK	Vertical	PASS
5	16884.44	48.26	46.34	-1.92	68.20	21.86	PK	Vertical	PASS
6	17824.91	47.06	48.49	1.43	74.00	25.51	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	51.61	42.70	-8.91	74.00	31.30	PK	Horizontal	PASS
2	12472.24	51.07	44.41	-6.66	74.00	29.59	PK	Horizontal	PASS
3	14988.49	49.82	45.07	-4.75	68.20	23.13	PK	Horizontal	PASS
4	15628.81	50.08	46.35	-3.73	74.00	27.65	PK	Horizontal	PASS
5	16939.47	48.52	46.81	-1.71	68.20	21.39	PK	Horizontal	PASS
6	17764.88	46.64	47.87	1.23	74.00	26.13	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12122.06	50.73	44.06	-6.67	74.00	29.94	PK	Vertical	PASS
2	13262.63	52.27	43.69	-8.58	74.00	30.31	PK	Vertical	PASS
3	14923.46	49.66	45.16	-4.50	68.20	23.04	PK	Vertical	PASS
4	15618.81	49.63	45.91	-3.72	74.00	28.09	PK	Vertical	PASS
5	16904.45	47.91	46.27	-1.64	68.20	21.93	PK	Vertical	PASS
6	17819.91	46.71	48.20	1.49	74.00	25.80	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8355.18	52.82	41.82	-11.00	74.00	32.18	PK	Horizontal	PASS
2	11836.92	50.99	43.61	-7.38	74.00	30.39	PK	Horizontal	PASS
3	13617.81	53.34	44.88	-8.46	68.20	23.32	PK	Horizontal	PASS
4	14973.49	50.54	45.85	-4.69	68.20	22.35	PK	Horizontal	PASS
5	16619.31	48.94	45.99	-2.95	68.20	22.21	PK	Horizontal	PASS
6	17814.91	46.77	48.30	1.53	74.00	25.70	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	11416.71	49.69	42.92	-6.77	74.00	31.08	PK	Vertical	PASS
2	12877.44	53.51	44.90	-8.61	68.20	23.30	PK	Vertical	PASS
3	14923.46	49.55	45.05	-4.50	68.20	23.15	PK	Vertical	PASS
4	15738.87	49.11	45.16	-3.95	74.00	28.84	PK	Vertical	PASS
5	17054.53	47.97	46.21	-1.76	68.20	21.99	PK	Vertical	PASS
6	17814.91	46.41	47.94	1.53	74.00	26.06	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10081.04	51.83	43.47	-8.36	68.20	24.73	PK	Horizontal	PASS
2	12247.12	50.66	43.90	-6.76	74.00	30.10	PK	Horizontal	PASS
3	15018.51	50.42	45.62	-4.80	68.20	22.58	PK	Horizontal	PASS
4	15623.81	49.47	45.74	-3.73	74.00	28.26	PK	Horizontal	PASS
5	17074.54	47.92	46.18	-1.74	68.20	22.02	PK	Horizontal	PASS
6	17829.91	47.60	49.00	1.40	74.00	25.00	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	50.60	42.42	-8.18	68.20	25.78	PK	Vertical	PASS
2	13632.82	52.18	43.76	-8.42	68.20	24.44	PK	Vertical	PASS
3	14948.47	50.36	45.77	-4.59	68.20	22.43	PK	Vertical	PASS
4	15683.84	50.44	46.65	-3.79	74.00	27.35	PK	Vertical	PASS
5	17069.53	47.97	46.22	-1.75	68.20	21.98	PK	Vertical	PASS
6	17814.91	46.18	47.71	1.53	74.00	26.29	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10061.03	51.53	43.18	-8.35	68.20	25.02	PK	Horizontal	PASS
2	12352.18	51.50	45.04	-6.46	74.00	28.96	PK	Horizontal	PASS
3	13902.95	51.76	44.05	-7.71	68.20	24.15	PK	Horizontal	PASS
4	15623.81	49.18	45.45	-3.73	74.00	28.55	PK	Horizontal	PASS
5	16884.44	47.95	46.03	-1.92	68.20	22.17	PK	Horizontal	PASS
6	17744.87	47.69	48.67	0.98	74.00	25.33	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9605.80	50.61	42.66	-7.95	68.20	25.54	PK	Vertical	PASS
2	10696.35	49.52	42.69	-6.83	74.00	31.31	PK	Vertical	PASS
3	13067.53	54.23	45.36	-8.87	68.20	22.84	PK	Vertical	PASS
4	14923.46	49.91	45.41	-4.50	68.20	22.79	PK	Vertical	PASS
5	15628.81	49.70	45.97	-3.73	74.00	28.03	PK	Vertical	PASS
6	17744.87	47.65	48.63	0.98	74.00	25.37	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9550.78	51.96	43.51	-8.45	68.20	24.69	PK	Horizontal	PASS
2	12122.06	51.28	44.61	-6.67	74.00	29.39	PK	Horizontal	PASS
3	13967.98	51.70	44.14	-7.56	68.20	24.06	PK	Horizontal	PASS
4	15668.83	49.37	45.59	-3.78	74.00	28.41	PK	Horizontal	PASS
5	16989.49	48.75	46.94	-1.81	68.20	21.26	PK	Horizontal	PASS
6	17819.91	46.40	47.89	1.49	74.00	26.11	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	52.71	41.50	-11.21	74.00	32.50	PK	Vertical	PASS
2	10191.10	51.74	43.05	-8.69	68.20	25.15	PK	Vertical	PASS
3	12347.17	50.24	43.76	-6.48	74.00	30.24	PK	Vertical	PASS
4	14903.45	50.30	45.88	-4.42	68.20	22.32	PK	Vertical	PASS
5	15743.87	49.31	45.33	-3.98	74.00	28.67	PK	Vertical	PASS
6	17734.87	47.51	48.38	0.87	74.00	25.62	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10381.19	52.26	44.45	-7.81	68.20	23.75	PK	Horizontal	PASS
2	12127.06	51.01	44.33	-6.68	74.00	29.67	PK	Horizontal	PASS
3	13772.89	53.05	44.73	-8.32	68.20	23.47	PK	Horizontal	PASS
4	15093.55	50.19	45.29	-4.90	68.20	22.91	PK	Horizontal	PASS
5	15708.85	49.26	45.42	-3.84	74.00	28.58	PK	Horizontal	PASS
6	17769.88	46.61	47.90	1.29	74.00	26.10	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9640.82	51.23	42.97	-8.26	68.20	25.23	PK	Vertical	PASS
2	12412.21	50.45	44.16	-6.29	74.00	29.84	PK	Vertical	PASS
3	13837.92	52.56	44.45	-8.11	68.20	23.75	PK	Vertical	PASS
4	15038.52	50.15	45.32	-4.83	68.20	22.88	PK	Vertical	PASS
5	15663.83	49.58	45.81	-3.77	74.00	28.19	PK	Vertical	PASS
6	17814.91	46.66	48.19	1.53	74.00	25.81	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8365.18	53.39	42.50	-10.89	74.00	31.50	PK	Horizontal	PASS
2	12272.14	50.93	44.18	-6.75	74.00	29.82	PK	Horizontal	PASS
3	13907.95	52.69	44.99	-7.70	68.20	23.21	PK	Horizontal	PASS
4	14333.17	52.56	45.47	-7.09	68.20	22.73	PK	Horizontal	PASS
5	15753.88	49.96	45.95	-4.01	74.00	28.05	PK	Horizontal	PASS
6	17814.91	45.98	47.51	1.53	74.00	26.49	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9560.78	51.58	43.24	-8.34	68.20	24.96	PK	Vertical	PASS
2	11286.64	49.23	42.91	-6.32	74.00	31.09	PK	Vertical	PASS
3	12482.24	50.66	43.94	-6.72	74.00	30.06	PK	Vertical	PASS
4	15673.84	49.40	45.61	-3.79	74.00	28.39	PK	Vertical	PASS
5	17299.65	48.41	46.75	-1.66	68.20	21.45	PK	Vertical	PASS
6	17814.91	46.47	48.00	1.53	74.00	26.00	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8740.37	52.74	42.13	-10.61	68.20	26.07	PK	Horizontal	PASS
2	10376.19	51.59	43.76	-7.83	68.20	24.44	PK	Horizontal	PASS
3	13612.81	52.41	43.93	-8.48	68.20	24.27	PK	Horizontal	PASS
4	15623.81	50.01	46.28	-3.73	74.00	27.72	PK	Horizontal	PASS
5	16924.46	48.03	46.35	-1.68	68.20	21.85	PK	Horizontal	PASS
6	17804.90	46.57	48.20	1.63	74.00	25.80	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8350.18	52.66	41.60	-11.06	74.00	32.40	PK	Vertical	PASS
2	11191.60	48.81	43.15	-5.66	74.00	30.85	PK	Vertical	PASS
3	12252.13	50.57	43.81	-6.76	74.00	30.19	PK	Vertical	PASS
4	13602.80	53.41	44.91	-8.50	68.20	23.29	PK	Vertical	PASS
5	15708.85	49.44	45.60	-3.84	74.00	28.40	PK	Vertical	PASS
6	17809.90	46.78	48.36	1.58	74.00	25.64	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8715.36	52.54	41.75	-10.79	68.20	26.45	PK	Horizontal	PASS
2	10361.18	50.83	42.95	-7.88	68.20	25.25	PK	Horizontal	PASS
3	13597.80	53.01	44.48	-8.53	68.20	23.72	PK	Horizontal	PASS
4	15658.83	50.13	46.36	-3.77	74.00	27.64	PK	Horizontal	PASS
5	16909.45	48.54	46.90	-1.64	68.20	21.30	PK	Horizontal	PASS
6	17819.91	47.49	48.98	1.49	74.00	25.02	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9675.84	51.80	43.24	-8.56	68.20	24.96	PK	Vertical	PASS
2	10376.19	51.14	43.31	-7.83	68.20	24.89	PK	Vertical	PASS
3	14923.46	49.93	45.43	-4.50	68.20	22.77	PK	Vertical	PASS
4	17069.53	47.93	46.18	-1.75	68.20	22.02	PK	Vertical	PASS
5	17759.88	46.37	47.54	1.17	74.00	26.46	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9585.79	51.30	43.24	-8.06	68.20	24.96	PK	Horizontal	PASS
2	12217.11	50.95	44.16	-6.79	74.00	29.84	PK	Horizontal	PASS
3	13122.56	54.07	45.35	-8.72	68.20	22.85	PK	Horizontal	PASS
4	14988.49	50.39	45.64	-4.75	68.20	22.56	PK	Horizontal	PASS
5	15633.82	49.95	46.22	-3.73	74.00	27.78	PK	Horizontal	PASS
6	17749.87	46.93	47.97	1.04	74.00	26.03	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8085.04	54.33	41.84	-12.49	74.00	32.16	PK	Vertical	PASS
2	13302.65	52.65	44.18	-8.47	74.00	29.82	PK	Vertical	PASS
3	15043.52	50.08	45.25	-4.83	68.20	22.95	PK	Vertical	PASS
4	15668.83	49.17	45.39	-3.78	74.00	28.61	PK	Vertical	PASS
5	16884.44	49.00	47.08	-1.92	68.20	21.12	PK	Vertical	PASS
6	17699.85	48.52	48.94	0.42	68.20	19.26	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10196.10	51.89	43.19	-8.70	68.20	25.01	PK	Horizontal	PASS
2	12487.24	50.55	43.80	-6.75	74.00	30.20	PK	Horizontal	PASS
3	14968.48	50.30	45.64	-4.66	68.20	22.56	PK	Horizontal	PASS
4	15733.87	49.76	45.83	-3.93	74.00	28.17	PK	Horizontal	PASS
5	16914.46	47.87	46.21	-1.66	68.20	21.99	PK	Horizontal	PASS
6	17719.86	48.04	48.71	0.67	74.00	25.29	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.44	43.16	-8.28	68.20	25.04	PK	Vertical	PASS
2	12322.16	50.35	43.74	-6.61	74.00	30.26	PK	Vertical	PASS
3	14928.46	49.78	45.27	-4.51	68.20	22.93	PK	Vertical	PASS
4	15593.80	49.74	45.99	-3.75	74.00	28.01	PK	Vertical	PASS
5	17024.51	47.99	46.19	-1.80	68.20	22.01	PK	Vertical	PASS
6	17734.87	46.67	47.54	0.87	74.00	26.46	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8355.18	53.02	42.02	-11.00	74.00	31.98	PK	Horizontal	PASS
2	10136.07	51.64	43.14	-8.50	68.20	25.06	PK	Horizontal	PASS
3	12272.14	51.40	44.65	-6.75	74.00	29.35	PK	Horizontal	PASS
4	14923.46	50.43	45.93	-4.50	68.20	22.27	PK	Horizontal	PASS
5	16674.34	48.41	45.38	-3.03	68.20	22.82	PK	Horizontal	PASS
6	17834.92	46.66	48.01	1.35	74.00	25.99	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8330.17	53.65	42.38	-11.27	74.00	31.62	PK	Vertical	PASS
2	9580.79	50.60	42.49	-8.11	68.20	25.71	PK	Vertical	PASS
3	12167.08	50.81	44.06	-6.75	74.00	29.94	PK	Vertical	PASS
4	15088.54	50.20	45.30	-4.90	68.20	22.90	PK	Vertical	PASS
5	15643.82	49.56	45.81	-3.75	74.00	28.19	PK	Vertical	PASS
6	17754.88	47.33	48.44	1.11	74.00	25.56	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9685.84	52.96	44.31	-8.65	68.20	23.89	PK	Horizontal	PASS
2	12242.12	50.94	44.17	-6.77	74.00	29.83	PK	Horizontal	PASS
3	14353.18	51.34	44.36	-6.98	68.20	23.84	PK	Horizontal	PASS
4	15588.79	49.58	45.79	-3.79	74.00	28.21	PK	Horizontal	PASS
5	16654.33	47.92	44.91	-3.01	68.20	23.29	PK	Horizontal	PASS
6	17809.90	45.76	47.34	1.58	74.00	26.66	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8350.18	53.74	42.68	-11.06	74.00	31.32	PK	Vertical	PASS
2	9570.79	52.33	44.10	-8.23	68.20	24.10	PK	Vertical	PASS
3	12247.12	51.68	44.92	-6.76	74.00	29.08	PK	Vertical	PASS
4	13592.80	54.02	45.43	-8.59	68.20	22.77	PK	Vertical	PASS
5	15653.83	49.71	45.95	-3.76	74.00	28.05	PK	Vertical	PASS
6	17809.90	45.24	46.82	1.58	74.00	27.18	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8835.42	53.59	43.52	-10.07	68.20	24.68	PK	Horizontal	PASS
2	12272.14	51.27	44.52	-6.75	74.00	29.48	PK	Horizontal	PASS
3	13962.98	52.61	45.04	-7.57	68.20	23.16	PK	Horizontal	PASS
4	15738.87	49.73	45.78	-3.95	74.00	28.22	PK	Horizontal	PASS
5	16654.33	47.68	44.67	-3.01	68.20	23.53	PK	Horizontal	PASS
6	17824.91	45.56	46.99	1.43	74.00	27.01	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	11216.61	49.23	43.46	-5.77	74.00	30.54	PK	Vertical	PASS
2	12367.18	50.89	44.51	-6.38	74.00	29.49	PK	Vertical	PASS
3	13582.79	52.94	44.24	-8.70	68.20	23.96	PK	Vertical	PASS
4	15068.53	50.67	45.80	-4.87	68.20	22.40	PK	Vertical	PASS
5	15598.80	49.29	45.58	-3.71	74.00	28.42	PK	Vertical	PASS
6	17809.90	44.90	46.48	1.58	74.00	27.52	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8330.17	53.89	42.62	-11.27	74.00	31.38	PK	Horizontal	PASS
2	12397.20	50.75	44.52	-6.23	74.00	29.48	PK	Horizontal	PASS
3	15033.52	50.26	45.43	-4.83	68.20	22.77	PK	Horizontal	PASS
4	15643.82	49.82	46.07	-3.75	74.00	27.93	PK	Horizontal	PASS
5	17119.56	46.67	44.70	-1.97	68.20	23.50	PK	Horizontal	PASS
6	17814.91	45.50	47.03	1.53	74.00	26.97	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9685.84	51.81	43.16	-8.65	68.20	25.04	PK	Vertical	PASS
2	12252.13	51.40	44.64	-6.76	74.00	29.36	PK	Vertical	PASS
3	14923.46	49.30	44.80	-4.50	68.20	23.40	PK	Vertical	PASS
4	15628.81	49.48	45.75	-3.73	74.00	28.25	PK	Vertical	PASS
5	17319.66	47.51	45.82	-1.69	68.20	22.38	PK	Vertical	PASS
6	17844.92	45.41	46.66	1.25	74.00	27.34	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9570.79	51.73	43.50	-8.23	68.20	24.70	PK	Horizontal	PASS
2	12477.24	51.48	44.80	-6.68	74.00	29.20	PK	Horizontal	PASS
3	13907.95	52.20	44.50	-7.70	68.20	23.70	PK	Horizontal	PASS
4	14983.49	49.56	44.84	-4.72	68.20	23.36	PK	Horizontal	PASS
5	15618.81	49.65	45.93	-3.72	74.00	28.07	PK	Horizontal	PASS
6	17759.88	45.58	46.75	1.17	74.00	27.25	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10571.29	51.00	43.81	-7.19	68.20	24.39	PK	Vertical	PASS
2	12272.14	50.74	43.99	-6.75	74.00	30.01	PK	Vertical	PASS
3	14098.05	52.06	44.66	-7.40	68.20	23.54	PK	Vertical	PASS
4	15593.80	48.91	45.16	-3.75	74.00	28.84	PK	Vertical	PASS
5	16899.45	46.08	44.44	-1.64	68.20	23.76	PK	Vertical	PASS
6	17804.90	45.90	47.53	1.63	74.00	26.47	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8195.10	55.85	42.86	-12.99	74.00	31.14	PK	Horizontal	PASS
2	12252.13	51.79	45.03	-6.76	74.00	28.97	PK	Horizontal	PASS
3	14638.32	50.09	44.75	-5.34	68.20	23.45	PK	Horizontal	PASS
4	15768.88	49.32	45.25	-4.07	74.00	28.75	PK	Horizontal	PASS
5	16614.31	47.72	44.77	-2.95	68.20	23.43	PK	Horizontal	PASS
6	17794.90	45.22	46.84	1.62	74.00	27.16	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9630.82	52.04	43.88	-8.16	68.20	24.32	PK	Vertical	PASS
2	12337.17	51.08	44.55	-6.53	74.00	29.45	PK	Vertical	PASS
3	14348.17	51.56	44.56	-7.00	68.20	23.64	PK	Vertical	PASS
4	14978.49	50.42	45.73	-4.69	68.20	22.47	PK	Vertical	PASS
5	15628.81	49.02	45.29	-3.73	74.00	28.71	PK	Vertical	PASS
6	17814.91	46.39	47.92	1.53	74.00	26.08	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.71	43.43	-8.28	68.20	24.77	PK	Horizontal	PASS
2	12327.16	51.11	44.53	-6.58	74.00	29.47	PK	Horizontal	PASS
3	14913.46	48.92	44.46	-4.46	68.20	23.74	PK	Horizontal	PASS
4	15593.80	49.47	45.72	-3.75	74.00	28.28	PK	Horizontal	PASS
5	16619.31	46.93	43.98	-2.95	68.20	24.22	PK	Horizontal	PASS
6	17829.91	45.25	46.65	1.40	74.00	27.35	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9555.78	52.48	44.09	-8.39	68.20	24.11	PK	Vertical	PASS
2	12467.23	50.91	44.29	-6.62	74.00	29.71	PK	Vertical	PASS
3	13707.85	53.08	44.83	-8.25	68.20	23.37	PK	Vertical	PASS
4	15698.85	49.17	45.36	-3.81	74.00	28.64	PK	Vertical	PASS
5	17379.69	46.78	45.03	-1.75	68.20	23.17	PK	Vertical	PASS
6	17824.91	45.81	47.24	1.43	74.00	26.76	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0108	73.51	-101.39	-27.88	46.93	-79.38	-4.57	-74.81	peak
2	0.0160	70.47	-101.37	-30.90	43.52	-82.40	-7.98	-74.42	peak
3	0.0223	66.36	-101.35	-34.99	40.63	-86.49	-10.87	-75.62	peak
4	0.0427	61.14	-101.45	-40.31	34.99	-91.81	-16.51	-75.30	peak
5	0.0675	58.64	-101.56	-42.92	31.02	-94.42	-20.48	-73.94	peak
6	0.1087	58.38	-101.78	-43.40	26.88	-94.90	-24.62	-70.28	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1660	72.80	-101.66	-28.86	23.20	-80.36	-28.30	-52.06	peak
2	0.2038	67.07	-101.72	-34.65	21.42	-86.15	-30.08	-56.07	peak
3	0.2550	64.74	-101.80	-37.06	19.47	-88.56	-32.03	-56.53	peak
4	0.2891	63.09	-101.85	-38.76	18.38	-90.26	-33.12	-57.14	peak
5	0.3644	58.94	-101.93	-42.99	16.37	-94.49	-35.13	-59.36	peak
6	0.4489	56.16	-102.01	-45.85	14.56	-97.35	-36.94	-60.41	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.6018	60.76	-62.08	-1.32	32.01	-52.82	-19.49	-33.33	peak
2	1.2115	57.31	-62.17	-4.86	25.94	-56.36	-25.56	-30.80	peak
3	2.6474	55.45	-61.67	-6.22	29.54	-57.72	-21.96	-35.76	peak
4	5.9198	55.43	-61.36	-5.93	29.54	-57.43	-21.96	-35.47	peak
5	12.6775	54.46	-60.92	-6.46	29.54	-57.96	-21.96	-36.00	peak
6	19.4939	55.11	-60.85	-5.74	29.54	-57.24	-21.96	-35.28	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18312.000	48.76	-5.49	43.27	74.00	-30.73	peak
2	19392.000	49.12	-5.57	43.55	74.00	-30.45	peak
3	20752.000	47.78	-5.11	42.67	74.00	-31.33	peak
4	22456.000	46.78	-3.94	42.84	74.00	-31.16	peak
5	24000.000	45.71	-2.75	42.96	74.00	-31.04	peak
6	25376.000	44.11	-1.73	42.38	74.00	-31.62	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18488.000	49.08	-5.26	43.82	74.00	-30.18	peak
2	19152.000	47.98	-5.44	42.54	74.00	-31.46	peak
3	20544.000	48.11	-5.31	42.80	74.00	-31.20	peak
4	22032.000	47.68	-4.44	43.24	74.00	-30.76	peak
5	23840.000	45.53	-3.04	42.49	74.00	-31.51	peak
6	25704.000	43.54	-0.83	42.71	74.00	-31.29	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	27470.000	49.51	-3.53	45.98	74.00	-28.02	peak
2	29094.000	46.95	-1.28	45.67	74.00	-28.33	peak
3	31306.000	47.59	-0.90	46.69	74.00	-27.31	peak
4	34078.000	46.57	1.13	47.70	74.00	-26.30	peak
5	36668.000	44.88	3.17	48.05	74.00	-25.95	peak
6	38460.000	43.89	3.58	47.47	74.00	-26.53	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26672.000	50.22	-4.86	45.36	74.00	-28.64	peak
2	28996.000	47.89	-1.40	46.49	74.00	-27.51	peak
3	30872.000	47.73	-0.94	46.79	74.00	-27.21	peak
4	34456.000	45.50	0.97	46.47	74.00	-27.53	peak
5	37480.000	44.14	3.19	47.33	74.00	-26.67	peak
6	39090.000	43.02	4.27	47.29	74.00	-26.71	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	62.0100	28.86	-14.99	13.87	40.00	-26.13	peak
2	182.2899	25.45	-11.86	13.59	43.50	-29.91	peak
3	273.4700	36.59	-13.13	23.46	46.00	-22.54	peak
4	568.3500	24.47	-6.56	17.91	46.00	-28.09	peak
5	777.8700	25.96	-3.02	22.94	46.00	-23.06	peak
6	962.1700	27.35	-0.67	26.68	54.00	-27.32	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	50.3700	33.96	-15.09	18.87	40.00	-21.13	peak
2	148.3400	35.08	-13.56	21.52	43.50	-21.98	peak
3	188.1100	31.70	-11.93	19.77	43.50	-23.73	peak
4	496.5700	24.94	-7.71	17.23	46.00	-28.77	peak
5	713.8500	24.98	-4.03	20.95	46.00	-25.05	peak
6	907.8500	26.62	-0.50	26.12	46.00	-19.88	peak

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISSED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00

*Decreases with the logarithm of the frequency.


TEST PROCEDURE

Refer to ANSI C63.10-2020 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2020. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	23.6°C	Relative Humidity	62%
Atmosphere Pressure	101kPa	Test Voltage	AC 120V, 60Hz

TEST DATE / ENGINEER

Test Date	November 11, 2025	Test By	Deacon Tan
-----------	-------------------	---------	------------

TEST RESULTS

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1561	40.85	9.73	50.58	65.67	-15.09	QP
2	0.1561	19.36	9.73	29.09	55.67	-26.58	AVG
3	0.2262	29.65	9.64	39.29	62.59	-23.30	QP
4	0.2262	11.96	9.64	21.60	52.59	-30.99	AVG
5	0.4332	28.59	9.64	38.23	57.19	-18.96	QP
6	0.4332	24.40	9.64	34.04	47.19	-13.15	AVG
7	4.3787	9.89	9.73	19.62	56.00	-36.38	QP
8	4.3787	4.16	9.73	13.89	46.00	-32.11	AVG
9	7.6551	6.18	9.73	15.91	60.00	-44.09	QP
10	7.6551	-0.98	9.73	8.75	50.00	-41.25	AVG
11	17.0816	12.08	9.74	21.82	60.00	-38.18	QP
12	17.0816	1.70	9.74	11.44	50.00	-38.56	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1575	40.14	9.64	49.78	65.59	-15.81	QP
2	0.1575	19.68	9.64	29.32	55.59	-26.27	AVG
3	0.2275	27.99	9.64	37.63	62.54	-24.91	QP
4	0.2275	12.73	9.64	22.37	52.54	-30.17	AVG
5	0.4350	30.82	9.64	40.46	57.16	-16.70	QP
6	0.4350	28.84	9.64	38.48	47.16	-8.68	AVG
7	1.8678	13.59	9.64	23.23	56.00	-32.77	QP
8	1.8678	5.59	9.64	15.23	46.00	-30.77	AVG
9	3.8255	13.47	9.63	23.10	56.00	-32.90	QP
10	3.8255	3.69	9.63	13.32	46.00	-32.68	AVG
11	18.2663	13.59	9.74	23.33	60.00	-36.67	QP
12	18.2663	-0.09	9.74	9.65	50.00	-40.35	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH


11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant1	5180	19.480	5170.280	5189.760	PASS
	Ant2	5180	19.800	5170.080	5189.880	PASS
	Ant1	5200	19.840	5190.160	5210.000	PASS
	Ant2	5200	19.960	5189.960	5209.920	PASS
	Ant1	5240	20.360	5229.760	5250.120	PASS
	Ant2	5240	19.920	5230.120	5250.040	PASS
	Ant1	5260	19.760	5249.920	5269.680	PASS
	Ant2	5260	19.720	5249.960	5269.680	PASS
	Ant1	5280	19.600	5270.120	5289.720	PASS
	Ant2	5280	20.040	5269.840	5289.880	PASS
	Ant1	5320	19.560	5310.160	5329.720	PASS
	Ant2	5320	19.720	5310.120	5329.840	PASS
	Ant1	5500	19.680	5490.120	5509.800	PASS
	Ant2	5500	19.480	5490.240	5509.720	PASS
	Ant1	5580	19.520	5570.280	5589.800	PASS
	Ant2	5580	19.840	5570.000	5589.840	PASS
	Ant1	5700	19.760	5690.040	5709.800	PASS
	Ant2	5700	19.720	5690.200	5709.920	PASS
	Ant1	5720	19.880	5709.960	5729.840	PASS
	Ant2	5720	20.360	5710.000	5730.360	PASS
	Ant1	5720 UNII-2C	15.04	5709.960	5725	PASS
	Ant2	5720 UNII-2C	15	5710.000	5725	PASS
	Ant1	5720 UNII-3	4.84	5725	5729.840	PASS
	Ant2	5720 UNII-3	5.36	5725	5730.360	PASS
	Ant1	5745	19.800	5735.080	5754.880	PASS
	Ant2	5745	19.880	5735.040	5754.920	PASS
	Ant1	5785	19.720	5775.080	5794.800	PASS
	Ant2	5785	19.640	5775.160	5794.800	PASS
	Ant1	5825	19.680	5815.120	5834.800	PASS
	Ant2	5825	19.880	5815.000	5834.880	PASS
11N20MIMO	Ant1	5180	19.800	5170.000	5189.800	PASS
	Ant2	5180	20.480	5169.760	5190.240	PASS
	Ant1	5200	19.520	5190.120	5209.640	PASS
	Ant2	5200	19.480	5190.320	5209.800	PASS
	Ant1	5240	19.960	5229.920	5249.880	PASS
	Ant2	5240	19.760	5230.200	5249.960	PASS
	Ant1	5260	20.040	5250.000	5270.040	PASS
	Ant2	5260	20.280	5249.840	5270.120	PASS
	Ant1	5280	19.800	5270.120	5289.920	PASS
	Ant2	5280	19.840	5269.840	5289.680	PASS
	Ant1	5320	19.880	5310.040	5329.920	PASS
	Ant2	5320	20.160	5309.800	5329.960	PASS
	Ant1	5500	19.360	5490.320	5509.680	PASS
	Ant2	5500	19.800	5490.080	5509.880	PASS
	Ant1	5580	19.800	5570.120	5589.920	PASS
	Ant2	5580	20.320	5569.760	5590.080	PASS
	Ant1	5700	20.080	5689.880	5709.960	PASS
	Ant2	5700	19.920	5690.040	5709.960	PASS
	Ant1	5720	20.040	5709.880	5729.920	PASS
	Ant2	5720	19.640	5710.320	5729.960	PASS
	Ant1	5720 UNII-2C	15.12	5709.880	5725	PASS


	Ant2	5720 UNII-2C	14.68	5710.320	5725	PASS
	Ant1	5720 UNII-3	4.92	5725	5729.920	PASS
	Ant2	5720 UNII-3	4.96	5725	5729.960	PASS
	Ant1	5745	20.120	5735.000	5755.120	PASS
	Ant2	5745	19.840	5735.000	5754.840	PASS
	Ant1	5785	19.880	5775.080	5794.960	PASS
	Ant2	5785	19.720	5775.240	5794.960	PASS
	Ant1	5825	20.200	5815.000	5835.200	PASS
	Ant2	5825	20.200	5814.920	5835.120	PASS
11N40MIMO	Ant1	5190	40.320	5170.160	5210.480	PASS
	Ant2	5190	40.080	5169.760	5209.840	PASS
	Ant1	5230	40.320	5209.840	5250.160	PASS
	Ant2	5230	39.280	5210.400	5249.680	PASS
	Ant1	5270	40.160	5250.080	5290.240	PASS
	Ant2	5270	40.160	5249.600	5289.760	PASS
	Ant1	5310	39.440	5290.400	5329.840	PASS
	Ant2	5310	39.440	5290.000	5329.440	PASS
	Ant1	5510	40.880	5489.360	5530.240	PASS
	Ant2	5510	39.920	5490.080	5530.000	PASS
	Ant1	5550	39.520	5529.920	5569.440	PASS
	Ant2	5550	40.000	5529.920	5569.920	PASS
	Ant1	5670	40.880	5649.120	5690.000	PASS
	Ant2	5670	40.080	5649.840	5689.920	PASS
	Ant1	5710	40.880	5689.680	5730.560	PASS
	Ant2	5710	40.480	5690.320	5730.800	PASS
	Ant1	5710 UNII-2C	35.32	5689.680	5725	PASS
	Ant2	5710 UNII-2C	34.68	5690.320	5725	PASS
	Ant1	5710 UNII-3	5.56	5725	5730.560	PASS
	Ant2	5710 UNII-3	5.8	5725	5730.800	PASS
	Ant1	5755	39.920	5735.080	5775.000	PASS
	Ant2	5755	39.600	5735.080	5774.680	PASS
	Ant1	5795	39.840	5774.840	5814.680	PASS
	Ant2	5795	40.160	5775.080	5815.240	PASS
11AC80MIMO	Ant1	5210	80.800	5169.680	5250.480	PASS
	Ant2	5210	80.800	5169.360	5250.160	PASS
	Ant1	5290	81.440	5249.040	5330.480	PASS
	Ant2	5290	81.280	5249.520	5330.800	PASS
	Ant1	5530	80.960	5489.680	5570.640	PASS
	Ant2	5530	81.440	5488.880	5570.320	PASS
	Ant1	5610	81.600	5569.040	5650.640	PASS
	Ant2	5610	80.960	5569.360	5650.320	PASS
	Ant1	5690	81.440	5649.520	5730.960	PASS
	Ant2	5690	81.280	5649.680	5730.960	PASS
	Ant1	5690 UNII-2C	75.48	5649.520	5725	PASS
	Ant2	5690 UNII-2C	75.32	5649.680	5725	PASS
	Ant1	5690 UNII-3	5.96	5725	5730.960	PASS
	Ant2	5690 UNII-3	5.96	5725	5730.960	PASS
	Ant1	5775	80.960	5734.680	5815.640	PASS
	Ant2	5775	81.280	5734.360	5815.640	PASS

11.1.2. Test Graphs





11A Ant2 5200




11A Ant1 5240



11A Ant2 5240







11A Ant2 5280



11A Ant1 5320



11A Ant2 5320




11A Ant1 5500



11A Ant2 5500




11A Ant1 5580



11A Ant2 5580




11A Ant1 5700



11A Ant2 5700



11A Ant1 5720



11A Ant2 5720




11A Ant1 5745



11A Ant2 5745



11A Ant1 5785



11A Ant2 5785

