

Appendix A: Test Results of Bluetooth BR & EDR


APPENDIX A: TEST RESULTS OF BLUETOOTH BR & EDR.....	1
APPENDIX A.1: TEST RESULTS OF 20dB BANDWIDTH	2
Test Result.....	2
Test Graphs.....	3
APPENDIX A.2: TEST RESULTS OF 99% BANDWIDTH	5
Test Result.....	5
Test Graphs.....	6
APPENDIX A.3: TEST RESULTS OF CARRIER FREQUENCY SEPARATION.....	8
Test Result.....	8
Test Graphs.....	8
APPENDIX A.4: TEST RESULTS OF TIME OF OCCUPANCY	9
Test Result.....	9
Test Graphs.....	10
APPENDIX A.5: TEST RESULTS OF NUMBER OF HOPPING FREQUENCY.....	14
Test Result.....	14
Test Graphs.....	14
APPENDIX A.6: TEST RESULTS OF BAND EDGE MEASUREMENTS	15
Test Result.....	15
Test Graphs.....	16
APPENDIX A.7: TEST RESULTS OF CONDUCTED SPURIOUS EMISSION	19
Test Result.....	19
Test Graphs.....	20
APPENDIX A.8: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS.....	26
30 MHz - 1GHz.....	26
1GHz - 18GHz.....	28
30 MHz - 1GHz for co-location.....	40
1GHz - 18GHz for co-location.....	42
APPENDIX A.9: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS.....	46

Appendix A.1: Test Results of 20dB Bandwidth

Test Result

TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.948	2401.541	2402.489	---	PASS
		2441	0.945	2440.541	2441.486	---	PASS
		2480	0.951	2479.538	2480.489	---	PASS
3DH5	Ant1	2402	1.281	2401.352	2402.633	---	PASS
		2441	1.317	2440.349	2441.666	---	PASS
		2480	1.272	2479.358	2480.630	---	PASS

Test Graphs







Appendix A.2: Test Results of 99% Bandwidth

Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.88591	2401.5597	2402.4456	---	PASS
		2441	0.88019	2440.5614	2441.4416	---	PASS
		2480	0.89561	2479.5565	2480.4521	---	PASS
3DH5	Ant1	2402	1.2049	2401.3912	2402.5961	---	PASS
		2441	1.1983	2440.3974	2441.5957	---	PASS
		2480	1.2007	2479.3940	2480.5947	---	PASS

Test Graphs





Appendix A.3: Test Results of Carrier Frequency Separation

Test Result

TestMode	Antenna	Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	1.1	≥0.951	PASS
3DH5	Ant1	Hop	0.992	≥0.878	PASS

Test Graphs





Appendix A.4: Test Results of Time of Occupancy


Test Result

TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant1	Hop	0.381	312	0.119	≤0.4	PASS
DH3	Ant1	Hop	1.638	153	0.251	≤0.4	PASS
DH5	Ant1	Hop	2.885	112	0.323	≤0.4	PASS
3DH1	Ant1	Hop	0.390	313	0.122	≤0.4	PASS
3DH3	Ant1	Hop	1.642	157	0.258	≤0.4	PASS
3DH5	Ant1	Hop	2.892	118	0.341	≤0.4	PASS

Test Graphs









3DH5 Ant1 Hop




Appendix A.5: Test Results of Number of Hopping Frequency

Test Result

TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

Test Graphs



Appendix A.6: Test Results of Band Edge Measurements

Test Result

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	5.52	-41.33	≤-14.48	PASS
		High	2480	3.99	-40.81	≤-16.01	PASS
3DH5	Ant1	Low	2402	6.83	-41.04	≤-13.17	PASS
		High	2480	4.55	-41.17	≤-15.45	PASS
DH5	Ant1	Hopping	2402	5.88	-40.91	≤-14.12	PASS
		Hopping	2480	4.40	-43.01	≤-15.60	PASS
3DH5	Ant1	Hopping	2402	4.72	-40.99	≤-15.28	PASS
		Hopping	2480	4.42	-40.96	≤-15.58	PASS

Test Graphs








Appendix A.7: Test Results of Conducted Spurious Emission

Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	4.95	4.95	---	PASS
			30~1000	4.95	-50.66	≤-15.05	PASS
			1000~26500	4.95	-53.03	≤-15.05	PASS
		2441	Reference	4.29	4.29	---	PASS
			30~1000	4.29	-50.91	≤-15.71	PASS
			1000~26500	4.29	-54.58	≤-15.71	PASS
		2480	Reference	3.89	3.89	---	PASS
			30~1000	3.89	-51.38	≤-16.11	PASS
			1000~26500	3.89	-54.54	≤-16.11	PASS
3DH5	Ant1	2402	Reference	4.12	4.12	---	PASS
			30~1000	4.12	-50.49	≤-15.88	PASS
			1000~26500	4.12	-53.97	≤-15.88	PASS
		2441	Reference	5.75	5.75	---	PASS
			30~1000	5.75	-51.29	≤-14.25	PASS
			1000~26500	5.75	-53.68	≤-14.25	PASS
		2480	Reference	3.02	3.02	---	PASS
			30~1000	3.02	-50.07	≤-16.98	PASS
			1000~26500	3.02	-54.26	≤-16.98	PASS


Test Graphs













Appendix A.8: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.005000	15.22	40.00	24.78	100.0	H	306.0	-18.8
183.313889	37.02	43.50	6.48	100.0	H	184.0	-20.3
233.969444	31.98	46.00	14.02	100.0	H	29.0	-18.0
451.626667	30.15	46.00	15.85	100.0	H	93.0	-12.7
832.136111	31.31	46.00	14.69	100.0	H	6.0	-5.6

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: WIFI+BT Module
Model: DT3QR1501
Test Mode: BR_DH5_Mid channel
Order No/Sample No: 168589310/A004160325-002
Test Voltage: DC 3.3V
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
45.681667	15.11	40.00	24.89	100.0	V	342.0	-18.8
105.660000	13.88	43.50	29.62	100.0	V	252.0	-18.9
174.206667	22.90	43.50	20.60	100.0	V	295.0	-21.1
333.232778	20.36	46.00	25.64	100.0	V	131.0	-15.2
491.504444	26.49	46.00	19.51	100.0	V	223.0	-12.0
937.542778	28.01	46.00	17.99	100.0	V	99.0	-4.4

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4803.500000	---	41.12	54.00	12.88	150.0	H	57.0	13.3
4809.500000	52.92	---	74.00	21.08	150.0	H	164.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
90.0-90.5	86.0-87.0	85.0-86.0	85.0-86.0	85.0-86.0	85.0-86.0		85.0-86.0	85.0-86.0

EUT Information

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7159.241667	---	35.70	54.00	18.30	150.0	H	311.0	8.7
7206.441667	43.67	---	74.00	30.33	150.0	H	288.0	8.8
12129.991667	51.23	---	74.00	22.77	150.0	H	187.0	16.2
12142.775000	---	42.50	54.00	11.50	150.0	H	197.0	16.5

Final_Result

[illegible]

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7203.000000	43.28	---	74.00	30.72	150.0	V	124.0	8.8
7222.175000	---	35.25	54.00	18.75	150.0	V	91.0	8.7
12145.725000	---	42.77	54.00	11.23	150.0	V	27.0	16.6
12146.216667	50.65	---	74.00	23.35	150.0	V	80.0	16.6

Final_Result

[illegible]

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4882.000000	53.54	---	74.00	20.46	150.0	H	339.0	13.3
4902.500000	---	41.79	54.00	12.21	150.0	H	165.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
93.5-93.7	93.5-93.7	93.5-93.7	93.5-93.7	93.5-93.7	93.5-93.7		93.5-93.7	

EUT Information

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7482.266667	43.80	---	74.00	30.20	150.0	H	208.0	8.7
7490.133333	---	35.50	54.00	18.50	150.0	H	38.0	8.7
12142.283333	50.58	---	74.00	23.42	150.0	H	65.0	16.5
12150.641667	---	42.96	54.00	11.04	150.0	H	91.0	16.7

Final_Result

[illegible]

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7428.183333	---	35.41	54.00	18.59	150.0	V	5.0	8.4
7447.850000	43.76	---	74.00	30.24	150.0	V	139.0	8.5
12148.183333	50.45	---	74.00	23.55	150.0	V	70.0	16.7
12155.558333	---	42.10	54.00	11.90	150.0	V	312.0	16.4

Final_Result


[illegible]

EUT Information

EUT Information

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7443.916667	43.97	---	74.00	30.03	150.0	H	209.0	8.5
7482.266667	---	35.93	54.00	18.07	150.0	H	0.0	8.7
11764.191667	---	42.06	54.00	11.94	150.0	H	297.0	15.3
11785.825000	50.40	---	74.00	23.60	150.0	H	0.0	15.0

Final_Result

[illegible]

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7417.858333	---	35.32	54.00	18.68	150.0	V	1.0	8.4
7419.333333	44.08	---	74.00	29.92	150.0	V	249.0	8.4
12147.691667	---	42.43	54.00	11.57	150.0	V	55.0	16.7
12158.016667	50.50	---	74.00	23.50	150.0	V	100.0	16.3


Final_Result

[illegible]

30 MHz - 1GHz for co-location

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BT+WIFI 5G
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
45.681667	14.84	40.00	25.16	100.0	H	75.0	-18.8
181.158333	37.21	43.50	6.29	100.0	H	6.0	-20.5
263.015556	30.85	46.00	15.15	100.0	H	31.0	-17.1
455.452778	30.89	46.00	15.11	100.0	H	83.0	-12.7
802.173889	30.73	46.00	15.27	100.0	H	182.0	-6.2

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: WIFI+BT Module
Model: DT3QR1501
Test Mode: BT+WIFI 5G
Order No/Sample No: 168589310/A004160325-002
Test Voltage: DC 3.3V
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.885000	14.81	40.00	25.19	100.0	V	4.0	-18.4
107.222778	13.99	43.50	29.51	100.0	V	86.0	-19.0
173.613889	22.69	43.50	20.81	100.0	V	260.0	-21.1
298.043333	20.54	46.00	25.46	100.0	V	170.0	-16.3
478.140000	26.38	46.00	19.62	100.0	V	288.0	-12.2
937.542778	28.56	46.00	17.44	100.0	V	184.0	-4.4

Final_Result


Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz for co-location

Note: The highest waveform in the figure is Bluetooth / Wi-Fi Fundamental.

EUT Information

EUT Name:	WiFi+BT Module
Model:	DT3QR1501
Test Mode:	BT+WiFi 5G
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.000000	42.88	—	74.00	31.12	150.0	H	213.0	2.6
1253.000000	—	31.96	54.00	22.04	150.0	H	213.0	2.6
2796.500000	—	47.18	54.00	6.82	150.0	H	187.0	9.6
2802.000000	54.58	—	74.00	19.42	150.0	H	200.0	9.6
3254.500000	—	46.06	54.00	7.94	150.0	H	51.0	10.8
3255.000000	52.82	—	74.00	21.18	150.0	H	175.0	10.8
4626.000000	54.97	—	74.00	19.03	150.0	H	52.0	13.5
4647.500000	—	43.72	54.00	10.28	150.0	H	267.0	13.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	-----	-----	-----	-----	-----		-----	-----

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BT+WIFI 5G
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1596.500000	44.83	---	74.00	29.17	150.0	V	253.0	3.8
1597.000000	---	34.96	54.00	19.04	150.0	V	253.0	3.8
3255.000000	---	43.86	54.00	10.14	150.0	V	353.0	10.8
3257.000000	50.81	---	74.00	23.19	150.0	V	177.0	10.8
4687.500000	---	43.78	54.00	10.22	150.0	V	239.0	13.5
4707.000000	55.30	---	74.00	18.70	150.0	V	132.0	13.5

Final_Result

[illegible]

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BT+WIFI 5G
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6986.175000	—	41.71	54.00	12.29	150.0	H	316.0	8.6
6986.666667	46.11	—	74.00	27.89	150.0	H	316.0	8.6
10596.483333	46.34	—	74.00	27.66	150.0	H	142.0	12.1
10634.341667	—	38.32	54.00	15.68	150.0	H	245.0	12.0
12145.725000	50.75	—	74.00	23.25	150.0	H	268.0	16.6
12148.183333	—	42.47	54.00	11.53	150.0	H	326.0	16.7

Final_Result

[illegible]

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BT+WIFI 5G
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7467.516667	—	36.30	54.00	17.70	150.0	V	30.0	8.6
7505.866667	43.92	—	74.00	30.08	150.0	V	9.0	8.7
10614.675000	—	38.15	54.00	15.85	150.0	V	237.0	12.0
10646.633333	47.68	—	74.00	26.32	150.0	V	153.0	12.0
12136.875000	51.79	—	74.00	22.21	150.0	V	1.0	16.4
12144.250000	—	42.69	54.00	11.31	150.0	V	75.0	16.6


Final_Result

[illegible]

Appendix A.9: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2375.299706	---	40.43	54.00	13.57	150.0	H	158.0	8.5
2376.005882	52.53	---	74.00	21.47	150.0	H	224.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
93.0-93.5	93.0-93.5	93.0-93.5	93.0-93.5	93.0-93.5	93.0-93.5		93.0-93.5	93.0-93.5

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2352.327353	52.37	---	74.00	21.63	150.0	V	335.0	8.5
2352.788530	---	40.75	54.00	13.25	150.0	V	58.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
93.750000	93.750000	93.750000	93.750000	93.750000	93.750000		93.750000	93.750000

EUT Information

EUT Name:	WIFI+BT Module
Model:	DT3QR1501
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168589310/A004160325-002
Test Voltage:	DC 3.3V
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.375000	---	41.59	54.00	12.41	150.0	H	0.0	9.0
2486.128677	52.82	---	74.00	21.18	150.0	H	197.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
93.5-93.6	93.5-93.6	93.5-93.6	93.5-93.6	93.5-93.6	93.5-93.6		93.5-93.6	

