






PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9245.62	41.87	50.25	8.38	68.20	17.95	PK	Vertical	PASS
2	11746.87	40.81	50.62	9.81	74.00	23.38	PK	Vertical	PASS
3	14053.03	39.06	50.56	11.50	68.20	17.64	PK	Vertical	PASS
4	15428.71	38.23	50.61	12.38	74.00	23.39	PK	Vertical	PASS
5	16494.25	37.01	51.33	14.32	68.20	16.87	PK	Vertical	PASS
6	17884.94	34.94	51.91	16.97	74.00	22.09	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9450.73	40.98	49.91	8.93	74.00	24.09	PK	Horizontal	PASS
2	10396.20	41.22	49.66	8.44	68.20	18.54	PK	Horizontal	PASS
3	12397.20	40.79	51.13	10.34	74.00	22.87	PK	Horizontal	PASS
4	14198.10	39.33	51.08	11.75	68.20	17.12	PK	Horizontal	PASS
5	15318.66	38.53	50.55	12.02	68.20	17.65	PK	Horizontal	PASS
6	17674.84	36.87	52.41	15.54	68.20	15.79	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	41.71	50.59	8.88	68.20	17.61	PK	Vertical	PASS
2	11446.72	40.71	50.00	9.29	74.00	24.00	PK	Vertical	PASS
3	12527.26	40.18	50.86	10.68	74.00	23.14	PK	Vertical	PASS
4	14973.49	39.10	51.02	11.92	68.20	17.18	PK	Vertical	PASS
5	16819.41	36.86	51.81	14.95	68.20	16.39	PK	Vertical	PASS
6	17869.93	35.84	52.75	16.91	74.00	21.25	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9295.65	41.02	49.73	8.71	68.20	18.47	PK	Horizontal	PASS
2	12197.10	40.25	50.29	10.04	74.00	23.71	PK	Horizontal	PASS
3	13937.97	39.47	50.92	11.45	68.20	17.28	PK	Horizontal	PASS
4	15423.71	38.20	50.57	12.37	74.00	23.43	PK	Horizontal	PASS
5	16604.30	37.53	52.23	14.70	68.20	15.97	PK	Horizontal	PASS
6	17839.92	35.52	52.34	16.82	74.00	21.66	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9510.76	41.09	50.16	9.07	68.20	18.04	PK	Vertical	PASS
2	11606.80	40.41	50.39	9.98	74.00	23.61	PK	Vertical	PASS
3	12927.46	39.64	50.67	11.03	68.20	17.53	PK	Vertical	PASS
4	14728.36	39.51	51.44	11.93	68.20	16.76	PK	Vertical	PASS
5	16759.38	37.56	52.49	14.93	68.20	15.71	PK	Vertical	PASS
6	17964.98	35.22	52.44	17.22	74.00	21.56	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9300.65	41.65	50.39	8.74	74.00	23.61	PK	Horizontal	PASS
2	11441.72	41.54	50.81	9.27	74.00	23.19	PK	Horizontal	PASS
3	13757.88	40.27	51.71	11.44	68.20	16.49	PK	Horizontal	PASS
4	14963.48	39.06	50.97	11.91	68.20	17.23	PK	Horizontal	PASS
5	16384.19	38.42	52.36	13.94	68.20	15.84	PK	Horizontal	PASS
6	17969.98	35.23	52.47	17.24	74.00	21.53	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9950.98	41.94	50.68	8.74	68.20	17.52	PK	Vertical	PASS
2	11426.71	40.98	50.19	9.21	74.00	23.81	PK	Vertical	PASS
3	12897.45	40.70	51.75	11.05	68.20	16.45	PK	Vertical	PASS
4	14623.31	39.59	51.78	12.19	68.20	16.42	PK	Vertical	PASS
5	16619.31	37.60	52.33	14.73	68.20	15.87	PK	Vertical	PASS
6	17939.97	35.12	52.27	17.15	74.00	21.73	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9515.76	40.57	49.60	9.03	68.20	18.60	PK	Horizontal	PASS
2	9950.98	43.47	52.21	8.74	68.20	15.99	PK	Horizontal	PASS
3	12772.39	39.86	50.94	11.08	68.20	17.26	PK	Horizontal	PASS
4	14498.25	38.51	50.58	12.07	74.00	23.42	PK	Horizontal	PASS
5	16129.06	38.38	51.73	13.35	74.00	22.27	PK	Horizontal	PASS
6	17854.93	34.95	51.82	16.87	74.00	22.18	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9510.76	40.54	49.61	9.07	68.20	18.59	PK	Vertical	PASS
2	11456.73	41.33	50.66	9.33	74.00	23.34	PK	Vertical	PASS
3	13422.71	39.70	50.97	11.27	68.20	17.23	PK	Vertical	PASS
4	14953.48	38.98	50.88	11.90	68.20	17.32	PK	Vertical	PASS
5	16099.05	38.89	52.14	13.25	74.00	21.86	PK	Vertical	PASS
6	17894.95	35.32	52.32	17.00	74.00	21.68	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9425.71	41.41	50.23	8.82	74.00	23.77	PK	Horizontal	PASS
2	12897.45	39.73	50.78	11.05	68.20	17.42	PK	Horizontal	PASS
3	14663.33	39.17	51.26	12.09	68.20	16.94	PK	Horizontal	PASS
4	15758.88	38.60	51.14	12.54	74.00	22.86	PK	Horizontal	PASS
5	16834.42	37.40	52.31	14.91	68.20	15.89	PK	Horizontal	PASS
6	17714.86	35.64	51.96	16.32	74.00	22.04	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9860.93	41.65	50.06	8.41	68.20	18.14	PK	Vertical	PASS
2	11666.83	40.33	50.24	9.91	74.00	23.76	PK	Vertical	PASS
3	12792.40	40.55	51.64	11.09	68.20	16.56	PK	Vertical	PASS
4	14543.27	38.40	50.55	12.15	68.20	17.65	PK	Vertical	PASS
5	15393.70	38.62	50.98	12.36	74.00	23.02	PK	Vertical	PASS
6	17734.87	35.36	52.79	17.43	74.00	21.21	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9005.50	41.39	49.16	7.77	74.00	24.84	PK	Horizontal	PASS
2	9985.99	41.15	50.08	8.93	68.20	18.12	PK	Horizontal	PASS
3	11781.89	40.57	50.34	9.77	74.00	23.66	PK	Horizontal	PASS
4	12977.49	39.66	50.66	11.00	68.20	17.54	PK	Horizontal	PASS
5	15533.77	38.37	50.77	12.40	74.00	23.23	PK	Horizontal	PASS
6	16799.40	37.22	52.20	14.98	68.20	16.00	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9690.85	41.57	49.88	8.31	68.20	18.32	PK	Vertical	PASS
2	11406.70	41.68	50.79	9.11	74.00	23.21	PK	Vertical	PASS
3	12417.21	40.42	50.80	10.38	74.00	23.20	PK	Vertical	PASS
4	13747.87	40.20	51.61	11.41	68.20	16.59	PK	Vertical	PASS
5	15348.67	39.18	51.33	12.15	68.20	16.87	PK	Vertical	PASS
6	17769.88	35.15	52.04	16.89	74.00	21.96	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	41.64	49.70	8.06	74.00	24.30	PK	Horizontal	PASS
2	11641.82	39.96	49.89	9.93	74.00	24.11	PK	Horizontal	PASS
3	12812.41	39.54	50.63	11.09	68.20	17.57	PK	Horizontal	PASS
4	14623.31	39.25	51.44	12.19	68.20	16.76	PK	Horizontal	PASS
5	16654.33	37.19	51.96	14.77	68.20	16.24	PK	Horizontal	PASS
6	17244.62	36.88	51.87	14.99	68.20	16.33	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8345.17	42.68	49.64	6.96	74.00	24.36	PK	Vertical	PASS
2	11196.60	41.16	50.14	8.98	74.00	23.86	PK	Vertical	PASS
3	12707.35	40.37	51.39	11.02	68.20	16.81	PK	Vertical	PASS
4	14608.30	39.05	51.27	12.22	68.20	16.93	PK	Vertical	PASS
5	16039.02	38.07	51.12	13.05	74.00	22.88	PK	Vertical	PASS
6	17924.96	35.33	52.42	17.09	74.00	21.58	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8820.41	42.13	49.68	7.55	68.20	18.52	PK	Horizontal	PASS
2	11606.80	40.29	50.27	9.98	74.00	23.73	PK	Horizontal	PASS
3	12707.35	40.62	51.64	11.02	68.20	16.56	PK	Horizontal	PASS
4	14653.33	38.75	50.86	12.11	68.20	17.34	PK	Horizontal	PASS
5	15988.99	38.03	50.93	12.90	74.00	23.07	PK	Horizontal	PASS
6	16764.38	36.35	51.28	14.93	68.20	16.92	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9470.74	40.75	49.77	9.02	74.00	24.23	PK	Vertical	PASS
2	10091.05	41.55	50.00	8.45	68.20	18.20	PK	Vertical	PASS
3	12202.10	40.83	50.87	10.04	74.00	23.13	PK	Vertical	PASS
4	14648.32	38.82	50.95	12.13	68.20	17.25	PK	Vertical	PASS
5	16719.36	38.19	53.06	14.87	68.20	15.14	PK	Vertical	PASS
6	17739.87	35.11	52.81	17.70	74.00	21.19	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9330.67	41.17	49.90	8.73	74.00	24.10	PK	Horizontal	PASS
2	11171.59	42.64	51.50	8.86	74.00	22.50	PK	Horizontal	PASS
3	12797.40	39.72	50.82	11.10	68.20	17.38	PK	Horizontal	PASS
4	14728.36	39.76	51.69	11.93	68.20	16.51	PK	Horizontal	PASS
5	16769.38	37.44	52.38	14.94	68.20	15.82	PK	Horizontal	PASS
6	17864.93	35.34	52.24	16.90	74.00	21.76	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10011.01	41.10	50.04	8.94	68.20	18.16	PK	Vertical	PASS
2	11196.60	41.04	50.02	8.98	74.00	23.98	PK	Vertical	PASS
3	13327.66	40.33	51.51	11.18	74.00	22.49	PK	Vertical	PASS
4	14433.22	39.14	51.07	11.93	68.20	17.13	PK	Vertical	PASS
5	16614.31	37.05	51.77	14.72	68.20	16.43	PK	Vertical	PASS
6	17724.86	35.19	52.06	16.87	74.00	21.94	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9290.65	41.27	49.95	8.68	68.20	18.25	PK	Horizontal	PASS
2	11761.88	40.54	50.33	9.79	74.00	23.67	PK	Horizontal	PASS
3	12932.47	39.61	50.64	11.03	68.20	17.56	PK	Horizontal	PASS
4	14638.32	39.41	51.56	12.15	68.20	16.64	PK	Horizontal	PASS
5	15748.87	38.79	51.33	12.54	74.00	22.67	PK	Horizontal	PASS
6	17809.90	35.68	52.40	16.72	74.00	21.60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9450.73	41.29	50.22	8.93	74.00	23.78	PK	Vertical	PASS
2	11471.74	41.00	50.39	9.39	74.00	23.61	PK	Vertical	PASS
3	12392.20	41.22	51.55	10.33	74.00	22.45	PK	Vertical	PASS
4	13612.81	40.28	51.31	11.03	68.20	16.89	PK	Vertical	PASS
5	14858.43	39.38	51.19	11.81	68.20	17.01	PK	Vertical	PASS
6	16559.28	37.31	51.87	14.56	68.20	16.33	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9160.58	41.93	49.97	8.04	74.00	24.03	PK	Horizontal	PASS
2	11591.80	40.53	50.47	9.94	74.00	23.53	PK	Horizontal	PASS
3	12652.33	40.36	51.32	10.96	74.00	22.68	PK	Horizontal	PASS
4	14623.31	38.33	50.52	12.19	68.20	17.68	PK	Horizontal	PASS
5	16639.32	36.83	51.58	14.75	68.20	16.62	PK	Horizontal	PASS
6	17799.90	35.31	52.00	16.69	74.00	22.00	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9840.92	41.57	49.96	8.39	68.20	18.24	PK	Vertical	PASS
2	11786.89	40.62	50.39	9.77	74.00	23.61	PK	Vertical	PASS
3	12822.41	39.63	50.72	11.09	68.20	17.48	PK	Vertical	PASS
4	15378.69	38.97	51.26	12.29	74.00	22.74	PK	Vertical	PASS
5	17234.62	37.19	52.17	14.98	68.20	16.03	PK	Vertical	PASS
6	17729.86	34.97	52.13	17.16	74.00	21.87	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9210.61	41.59	49.73	8.14	68.20	18.47	PK	Horizontal	PASS
2	10506.25	41.80	50.22	8.42	68.20	17.98	PK	Horizontal	PASS
3	11736.87	40.21	50.04	9.83	74.00	23.96	PK	Horizontal	PASS
4	14423.21	38.93	50.84	11.91	68.20	17.36	PK	Horizontal	PASS
5	15488.74	38.28	50.65	12.37	74.00	23.35	PK	Horizontal	PASS
6	17879.94	35.12	52.07	16.95	74.00	21.93	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9720.86	42.13	50.45	8.32	68.20	17.75	PK	Vertical	PASS
2	11901.95	40.37	50.07	9.70	74.00	23.93	PK	Vertical	PASS
3	12572.29	40.14	50.96	10.82	74.00	23.04	PK	Vertical	PASS
4	14278.14	39.64	51.43	11.79	68.20	16.77	PK	Vertical	PASS
5	16369.18	37.74	51.66	13.92	68.20	16.54	PK	Vertical	PASS
6	17964.98	35.34	52.56	17.22	74.00	21.44	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9595.80	41.13	49.48	8.35	68.20	18.72	PK	Horizontal	PASS
2	11061.53	41.30	49.70	8.40	74.00	24.30	PK	Horizontal	PASS
3	12582.29	40.92	51.78	10.86	74.00	22.22	PK	Horizontal	PASS
4	14423.21	39.16	51.07	11.91	68.20	17.13	PK	Horizontal	PASS
5	16114.06	37.68	50.97	13.29	74.00	23.03	PK	Horizontal	PASS
6	17739.87	35.13	52.83	17.70	74.00	21.17	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9500.75	41.83	50.98	9.15	68.20	17.22	PK	Vertical	PASS
2	11326.66	41.27	50.33	9.06	74.00	23.67	PK	Vertical	PASS
3	13292.65	40.49	51.61	11.12	74.00	22.39	PK	Vertical	PASS
4	15413.71	39.06	51.44	12.38	74.00	22.56	PK	Vertical	PASS
5	16599.30	37.91	52.61	14.70	68.20	15.59	PK	Vertical	PASS
6	18000.00	34.77	52.11	17.34	74.00	21.89	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9465.73	41.04	50.04	9.00	74.00	23.96	PK	Horizontal	PASS
2	11696.85	40.95	50.82	9.87	74.00	23.18	PK	Horizontal	PASS
3	12837.42	40.73	51.81	11.08	68.20	16.39	PK	Horizontal	PASS
4	14688.34	39.16	51.18	12.02	68.20	17.02	PK	Horizontal	PASS
5	16394.20	37.08	51.04	13.96	68.20	17.16	PK	Horizontal	PASS
6	17734.87	34.36	51.79	17.43	74.00	22.21	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9470.74	41.03	50.05	9.02	74.00	23.95	PK	Vertical	PASS
2	10446.22	41.65	50.09	8.44	68.20	18.11	PK	Vertical	PASS
3	12697.35	40.10	51.10	11.00	74.00	22.90	PK	Vertical	PASS
4	14533.27	38.68	50.81	12.13	68.20	17.39	PK	Vertical	PASS
5	16224.11	37.51	51.13	13.62	68.20	17.07	PK	Vertical	PASS
6	17989.99	34.89	52.20	17.31	74.00	21.80	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9250.63	41.25	49.66	8.41	68.20	18.54	PK	Horizontal	PASS
2	11226.61	41.13	50.14	9.01	74.00	23.86	PK	Horizontal	PASS
3	12932.47	39.66	50.69	11.03	68.20	17.51	PK	Horizontal	PASS
4	14848.42	39.51	51.30	11.79	68.20	16.90	PK	Horizontal	PASS
5	16614.31	37.00	51.72	14.72	68.20	16.48	PK	Horizontal	PASS
6	17799.90	35.37	52.06	16.69	74.00	21.94	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9125.56	41.97	49.99	8.02	74.00	24.01	PK	Vertical	PASS
2	11136.57	41.11	49.83	8.72	74.00	24.17	PK	Vertical	PASS
3	12122.06	40.76	50.65	9.89	74.00	23.35	PK	Vertical	PASS
4	13867.93	39.31	50.82	11.51	68.20	17.38	PK	Vertical	PASS
5	15693.85	38.09	50.59	12.50	74.00	23.41	PK	Vertical	PASS
6	17839.92	35.42	52.24	16.82	74.00	21.76	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9460.73	40.56	49.53	8.97	74.00	24.47	PK	Horizontal	PASS
2	10181.09	41.97	49.87	7.90	68.20	18.33	PK	Horizontal	PASS
3	12397.20	40.06	50.40	10.34	74.00	23.60	PK	Horizontal	PASS
4	13882.94	38.88	50.37	11.49	68.20	17.83	PK	Horizontal	PASS
5	15328.66	38.84	50.91	12.07	68.20	17.29	PK	Horizontal	PASS
6	16834.42	36.69	51.60	14.91	68.20	16.60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9455.73	41.13	50.08	8.95	74.00	23.92	PK	Vertical	PASS
2	11556.78	40.34	50.12	9.78	74.00	23.88	PK	Vertical	PASS
3	13387.69	39.12	50.41	11.29	74.00	23.59	PK	Vertical	PASS
4	14983.49	39.38	51.31	11.93	68.20	16.89	PK	Vertical	PASS
5	15773.89	38.51	51.06	12.55	74.00	22.94	PK	Vertical	PASS
6	17924.96	35.46	52.55	17.09	74.00	21.45	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9455.73	41.57	50.52	8.95	74.00	23.48	PK	Horizontal	PASS
2	11186.59	41.18	50.11	8.93	74.00	23.89	PK	Horizontal	PASS
3	12182.09	41.08	51.09	10.01	74.00	22.91	PK	Horizontal	PASS
4	14283.14	38.75	50.54	11.79	68.20	17.66	PK	Horizontal	PASS
5	15988.99	38.13	51.03	12.90	74.00	22.97	PK	Horizontal	PASS
6	16799.40	37.24	52.22	14.98	68.20	15.98	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9670.84	42.04	50.36	8.32	68.20	17.84	PK	Vertical	PASS
2	11641.82	39.62	49.55	9.93	74.00	24.45	PK	Vertical	PASS
3	13282.64	39.81	50.90	11.09	74.00	23.10	PK	Vertical	PASS
4	15723.86	38.11	50.63	12.52	74.00	23.37	PK	Vertical	PASS
5	16779.39	37.11	52.06	14.95	68.20	16.14	PK	Vertical	PASS
6	17929.96	34.90	52.02	17.12	74.00	21.98	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9500.75	41.19	50.34	9.15	68.20	17.86	PK	Horizontal	PASS
2	11531.77	40.62	50.28	9.66	74.00	23.72	PK	Horizontal	PASS
3	12807.40	39.88	50.98	11.10	68.20	17.22	PK	Horizontal	PASS
4	14983.49	39.44	51.37	11.93	68.20	16.83	PK	Horizontal	PASS
5	16789.39	36.63	51.59	14.96	68.20	16.61	PK	Horizontal	PASS
6	17734.87	34.09	51.52	17.43	74.00	22.48	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9585.79	41.91	50.35	8.44	68.20	17.85	PK	Vertical	PASS
2	11216.61	41.35	50.35	9.00	74.00	23.65	PK	Vertical	PASS
3	13332.67	39.37	50.55	11.18	74.00	23.45	PK	Vertical	PASS
4	14598.30	38.69	50.94	12.25	68.20	17.26	PK	Vertical	PASS
5	15938.97	38.41	51.22	12.81	74.00	22.78	PK	Vertical	PASS
6	17744.87	34.75	52.73	17.98	74.00	21.27	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9450.73	40.85	49.78	8.93	74.00	24.22	PK	Horizontal	PASS
2	10981.49	41.69	49.82	8.13	74.00	24.18	PK	Horizontal	PASS
3	12577.29	40.75	51.59	10.84	74.00	22.41	PK	Horizontal	PASS
4	13867.93	39.41	50.92	11.51	68.20	17.28	PK	Horizontal	PASS
5	16389.19	37.48	51.44	13.96	68.20	16.76	PK	Horizontal	PASS
6	17829.91	35.41	52.20	16.79	74.00	21.80	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9515.76	40.96	49.99	9.03	68.20	18.21	PK	Vertical	PASS
2	11041.52	41.89	50.19	8.30	74.00	23.81	PK	Vertical	PASS
3	12777.39	40.10	51.18	11.08	68.20	17.02	PK	Vertical	PASS
4	14008.00	39.04	50.47	11.43	68.20	17.73	PK	Vertical	PASS
5	15503.75	38.86	51.24	12.38	74.00	22.76	PK	Vertical	PASS
6	17814.91	35.09	51.83	16.74	74.00	22.17	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	41.37	50.25	8.88	68.20	17.95	PK	Horizontal	PASS
2	11726.86	41.86	51.70	9.84	74.00	22.30	PK	Horizontal	PASS
3	14008.00	39.58	51.01	11.43	68.20	17.19	PK	Horizontal	PASS
4	15388.69	38.91	51.24	12.33	74.00	22.76	PK	Horizontal	PASS
5	17294.65	35.96	51.08	15.12	68.20	17.12	PK	Horizontal	PASS
6	17854.93	35.43	52.30	16.87	74.00	21.70	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9335.67	41.01	49.74	8.73	74.00	24.26	PK	Vertical	PASS
2	10531.27	40.89	49.30	8.41	68.20	18.90	PK	Vertical	PASS
3	12867.43	40.17	51.23	11.06	68.20	16.97	PK	Vertical	PASS
4	14058.03	40.95	52.46	11.51	68.20	15.74	PK	Vertical	PASS
5	16509.25	37.41	51.79	14.38	68.20	16.41	PK	Vertical	PASS
6	17804.90	36.06	52.76	16.70	74.00	21.24	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9400.70	40.99	49.68	8.69	74.00	24.32	PK	Horizontal	PASS
2	10101.05	41.70	50.09	8.39	68.20	18.11	PK	Horizontal	PASS
3	12402.20	40.82	51.17	10.35	74.00	22.83	PK	Horizontal	PASS
4	14518.26	38.50	50.61	12.11	68.20	17.59	PK	Horizontal	PASS
5	16739.37	37.16	52.05	14.89	68.20	16.15	PK	Horizontal	PASS
6	17589.79	36.32	51.94	15.62	68.20	16.26	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9445.72	40.95	49.86	8.91	74.00	24.14	PK	Vertical	PASS
2	10936.47	42.08	50.22	8.14	74.00	23.78	PK	Vertical	PASS
3	12947.47	39.72	50.74	11.02	68.20	17.46	PK	Vertical	PASS
4	14628.31	38.97	51.15	12.18	68.20	17.05	PK	Vertical	PASS
5	16664.33	37.86	52.65	14.79	68.20	15.55	PK	Vertical	PASS
6	17794.90	35.57	52.14	16.57	74.00	21.86	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9745.87	41.48	49.80	8.32	68.20	18.40	PK	Horizontal	PASS
2	11216.61	41.08	50.08	9.00	74.00	23.92	PK	Horizontal	PASS
3	12342.17	40.47	50.72	10.25	74.00	23.28	PK	Horizontal	PASS
4	14153.08	39.39	51.06	11.67	68.20	17.14	PK	Horizontal	PASS
5	15818.91	39.20	51.81	12.61	74.00	22.19	PK	Horizontal	PASS
6	17839.92	35.38	52.20	16.82	74.00	21.80	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9695.85	41.20	49.52	8.32	68.20	18.68	PK	Vertical	PASS
2	12462.23	40.39	50.89	10.50	74.00	23.11	PK	Vertical	PASS
3	13612.81	40.34	51.37	11.03	68.20	16.83	PK	Vertical	PASS
4	16049.02	37.64	50.72	13.08	74.00	23.28	PK	Vertical	PASS
5	16784.39	37.73	52.69	14.96	68.20	15.51	PK	Vertical	PASS
6	17764.88	35.11	52.35	17.24	74.00	21.65	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9425.71	41.05	49.87	8.82	74.00	24.13	PK	Horizontal	PASS
2	10106.05	43.34	51.71	8.37	68.20	16.49	PK	Horizontal	PASS
3	12467.23	39.97	50.48	10.51	74.00	23.52	PK	Horizontal	PASS
4	14288.14	39.08	50.88	11.80	68.20	17.32	PK	Horizontal	PASS
5	15718.86	39.24	51.76	12.52	74.00	22.24	PK	Horizontal	PASS
6	17849.92	34.91	51.76	16.85	74.00	22.24	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9580.79	42.08	50.56	8.48	68.20	17.64	PK	Vertical	PASS
2	11281.64	40.88	49.91	9.03	74.00	24.09	PK	Vertical	PASS
3	12642.32	40.57	51.52	10.95	74.00	22.48	PK	Vertical	PASS
4	14148.07	39.40	51.06	11.66	68.20	17.14	PK	Vertical	PASS
5	16199.10	37.10	50.68	13.58	74.00	23.32	PK	Vertical	PASS
6	17819.91	36.16	52.91	16.75	74.00	21.09	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9515.76	40.51	49.54	9.03	68.20	18.66	PK	Horizontal	PASS
2	11511.76	41.99	51.56	9.57	74.00	22.44	PK	Horizontal	PASS
3	12897.45	40.51	51.56	11.05	68.20	16.64	PK	Horizontal	PASS
4	14408.20	39.11	50.99	11.88	68.20	17.21	PK	Horizontal	PASS
5	15378.69	39.01	51.30	12.29	74.00	22.70	PK	Horizontal	PASS
6	17804.90	35.55	52.25	16.70	74.00	21.75	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9295.65	41.54	50.25	8.71	68.20	17.95	PK	Vertical	PASS
2	11586.79	40.66	50.58	9.92	74.00	23.42	PK	Vertical	PASS
3	12602.30	39.84	50.75	10.91	74.00	23.25	PK	Vertical	PASS
4	14538.27	38.74	50.88	12.14	68.20	17.32	PK	Vertical	PASS
5	16474.24	36.87	51.12	14.25	68.20	17.08	PK	Vertical	PASS
6	17724.86	35.27	52.14	16.87	74.00	21.86	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9405.70	41.19	49.91	8.72	74.00	24.09	PK	Horizontal	PASS
2	10681.34	42.07	50.35	8.28	74.00	23.65	PK	Horizontal	PASS
3	12462.23	40.31	50.81	10.50	74.00	23.19	PK	Horizontal	PASS
4	14443.22	39.11	51.06	11.95	68.20	17.14	PK	Horizontal	PASS
5	16169.08	37.35	50.83	13.48	74.00	23.17	PK	Horizontal	PASS
6	17884.94	35.36	52.33	16.97	74.00	21.67	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10066.03	41.10	49.71	8.61	68.20	18.49	PK	Vertical	PASS
2	12492.25	40.39	50.97	10.58	74.00	23.03	PK	Vertical	PASS
3	13742.87	38.80	50.20	11.40	68.20	18.00	PK	Vertical	PASS
4	14993.50	38.91	50.86	11.95	68.20	17.34	PK	Vertical	PASS
5	16649.32	36.77	51.54	14.77	68.20	16.66	PK	Vertical	PASS
6	17819.91	34.91	51.66	16.75	74.00	22.34	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9295.65	41.15	49.86	8.71	68.20	18.34	PK	Horizontal	PASS
2	11946.97	40.55	50.24	9.69	74.00	23.76	PK	Horizontal	PASS
3	13567.78	40.52	51.56	11.04	68.20	16.64	PK	Horizontal	PASS
4	14618.31	38.79	50.99	12.20	68.20	17.21	PK	Horizontal	PASS
5	16609.30	36.69	51.41	14.72	68.20	16.79	PK	Horizontal	PASS
6	17834.92	35.32	52.13	16.81	74.00	21.87	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8360.18	43.17	50.35	7.18	74.00	23.65	PK	Vertical	PASS
2	10076.04	41.46	50.01	8.55	68.20	18.19	PK	Vertical	PASS
3	12462.23	40.17	50.67	10.50	74.00	23.33	PK	Vertical	PASS
4	13752.88	39.34	50.77	11.43	68.20	17.43	PK	Vertical	PASS
5	15433.72	38.91	51.29	12.38	74.00	22.71	PK	Vertical	PASS
6	17734.87	34.15	51.58	17.43	74.00	22.42	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9715.86	41.74	50.05	8.31	68.20	18.15	PK	Horizontal	PASS
2	11621.81	40.10	50.05	9.95	74.00	23.95	PK	Horizontal	PASS
3	13682.84	39.91	51.13	11.22	68.20	17.07	PK	Horizontal	PASS
4	15043.52	38.57	50.43	11.86	68.20	17.77	PK	Horizontal	PASS
5	16594.30	36.59	51.27	14.68	68.20	16.93	PK	Horizontal	PASS
6	17414.71	36.10	51.48	15.38	68.20	16.72	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9210.61	41.43	49.57	8.14	68.20	18.63	PK	Vertical	PASS
2	11206.60	41.24	50.23	8.99	74.00	23.77	PK	Vertical	PASS
3	12407.20	40.85	51.21	10.36	74.00	22.79	PK	Vertical	PASS
4	13692.85	39.80	51.05	11.25	68.20	17.15	PK	Vertical	PASS
5	16144.07	37.89	51.28	13.39	74.00	22.72	PK	Vertical	PASS
6	17789.89	35.79	52.24	16.45	74.00	21.76	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9240.62	41.12	49.46	8.34	68.20	18.74	PK	Horizontal	PASS
2	11116.56	41.31	49.94	8.63	74.00	24.06	PK	Horizontal	PASS
3	13507.75	40.11	51.22	11.11	68.20	16.98	PK	Horizontal	PASS
4	14528.26	38.73	50.86	12.13	68.20	17.34	PK	Horizontal	PASS
5	16709.35	36.80	51.66	14.86	68.20	16.54	PK	Horizontal	PASS
6	17839.92	35.12	51.94	16.82	74.00	22.06	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	41.42	49.48	8.06	74.00	24.52	PK	Vertical	PASS
2	11516.76	40.13	49.73	9.60	74.00	24.27	PK	Vertical	PASS
3	13322.66	39.77	50.94	11.17	74.00	23.06	PK	Vertical	PASS
4	14583.29	38.47	50.69	12.22	68.20	17.51	PK	Vertical	PASS
5	16594.30	36.52	51.20	14.68	68.20	17.00	PK	Vertical	PASS
6	17854.93	33.17	50.04	16.87	74.00	23.96	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8300.15	42.69	49.00	6.31	74.00	25.00	PK	Horizontal	PASS
2	10481.24	41.44	49.87	8.43	68.20	18.33	PK	Horizontal	PASS
3	11616.81	40.24	50.20	9.96	74.00	23.80	PK	Horizontal	PASS
4	12897.45	39.98	51.03	11.05	68.20	17.17	PK	Horizontal	PASS
5	14188.09	39.74	51.47	11.73	68.20	16.73	PK	Horizontal	PASS
6	17714.86	35.98	52.30	16.32	74.00	21.70	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	41.39	49.91	8.52	68.20	18.29	PK	Vertical	PASS
2	10141.07	41.84	49.99	8.15	68.20	18.21	PK	Vertical	PASS
3	12232.12	40.76	50.85	10.09	74.00	23.15	PK	Vertical	PASS
4	13347.67	39.57	50.78	11.21	74.00	23.22	PK	Vertical	PASS
5	14628.31	38.26	50.44	12.18	68.20	17.76	PK	Vertical	PASS
6	16669.33	35.92	50.72	14.80	68.20	17.48	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9835.92	41.26	49.64	8.38	68.20	18.56	PK	Horizontal	PASS
2	11631.82	40.07	50.01	9.94	74.00	23.99	PK	Horizontal	PASS
3	12942.47	39.74	50.76	11.02	68.20	17.44	PK	Horizontal	PASS
4	14353.18	39.21	51.04	11.83	68.20	17.16	PK	Horizontal	PASS
5	16664.33	37.23	52.02	14.79	68.20	16.18	PK	Horizontal	PASS
6	17229.61	37.03	51.99	14.96	68.20	16.21	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9465.73	40.59	49.59	9.00	74.00	24.41	PK	Vertical	PASS
2	9985.99	41.28	50.21	8.93	68.20	17.99	PK	Vertical	PASS
3	12602.30	39.37	50.28	10.91	74.00	23.72	PK	Vertical	PASS
4	13932.97	39.28	50.74	11.46	68.20	17.46	PK	Vertical	PASS
5	16694.35	36.05	50.89	14.84	68.20	17.31	PK	Vertical	PASS
6	17804.90	34.56	51.26	16.70	74.00	22.74	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9290.65	40.55	49.23	8.68	68.20	18.97	PK	Horizontal	PASS
2	10336.17	41.33	49.57	8.24	68.20	18.63	PK	Horizontal	PASS
3	12872.44	39.71	50.77	11.06	68.20	17.43	PK	Horizontal	PASS
4	14653.33	38.32	50.43	12.11	68.20	17.77	PK	Horizontal	PASS
5	16569.28	37.06	51.66	14.60	68.20	16.54	PK	Horizontal	PASS
6	17794.90	35.69	52.26	16.57	74.00	21.74	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9285.64	41.06	49.71	8.65	68.20	18.49	PK	Vertical	PASS
2	10166.08	42.43	50.43	8.00	68.20	17.77	PK	Vertical	PASS
3	13242.62	39.75	50.77	11.02	68.20	17.43	PK	Vertical	PASS
4	14588.29	39.52	51.75	12.23	68.20	16.45	PK	Vertical	PASS
5	16599.30	37.37	52.07	14.70	68.20	16.13	PK	Vertical	PASS
6	17724.86	34.80	51.67	16.87	74.00	22.33	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9455.73	41.07	50.02	8.95	74.00	23.98	PK	Horizontal	PASS
2	11661.83	40.03	49.94	9.91	74.00	24.06	PK	Horizontal	PASS
3	13612.81	41.37	52.40	11.03	68.20	15.80	PK	Horizontal	PASS
4	14633.32	38.69	50.86	12.17	68.20	17.34	PK	Horizontal	PASS
5	16849.42	36.31	51.19	14.88	68.20	17.01	PK	Horizontal	PASS
6	17204.60	37.01	51.91	14.90	68.20	16.29	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9505.75	40.18	49.29	9.11	68.20	18.91	PK	Vertical	PASS
2	11451.73	41.71	51.02	9.31	74.00	22.98	PK	Vertical	PASS
3	13322.66	39.42	50.59	11.17	74.00	23.41	PK	Vertical	PASS
4	15343.67	38.76	50.90	12.14	68.20	17.30	PK	Vertical	PASS
5	16794.40	36.40	51.38	14.98	68.20	16.82	PK	Vertical	PASS
6	17964.98	34.25	51.47	17.22	74.00	22.53	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9505.75	40.53	49.64	9.11	68.20	18.56	PK	Horizontal	PASS
2	10901.45	41.81	49.96	8.15	74.00	24.04	PK	Horizontal	PASS
3	12487.24	40.42	50.99	10.57	74.00	23.01	PK	Horizontal	PASS
4	14528.26	38.41	50.54	12.13	68.20	17.66	PK	Horizontal	PASS
5	15873.94	38.61	51.31	12.70	74.00	22.69	PK	Horizontal	PASS
6	17739.87	33.92	51.62	17.70	74.00	22.38	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9865.93	42.21	50.63	8.42	68.20	17.57	PK	Vertical	PASS
2	11516.76	40.83	50.43	9.60	74.00	23.57	PK	Vertical	PASS
3	12937.47	39.31	50.33	11.02	68.20	17.87	PK	Vertical	PASS
4	13682.84	39.26	50.48	11.22	68.20	17.72	PK	Vertical	PASS
5	15468.73	38.03	50.40	12.37	74.00	23.60	PK	Vertical	PASS
6	17734.87	35.27	52.70	17.43	74.00	21.30	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	41.56	49.61	8.05	74.00	24.39	PK	Horizontal	PASS
2	10821.41	42.05	50.21	8.16	74.00	23.79	PK	Horizontal	PASS
3	12217.11	40.92	50.98	10.06	74.00	23.02	PK	Horizontal	PASS
4	13782.89	39.25	50.76	11.51	68.20	17.44	PK	Horizontal	PASS
5	15838.92	38.67	51.30	12.63	74.00	22.70	PK	Horizontal	PASS
6	17729.86	34.41	51.57	17.16	74.00	22.43	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9340.67	41.08	49.80	8.72	74.00	24.20	PK	Vertical	PASS
2	11211.61	41.33	50.33	9.00	74.00	23.67	PK	Vertical	PASS
3	12477.24	40.36	50.90	10.54	74.00	23.10	PK	Vertical	PASS
4	14473.24	37.90	49.91	12.01	74.00	24.09	PK	Vertical	PASS
5	16669.33	35.58	50.38	14.80	68.20	17.82	PK	Vertical	PASS
6	17869.93	34.63	51.54	16.91	74.00	22.46	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	41.29	49.35	8.06	74.00	24.65	PK	Horizontal	PASS
2	10646.32	42.20	50.52	8.32	74.00	23.48	PK	Horizontal	PASS
3	12892.45	39.51	50.56	11.05	68.20	17.64	PK	Horizontal	PASS
4	14868.43	39.41	51.22	11.81	68.20	16.98	PK	Horizontal	PASS
5	16734.37	37.08	51.97	14.89	68.20	16.23	PK	Horizontal	PASS
6	17989.99	34.81	52.12	17.31	74.00	21.88	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8840.42	41.73	49.31	7.58	68.20	18.89	PK	Vertical	PASS
2	10416.21	41.42	49.87	8.45	68.20	18.33	PK	Vertical	PASS
3	12677.34	39.53	50.51	10.98	74.00	23.49	PK	Vertical	PASS
4	14343.17	38.50	50.33	11.83	68.20	17.87	PK	Vertical	PASS
5	15868.93	35.79	48.48	12.69	74.00	25.52	PK	Vertical	PASS
6	17734.87	32.93	50.36	17.43	74.00	23.64	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9150.58	41.70	49.74	8.04	74.00	24.26	PK	Horizontal	PASS
2	12112.06	40.46	50.33	9.87	74.00	23.67	PK	Horizontal	PASS
3	13487.74	39.35	50.49	11.14	68.20	17.71	PK	Horizontal	PASS
4	15368.68	38.73	50.97	12.24	74.00	23.03	PK	Horizontal	PASS
5	16419.21	38.63	52.68	14.05	68.20	15.52	PK	Horizontal	PASS
6	17739.87	34.82	52.52	17.70	74.00	21.48	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9670.84	41.48	49.80	8.32	68.20	18.40	PK	Vertical	PASS
2	11741.87	40.21	50.02	9.81	74.00	23.98	PK	Vertical	PASS
3	12797.40	39.38	50.48	11.10	68.20	17.72	PK	Vertical	PASS
4	16094.05	35.56	48.79	13.23	74.00	25.21	PK	Vertical	PASS
5	16674.34	36.49	51.29	14.80	68.20	16.91	PK	Vertical	PASS
6	17799.90	34.62	51.31	16.69	74.00	22.69	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9970.99	41.26	50.12	8.86	68.20	18.08	PK	Horizontal	PASS
2	11511.76	40.74	50.31	9.57	74.00	23.69	PK	Horizontal	PASS
3	12947.47	39.30	50.32	11.02	68.20	17.88	PK	Horizontal	PASS
4	15383.69	37.95	50.26	12.31	74.00	23.74	PK	Horizontal	PASS
5	16469.23	37.57	51.81	14.24	68.20	16.39	PK	Horizontal	PASS
6	17899.95	34.89	51.90	17.01	74.00	22.10	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9970.99	41.75	50.61	8.86	68.20	17.59	PK	Vertical	PASS
2	11766.88	39.99	49.78	9.79	74.00	24.22	PK	Vertical	PASS
3	12567.28	39.75	50.55	10.80	74.00	23.45	PK	Vertical	PASS
4	14188.09	37.71	49.44	11.73	68.20	18.76	PK	Vertical	PASS
5	16169.08	34.71	48.19	13.48	74.00	25.81	PK	Vertical	PASS
6	17934.97	34.25	51.38	17.13	74.00	22.62	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


8.4. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18440.000	48.33	-5.32	43.01	74.00	-30.99	peak
2	19920.000	48.31	-5.38	42.93	74.00	-31.07	peak
3	21392.000	47.73	-4.72	43.01	74.00	-30.99	peak
4	22936.000	46.44	-3.50	42.94	74.00	-31.06	peak
5	24480.000	45.59	-2.36	43.23	74.00	-30.77	peak
6	25656.000	44.01	-1.05	42.96	74.00	-31.04	peak


Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18224.000	49.58	-5.53	44.05	74.00	-29.95	peak
2	19408.000	49.20	-5.56	43.64	74.00	-30.36	peak
3	20544.000	48.61	-5.31	43.30	74.00	-30.70	peak
4	22368.000	46.57	-4.06	42.51	74.00	-31.49	peak
5	23896.000	44.74	-2.93	41.81	74.00	-32.19	peak
6	25304.000	44.08	-1.70	42.38	74.00	-31.62	peak


8.5. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	27596.000	48.71	-3.46	45.25	74.00	-28.75	peak
2	30550.000	47.20	-0.96	46.24	74.00	-27.76	peak
3	32762.000	48.45	-1.21	47.24	74.00	-26.76	peak
4	36066.000	44.59	3.83	48.42	74.00	-25.58	peak
5	37256.000	45.51	3.14	48.65	74.00	-25.35	peak
6	39062.000	44.81	4.30	49.11	74.00	-24.89	peak


Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26504.000	52.48	-4.72	47.76	74.00	-26.24	peak
2	29332.000	47.38	-0.93	46.45	74.00	-27.55	peak
3	31880.000	49.28	-1.71	47.57	74.00	-26.43	peak
4	34722.000	46.94	1.48	48.42	74.00	-25.58	peak
5	36416.000	44.77	3.58	48.35	74.00	-25.65	peak
6	39062.000	44.98	4.30	49.28	74.00	-24.72	peak


8.6. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0120	74.16	-101.39	-27.23	46.02	-78.73	-5.48	-73.25	peak
2	0.0171	70.38	-101.36	-30.98	42.94	-82.48	-8.56	-73.92	peak
3	0.0256	65.84	-101.37	-35.53	39.44	-87.03	-12.06	-74.97	peak
4	0.0400	63.20	-101.43	-38.23	35.56	-89.73	-15.94	-73.79	peak
5	0.0704	60.92	-101.57	-40.65	30.65	-92.15	-20.85	-71.30	peak
6	0.1262	56.99	-101.72	-44.73	25.59	-96.23	-25.91	-70.32	peak

Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1549	79.81	-101.65	-21.84	23.80	-73.34	-27.70	-45.64	peak
2	0.2071	70.89	-101.73	-30.84	21.28	-82.34	-30.22	-52.12	peak
3	0.2421	68.54	-101.78	-33.24	19.92	-84.74	-31.58	-53.16	peak
4	0.3023	65.92	-101.85	-35.93	17.99	-87.43	-33.51	-53.92	peak
5	0.3896	61.91	-101.95	-40.04	15.79	-91.54	-35.71	-55.83	peak
6	0.4248	60.59	-101.99	-41.40	15.04	-92.90	-36.46	-56.44	peak


Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5682	62.37	-62.07	0.30	32.51	-51.20	-18.99	-32.21	peak
2	1.0745	59.12	-62.23	-3.11	26.98	-54.61	-24.52	-30.09	peak
3	2.0430	55.95	-61.82	-5.87	29.54	-57.37	-21.96	-35.41	peak
4	4.5033	55.96	-61.41	-5.45	29.54	-56.95	-21.96	-34.99	peak
5	7.7495	54.98	-61.11	-6.13	29.54	-57.63	-21.96	-35.67	peak
6	18.0181	55.19	-60.91	-5.72	29.54	-57.22	-21.96	-35.26	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	60.0700	30.63	-14.91	15.72	40.00	-24.28	peak
2	180.3500	34.11	-11.84	22.27	43.50	-21.23	peak
3	400.5400	37.30	-9.59	27.71	46.00	-18.29	peak
4	540.2199	30.49	-7.16	23.33	46.00	-22.67	peak
5	860.3200	30.49	-1.12	29.37	46.00	-16.63	peak
6	995.1500	28.49	-0.20	28.29	54.00	-25.71	peak

Test Mode:	802.11a	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	79.4700	47.16	-15.97	31.19	40.00	-8.81	peak
2	180.3500	41.21	-11.84	29.37	43.50	-14.13	peak
3	441.2800	34.31	-8.39	25.92	46.00	-20.08	peak
4	598.4200	32.87	-5.78	27.09	46.00	-18.91	peak
5	796.3000	31.37	-2.69	28.68	46.00	-17.32	peak
6	941.8000	29.96	-0.77	29.19	46.00	-16.81	peak

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to FCC 47 CFR §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00

*Decreases with the logarithm of the frequency.


TEST PROCEDURE

Refer to ANSI C63.10-2020 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2020. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	23.1°C	Relative Humidity	57%
Atmosphere Pressure	101kPa	Test Voltage	DC 5V

TEST DATE / ENGINEER

Test Date	September 22, 2025	Test By	Deacon Tan
-----------	--------------------	---------	------------

TEST RESULTS

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1573	40.64	9.73	50.37	65.61	-15.24	QP
2	0.1573	22.32	9.73	32.05	55.61	-23.56	AVG
3	0.4392	29.69	9.64	39.33	57.08	-17.75	QP
4	0.4392	25.64	9.64	35.28	47.08	-11.80	AVG
5	1.3150	13.90	9.66	23.56	56.00	-32.44	QP
6	1.3150	8.61	9.66	18.27	46.00	-27.73	AVG
7	3.7664	10.55	9.73	20.28	56.00	-35.72	QP
8	3.7664	3.11	9.73	12.84	46.00	-33.16	AVG
9	12.4854	6.47	9.73	16.20	60.00	-43.80	QP
10	12.4854	1.90	9.73	11.63	50.00	-38.37	AVG
11	28.7645	4.47	9.65	14.12	60.00	-45.88	QP
12	28.7645	0.21	9.65	9.86	50.00	-40.14	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a20	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1787	37.82	9.64	47.46	64.55	-17.09	QP
2	0.1787	22.84	9.64	32.48	54.55	-22.07	AVG
3	0.4360	31.47	9.64	41.11	57.14	-16.03	QP
4	0.4360	27.63	9.64	37.27	47.14	-9.87	AVG
5	1.2818	16.81	9.63	26.44	56.00	-29.56	QP
6	1.2818	11.16	9.63	20.79	46.00	-25.21	AVG
7	3.8150	12.50	9.63	22.13	56.00	-33.87	QP
8	3.8150	2.63	9.63	12.26	46.00	-33.74	AVG
9	8.5293	4.11	9.73	13.84	60.00	-46.16	QP
10	8.5293	0.37	9.73	10.10	50.00	-39.90	AVG
11	16.0758	7.03	9.74	16.77	60.00	-43.23	QP
12	16.0758	2.63	9.74	12.37	50.00	-37.63	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH

11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant1	5180	19.20	5170.44	5189.64	PASS
	Ant2	5180	19.28	5170.28	5189.56	PASS
	Ant1	5200	18.96	5190.52	5209.48	PASS
	Ant2	5200	19.04	5190.40	5209.44	PASS
	Ant1	5240	19.04	5230.64	5249.68	PASS
	Ant2	5240	19.08	5230.28	5249.36	PASS
	Ant1	5260	19.08	5250.48	5269.56	PASS
	Ant2	5260	19.00	5250.56	5269.56	PASS
	Ant1	5280	19.00	5270.60	5289.60	PASS
	Ant2	5280	19.36	5270.28	5289.64	PASS
	Ant1	5320	19.12	5310.56	5329.68	PASS
	Ant2	5320	19.12	5310.28	5329.40	PASS
	Ant1	5500	19.00	5490.52	5509.52	PASS
	Ant2	5500	19.20	5490.48	5509.68	PASS
	Ant1	5580	19.16	5570.44	5589.60	PASS
	Ant2	5580	19.44	5570.16	5589.60	PASS
	Ant1	5700	19.08	5690.60	5709.68	PASS
	Ant2	5700	19.24	5690.40	5709.64	PASS
	Ant1	5720	18.88	5710.52	5729.40	PASS
	Ant2	5720	19.04	5710.68	5729.72	PASS
	Ant1	5720 UNII-2C	14.48	5710.52	5725	PASS
	Ant2	5720 UNII-2C	14.32	5710.68	5725	PASS
	Ant1	5720 UNII-3	4.4	5725	5729.40	PASS
	Ant2	5720 UNII-3	4.72	5725	5729.72	PASS
	Ant1	5745	18.88	5735.64	5754.52	PASS
	Ant2	5745	19.00	5735.44	5754.44	PASS
	Ant1	5785	19.08	5775.48	5794.56	PASS
	Ant2	5785	19.20	5775.36	5794.56	PASS
	Ant1	5825	19.24	5815.48	5834.72	PASS
	Ant2	5825	19.20	5815.40	5834.60	PASS
11N20MIMO	Ant1	5180	19.80	5170.12	5189.92	PASS
	Ant2	5180	19.80	5170.04	5189.84	PASS
	Ant1	5200	19.92	5190.08	5210.00	PASS
	Ant2	5200	19.72	5190.16	5209.88	PASS
	Ant1	5240	19.92	5230.08	5250.00	PASS
	Ant2	5240	19.80	5230.04	5249.84	PASS
	Ant1	5260	19.68	5250.16	5269.84	PASS
	Ant2	5260	19.80	5250.00	5269.80	PASS
	Ant1	5280	19.96	5270.00	5289.96	PASS
	Ant2	5280	19.88	5270.04	5289.92	PASS
	Ant1	5320	19.84	5310.12	5329.96	PASS
	Ant2	5320	19.88	5310.04	5329.92	PASS
	Ant1	5500	19.92	5490.00	5509.92	PASS
	Ant2	5500	19.88	5490.08	5509.96	PASS
	Ant1	5580	20.00	5570.00	5590.00	PASS
	Ant2	5580	20.32	5569.84	5590.16	PASS
	Ant1	5700	19.88	5690.04	5709.92	PASS
	Ant2	5700	20.04	5689.96	5710.00	PASS
	Ant1	5720	19.88	5710.00	5729.88	PASS
	Ant2	5720	19.84	5710.12	5729.96	PASS
	Ant1	5720 UNII-2C	15	5710.00	5725	PASS
	Ant2	5720 UNII-2C	14.88	5710.12	5725	PASS

	Ant1	5720_UNII-3	4.88	5725	5729.88	PASS
	Ant2	5720_UNII-3	4.96	5725	5729.96	PASS
	Ant1	5745	20.08	5734.88	5754.96	PASS
	Ant2	5745	19.96	5735.00	5754.96	PASS
	Ant1	5785	19.92	5775.04	5794.96	PASS
	Ant2	5785	19.80	5775.12	5794.92	PASS
	Ant1	5825	19.72	5815.20	5834.92	PASS
	Ant2	5825	19.76	5815.08	5834.84	PASS
11N40MIMO	Ant1	5190	42.32	5168.96	5211.28	PASS
	Ant2	5190	42.24	5168.88	5211.12	PASS
	Ant1	5230	42.40	5209.12	5251.52	PASS
	Ant2	5230	43.52	5208.96	5252.48	PASS
	Ant1	5270	42.64	5248.64	5291.28	PASS
	Ant2	5270	42.16	5249.28	5291.44	PASS
	Ant1	5310	42.64	5288.88	5331.52	PASS
	Ant2	5310	42.24	5289.04	5331.28	PASS
	Ant1	5510	43.36	5488.48	5531.84	PASS
	Ant2	5510	43.12	5489.20	5532.32	PASS
	Ant1	5550	43.12	5528.64	5571.76	PASS
	Ant2	5550	43.84	5528.80	5572.64	PASS
	Ant1	5670	42.80	5648.80	5691.60	PASS
	Ant2	5670	42.64	5648.96	5691.60	PASS
	Ant1	5710	42.96	5688.64	5731.60	PASS
	Ant2	5710	42.64	5688.96	5731.60	PASS
	Ant1	5710_UNII-2C	36.36	5688.64	5725	PASS
	Ant2	5710_UNII-2C	36.04	5688.96	5725	PASS
	Ant1	5710_UNII-3	6.6	5725	5731.60	PASS
	Ant2	5710_UNII-3	6.6	5725	5731.60	PASS
	Ant1	5755	43.44	5733.72	5777.16	PASS
	Ant2	5755	42.48	5733.96	5776.44	PASS
	Ant1	5795	42.48	5773.88	5816.36	PASS
	Ant2	5795	43.28	5774.04	5817.32	PASS
11AC80MIMO	Ant1	5210	82.88	5169.20	5252.08	PASS
	Ant2	5210	82.88	5168.40	5251.28	PASS
	Ant1	5290	82.72	5249.04	5331.76	PASS
	Ant2	5290	83.20	5247.92	5331.12	PASS
	Ant1	5530	83.04	5488.88	5571.92	PASS
	Ant2	5530	82.24	5489.20	5571.44	PASS
	Ant1	5610	82.56	5568.72	5651.28	PASS
	Ant2	5610	83.84	5568.08	5651.92	PASS
	Ant1	5690	90.24	5641.84	5732.08	PASS
	Ant2	5690	82.56	5649.04	5731.60	PASS
	Ant1	5690_UNII-2C	83.16	5641.84	5725	PASS
	Ant2	5690_UNII-2C	75.96	5649.04	5725	PASS
	Ant1	5690_UNII-3	7.08	5725	5732.08	PASS
	Ant2	5690_UNII-3	6.6	5725	5731.60	PASS
	Ant1	5775	83.04	5734.04	5817.08	PASS
	Ant2	5775	81.92	5734.36	5816.28	PASS