





| 7GHz-18GHz |           |          |      |
|------------|-----------|----------|------|
| Test Mode: | 802.11a20 | Channel: | 5745 |
| Polarity:  | Vertical  |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8243.000           | 37.73             | 7.10              | 44.83              | 74.00             | -29.17         | peak   |
| 2   | 9348.500           | 37.39             | 9.36              | 46.75              | 74.00             | -27.25         | peak   |
| 3   | 11735.500          | 36.27             | 16.81             | 53.08              | 74.00             | -20.92         | peak   |
| 4   | 13490.000          | 32.93             | 19.55             | 52.48              | 74.00             | -21.52         | peak   |
| 5   | 13963.000          | 32.39             | 20.61             | 53.00              | 74.00             | -21.00         | peak   |
| 6   | 17917.500          | 28.94             | 23.48             | 52.42              | 74.00             | -21.58         | peak   |




| 7GHz-18GHz |            |          |      |
|------------|------------|----------|------|
| Test Mode: | 802.11a20  | Channel: | 5785 |
| Polarity:  | Horizontal |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7726.000        | 39.02          | 5.85           | 44.87           | 74.00          | -29.13      | peak   |
| 2   | 8985.500        | 37.85          | 9.35           | 47.20           | 74.00          | -26.80      | peak   |
| 3   | 11735.500       | 35.67          | 16.81          | 52.48           | 74.00          | -21.52      | peak   |
| 4   | 12692.500       | 34.64          | 17.03          | 51.67           | 74.00          | -22.33      | peak   |
| 5   | 13605.500       | 33.42          | 19.74          | 53.16           | 74.00          | -20.84      | peak   |
| 6   | 17928.500       | 28.33          | 23.51          | 51.84           | 74.00          | -22.16      | peak   |




| 7GHz-18GHz |           |          |      |
|------------|-----------|----------|------|
| Test Mode: | 802.11a20 | Channel: | 5785 |
| Polarity:  | Vertical  |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8232.000           | 37.52             | 7.14              | 44.66              | 74.00             | -29.34         | peak   |
| 2   | 9398.000           | 37.10             | 9.67              | 46.77              | 74.00             | -27.23         | peak   |
| 3   | 11878.500          | 35.34             | 17.17             | 52.51              | 74.00             | -21.49         | peak   |
| 4   | 13512.000          | 33.34             | 19.61             | 52.95              | 74.00             | -21.05         | peak   |
| 5   | 13957.500          | 32.40             | 20.61             | 53.01              | 74.00             | -20.99         | peak   |
| 6   | 17653.500          | 30.17             | 21.66             | 51.83              | 74.00             | -22.17         | peak   |




| 7GHz-18GHz |            |          |      |
|------------|------------|----------|------|
| Test Mode: | 802.11a20  | Channel: | 5825 |
| Polarity:  | Horizontal |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.13             | 9.42              | 46.55              | 74.00             | -27.45         | peak   |
| 2   | 9365.000           | 37.22             | 9.46              | 46.68              | 74.00             | -27.32         | peak   |
| 3   | 11416.500          | 35.63             | 15.35             | 50.98              | 74.00             | -23.02         | peak   |
| 4   | 11840.000          | 35.64             | 17.20             | 52.84              | 74.00             | -21.16         | peak   |
| 5   | 13539.500          | 33.19             | 19.63             | 52.82              | 74.00             | -21.18         | peak   |
| 6   | 17648.000          | 29.99             | 21.62             | 51.61              | 74.00             | -22.39         | peak   |




| 7GHz-18GHz |           |          |      |
|------------|-----------|----------|------|
| Test Mode: | 802.11a20 | Channel: | 5825 |
| Polarity:  | Vertical  |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 39.59             | 5.95              | 45.54              | 74.00             | -28.46         | peak   |
| 2   | 9381.500           | 36.86             | 9.56              | 46.42              | 74.00             | -27.58         | peak   |
| 3   | 11878.500          | 35.43             | 17.17             | 52.60              | 74.00             | -21.40         | peak   |
| 4   | 12676.000          | 34.80             | 16.99             | 51.79              | 74.00             | -22.21         | peak   |
| 5   | 13891.500          | 31.97             | 20.56             | 52.53              | 74.00             | -21.47         | peak   |
| 6   | 17967.000          | 28.56             | 23.59             | 52.15              | 74.00             | -21.85         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5180 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8259.500           | 37.88             | 7.06              | 44.94              | 74.00             | -29.06         | peak   |
| 2   | 9392.500           | 37.50             | 9.63              | 47.13              | 74.00             | -26.87         | peak   |
| 3   | 11697.000          | 35.94             | 16.56             | 52.50              | 74.00             | -21.50         | peak   |
| 4   | 13919.000          | 32.86             | 20.58             | 53.44              | 74.00             | -20.56         | peak   |
| 5   | 15536.000          | 36.16             | 15.36             | 51.52              | 74.00             | -22.48         | peak   |
| 6   | 17912.000          | 28.75             | 23.46             | 52.21              | 74.00             | -21.79         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5180 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8210.000           | 38.08             | 7.20              | 45.28              | 74.00             | -28.72         | peak   |
| 2   | 9370.500           | 36.90             | 9.49              | 46.39              | 74.00             | -27.61         | peak   |
| 3   | 11823.500          | 35.63             | 17.21             | 52.84              | 74.00             | -21.16         | peak   |
| 4   | 13985.000          | 32.61             | 20.63             | 53.24              | 74.00             | -20.76         | peak   |
| 5   | 15541.500          | 38.64             | 15.36             | 54.00              | 74.00             | -20.00         | peak   |
| 6   | 17587.500          | 30.31             | 21.03             | 51.34              | 74.00             | -22.66         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5200 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8221.000           | 37.49             | 7.16              | 44.65              | 74.00             | -29.35         | peak   |
| 2   | 8991.000           | 37.24             | 9.42              | 46.66              | 74.00             | -27.34         | peak   |
| 3   | 11878.500          | 35.39             | 17.17             | 52.56              | 74.00             | -21.44         | peak   |
| 4   | 13952.000          | 32.34             | 20.61             | 52.95              | 74.00             | -21.05         | peak   |
| 5   | 15596.500          | 36.29             | 15.42             | 51.71              | 74.00             | -22.29         | peak   |
| 6   | 17714.000          | 29.56             | 22.29             | 51.85              | 74.00             | -22.15         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5200 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8474.000           | 38.50             | 6.66              | 45.16              | 74.00             | -28.84         | peak   |
| 2   | 9381.500           | 36.94             | 9.56              | 46.50              | 74.00             | -27.50         | peak   |
| 3   | 11867.500          | 35.54             | 17.17             | 52.71              | 74.00             | -21.29         | peak   |
| 4   | 13979.500          | 32.21             | 20.63             | 52.84              | 74.00             | -21.16         | peak   |
| 5   | 15602.000          | 36.63             | 15.42             | 52.05              | 74.00             | -21.95         | peak   |
| 6   | 17169.500          | 30.53             | 19.96             | 50.49              | 74.00             | -23.51         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5240 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 38.83             | 5.95              | 44.78              | 74.00             | -29.22         | peak   |
| 2   | 8985.500           | 37.02             | 9.35              | 46.37              | 74.00             | -27.63         | peak   |
| 3   | 11873.000          | 35.53             | 17.17             | 52.70              | 74.00             | -21.30         | peak   |
| 4   | 12742.000          | 34.97             | 17.15             | 52.12              | 74.00             | -21.88         | peak   |
| 5   | 13501.000          | 33.73             | 19.58             | 53.31              | 74.00             | -20.69         | peak   |
| 6   | 17604.000          | 30.75             | 21.15             | 51.90              | 74.00             | -22.10         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5240 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7753.500           | 39.26             | 5.92              | 45.18              | 74.00             | -28.82         | peak   |
| 2   | 9337.500           | 37.54             | 9.29              | 46.83              | 74.00             | -27.17         | peak   |
| 3   | 11845.500          | 35.67             | 17.20             | 52.87              | 74.00             | -21.13         | peak   |
| 4   | 13033.500          | 33.81             | 17.28             | 51.09              | 74.00             | -22.91         | peak   |
| 5   | 13913.500          | 31.70             | 20.58             | 52.28              | 74.00             | -21.72         | peak   |
| 6   | 17813.000          | 28.39             | 23.23             | 51.62              | 74.00             | -22.38         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5260 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8232.000           | 37.79             | 7.14              | 44.93              | 74.00             | -29.07         | peak   |
| 2   | 9398.000           | 36.56             | 9.67              | 46.23              | 74.00             | -27.77         | peak   |
| 3   | 11785.000          | 35.11             | 17.12             | 52.23              | 74.00             | -21.77         | peak   |
| 4   | 13979.500          | 31.79             | 20.63             | 52.42              | 74.00             | -21.58         | peak   |
| 5   | 15783.500          | 35.46             | 15.27             | 50.73              | 74.00             | -23.27         | peak   |
| 6   | 17648.000          | 29.61             | 21.62             | 51.23              | 74.00             | -22.77         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5260 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8215.500           | 37.60             | 7.18              | 44.78              | 74.00             | -29.22         | peak   |
| 2   | 9376.000           | 37.22             | 9.53              | 46.75              | 74.00             | -27.25         | peak   |
| 3   | 11840.000          | 35.26             | 17.20             | 52.46              | 74.00             | -21.54         | peak   |
| 4   | 13512.000          | 33.11             | 19.61             | 52.72              | 74.00             | -21.28         | peak   |
| 5   | 15783.500          | 36.87             | 15.27             | 52.14              | 74.00             | -21.86         | peak   |
| 6   | 17609.500          | 31.25             | 21.21             | 52.46              | 74.00             | -21.54         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5280 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8210.000           | 37.66             | 7.20              | 44.86              | 74.00             | -29.14         | peak   |
| 2   | 9348.500           | 37.23             | 9.36              | 46.59              | 74.00             | -27.41         | peak   |
| 3   | 11856.500          | 35.04             | 17.19             | 52.23              | 74.00             | -21.77         | peak   |
| 4   | 12621.000          | 35.12             | 16.86             | 51.98              | 74.00             | -22.02         | peak   |
| 5   | 13963.000          | 33.34             | 20.61             | 53.95              | 74.00             | -20.05         | peak   |
| 6   | 17604.000          | 31.13             | 21.15             | 52.28              | 74.00             | -21.72         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5280 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8232.000           | 37.58             | 7.14              | 44.72              | 74.00             | -29.28         | peak   |
| 2   | 9354.000           | 37.54             | 9.39              | 46.93              | 74.00             | -27.07         | peak   |
| 3   | 11845.500          | 34.88             | 17.20             | 52.08              | 74.00             | -21.92         | peak   |
| 4   | 13919.000          | 32.54             | 20.58             | 53.12              | 74.00             | -20.88         | peak   |
| 5   | 15838.500          | 37.58             | 15.28             | 52.86              | 74.00             | -21.14         | peak   |
| 6   | 17593.000          | 30.90             | 21.07             | 51.97              | 74.00             | -22.03         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5320 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 37.73             | 9.29              | 47.02              | 74.00             | -26.98         | peak   |
| 2   | 10641.000          | 38.01             | 12.33             | 50.34              | 74.00             | -23.66         | peak   |
| 3   | 11873.000          | 35.80             | 17.17             | 52.97              | 74.00             | -21.03         | peak   |
| 4   | 14067.500          | 32.32             | 20.31             | 52.63              | 74.00             | -21.37         | peak   |
| 5   | 15959.500          | 35.63             | 15.36             | 50.99              | 74.00             | -23.01         | peak   |
| 6   | 17989.000          | 28.84             | 23.65             | 52.49              | 74.00             | -21.51         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5320 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9348.500        | 37.24          | 9.36           | 46.60           | 74.00          | -27.40      | peak   |
| 2   | 11840.000       | 35.34          | 17.20          | 52.54           | 74.00          | -21.46      | peak   |
| 3   | 13864.000       | 32.40          | 20.54          | 52.94           | 74.00          | -21.06      | peak   |
| 4   | 14733.000       | 33.31          | 17.43          | 50.74           | 74.00          | -23.26      | peak   |
| 5   | 15954.000       | 36.97          | 15.35          | 52.32           | 74.00          | -21.68      | peak   |
| 6   | 17769.000       | 28.94          | 22.86          | 51.80           | 74.00          | -22.20      | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5500 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8232.000           | 37.80             | 7.14              | 44.94              | 74.00             | -29.06         | peak   |
| 2   | 9387.000           | 37.17             | 9.60              | 46.77              | 74.00             | -27.23         | peak   |
| 3   | 11785.000          | 35.27             | 17.12             | 52.39              | 74.00             | -21.61         | peak   |
| 4   | 13919.000          | 32.18             | 20.58             | 52.76              | 74.00             | -21.24         | peak   |
| 5   | 16504.000          | 36.37             | 17.39             | 53.76              | 74.00             | -20.24         | peak   |
| 6   | 17945.000          | 28.45             | 23.55             | 52.00              | 74.00             | -22.00         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5500 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8221.000           | 38.06             | 7.16              | 45.22              | 74.00             | -28.78         | peak   |
| 2   | 9365.000           | 37.17             | 9.46              | 46.63              | 74.00             | -27.37         | peak   |
| 3   | 11719.000          | 35.44             | 16.71             | 52.15              | 74.00             | -21.85         | peak   |
| 4   | 13957.500          | 32.12             | 20.61             | 52.73              | 74.00             | -21.27         | peak   |
| 5   | 16504.000          | 34.15             | 17.39             | 51.54              | 74.00             | -22.46         | peak   |
| 6   | 17703.000          | 29.70             | 22.18             | 51.88              | 74.00             | -22.12         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5580 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8452.000           | 38.60             | 6.66              | 45.26              | 74.00             | -28.74         | peak   |
| 2   | 9376.000           | 37.18             | 9.53              | 46.71              | 74.00             | -27.29         | peak   |
| 3   | 11741.000          | 35.52             | 16.84             | 52.36              | 74.00             | -21.64         | peak   |
| 4   | 13957.500          | 32.51             | 20.61             | 53.12              | 74.00             | -20.88         | peak   |
| 5   | 16746.000          | 34.81             | 18.16             | 52.97              | 74.00             | -21.03         | peak   |
| 6   | 17648.000          | 29.76             | 21.62             | 51.38              | 74.00             | -22.62         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5580 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8127.500           | 38.30             | 6.55              | 44.85              | 74.00             | -29.15         | peak   |
| 2   | 9392.500           | 37.56             | 9.63              | 47.19              | 74.00             | -26.81         | peak   |
| 3   | 11796.000          | 35.03             | 17.19             | 52.22              | 74.00             | -21.78         | peak   |
| 4   | 13919.000          | 32.37             | 20.58             | 52.95              | 74.00             | -21.05         | peak   |
| 5   | 16735.000          | 33.60             | 18.14             | 51.74              | 74.00             | -22.26         | peak   |
| 6   | 17769.000          | 28.76             | 22.86             | 51.62              | 74.00             | -22.38         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5700 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7753.500           | 39.10             | 5.92              | 45.02              | 74.00             | -28.98         | peak   |
| 2   | 9359.500           | 38.56             | 9.43              | 47.99              | 74.00             | -26.01         | peak   |
| 3   | 11884.000          | 35.15             | 17.17             | 52.32              | 74.00             | -21.68         | peak   |
| 4   | 12621.000          | 35.04             | 16.86             | 51.90              | 74.00             | -22.10         | peak   |
| 5   | 13974.000          | 31.62             | 20.63             | 52.25              | 74.00             | -21.75         | peak   |
| 6   | 17609.500          | 30.64             | 21.21             | 51.85              | 74.00             | -22.15         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5700 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8287.000           | 37.70             | 6.98              | 44.68              | 74.00             | -29.32         | peak   |
| 2   | 8963.500           | 37.12             | 9.09              | 46.21              | 74.00             | -27.79         | peak   |
| 3   | 10575.000          | 35.08             | 12.15             | 47.23              | 74.00             | -26.77         | peak   |
| 4   | 11884.000          | 35.46             | 17.17             | 52.63              | 74.00             | -21.37         | peak   |
| 5   | 13919.000          | 32.51             | 20.58             | 53.09              | 74.00             | -20.91         | peak   |
| 6   | 17648.000          | 30.67             | 21.62             | 52.29              | 74.00             | -21.71         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5720 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 39.33             | 5.95              | 45.28              | 74.00             | -28.72         | peak   |
| 2   | 8936.000           | 37.96             | 8.76              | 46.72              | 74.00             | -27.28         | peak   |
| 3   | 9354.000           | 36.97             | 9.39              | 46.36              | 74.00             | -27.64         | peak   |
| 4   | 11757.500          | 35.70             | 16.96             | 52.66              | 74.00             | -21.34         | peak   |
| 5   | 13770.500          | 32.68             | 20.38             | 53.06              | 74.00             | -20.94         | peak   |
| 6   | 17879.000          | 28.34             | 23.38             | 51.72              | 74.00             | -22.28         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5720 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7753.500           | 38.81             | 5.92              | 44.73              | 74.00             | -29.27         | peak   |
| 2   | 9387.000           | 37.05             | 9.60              | 46.65              | 74.00             | -27.35         | peak   |
| 3   | 11752.000          | 34.86             | 16.92             | 51.78              | 74.00             | -22.22         | peak   |
| 4   | 13495.500          | 32.39             | 19.57             | 51.96              | 74.00             | -22.04         | peak   |
| 5   | 13985.000          | 32.72             | 20.63             | 53.35              | 74.00             | -20.65         | peak   |
| 6   | 17967.000          | 28.45             | 23.59             | 52.04              | 74.00             | -21.96         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5745 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8441.000           | 38.74             | 6.65              | 45.39              | 74.00             | -28.61         | peak   |
| 2   | 8958.000           | 38.04             | 9.02              | 47.06              | 74.00             | -26.94         | peak   |
| 3   | 11878.500          | 34.90             | 17.17             | 52.07              | 74.00             | -21.93         | peak   |
| 4   | 13809.000          | 32.78             | 20.51             | 53.29              | 74.00             | -20.71         | peak   |
| 5   | 14315.000          | 32.23             | 19.25             | 51.48              | 74.00             | -22.52         | peak   |
| 6   | 17939.500          | 28.18             | 23.54             | 51.72              | 74.00             | -22.28         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5745 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8215.500           | 37.74             | 7.18              | 44.92              | 74.00             | -29.08         | peak   |
| 2   | 8958.000           | 37.69             | 9.02              | 46.71              | 74.00             | -27.29         | peak   |
| 3   | 11878.500          | 35.79             | 17.17             | 52.96              | 74.00             | -21.04         | peak   |
| 4   | 13462.500          | 33.53             | 19.44             | 52.97              | 74.00             | -21.03         | peak   |
| 5   | 13935.500          | 31.94             | 20.59             | 52.53              | 74.00             | -21.47         | peak   |
| 6   | 17846.000          | 28.52             | 23.31             | 51.83              | 74.00             | -22.17         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5785 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7709.500           | 38.73             | 5.80              | 44.53              | 74.00             | -29.47         | peak   |
| 2   | 8985.500           | 38.16             | 9.35              | 47.51              | 74.00             | -26.49         | peak   |
| 3   | 11845.500          | 35.64             | 17.20             | 52.84              | 74.00             | -21.16         | peak   |
| 4   | 12450.500          | 34.39             | 16.93             | 51.32              | 74.00             | -22.68         | peak   |
| 5   | 13880.500          | 32.36             | 20.56             | 52.92              | 74.00             | -21.08         | peak   |
| 6   | 17796.500          | 29.10             | 23.15             | 52.25              | 74.00             | -21.75         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5785 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7847.000           | 40.19             | 5.91              | 46.10              | 74.00             | -27.90         | peak   |
| 2   | 9381.500           | 37.74             | 9.56              | 47.30              | 74.00             | -26.70         | peak   |
| 3   | 11851.000          | 34.71             | 17.19             | 51.90              | 74.00             | -22.10         | peak   |
| 4   | 12362.500          | 34.83             | 16.98             | 51.81              | 74.00             | -22.19         | peak   |
| 5   | 13891.500          | 32.11             | 20.56             | 52.67              | 74.00             | -21.33         | peak   |
| 6   | 17422.500          | 31.37             | 20.27             | 51.64              | 74.00             | -22.36         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5825 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8226.500           | 37.72             | 7.15              | 44.87              | 74.00             | -29.13         | peak   |
| 2   | 9381.500           | 37.19             | 9.56              | 46.75              | 74.00             | -27.25         | peak   |
| 3   | 11708.000          | 35.44             | 16.64             | 52.08              | 74.00             | -21.92         | peak   |
| 4   | 13523.000          | 32.93             | 19.62             | 52.55              | 74.00             | -21.45         | peak   |
| 5   | 13952.000          | 32.02             | 20.61             | 52.63              | 74.00             | -21.37         | peak   |
| 6   | 17483.000          | 31.77             | 20.45             | 52.22              | 74.00             | -21.78         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT20 | Channel: | 5825 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.93          | 5.81           | 44.74           | 74.00          | -29.26      | peak   |
| 2   | 9354.000        | 38.08          | 9.39           | 47.47           | 74.00          | -26.53      | peak   |
| 3   | 11422.000       | 36.18          | 15.38          | 51.56           | 74.00          | -22.44      | peak   |
| 4   | 11796.000       | 35.46          | 17.19          | 52.65           | 74.00          | -21.35      | peak   |
| 5   | 13891.500       | 32.03          | 20.56          | 52.59           | 74.00          | -21.41      | peak   |
| 6   | 17956.000       | 28.92          | 23.57          | 52.49           | 74.00          | -21.51      | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5190 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 38.69             | 5.95              | 44.64              | 74.00             | -29.36         | peak   |
| 2   | 9068.000           | 37.49             | 9.16              | 46.65              | 74.00             | -27.35         | peak   |
| 3   | 10949.000          | 32.81             | 13.03             | 45.84              | 74.00             | -28.16         | peak   |
| 4   | 11807.000          | 32.51             | 17.22             | 49.73              | 74.00             | -24.27         | peak   |
| 5   | 13963.000          | 30.23             | 20.61             | 50.84              | 74.00             | -23.16         | peak   |
| 6   | 17109.000          | 29.51             | 19.61             | 49.12              | 74.00             | -24.88         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5190 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7726.000           | 38.70             | 5.85              | 44.55              | 74.00             | -29.45         | peak   |
| 2   | 8980.000           | 37.67             | 9.29              | 46.96              | 74.00             | -27.04         | peak   |
| 3   | 11840.000          | 34.75             | 17.20             | 51.95              | 74.00             | -22.05         | peak   |
| 4   | 13919.000          | 32.18             | 20.58             | 52.76              | 74.00             | -21.24         | peak   |
| 5   | 15624.000          | 31.74             | 15.40             | 47.14              | 74.00             | -26.86         | peak   |
| 6   | 17802.000          | 27.21             | 23.19             | 50.40              | 74.00             | -23.60         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5230 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8353.000           | 38.50             | 6.78              | 45.28              | 74.00             | -28.72         | peak   |
| 2   | 9596.000           | 36.46             | 10.13             | 46.59              | 74.00             | -27.41         | peak   |
| 3   | 11752.000          | 33.91             | 16.92             | 50.83              | 74.00             | -23.17         | peak   |
| 4   | 13985.000          | 31.17             | 20.63             | 51.80              | 74.00             | -22.20         | peak   |
| 5   | 15624.000          | 31.29             | 15.40             | 46.69              | 74.00             | -27.31         | peak   |
| 6   | 17780.000          | 27.33             | 22.98             | 50.31              | 74.00             | -23.69         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5230 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7715.000           | 38.80             | 5.81              | 44.61              | 74.00             | -29.39         | peak   |
| 2   | 8991.000           | 37.03             | 9.42              | 46.45              | 74.00             | -27.55         | peak   |
| 3   | 11829.000          | 33.75             | 17.20             | 50.95              | 74.00             | -23.05         | peak   |
| 4   | 13831.000          | 31.86             | 20.53             | 52.39              | 74.00             | -21.61         | peak   |
| 5   | 16790.000          | 30.15             | 18.24             | 48.39              | 74.00             | -25.61         | peak   |
| 6   | 17714.000          | 28.36             | 22.29             | 50.65              | 74.00             | -23.35         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5270 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 38.92             | 5.95              | 44.87              | 74.00             | -29.13         | peak   |
| 2   | 9596.000           | 36.51             | 10.13             | 46.64              | 74.00             | -27.36         | peak   |
| 3   | 11818.000          | 33.70             | 17.20             | 50.90              | 74.00             | -23.10         | peak   |
| 4   | 14007.000          | 30.87             | 20.61             | 51.48              | 74.00             | -22.52         | peak   |
| 5   | 15800.000          | 31.84             | 15.26             | 47.10              | 74.00             | -26.90         | peak   |
| 6   | 17703.000          | 28.44             | 22.18             | 50.62              | 74.00             | -23.38         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5270 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8155.000           | 38.34             | 6.81              | 45.15              | 74.00             | -28.85         | peak   |
| 2   | 9541.000           | 36.10             | 10.01             | 46.11              | 74.00             | -27.89         | peak   |
| 3   | 11829.000          | 33.75             | 17.20             | 50.95              | 74.00             | -23.05         | peak   |
| 4   | 13732.000          | 31.47             | 20.24             | 51.71              | 74.00             | -22.29         | peak   |
| 5   | 16372.000          | 30.63             | 16.80             | 47.43              | 74.00             | -26.57         | peak   |
| 6   | 17670.000          | 28.08             | 21.83             | 49.91              | 74.00             | -24.09         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5310 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8265.000           | 38.49             | 7.03              | 45.52              | 74.00             | -28.48         | peak   |
| 2   | 10190.000          | 36.55             | 10.91             | 47.46              | 74.00             | -26.54         | peak   |
| 3   | 11785.000          | 33.45             | 17.12             | 50.57              | 74.00             | -23.43         | peak   |
| 4   | 13644.000          | 32.15             | 19.89             | 52.04              | 74.00             | -21.96         | peak   |
| 5   | 15800.000          | 30.56             | 15.26             | 45.82              | 74.00             | -28.18         | peak   |
| 6   | 17659.000          | 27.79             | 21.72             | 49.51              | 74.00             | -24.49         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5310 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8232.000           | 37.95             | 7.14              | 45.09              | 74.00             | -28.91         | peak   |
| 2   | 9398.000           | 37.10             | 9.67              | 46.77              | 74.00             | -27.23         | peak   |
| 3   | 11785.000          | 33.89             | 17.12             | 51.01              | 74.00             | -22.99         | peak   |
| 4   | 13919.000          | 30.61             | 20.58             | 51.19              | 74.00             | -22.81         | peak   |
| 5   | 16042.000          | 31.00             | 15.51             | 46.51              | 74.00             | -27.49         | peak   |
| 6   | 16834.000          | 29.80             | 18.39             | 48.19              | 74.00             | -25.81         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5510 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7748.000           | 38.82             | 5.92              | 44.74              | 74.00             | -29.26         | peak   |
| 2   | 9266.000           | 37.85             | 8.84              | 46.69              | 74.00             | -27.31         | peak   |
| 3   | 11895.000          | 34.77             | 17.17             | 51.94              | 74.00             | -22.06         | peak   |
| 4   | 13963.000          | 31.70             | 20.61             | 52.31              | 74.00             | -21.69         | peak   |
| 5   | 15195.000          | 33.03             | 15.55             | 48.58              | 74.00             | -25.42         | peak   |
| 6   | 17230.000          | 30.74             | 20.16             | 50.90              | 74.00             | -23.10         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5510 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7847.000           | 40.46             | 5.91              | 46.37              | 74.00             | -27.63         | peak   |
| 2   | 9057.000           | 37.07             | 9.22              | 46.29              | 74.00             | -27.71         | peak   |
| 3   | 11895.000          | 34.05             | 17.17             | 51.22              | 74.00             | -22.78         | peak   |
| 4   | 13985.000          | 31.65             | 20.63             | 52.28              | 74.00             | -21.72         | peak   |
| 5   | 16999.000          | 29.03             | 18.96             | 47.99              | 74.00             | -26.01         | peak   |
| 6   | 17780.000          | 28.30             | 22.98             | 51.28              | 74.00             | -22.72         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5550 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7880.000           | 39.08             | 5.79              | 44.87              | 74.00             | -29.13         | peak   |
| 2   | 9321.000           | 37.40             | 9.18              | 46.58              | 74.00             | -27.42         | peak   |
| 3   | 11851.000          | 34.26             | 17.19             | 51.45              | 74.00             | -22.55         | peak   |
| 4   | 13919.000          | 32.89             | 20.58             | 53.47              | 74.00             | -20.53         | peak   |
| 5   | 16042.000          | 30.95             | 15.51             | 46.46              | 74.00             | -27.54         | peak   |
| 6   | 17813.000          | 28.90             | 23.23             | 52.13              | 74.00             | -21.87         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5550 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7825.000           | 39.25             | 5.99              | 45.24              | 74.00             | -28.76         | peak   |
| 2   | 9398.000           | 36.51             | 9.67              | 46.18              | 74.00             | -27.82         | peak   |
| 3   | 11785.000          | 33.92             | 17.12             | 51.04              | 74.00             | -22.96         | peak   |
| 4   | 13985.000          | 31.82             | 20.63             | 52.45              | 74.00             | -21.55         | peak   |
| 5   | 16658.000          | 29.47             | 17.99             | 47.46              | 74.00             | -26.54         | peak   |
| 6   | 17769.000          | 27.67             | 22.86             | 50.53              | 74.00             | -23.47         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5670 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 38.51             | 5.95              | 44.46              | 74.00             | -29.54         | peak   |
| 2   | 9233.000           | 37.54             | 8.62              | 46.16              | 74.00             | -27.84         | peak   |
| 3   | 11840.000          | 34.46             | 17.20             | 51.66              | 74.00             | -22.34         | peak   |
| 4   | 13908.000          | 31.35             | 20.58             | 51.93              | 74.00             | -22.07         | peak   |
| 5   | 15624.000          | 31.20             | 15.40             | 46.60              | 74.00             | -27.40         | peak   |
| 6   | 17703.000          | 28.18             | 22.18             | 50.36              | 74.00             | -23.64         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5670 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7737.000           | 38.54             | 5.88              | 44.42              | 74.00             | -29.58         | peak   |
| 2   | 9673.000           | 36.22             | 10.07             | 46.29              | 74.00             | -27.71         | peak   |
| 3   | 11851.000          | 33.19             | 17.19             | 50.38              | 74.00             | -23.62         | peak   |
| 4   | 13963.000          | 31.74             | 20.61             | 52.35              | 74.00             | -21.65         | peak   |
| 5   | 15580.000          | 30.88             | 15.40             | 46.28              | 74.00             | -27.72         | peak   |
| 6   | 17351.000          | 29.14             | 20.19             | 49.33              | 74.00             | -24.67         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5710 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7715.000           | 38.86             | 5.81              | 44.67              | 74.00             | -29.33         | peak   |
| 2   | 8991.000           | 37.32             | 9.42              | 46.74              | 74.00             | -27.26         | peak   |
| 3   | 11884.000          | 33.45             | 17.17             | 50.62              | 74.00             | -23.38         | peak   |
| 4   | 13919.000          | 31.65             | 20.58             | 52.23              | 74.00             | -21.77         | peak   |
| 5   | 16889.000          | 30.43             | 18.57             | 49.00              | 74.00             | -25.00         | peak   |
| 6   | 17725.000          | 29.20             | 22.41             | 51.61              | 74.00             | -22.39         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5710 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7748.000           | 38.34             | 5.92              | 44.26              | 74.00             | -29.74         | peak   |
| 2   | 8980.000           | 37.42             | 9.29              | 46.71              | 74.00             | -27.29         | peak   |
| 3   | 11829.000          | 33.13             | 17.20             | 50.33              | 74.00             | -23.67         | peak   |
| 4   | 13754.000          | 30.77             | 20.32             | 51.09              | 74.00             | -22.91         | peak   |
| 5   | 16460.000          | 30.45             | 17.19             | 47.64              | 74.00             | -26.36         | peak   |
| 6   | 17736.000          | 28.08             | 22.53             | 50.61              | 74.00             | -23.39         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5755 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 38.31             | 5.95              | 44.26              | 74.00             | -29.74         | peak   |
| 2   | 9079.000           | 37.36             | 9.10              | 46.46              | 74.00             | -27.54         | peak   |
| 3   | 11796.000          | 34.43             | 17.19             | 51.62              | 74.00             | -22.38         | peak   |
| 4   | 13534.000          | 32.70             | 19.63             | 52.33              | 74.00             | -21.67         | peak   |
| 5   | 15129.000          | 31.92             | 15.90             | 47.82              | 74.00             | -26.18         | peak   |
| 6   | 17648.000          | 28.41             | 21.62             | 50.03              | 74.00             | -23.97         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5755 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.37             | 9.42              | 46.79              | 74.00             | -27.21         | peak   |
| 2   | 10212.000          | 35.70             | 10.95             | 46.65              | 74.00             | -27.35         | peak   |
| 3   | 11785.000          | 33.86             | 17.12             | 50.98              | 74.00             | -23.02         | peak   |
| 4   | 13996.000          | 31.10             | 20.63             | 51.73              | 74.00             | -22.27         | peak   |
| 5   | 15151.000          | 30.76             | 15.79             | 46.55              | 74.00             | -27.45         | peak   |
| 6   | 17252.000          | 28.90             | 20.17             | 49.07              | 74.00             | -24.93         | peak   |

**7GHz-18GHz**


|            |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5795 |
| Polarity:  | Horizontal   |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8045.000           | 38.15             | 5.76              | 43.91              | 74.00             | -30.09         | peak   |
| 2   | 10421.000          | 35.43             | 10.64             | 46.07              | 74.00             | -27.93         | peak   |
| 3   | 11785.000          | 32.57             | 15.27             | 47.84              | 74.00             | -26.16         | peak   |
| 4   | 13633.000          | 29.87             | 18.90             | 48.77              | 74.00             | -25.23         | peak   |
| 5   | 13996.000          | 28.63             | 19.58             | 48.21              | 74.00             | -25.79         | peak   |
| 6   | 17956.000          | 28.07             | 22.85             | 50.92              | 74.00             | -23.08         | peak   |




| 7GHz-18GHz |              |          |      |
|------------|--------------|----------|------|
| Test Mode: | 802.11n HT40 | Channel: | 5795 |
| Polarity:  | Vertical     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8243.000           | 37.86             | 6.38              | 44.24              | 74.00             | -29.76         | peak   |
| 2   | 9376.000           | 36.74             | 8.34              | 45.08              | 74.00             | -28.92         | peak   |
| 3   | 11697.000          | 35.15             | 14.80             | 49.95              | 74.00             | -24.05         | peak   |
| 4   | 12302.000          | 33.70             | 16.02             | 49.72              | 74.00             | -24.28         | peak   |
| 5   | 13534.000          | 31.31             | 18.45             | 49.76              | 74.00             | -24.24         | peak   |
| 6   | 17593.000          | 29.96             | 20.31             | 50.27              | 74.00             | -23.73         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5210 |
| Polarity:  | Horizontal     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.22             | 8.74              | 45.96              | 74.00             | -28.04         | peak   |
| 2   | 11851.000          | 33.84             | 15.54             | 49.38              | 74.00             | -24.62         | peak   |
| 3   | 12610.000          | 33.40             | 15.66             | 49.06              | 74.00             | -24.94         | peak   |
| 4   | 13908.000          | 31.20             | 19.51             | 50.71              | 74.00             | -23.29         | peak   |
| 5   | 17340.000          | 29.71             | 19.72             | 49.43              | 74.00             | -24.57         | peak   |
| 6   | 17945.000          | 28.52             | 22.79             | 51.31              | 74.00             | -22.69         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5210 |
| Polarity:  | Vertical       |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8969.000           | 37.08             | 8.28              | 45.36              | 74.00             | -28.64         | peak   |
| 2   | 11697.000          | 33.77             | 14.80             | 48.57              | 74.00             | -25.43         | peak   |
| 3   | 12632.000          | 33.89             | 15.65             | 49.54              | 74.00             | -24.46         | peak   |
| 4   | 13985.000          | 30.46             | 19.58             | 50.04              | 74.00             | -23.96         | peak   |
| 5   | 17593.000          | 29.93             | 20.31             | 50.24              | 74.00             | -23.76         | peak   |
| 6   | 17956.000          | 29.07             | 22.85             | 51.92              | 74.00             | -22.08         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5290 |
| Polarity:  | Horizontal     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 9596.000           | 36.20             | 9.22              | 45.42              | 74.00             | -28.58         | peak   |
| 2   | 11763.000          | 34.99             | 15.16             | 50.15              | 74.00             | -23.85         | peak   |
| 3   | 13490.000          | 32.56             | 18.32             | 50.88              | 74.00             | -23.12         | peak   |
| 4   | 13963.000          | 31.07             | 19.55             | 50.62              | 74.00             | -23.38         | peak   |
| 5   | 16900.000          | 31.88             | 17.99             | 49.87              | 74.00             | -24.13         | peak   |
| 6   | 17956.000          | 28.74             | 22.85             | 51.59              | 74.00             | -22.41         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5290 |
| Polarity:  | Vertical       |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 11356.000          | 34.80             | 13.60             | 48.40              | 74.00             | -25.60         | peak   |
| 2   | 11873.000          | 34.38             | 15.61             | 49.99              | 74.00             | -24.01         | peak   |
| 3   | 13908.000          | 32.00             | 19.51             | 51.51              | 74.00             | -22.49         | peak   |
| 4   | 14073.000          | 32.08             | 19.16             | 51.24              | 74.00             | -22.76         | peak   |
| 5   | 17263.000          | 31.35             | 19.62             | 50.97              | 74.00             | -23.03         | peak   |
| 6   | 17956.000          | 28.68             | 22.85             | 51.53              | 74.00             | -22.47         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5530 |
| Polarity:  | Horizontal     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 10894.000          | 35.41             | 11.72             | 47.13              | 74.00             | -26.87         | peak   |
| 2   | 11884.000          | 34.91             | 15.65             | 50.56              | 74.00             | -23.44         | peak   |
| 3   | 12731.000          | 33.55             | 15.69             | 49.24              | 74.00             | -24.76         | peak   |
| 4   | 13941.000          | 32.22             | 19.54             | 51.76              | 74.00             | -22.24         | peak   |
| 5   | 14425.000          | 32.54             | 17.69             | 50.23              | 74.00             | -23.77         | peak   |
| 6   | 17978.000          | 28.09             | 23.00             | 51.09              | 74.00             | -22.91         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5530 |
| Polarity:  | Vertical       |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 36.73             | 8.52              | 45.25              | 74.00             | -28.75         | peak   |
| 2   | 11763.000          | 34.64             | 15.16             | 49.80              | 74.00             | -24.20         | peak   |
| 3   | 12247.000          | 33.82             | 15.89             | 49.71              | 74.00             | -24.29         | peak   |
| 4   | 13611.000          | 32.65             | 18.76             | 51.41              | 74.00             | -22.59         | peak   |
| 5   | 13897.000          | 31.49             | 19.49             | 50.98              | 74.00             | -23.02         | peak   |
| 6   | 17703.000          | 30.27             | 21.37             | 51.64              | 74.00             | -22.36         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5610 |
| Polarity:  | Horizontal     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.06             | 8.74              | 45.80              | 74.00             | -28.20         | peak   |
| 2   | 10696.000          | 36.44             | 11.41             | 47.85              | 74.00             | -26.15         | peak   |
| 3   | 11763.000          | 33.56             | 15.16             | 48.72              | 74.00             | -25.28         | peak   |
| 4   | 12643.000          | 33.37             | 15.65             | 49.02              | 74.00             | -24.98         | peak   |
| 5   | 13963.000          | 30.13             | 19.55             | 49.68              | 74.00             | -24.32         | peak   |
| 6   | 18000.000          | 27.31             | 23.15             | 50.46              | 74.00             | -23.54         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5610 |
| Polarity:  | Vertical       |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7737.000           | 39.02             | 5.31              | 44.33              | 74.00             | -29.67         | peak   |
| 2   | 10388.000          | 35.30             | 10.56             | 45.86              | 74.00             | -28.14         | peak   |
| 3   | 11840.000          | 35.18             | 15.50             | 50.68              | 74.00             | -23.32         | peak   |
| 4   | 13919.000          | 32.67             | 19.51             | 52.18              | 74.00             | -21.82         | peak   |
| 5   | 14436.000          | 32.30             | 17.64             | 49.94              | 74.00             | -24.06         | peak   |
| 6   | 17769.000          | 29.40             | 22.13             | 51.53              | 74.00             | -22.47         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5690 |
| Polarity:  | Horizontal     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 36.75             | 8.52              | 45.27              | 74.00             | -28.73         | peak   |
| 2   | 11774.000          | 34.20             | 15.22             | 49.42              | 74.00             | -24.58         | peak   |
| 3   | 12280.000          | 33.45             | 15.97             | 49.42              | 74.00             | -24.58         | peak   |
| 4   | 14018.000          | 32.00             | 19.48             | 51.48              | 74.00             | -22.52         | peak   |
| 5   | 14425.000          | 31.67             | 17.69             | 49.36              | 74.00             | -24.64         | peak   |
| 6   | 17780.000          | 29.05             | 22.26             | 51.31              | 74.00             | -22.69         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5690 |
| Polarity:  | Vertical       |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.00             | 8.74              | 45.74              | 74.00             | -28.26         | peak   |
| 2   | 11653.000          | 35.55             | 14.67             | 50.22              | 74.00             | -23.78         | peak   |
| 3   | 12313.000          | 33.59             | 15.98             | 49.57              | 74.00             | -24.43         | peak   |
| 4   | 13974.000          | 32.07             | 19.57             | 51.64              | 74.00             | -22.36         | peak   |
| 5   | 14337.000          | 32.09             | 18.49             | 50.58              | 74.00             | -23.42         | peak   |
| 6   | 17813.000          | 28.82             | 22.50             | 51.32              | 74.00             | -22.68         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5775 |
| Polarity:  | Horizontal     |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7847.000           | 38.89             | 5.69              | 44.58              | 74.00             | -29.42         | peak   |
| 2   | 8980.000           | 37.24             | 8.52              | 45.76              | 74.00             | -28.24         | peak   |
| 3   | 11873.000          | 34.52             | 15.61             | 50.13              | 74.00             | -23.87         | peak   |
| 4   | 13611.000          | 31.95             | 18.76             | 50.71              | 74.00             | -23.29         | peak   |
| 5   | 14315.000          | 32.06             | 18.73             | 50.79              | 74.00             | -23.21         | peak   |
| 6   | 17989.000          | 28.17             | 23.07             | 51.24              | 74.00             | -22.76         | peak   |




| 7GHz-18GHz |                |          |      |
|------------|----------------|----------|------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5775 |
| Polarity:  | Vertical       |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 10487.000          | 35.43             | 10.80             | 46.23              | 74.00             | -27.77         | peak   |
| 2   | 11840.000          | 34.52             | 15.50             | 50.02              | 74.00             | -23.98         | peak   |
| 3   | 13006.000          | 32.24             | 16.04             | 48.28              | 74.00             | -25.72         | peak   |
| 4   | 13985.000          | 30.11             | 19.58             | 49.69              | 74.00             | -24.31         | peak   |
| 5   | 14249.000          | 30.58             | 18.88             | 49.46              | 74.00             | -24.54         | peak   |
| 6   | 17769.000          | 28.88             | 22.13             | 51.01              | 74.00             | -22.99         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5180 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8204.500           | 37.63             | 7.21              | 44.84              | 74.00             | -29.16         | peak   |
| 2   | 8985.500           | 37.10             | 9.35              | 46.45              | 74.00             | -27.55         | peak   |
| 3   | 11878.500          | 35.64             | 17.17             | 52.81              | 74.00             | -21.19         | peak   |
| 4   | 13919.000          | 32.02             | 20.58             | 52.60              | 74.00             | -21.40         | peak   |
| 5   | 15541.500          | 37.44             | 15.36             | 52.80              | 74.00             | -21.20         | peak   |
| 6   | 17956.000          | 28.41             | 23.57             | 51.98              | 74.00             | -22.02         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5180 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7748.000           | 39.47             | 5.92              | 45.39              | 74.00             | -28.61         | peak   |
| 2   | 9337.500           | 37.31             | 9.29              | 46.60              | 74.00             | -27.40         | peak   |
| 3   | 11845.500          | 35.65             | 17.20             | 52.85              | 74.00             | -21.15         | peak   |
| 4   | 13858.500          | 31.87             | 20.54             | 52.41              | 74.00             | -21.59         | peak   |
| 5   | 15547.000          | 37.10             | 15.37             | 52.47              | 74.00             | -21.53         | peak   |
| 6   | 17807.500          | 28.70             | 23.20             | 51.90              | 74.00             | -22.10         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5200 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7841.500           | 39.17             | 5.93              | 45.10              | 74.00             | -28.90         | peak   |
| 2   | 8996.500           | 36.60             | 9.50              | 46.10              | 74.00             | -27.90         | peak   |
| 3   | 11878.500          | 35.11             | 17.17             | 52.28              | 74.00             | -21.72         | peak   |
| 4   | 13809.000          | 32.15             | 20.51             | 52.66              | 74.00             | -21.34         | peak   |
| 5   | 14210.500          | 33.21             | 19.62             | 52.83              | 74.00             | -21.17         | peak   |
| 6   | 17697.500          | 29.87             | 22.13             | 52.00              | 74.00             | -22.00         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5200 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8985.500           | 37.34             | 9.35              | 46.69              | 74.00             | -27.31         | peak   |
| 2   | 11394.500          | 35.58             | 15.25             | 50.83              | 74.00             | -23.17         | peak   |
| 3   | 11900.500          | 34.72             | 17.16             | 51.88              | 74.00             | -22.12         | peak   |
| 4   | 13935.500          | 32.49             | 20.59             | 53.08              | 74.00             | -20.92         | peak   |
| 5   | 15602.000          | 35.81             | 15.42             | 51.23              | 74.00             | -22.77         | peak   |
| 6   | 17961.500          | 28.26             | 23.58             | 51.84              | 74.00             | -22.16         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5240 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7753.500           | 38.78             | 5.92              | 44.70              | 74.00             | -29.30         | peak   |
| 2   | 9359.500           | 37.24             | 9.43              | 46.67              | 74.00             | -27.33         | peak   |
| 3   | 11834.500          | 36.11             | 17.20             | 53.31              | 74.00             | -20.69         | peak   |
| 4   | 13512.000          | 33.39             | 19.61             | 53.00              | 74.00             | -21.00         | peak   |
| 5   | 13864.000          | 32.99             | 20.54             | 53.53              | 74.00             | -20.47         | peak   |
| 6   | 17664.500          | 30.03             | 21.78             | 51.81              | 74.00             | -22.19         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5240 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8243.000           | 38.26             | 7.10              | 45.36              | 74.00             | -28.64         | peak   |
| 2   | 9359.500           | 37.36             | 9.43              | 46.79              | 74.00             | -27.21         | peak   |
| 3   | 11834.500          | 35.35             | 17.20             | 52.55              | 74.00             | -21.45         | peak   |
| 4   | 13957.500          | 32.48             | 20.61             | 53.09              | 74.00             | -20.91         | peak   |
| 5   | 15728.500          | 34.67             | 15.32             | 49.99              | 74.00             | -24.01         | peak   |
| 6   | 17697.500          | 29.24             | 22.13             | 51.37              | 74.00             | -22.63         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5260 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7847.000           | 40.55             | 5.91              | 46.46              | 74.00             | -27.54         | peak   |
| 2   | 9057.000           | 38.24             | 9.22              | 47.46              | 74.00             | -26.54         | peak   |
| 3   | 11796.000          | 33.88             | 17.19             | 51.07              | 74.00             | -22.93         | peak   |
| 4   | 13952.000          | 31.33             | 20.61             | 51.94              | 74.00             | -22.06         | peak   |
| 5   | 15602.000          | 31.33             | 15.42             | 46.75              | 74.00             | -27.25         | peak   |
| 6   | 17582.000          | 29.50             | 21.00             | 50.50              | 74.00             | -23.50         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5260 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8166.000           | 38.70             | 6.90              | 45.60              | 74.00             | -28.40         | peak   |
| 2   | 8980.000           | 37.59             | 9.29              | 46.88              | 74.00             | -27.12         | peak   |
| 3   | 11840.000          | 32.40             | 17.20             | 49.60              | 74.00             | -24.40         | peak   |
| 4   | 12632.000          | 32.83             | 16.89             | 49.72              | 74.00             | -24.28         | peak   |
| 5   | 14018.000          | 30.94             | 20.55             | 51.49              | 74.00             | -22.51         | peak   |
| 6   | 17747.000          | 27.01             | 22.64             | 49.65              | 74.00             | -24.35         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5280 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8958.000           | 37.50             | 8.05              | 45.55              | 74.00             | -28.45         | peak   |
| 2   | 10212.000          | 35.99             | 10.11             | 46.10              | 74.00             | -27.90         | peak   |
| 3   | 11763.000          | 34.71             | 15.16             | 49.87              | 74.00             | -24.13         | peak   |
| 4   | 11983.000          | 33.42             | 15.84             | 49.26              | 74.00             | -24.74         | peak   |
| 5   | 14007.000          | 31.01             | 19.55             | 50.56              | 74.00             | -23.44         | peak   |
| 6   | 14722.000          | 31.10             | 16.57             | 47.67              | 74.00             | -26.33         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5280 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 9134.000           | 37.53             | 7.73              | 45.26              | 74.00             | -28.74         | peak   |
| 2   | 10179.000          | 35.88             | 10.01             | 45.89              | 74.00             | -28.11         | peak   |
| 3   | 11873.000          | 34.19             | 15.61             | 49.80              | 74.00             | -24.20         | peak   |
| 4   | 13930.000          | 31.21             | 19.53             | 50.74              | 74.00             | -23.26         | peak   |
| 5   | 14799.000          | 32.32             | 16.20             | 48.52              | 74.00             | -25.48         | peak   |
| 6   | 17769.000          | 28.66             | 22.13             | 50.79              | 74.00             | -23.21         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5320 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7715.000           | 39.27             | 5.81              | 45.08              | 74.00             | -28.92         | peak   |
| 2   | 9508.000           | 36.79             | 9.95              | 46.74              | 74.00             | -27.26         | peak   |
| 3   | 11763.000          | 34.01             | 16.99             | 51.00              | 74.00             | -23.00         | peak   |
| 4   | 14007.000          | 31.93             | 20.61             | 52.54              | 74.00             | -21.46         | peak   |
| 5   | 16031.000          | 30.57             | 15.49             | 46.06              | 74.00             | -27.94         | peak   |
| 6   | 17483.000          | 28.46             | 20.45             | 48.91              | 74.00             | -25.09         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5320 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7605.000           | 39.44             | 5.45              | 44.89              | 74.00             | -29.11         | peak   |
| 2   | 8980.000           | 37.91             | 9.29              | 47.20              | 74.00             | -26.80         | peak   |
| 3   | 11818.000          | 31.82             | 17.20             | 49.02              | 74.00             | -24.98         | peak   |
| 4   | 13963.000          | 30.77             | 20.61             | 51.38              | 74.00             | -22.62         | peak   |
| 5   | 14821.000          | 30.34             | 17.19             | 47.53              | 74.00             | -26.47         | peak   |
| 6   | 17648.000          | 27.33             | 21.62             | 48.95              | 74.00             | -25.05         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5500 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 38.65             | 5.95              | 44.60              | 74.00             | -29.40         | peak   |
| 2   | 9310.000           | 37.13             | 9.12              | 46.25              | 74.00             | -27.75         | peak   |
| 3   | 10894.000          | 33.54             | 12.87             | 46.41              | 74.00             | -27.59         | peak   |
| 4   | 11796.000          | 34.05             | 17.19             | 51.24              | 74.00             | -22.76         | peak   |
| 5   | 13644.000          | 32.49             | 19.89             | 52.38              | 74.00             | -21.62         | peak   |
| 6   | 17252.000          | 29.55             | 20.17             | 49.72              | 74.00             | -24.28         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5500 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 39.34             | 5.95              | 45.29              | 74.00             | -28.71         | peak   |
| 2   | 8980.000           | 37.32             | 9.29              | 46.61              | 74.00             | -27.39         | peak   |
| 3   | 11796.000          | 33.36             | 17.19             | 50.55              | 74.00             | -23.45         | peak   |
| 4   | 13919.000          | 31.65             | 20.58             | 52.23              | 74.00             | -21.77         | peak   |
| 5   | 15580.000          | 30.88             | 15.40             | 46.28              | 74.00             | -27.72         | peak   |
| 6   | 17241.000          | 27.71             | 20.16             | 47.87              | 74.00             | -26.13         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5580 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8166.000           | 38.21             | 6.90              | 45.11              | 74.00             | -28.89         | peak   |
| 2   | 9618.000           | 36.31             | 10.12             | 46.43              | 74.00             | -27.57         | peak   |
| 3   | 11840.000          | 33.56             | 17.20             | 50.76              | 74.00             | -23.24         | peak   |
| 4   | 13809.000          | 31.28             | 20.51             | 51.79              | 74.00             | -22.21         | peak   |
| 5   | 15162.000          | 33.14             | 15.72             | 48.86              | 74.00             | -25.14         | peak   |
| 6   | 17736.000          | 28.45             | 22.53             | 50.98              | 74.00             | -23.02         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5580 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8254.000           | 37.59             | 7.07              | 44.66              | 74.00             | -29.34         | peak   |
| 2   | 9959.000           | 37.06             | 10.47             | 47.53              | 74.00             | -26.47         | peak   |
| 3   | 11785.000          | 34.04             | 17.12             | 51.16              | 74.00             | -22.84         | peak   |
| 4   | 14084.000          | 32.34             | 20.22             | 52.56              | 74.00             | -21.44         | peak   |
| 5   | 15162.000          | 32.19             | 15.72             | 47.91              | 74.00             | -26.09         | peak   |
| 6   | 17428.000          | 29.86             | 20.30             | 50.16              | 74.00             | -23.84         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5700 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 37.59             | 9.29              | 46.88              | 74.00             | -27.12         | peak   |
| 2   | 10179.000          | 35.91             | 10.88             | 46.79              | 74.00             | -27.21         | peak   |
| 3   | 11785.000          | 31.75             | 17.12             | 48.87              | 74.00             | -25.13         | peak   |
| 4   | 12753.000          | 31.76             | 17.17             | 48.93              | 74.00             | -25.07         | peak   |
| 5   | 13996.000          | 29.84             | 20.63             | 50.47              | 74.00             | -23.53         | peak   |
| 6   | 17714.000          | 26.05             | 22.29             | 48.34              | 74.00             | -25.66         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5700 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7880.000           | 39.13             | 5.79              | 44.92              | 74.00             | -29.08         | peak   |
| 2   | 8991.000           | 37.30             | 9.42              | 46.72              | 74.00             | -27.28         | peak   |
| 3   | 11818.000          | 32.73             | 17.20             | 49.93              | 74.00             | -24.07         | peak   |
| 4   | 13985.000          | 30.76             | 20.63             | 51.39              | 74.00             | -22.61         | peak   |
| 5   | 17054.000          | 28.62             | 19.28             | 47.90              | 74.00             | -26.10         | peak   |
| 6   | 17824.000          | 27.37             | 23.25             | 50.62              | 74.00             | -23.38         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5720 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7748.000           | 39.07             | 5.92              | 44.99              | 74.00             | -29.01         | peak   |
| 2   | 9068.000           | 37.23             | 9.16              | 46.39              | 74.00             | -27.61         | peak   |
| 3   | 11840.000          | 34.53             | 17.20             | 51.73              | 74.00             | -22.27         | peak   |
| 4   | 12786.000          | 32.98             | 17.25             | 50.23              | 74.00             | -23.77         | peak   |
| 5   | 13996.000          | 31.81             | 20.63             | 52.44              | 74.00             | -21.56         | peak   |
| 6   | 17362.000          | 29.24             | 20.19             | 49.43              | 74.00             | -24.57         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5720 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7847.000           | 38.44             | 5.91              | 44.35              | 74.00             | -29.65         | peak   |
| 2   | 9310.000           | 38.12             | 9.12              | 47.24              | 74.00             | -26.76         | peak   |
| 3   | 11829.000          | 33.13             | 17.20             | 50.33              | 74.00             | -23.67         | peak   |
| 4   | 13974.000          | 30.89             | 20.63             | 51.52              | 74.00             | -22.48         | peak   |
| 5   | 17230.000          | 29.45             | 20.16             | 49.61              | 74.00             | -24.39         | peak   |
| 6   | 17714.000          | 29.04             | 22.29             | 51.33              | 74.00             | -22.67         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5745 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8254.000           | 37.99             | 7.07              | 45.06              | 74.00             | -28.94         | peak   |
| 2   | 9420.000           | 37.15             | 9.73              | 46.88              | 74.00             | -27.12         | peak   |
| 3   | 11785.000          | 34.08             | 17.12             | 51.20              | 74.00             | -22.80         | peak   |
| 4   | 13963.000          | 31.89             | 20.61             | 52.50              | 74.00             | -21.50         | peak   |
| 5   | 16020.000          | 33.22             | 15.44             | 48.66              | 74.00             | -25.34         | peak   |
| 6   | 17395.000          | 30.74             | 20.21             | 50.95              | 74.00             | -23.05         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5745 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7748.000        | 38.87          | 5.92           | 44.79           | 74.00          | -29.21      | peak   |
| 2   | 9508.000        | 37.14          | 9.95           | 47.09           | 74.00          | -26.91      | peak   |
| 3   | 11785.000       | 33.65          | 17.12          | 50.77           | 74.00          | -23.23      | peak   |
| 4   | 13919.000       | 31.70          | 20.58          | 52.28           | 74.00          | -21.72      | peak   |
| 5   | 15228.000       | 31.22          | 15.52          | 46.74           | 74.00          | -27.26      | peak   |
| 6   | 17494.000       | 28.83          | 20.48          | 49.31           | 74.00          | -24.69      | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5785 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7715.000           | 38.51             | 5.81              | 44.32              | 74.00             | -29.68         | peak   |
| 2   | 9134.000           | 37.17             | 8.78              | 45.95              | 74.00             | -28.05         | peak   |
| 3   | 11796.000          | 33.53             | 17.19             | 50.72              | 74.00             | -23.28         | peak   |
| 4   | 13985.000          | 31.12             | 20.63             | 51.75              | 74.00             | -22.25         | peak   |
| 5   | 16526.000          | 29.89             | 17.50             | 47.39              | 74.00             | -26.61         | peak   |
| 6   | 17824.000          | 28.11             | 23.25             | 51.36              | 74.00             | -22.64         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5785 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.10             | 9.42              | 46.52              | 74.00             | -27.48         | peak   |
| 2   | 10311.000          | 35.68             | 11.21             | 46.89              | 74.00             | -27.11         | peak   |
| 3   | 11774.000          | 34.40             | 17.06             | 51.46              | 74.00             | -22.54         | peak   |
| 4   | 13974.000          | 31.70             | 20.63             | 52.33              | 74.00             | -21.67         | peak   |
| 5   | 15217.000          | 32.28             | 15.52             | 47.80              | 74.00             | -26.20         | peak   |
| 6   | 17285.000          | 29.65             | 20.18             | 49.83              | 74.00             | -24.17         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5825 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 37.00             | 9.29              | 46.29              | 74.00             | -27.71         | peak   |
| 2   | 10575.000          | 34.32             | 12.15             | 46.47              | 74.00             | -27.53         | peak   |
| 3   | 11785.000          | 33.83             | 17.12             | 50.95              | 74.00             | -23.05         | peak   |
| 4   | 13974.000          | 31.89             | 20.63             | 52.52              | 74.00             | -21.48         | peak   |
| 5   | 16064.000          | 30.80             | 15.59             | 46.39              | 74.00             | -27.61         | peak   |
| 6   | 17846.000          | 27.99             | 23.31             | 51.30              | 74.00             | -22.70         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE20 | Channel: | 5825 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8045.000           | 38.36             | 5.77              | 44.13              | 74.00             | -29.87         | peak   |
| 2   | 9321.000           | 37.15             | 9.18              | 46.33              | 74.00             | -27.67         | peak   |
| 3   | 11037.000          | 33.59             | 13.36             | 46.95              | 74.00             | -27.05         | peak   |
| 4   | 11873.000          | 35.21             | 17.17             | 52.38              | 74.00             | -21.62         | peak   |
| 5   | 13864.000          | 31.94             | 20.54             | 52.48              | 74.00             | -21.52         | peak   |
| 6   | 17780.000          | 28.09             | 22.98             | 51.07              | 74.00             | -22.93         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5190 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8166.000           | 37.52             | 6.55              | 44.07              | 74.00             | -29.93         | peak   |
| 2   | 10036.000          | 35.01             | 9.82              | 44.83              | 74.00             | -29.17         | peak   |
| 3   | 11664.000          | 35.28             | 14.71             | 49.99              | 74.00             | -24.01         | peak   |
| 4   | 13578.000          | 31.94             | 18.61             | 50.55              | 74.00             | -23.45         | peak   |
| 5   | 15250.000          | 31.62             | 14.53             | 46.15              | 74.00             | -27.85         | peak   |
| 6   | 17747.000          | 27.89             | 21.88             | 49.77              | 74.00             | -24.23         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5190 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7748.000           | 38.96             | 5.43              | 44.39              | 74.00             | -29.61         | peak   |
| 2   | 9057.000           | 36.25             | 8.29              | 44.54              | 74.00             | -29.46         | peak   |
| 3   | 11785.000          | 33.98             | 15.27             | 49.25              | 74.00             | -24.75         | peak   |
| 4   | 13842.000          | 30.73             | 19.39             | 50.12              | 74.00             | -23.88         | peak   |
| 5   | 14414.000          | 31.46             | 17.76             | 49.22              | 74.00             | -24.78         | peak   |
| 6   | 18000.000          | 28.45             | 23.15             | 51.60              | 74.00             | -22.40         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5230 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8958.000           | 37.89             | 8.05              | 45.94              | 74.00             | -28.06         | peak   |
| 2   | 10597.000          | 36.41             | 10.93             | 47.34              | 74.00             | -26.66         | peak   |
| 3   | 11884.000          | 33.40             | 15.65             | 49.05              | 74.00             | -24.95         | peak   |
| 4   | 13974.000          | 31.34             | 19.57             | 50.91              | 74.00             | -23.09         | peak   |
| 5   | 17703.000          | 28.90             | 21.37             | 50.27              | 74.00             | -23.73         | peak   |
| 6   | 17956.000          | 29.02             | 22.85             | 51.87              | 74.00             | -22.13         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5230 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 9332.000           | 38.45             | 8.12              | 46.57              | 74.00             | -27.43         | peak   |
| 2   | 11840.000          | 33.19             | 15.50             | 48.69              | 74.00             | -25.31         | peak   |
| 3   | 13523.000          | 31.42             | 18.41             | 49.83              | 74.00             | -24.17         | peak   |
| 4   | 13996.000          | 31.00             | 19.58             | 50.58              | 74.00             | -23.42         | peak   |
| 5   | 17670.000          | 29.10             | 21.03             | 50.13              | 74.00             | -23.87         | peak   |
| 6   | 17989.000          | 27.74             | 23.07             | 50.81              | 74.00             | -23.19         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5270 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 37.34             | 8.52              | 45.86              | 74.00             | -28.14         | peak   |
| 2   | 11455.000          | 35.44             | 14.16             | 49.60              | 74.00             | -24.40         | peak   |
| 3   | 11719.000          | 34.97             | 14.92             | 49.89              | 74.00             | -24.11         | peak   |
| 4   | 13908.000          | 31.72             | 19.51             | 51.23              | 74.00             | -22.77         | peak   |
| 5   | 14282.000          | 30.33             | 18.88             | 49.21              | 74.00             | -24.79         | peak   |
| 6   | 17813.000          | 28.38             | 22.50             | 50.88              | 74.00             | -23.12         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5270 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 39.36             | 5.54              | 44.90              | 74.00             | -29.10         | peak   |
| 2   | 8980.000           | 37.31             | 8.52              | 45.83              | 74.00             | -28.17         | peak   |
| 3   | 11818.000          | 33.37             | 15.42             | 48.79              | 74.00             | -25.21         | peak   |
| 4   | 13985.000          | 31.40             | 19.58             | 50.98              | 74.00             | -23.02         | peak   |
| 5   | 17142.000          | 30.10             | 18.79             | 48.89              | 74.00             | -25.11         | peak   |
| 6   | 17945.000          | 28.70             | 22.79             | 51.49              | 74.00             | -22.51         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5310 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 11466.000          | 33.58             | 14.20             | 47.78              | 74.00             | -26.22         | peak   |
| 2   | 12291.000          | 32.72             | 16.00             | 48.72              | 74.00             | -25.28         | peak   |
| 3   | 13809.000          | 30.29             | 19.34             | 49.63              | 74.00             | -24.37         | peak   |
| 4   | 14084.000          | 31.48             | 19.09             | 50.57              | 74.00             | -23.43         | peak   |
| 5   | 14447.000          | 30.51             | 17.57             | 48.08              | 74.00             | -25.92         | peak   |
| 6   | 17956.000          | 28.53             | 22.85             | 51.38              | 74.00             | -22.62         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5310 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7836.000           | 39.41             | 5.75              | 45.16              | 74.00             | -28.84         | peak   |
| 2   | 8980.000           | 36.57             | 8.52              | 45.09              | 74.00             | -28.91         | peak   |
| 3   | 11774.000          | 33.39             | 15.22             | 48.61              | 74.00             | -25.39         | peak   |
| 4   | 13512.000          | 31.49             | 18.38             | 49.87              | 74.00             | -24.13         | peak   |
| 5   | 14414.000          | 30.59             | 17.76             | 48.35              | 74.00             | -25.65         | peak   |
| 6   | 17769.000          | 29.38             | 22.13             | 51.51              | 74.00             | -22.49         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5510 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 36.88             | 8.74              | 45.62              | 74.00             | -28.38         | peak   |
| 2   | 11400.000          | 34.16             | 13.98             | 48.14              | 74.00             | -25.86         | peak   |
| 3   | 11884.000          | 33.75             | 15.65             | 49.40              | 74.00             | -24.60         | peak   |
| 4   | 13600.000          | 32.23             | 18.69             | 50.92              | 74.00             | -23.08         | peak   |
| 5   | 13985.000          | 32.55             | 19.58             | 52.13              | 74.00             | -21.87         | peak   |
| 6   | 17956.000          | 27.57             | 22.85             | 50.42              | 74.00             | -23.58         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5510 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 37.04             | 8.52              | 45.56              | 74.00             | -28.44         | peak   |
| 2   | 11840.000          | 33.65             | 15.50             | 49.15              | 74.00             | -24.85         | peak   |
| 3   | 13886.000          | 30.75             | 19.48             | 50.23              | 74.00             | -23.77         | peak   |
| 4   | 14084.000          | 30.56             | 19.09             | 49.65              | 74.00             | -24.35         | peak   |
| 5   | 17351.000          | 29.21             | 19.66             | 48.87              | 74.00             | -25.13         | peak   |
| 6   | 17967.000          | 26.75             | 22.92             | 49.67              | 74.00             | -24.33         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5550 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 39.06             | 5.54              | 44.60              | 74.00             | -29.40         | peak   |
| 2   | 8980.000           | 36.62             | 8.52              | 45.14              | 74.00             | -28.86         | peak   |
| 3   | 11884.000          | 34.69             | 15.65             | 50.34              | 74.00             | -23.66         | peak   |
| 4   | 13589.000          | 32.45             | 18.65             | 51.10              | 74.00             | -22.90         | peak   |
| 5   | 13908.000          | 31.43             | 19.51             | 50.94              | 74.00             | -23.06         | peak   |
| 6   | 17813.000          | 29.05             | 22.50             | 51.55              | 74.00             | -22.45         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5550 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 9057.000           | 37.03             | 8.29              | 45.32              | 74.00             | -28.68         | peak   |
| 2   | 11763.000          | 33.55             | 15.16             | 48.71              | 74.00             | -25.29         | peak   |
| 3   | 12313.000          | 32.94             | 15.98             | 48.92              | 74.00             | -25.08         | peak   |
| 4   | 13842.000          | 31.01             | 19.39             | 50.40              | 74.00             | -23.60         | peak   |
| 5   | 14282.000          | 30.98             | 18.88             | 49.86              | 74.00             | -24.14         | peak   |
| 6   | 17582.000          | 30.83             | 20.24             | 51.07              | 74.00             | -22.93         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5670 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8958.000        | 37.41          | 8.05           | 45.46           | 74.00          | -28.54      | peak   |
| 2   | 11873.000       | 34.97          | 15.61          | 50.58           | 74.00          | -23.42      | peak   |
| 3   | 13534.000       | 31.56          | 18.45          | 50.01           | 74.00          | -23.99      | peak   |
| 4   | 13864.000       | 30.23          | 19.43          | 49.66           | 74.00          | -24.34      | peak   |
| 5   | 17714.000       | 29.04          | 21.49          | 50.53           | 74.00          | -23.47      | peak   |
| 6   | 17967.000       | 28.51          | 22.92          | 51.43           | 74.00          | -22.57      | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5670 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 9057.000           | 37.26             | 8.29              | 45.55              | 74.00             | -28.45         | peak   |
| 2   | 11796.000          | 34.27             | 15.34             | 49.61              | 74.00             | -24.39         | peak   |
| 3   | 13985.000          | 31.95             | 19.58             | 51.53              | 74.00             | -22.47         | peak   |
| 4   | 14436.000          | 32.20             | 17.64             | 49.84              | 74.00             | -24.16         | peak   |
| 5   | 17230.000          | 29.70             | 19.37             | 49.07              | 74.00             | -24.93         | peak   |
| 6   | 17989.000          | 28.16             | 23.07             | 51.23              | 74.00             | -22.77         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5710 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 36.90             | 8.52              | 45.42              | 74.00             | -28.58         | peak   |
| 2   | 11268.000          | 32.59             | 12.99             | 45.58              | 74.00             | -28.42         | peak   |
| 3   | 11774.000          | 32.80             | 15.22             | 48.02              | 74.00             | -25.98         | peak   |
| 4   | 13633.000          | 31.19             | 18.90             | 50.09              | 74.00             | -23.91         | peak   |
| 5   | 14436.000          | 32.76             | 17.64             | 50.40              | 74.00             | -23.60         | peak   |
| 6   | 17692.000          | 29.47             | 21.25             | 50.72              | 74.00             | -23.28         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5710 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 11763.000          | 34.16             | 15.16             | 49.32              | 74.00             | -24.68         | peak   |
| 2   | 13501.000          | 31.99             | 18.33             | 50.32              | 74.00             | -23.68         | peak   |
| 3   | 13930.000          | 31.28             | 19.53             | 50.81              | 74.00             | -23.19         | peak   |
| 4   | 14205.000          | 31.67             | 18.87             | 50.54              | 74.00             | -23.46         | peak   |
| 5   | 16933.000          | 31.91             | 18.01             | 49.92              | 74.00             | -24.08         | peak   |
| 6   | 17813.000          | 28.63             | 22.50             | 51.13              | 74.00             | -22.87         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5755 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8056.000           | 39.27             | 5.95              | 45.22              | 74.00             | -28.78         | peak   |
| 2   | 11400.000          | 35.11             | 13.98             | 49.09              | 74.00             | -24.91         | peak   |
| 3   | 11917.000          | 33.71             | 15.72             | 49.43              | 74.00             | -24.57         | peak   |
| 4   | 13919.000          | 30.89             | 19.51             | 50.40              | 74.00             | -23.60         | peak   |
| 5   | 14568.000          | 31.36             | 17.09             | 48.45              | 74.00             | -25.55         | peak   |
| 6   | 17615.000          | 29.55             | 20.50             | 50.05              | 74.00             | -23.95         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5755 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 11004.000          | 35.14             | 11.85             | 46.99              | 74.00             | -27.01         | peak   |
| 2   | 11818.000          | 35.11             | 15.42             | 50.53              | 74.00             | -23.47         | peak   |
| 3   | 13567.000          | 32.50             | 18.57             | 51.07              | 74.00             | -22.93         | peak   |
| 4   | 13886.000          | 31.75             | 19.48             | 51.23              | 74.00             | -22.77         | peak   |
| 5   | 13985.000          | 31.75             | 19.58             | 51.33              | 74.00             | -22.67         | peak   |
| 6   | 17120.000          | 31.45             | 18.65             | 50.10              | 74.00             | -23.90         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5795 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8045.000           | 38.65             | 5.76              | 44.41              | 74.00             | -29.59         | peak   |
| 2   | 8980.000           | 36.64             | 8.52              | 45.16              | 74.00             | -28.84         | peak   |
| 3   | 11785.000          | 33.07             | 15.27             | 48.34              | 74.00             | -25.66         | peak   |
| 4   | 13633.000          | 30.37             | 18.90             | 49.27              | 74.00             | -24.73         | peak   |
| 5   | 14084.000          | 29.29             | 19.09             | 48.38              | 74.00             | -25.62         | peak   |
| 6   | 17769.000          | 28.99             | 22.13             | 51.12              | 74.00             | -22.88         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE40 | Channel: | 5795 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8243.000           | 37.86             | 6.38              | 44.24              | 74.00             | -29.76         | peak   |
| 2   | 9376.000           | 36.74             | 8.34              | 45.08              | 74.00             | -28.92         | peak   |
| 3   | 11873.000          | 35.09             | 15.61             | 50.70              | 74.00             | -23.30         | peak   |
| 4   | 12302.000          | 33.70             | 16.02             | 49.72              | 74.00             | -24.28         | peak   |
| 5   | 13985.000          | 31.43             | 19.58             | 51.01              | 74.00             | -22.99         | peak   |
| 6   | 17813.000          | 28.77             | 22.50             | 51.27              | 74.00             | -22.73         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5210 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8243.000           | 37.87             | 6.38              | 44.25              | 74.00             | -29.75         | peak   |
| 2   | 9420.000           | 36.88             | 8.50              | 45.38              | 74.00             | -28.62         | peak   |
| 3   | 11818.000          | 34.78             | 15.42             | 50.20              | 74.00             | -23.80         | peak   |
| 4   | 13545.000          | 32.13             | 18.49             | 50.62              | 74.00             | -23.38         | peak   |
| 5   | 13985.000          | 31.32             | 19.58             | 50.90              | 74.00             | -23.10         | peak   |
| 6   | 17956.000          | 29.04             | 22.85             | 51.89              | 74.00             | -22.11         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5210 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8045.000           | 38.74             | 5.76              | 44.50              | 74.00             | -29.50         | peak   |
| 2   | 10168.000          | 35.84             | 9.99              | 45.83              | 74.00             | -28.17         | peak   |
| 3   | 11884.000          | 34.36             | 15.65             | 50.01              | 74.00             | -23.99         | peak   |
| 4   | 13897.000          | 31.14             | 19.49             | 50.63              | 74.00             | -23.37         | peak   |
| 5   | 17582.000          | 28.69             | 20.24             | 48.93              | 74.00             | -25.07         | peak   |
| 6   | 17989.000          | 27.53             | 23.07             | 50.60              | 74.00             | -23.40         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5290 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.98             | 8.74              | 46.72              | 74.00             | -27.28         | peak   |
| 2   | 10432.000          | 35.59             | 10.66             | 46.25              | 74.00             | -27.75         | peak   |
| 3   | 11708.000          | 35.84             | 14.85             | 50.69              | 74.00             | -23.31         | peak   |
| 4   | 13600.000          | 32.22             | 18.69             | 50.91              | 74.00             | -23.09         | peak   |
| 5   | 13919.000          | 30.89             | 19.51             | 50.40              | 74.00             | -23.60         | peak   |
| 6   | 17967.000          | 27.83             | 22.92             | 50.75              | 74.00             | -23.25         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5290 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 36.55          | 8.74           | 45.29           | 74.00          | -28.71      | peak   |
| 2   | 11906.000       | 33.57          | 15.70          | 49.27           | 74.00          | -24.73      | peak   |
| 3   | 13512.000       | 32.53          | 18.38          | 50.91           | 74.00          | -23.09      | peak   |
| 4   | 13985.000       | 30.23          | 19.58          | 49.81           | 74.00          | -24.19      | peak   |
| 5   | 17252.000       | 30.06          | 19.54          | 49.60           | 74.00          | -24.40      | peak   |
| 6   | 17747.000       | 29.25          | 21.88          | 51.13           | 74.00          | -22.87      | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5530 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8958.000           | 37.20             | 8.05              | 45.25              | 74.00             | -28.75         | peak   |
| 2   | 11906.000          | 34.13             | 15.70             | 49.83              | 74.00             | -24.17         | peak   |
| 3   | 12643.000          | 34.14             | 15.65             | 49.79              | 74.00             | -24.21         | peak   |
| 4   | 13919.000          | 31.31             | 19.51             | 50.82              | 74.00             | -23.18         | peak   |
| 5   | 14271.000          | 30.07             | 18.88             | 48.95              | 74.00             | -25.05         | peak   |
| 6   | 17967.000          | 28.06             | 22.92             | 50.98              | 74.00             | -23.02         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5530 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 36.83          | 8.52           | 45.35           | 74.00          | -28.65      | peak   |
| 2   | 11785.000       | 33.87          | 15.27          | 49.14           | 74.00          | -24.86      | peak   |
| 3   | 13523.000       | 31.68          | 18.41          | 50.09           | 74.00          | -23.91      | peak   |
| 4   | 13886.000       | 29.95          | 19.48          | 49.43           | 74.00          | -24.57      | peak   |
| 5   | 17120.000       | 30.14          | 18.65          | 48.79           | 74.00          | -25.21      | peak   |
| 6   | 17978.000       | 27.96          | 23.00          | 50.96           | 74.00          | -23.04      | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5610 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 37.13             | 8.52              | 45.65              | 74.00             | -28.35         | peak   |
| 2   | 10421.000          | 35.41             | 10.64             | 46.05              | 74.00             | -27.95         | peak   |
| 3   | 11796.000          | 33.41             | 15.34             | 48.75              | 74.00             | -25.25         | peak   |
| 4   | 13919.000          | 31.44             | 19.51             | 50.95              | 74.00             | -23.05         | peak   |
| 5   | 14458.000          | 31.01             | 17.51             | 48.52              | 74.00             | -25.48         | peak   |
| 6   | 17956.000          | 27.17             | 22.85             | 50.02              | 74.00             | -23.98         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5610 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7814.000        | 39.32          | 5.89           | 45.21           | 74.00          | -28.79      | peak   |
| 2   | 11466.000       | 33.63          | 14.20          | 47.83           | 74.00          | -26.17      | peak   |
| 3   | 11895.000       | 33.79          | 15.69          | 49.48           | 74.00          | -24.52      | peak   |
| 4   | 13589.000       | 31.11          | 18.65          | 49.76           | 74.00          | -24.24      | peak   |
| 5   | 14315.000       | 29.15          | 18.73          | 47.88           | 74.00          | -26.12      | peak   |
| 6   | 17989.000       | 28.42          | 23.07          | 51.49           | 74.00          | -22.51      | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5690 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 7759.000           | 38.78             | 5.54              | 44.32              | 74.00             | -29.68         | peak   |
| 2   | 10168.000          | 35.53             | 9.99              | 45.52              | 74.00             | -28.48         | peak   |
| 3   | 11840.000          | 35.63             | 15.50             | 51.13              | 74.00             | -22.87         | peak   |
| 4   | 13380.000          | 32.30             | 18.18             | 50.48              | 74.00             | -23.52         | peak   |
| 5   | 14205.000          | 32.22             | 18.87             | 51.09              | 74.00             | -22.91         | peak   |
| 6   | 17769.000          | 29.08             | 22.13             | 51.21              | 74.00             | -22.79         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5690 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8991.000           | 37.63             | 8.74              | 46.37              | 74.00             | -27.63         | peak   |
| 2   | 10674.000          | 36.07             | 11.29             | 47.36              | 74.00             | -26.64         | peak   |
| 3   | 11796.000          | 35.44             | 15.34             | 50.78              | 74.00             | -23.22         | peak   |
| 4   | 13413.000          | 33.32             | 18.25             | 51.57              | 74.00             | -22.43         | peak   |
| 5   | 14084.000          | 31.86             | 19.09             | 50.95              | 74.00             | -23.05         | peak   |
| 6   | 18000.000          | 28.43             | 23.15             | 51.58              | 74.00             | -22.42         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5775 |
| Polarity:  | Horizontal    |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1   | 8980.000           | 37.33             | 8.52              | 45.85              | 74.00             | -28.15         | peak   |
| 2   | 10839.000          | 35.82             | 11.46             | 47.28              | 74.00             | -26.72         | peak   |
| 3   | 11653.000          | 35.85             | 14.67             | 50.52              | 74.00             | -23.48         | peak   |
| 4   | 13842.000          | 31.94             | 19.39             | 51.33              | 74.00             | -22.67         | peak   |
| 5   | 14073.000          | 31.48             | 19.16             | 50.64              | 74.00             | -23.36         | peak   |
| 6   | 17736.000          | 29.56             | 21.76             | 51.32              | 74.00             | -22.68         | peak   |




| 7GHz-18GHz |               |          |      |
|------------|---------------|----------|------|
| Test Mode: | 802.11ax HE80 | Channel: | 5775 |
| Polarity:  | Vertical      |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 37.55          | 8.52           | 46.07           | 74.00          | -27.93      | peak   |
| 2   | 10762.000       | 35.25          | 11.35          | 46.60           | 74.00          | -27.40      | peak   |
| 3   | 11763.000       | 35.72          | 15.16          | 50.88           | 74.00          | -23.12      | peak   |
| 4   | 14007.000       | 32.38          | 19.55          | 51.93           | 74.00          | -22.07      | peak   |
| 5   | 14469.000       | 32.31          | 17.45          | 49.76           | 74.00          | -24.24      | peak   |
| 6   | 17967.000       | 28.39          | 22.92          | 51.31           | 74.00          | -22.69      | peak   |




| 9 kHz-150 kHz |                                 |          |      |
|---------------|---------------------------------|----------|------|
| Test Mode:    | 802.11a20                       | Channel: | 5180 |
| Polarity:     | LOOP ANTENNA FACE ON TO THE EUT |          |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC<br>Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|--------------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.0100             | 75.72             | -101.40           | -25.68                    | 47.60                    | -77.18                     | -3.90                     | -73.28         | peak   |
| 2   | 0.0131             | 72.47             | -101.38           | -28.91                    | 45.25                    | -80.41                     | -6.25                     | -74.16         | peak   |
| 3   | 0.0171             | 69.38             | -101.36           | -31.98                    | 42.94                    | -83.48                     | -8.56                     | -74.92         | peak   |
| 4   | 0.0279             | 67.17             | -101.38           | -34.21                    | 38.69                    | -85.71                     | -12.81                    | -72.90         | peak   |
| 5   | 0.0492             | 61.55             | -101.47           | -39.92                    | 33.76                    | -91.42                     | -17.74                    | -73.68         | peak   |
| 6   | 0.0981             | 58.27             | -101.78           | -43.51                    | 27.77                    | -95.01                     | -23.73                    | -71.28         | peak   |




| 150 kHz-490 kHz |                                 |          |      |
|-----------------|---------------------------------|----------|------|
| Test Mode:      | 802.11a20                       | Channel: | 5180 |
| Polarity:       | LOOP ANTENNA FACE ON TO THE EUT |          |      |



| No. | Frequency | Reading | Correct | FCC Result | FCC Limit | ISED Result | ISED Limit | Margin | Remark |
|-----|-----------|---------|---------|------------|-----------|-------------|------------|--------|--------|
|     | (MHz)     | (dBuV)  | (dB/m)  | (dBuV/m)   | (dBuV/m)  | (dBuA/m)    | (dBuA/m)   | (dB)   |        |
| 1   | 0.1554    | 75.27   | -101.65 | -26.38     | 23.77     | -77.88      | -27.73     | -50.15 | peak   |
| 2   | 0.1794    | 72.27   | -101.68 | -29.41     | 22.53     | -80.91      | -28.97     | -51.94 | peak   |
| 3   | 0.2190    | 68.27   | -101.75 | -33.48     | 20.79     | -84.98      | -30.71     | -54.27 | peak   |
| 4   | 0.2530    | 65.64   | -101.80 | -36.16     | 19.54     | -87.66      | -31.96     | -55.70 | peak   |
| 5   | 0.3163    | 62.20   | -101.87 | -39.67     | 17.6      | -91.17      | -33.90     | -57.27 | peak   |
| 6   | 0.3800    | 59.02   | -101.94 | -42.92     | 16.01     | -94.42      | -35.49     | -58.93 | peak   |




| 490 kHz-30 MHz |                                 |          |      |
|----------------|---------------------------------|----------|------|
| Test Mode:     | 802.11a20                       | Channel: | 5180 |
| Polarity:      | LOOP ANTENNA FACE ON TO THE EUT |          |      |



| No. | Frequency | Reading | Correct | FCC Result | FCC Limit | ISED Result | ISED Limit | Margin | Remark |
|-----|-----------|---------|---------|------------|-----------|-------------|------------|--------|--------|
|     | (MHz)     | (dBuV)  | (dB/m)  | (dBuV/m)   | (dBuV/m)  | (dBuA/m)    | (dBuA/m)   | (dB)   |        |
| 1   | 0.5039    | 63.93   | -62.07  | 1.86       | 33.56     | -49.64      | -17.94     | -31.70 | peak   |
| 2   | 0.8296    | 62.94   | -62.17  | 0.77       | 29.23     | -50.73      | -22.27     | -28.46 | peak   |
| 3   | 1.2459    | 58.25   | -62.16  | -3.91      | 25.7      | -55.41      | -25.80     | -29.61 | peak   |
| 4   | 3.7100    | 54.70   | -61.41  | -6.71      | 29.54     | -58.21      | -21.96     | -36.25 | peak   |
| 5   | 11.8513   | 54.06   | -60.88  | -6.82      | 29.54     | -58.32      | -21.96     | -36.36 | peak   |
| 6   | 23.4783   | 53.74   | -60.56  | -6.82      | 29.54     | -58.32      | -21.96     | -36.36 | peak   |




| 30MHz-1GHz |            |          |      |
|------------|------------|----------|------|
| Test Mode: | 802.11a20  | Channel: | 5180 |
| Polarity:  | Horizontal |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 118.2700        | 52.21          | -19.97         | 32.24           | 43.50          | -11.26      | QP     |
| 2   | 289.9600        | 44.18          | -15.91         | 28.27           | 46.00          | -17.73      | QP     |
| 3   | 440.3100        | 38.05          | -12.56         | 25.49           | 46.00          | -20.51      | QP     |
| 4   | 480.0800        | 41.84          | -11.79         | 30.05           | 46.00          | -15.95      | QP     |
| 5   | 823.4600        | 36.60          | -6.83          | 29.77           | 46.00          | -16.23      | QP     |
| 6   | 983.5100        | 46.22          | -4.32          | 41.90           | 54.00          | -12.10      | QP     |




| 30MHz-1GHz |           |          |      |
|------------|-----------|----------|------|
| Test Mode: | 802.11a20 | Channel: | 5180 |
| Polarity:  | Vertical  |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 114.3900        | 47.85          | -20.20         | 27.65           | 43.50          | -15.85      | QP     |
| 2   | 480.0800        | 42.99          | -11.79         | 31.20           | 46.00          | -14.80      | QP     |
| 3   | 800.1800        | 36.43          | -7.33          | 29.10           | 46.00          | -16.90      | QP     |
| 4   | 847.7100        | 33.94          | -6.31          | 27.63           | 46.00          | -18.37      | QP     |
| 5   | 903.9700        | 39.39          | -5.12          | 34.27           | 46.00          | -11.73      | QP     |
| 6   | 990.3000        | 35.78          | -4.28          | 31.50           | 54.00          | -22.50      | QP     |




| 18GHz-26GHz |            |          |      |
|-------------|------------|----------|------|
| Test Mode:  | 802.11a20  | Channel: | 5180 |
| Polarity:   | Horizontal |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 19392.000       | 50.12          | -5.57          | 44.55           | 74.00          | -29.45      | peak   |
| 2   | 20016.000       | 50.06          | -5.47          | 44.59           | 74.00          | -29.41      | peak   |
| 3   | 21600.000       | 49.52          | -4.54          | 44.98           | 74.00          | -29.02      | peak   |
| 4   | 22160.000       | 49.08          | -4.31          | 44.77           | 74.00          | -29.23      | peak   |
| 5   | 24208.000       | 47.71          | -2.81          | 44.90           | 74.00          | -29.10      | peak   |
| 6   | 25616.000       | 46.18          | -1.24          | 44.94           | 74.00          | -29.06      | peak   |




| 18GHz-26GHz |           |          |      |
|-------------|-----------|----------|------|
| Test Mode:  | 802.11a20 | Channel: | 5180 |
| Polarity:   | Vertical  |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18536.000       | 49.60          | -5.27          | 44.33           | 74.00          | -29.67      | peak   |
| 2   | 19784.000       | 49.57          | -5.28          | 44.29           | 74.00          | -29.71      | peak   |
| 3   | 21456.000       | 48.85          | -4.70          | 44.15           | 74.00          | -29.85      | peak   |
| 4   | 22976.000       | 46.76          | -3.46          | 43.30           | 74.00          | -30.70      | peak   |
| 5   | 24568.000       | 46.60          | -2.33          | 44.27           | 74.00          | -29.73      | peak   |
| 6   | 25728.000       | 46.11          | -0.72          | 45.39           | 74.00          | -28.61      | peak   |




| 26GHz-40GHz |            |          |      |
|-------------|------------|----------|------|
| Test Mode:  | 802.11a20  | Channel: | 5180 |
| Polarity:   | Horizontal |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 26490.000       | 50.79          | -4.74          | 46.05           | 74.00          | -27.95      | peak   |
| 2   | 28786.000       | 47.49          | -0.64          | 46.85           | 74.00          | -27.15      | peak   |
| 3   | 31670.000       | 48.86          | -1.21          | 47.65           | 74.00          | -26.35      | peak   |
| 4   | 35366.000       | 46.90          | 2.59           | 49.49           | 74.00          | -24.51      | peak   |
| 5   | 38068.000       | 45.06          | 3.42           | 48.48           | 74.00          | -25.52      | peak   |
| 6   | 39958.000       | 43.58          | 5.12           | 48.70           | 74.00          | -25.30      | peak   |



| 26GHz-40GHz |           |          |      |
|-------------|-----------|----------|------|
| Test Mode:  | 802.11a20 | Channel: | 5180 |
| Polarity:   | Vertical  |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 26476.000       | 51.53          | -4.78          | 46.75           | 74.00          | -27.25      | peak   |
| 2   | 31040.000       | 48.45          | -0.72          | 47.73           | 74.00          | -26.27      | peak   |
| 3   | 32104.000       | 48.99          | -1.75          | 47.24           | 74.00          | -26.76      | peak   |
| 4   | 35828.000       | 45.75          | 3.67           | 49.42           | 74.00          | -24.58      | peak   |
| 5   | 38278.000       | 44.82          | 3.82           | 48.64           | 74.00          | -25.36      | peak   |
| 6   | 39972.000       | 44.45          | 5.13           | 49.58           | 74.00          | -24.42      | peak   |



## 9. ANTENNA REQUIREMENT

### APPLICABLE REQUIREMENTS

Please refer to FCC §15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC §15.247(b)(4)

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### RESULTS

Complies

## 10. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISCED RSS-Gen Clause 8.8

| FREQUENCY (MHz) | Quasi-peak | Average   |
|-----------------|------------|-----------|
| 0.15 -0.5       | 66 - 56 *  | 56 - 46 * |
| 0.50 -5.0       | 56.00      | 46.00     |
| 5.0 -30.0       | 60.00      | 50.00     |


### TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP




### TEST ENVIRONMENT

|                     |        |                   |                |
|---------------------|--------|-------------------|----------------|
| Temperature         | 25.9℃  | Relative Humidity | 63.7%          |
| Atmosphere Pressure | 101kPa | Test Voltage      | AC 120 V, 60Hz |

### TEST RESULTS

|            |           |          |      |
|------------|-----------|----------|------|
| Test Mode: | 802.11a20 | Channel: | 5180 |
| Line:      | Line      |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1524          | 38.59          | 9.59         | 48.18         | 65.87        | -17.69      | QP     |
| 2   | 0.1524          | 11.75          | 9.59         | 21.34         | 55.87        | -34.53      | AVG    |
| 3   | 0.2022          | 34.68          | 9.59         | 44.27         | 63.52        | -19.25      | QP     |
| 4   | 0.2022          | 15.33          | 9.59         | 24.92         | 53.52        | -28.60      | AVG    |
| 5   | 0.3325          | 23.38          | 9.46         | 32.84         | 59.39        | -26.55      | QP     |
| 6   | 0.3325          | 8.52           | 9.46         | 17.98         | 49.39        | -31.41      | AVG    |
| 7   | 3.1705          | 21.10          | 9.61         | 30.71         | 56.00        | -25.29      | QP     |
| 8   | 3.1705          | 12.39          | 9.61         | 22.00         | 46.00        | -24.00      | AVG    |
| 9   | 4.7174          | 22.28          | 9.61         | 31.89         | 56.00        | -24.11      | QP     |
| 10  | 4.7174          | 14.31          | 9.61         | 23.92         | 46.00        | -22.08      | AVG    |
| 11  | 17.7609         | 27.92          | 9.74         | 37.66         | 60.00        | -22.34      | QP     |
| 12  | 17.7609         | 22.65          | 9.74         | 32.39         | 50.00        | -17.61      | AVG    |


Note: 1. Result = Reading + Correct Factor.

2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).

4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

|            |           |          |      |
|------------|-----------|----------|------|
| Test Mode: | 802.11a20 | Channel: | 5180 |
| Line:      | Neutral   |          |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1516          | 38.72          | 9.59         | 48.31         | 65.91        | -17.60      | QP     |
| 2   | 0.1516          | 13.08          | 9.59         | 22.67         | 55.91        | -33.24      | AVG    |
| 3   | 0.1845          | 38.99          | 9.59         | 48.58         | 64.28        | -15.70      | QP     |
| 4   | 0.1845          | 24.10          | 9.59         | 33.69         | 54.28        | -20.59      | AVG    |
| 5   | 0.2777          | 26.60          | 9.51         | 36.11         | 60.88        | -24.77      | QP     |
| 6   | 0.2777          | 11.16          | 9.51         | 20.67         | 50.88        | -30.21      | AVG    |
| 7   | 1.8932          | 23.76          | 9.62         | 33.38         | 56.00        | -22.62      | QP     |
| 8   | 1.8932          | 14.04          | 9.62         | 23.66         | 46.00        | -22.34      | AVG    |
| 9   | 4.0017          | 24.64          | 9.60         | 34.24         | 56.00        | -21.76      | QP     |
| 10  | 4.0017          | 13.47          | 9.60         | 23.07         | 46.00        | -22.93      | AVG    |
| 11  | 17.6175         | 26.26          | 9.74         | 36.00         | 60.00        | -24.00      | QP     |
| 12  | 17.6175         | 21.03          | 9.74         | 30.77         | 50.00        | -19.23      | AVG    |

Note: 1. Result = Reading + Correct Factor.

2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).

4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.



## 11. TEST DATA

### 11.1. APPENDIX A1: EMISSION BANDWIDTH

#### 11.1.1. Test Result

| Test Mode | Antenna | Channel      | 26db EBW [MHz] | FL[MHz]  | FH[MHz]  | Verdict |
|-----------|---------|--------------|----------------|----------|----------|---------|
| 11A       | Ant1    | 5180         | 18.080         | 5170.840 | 5188.920 | PASS    |
|           | Ant2    | 5180         | 18.480         | 5170.760 | 5189.240 | PASS    |
|           | Ant1    | 5200         | 18.280         | 5190.800 | 5209.080 | PASS    |
|           | Ant2    | 5200         | 18.160         | 5190.840 | 5209.000 | PASS    |
|           | Ant1    | 5240         | 18.280         | 5231.000 | 5249.280 | PASS    |
|           | Ant2    | 5240         | 18.080         | 5230.880 | 5248.960 | PASS    |
|           | Ant1    | 5260         | 18.160         | 5250.920 | 5269.080 | PASS    |
|           | Ant2    | 5260         | 18.520         | 5250.720 | 5269.240 | PASS    |
|           | Ant1    | 5280         | 15.680         | 5270.560 | 5286.240 | PASS    |
|           | Ant2    | 5280         | 18.080         | 5270.960 | 5289.040 | PASS    |
|           | Ant1    | 5320         | 18.720         | 5310.680 | 5329.400 | PASS    |
|           | Ant2    | 5320         | 18.480         | 5310.680 | 5329.160 | PASS    |
|           | Ant1    | 5500         | 17.840         | 5491.120 | 5508.960 | PASS    |
|           | Ant2    | 5500         | 18.280         | 5490.960 | 5509.240 | PASS    |
|           | Ant1    | 5580         | 18.080         | 5571.080 | 5589.160 | PASS    |
|           | Ant2    | 5580         | 18.040         | 5570.960 | 5589.000 | PASS    |
|           | Ant1    | 5700         | 18.040         | 5690.840 | 5708.880 | PASS    |
|           | Ant2    | 5700         | 18.400         | 5690.840 | 5709.240 | PASS    |
|           | Ant1    | 5720         | 18.280         | 5710.920 | 5729.200 | PASS    |
|           | Ant2    | 5720         | 18.360         | 5710.680 | 5729.040 | PASS    |
|           | Ant1    | 5720 UNII-2C | 14.08          | 5710.920 | 5725     | PASS    |
|           | Ant2    | 5720 UNII-2C | 14.32          | 5710.680 | 5725     | PASS    |
|           | Ant1    | 5720 UNII-3  | 4.20           | 5725     | 5729.200 | PASS    |
|           | Ant2    | 5720 UNII-3  | 4.04           | 5725     | 5729.040 | PASS    |
|           | Ant1    | 5745         | 18.360         | 5735.880 | 5754.240 | PASS    |
|           | Ant2    | 5745         | 18.120         | 5735.960 | 5754.080 | PASS    |
|           | Ant1    | 5785         | 18.160         | 5775.840 | 5794.000 | PASS    |
|           | Ant2    | 5785         | 18.200         | 5775.520 | 5793.720 | PASS    |
|           | Ant1    | 5825         | 17.920         | 5816.120 | 5834.040 | PASS    |
|           | Ant2    | 5825         | 18.360         | 5815.840 | 5834.200 | PASS    |
| 11N20MIMO | Ant1    | 5180         | 19.400         | 5170.240 | 5189.640 | PASS    |
|           | Ant2    | 5180         | 18.920         | 5170.520 | 5189.440 | PASS    |
|           | Ant1    | 5200         | 19.240         | 5190.440 | 5209.680 | PASS    |
|           | Ant2    | 5200         | 18.960         | 5190.520 | 5209.480 | PASS    |
|           | Ant1    | 5240         | 19.680         | 5230.160 | 5249.840 | PASS    |
|           | Ant2    | 5240         | 19.400         | 5230.400 | 5249.800 | PASS    |
|           | Ant1    | 5260         | 19.320         | 5250.360 | 5269.680 | PASS    |
|           | Ant2    | 5260         | 18.880         | 5250.760 | 5269.640 | PASS    |
|           | Ant1    | 5280         | 19.360         | 5270.280 | 5289.640 | PASS    |
|           | Ant2    | 5280         | 19.240         | 5270.320 | 5289.560 | PASS    |
|           | Ant1    | 5320         | 19.280         | 5310.440 | 5329.720 | PASS    |
|           | Ant2    | 5320         | 19.320         | 5310.200 | 5329.520 | PASS    |
|           | Ant1    | 5500         | 19.320         | 5490.320 | 5509.640 | PASS    |
|           | Ant2    | 5500         | 19.360         | 5490.320 | 5509.680 | PASS    |
|           | Ant1    | 5580         | 19.320         | 5570.360 | 5589.680 | PASS    |
|           | Ant2    | 5580         | 19.360         | 5570.280 | 5589.640 | PASS    |
|           | Ant1    | 5700         | 19.160         | 5690.400 | 5709.560 | PASS    |
|           | Ant2    | 5700         | 19.440         | 5690.200 | 5709.640 | PASS    |
|           | Ant1    | 5720         | 19.640         | 5710.120 | 5729.760 | PASS    |
|           | Ant2    | 5720         | 19.280         | 5710.320 | 5729.600 | PASS    |
|           | Ant1    | 5720 UNII-2C | 14.88          | 5710.120 | 5725     | PASS    |
|           | Ant2    | 5720 UNII-2C | 14.68          | 5710.320 | 5725     | PASS    |
|           | Ant1    | 5720 UNII-3  | 4.76           | 5725     | 5729.760 | PASS    |
|           | Ant2    | 5720 UNII-3  | 4.6            | 5725     | 5729.600 | PASS    |