



TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	45.74	51.06	5.32	68.20	17.14	PK	Vertical	PASS
2	12382.19	44.65	52.07	7.42	74.00	21.93	PK	Vertical	PASS
3	14183.09	43.21	52.03	8.82	68.20	16.17	PK	Vertical	PASS
4	16599.30	42.28	52.97	10.69	68.20	15.23	PK	Vertical	PASS
5	17234.62	40.16	51.70	11.54	68.20	16.50	PK	Vertical	PASS
6	17619.81	39.76	52.22	12.46	68.20	15.98	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9155.58	45.88	50.29	4.41	74.00	23.71	PK	Horizontal	PASS
2	9991.00	45.63	51.08	5.45	68.20	17.12	PK	Horizontal	PASS
3	12197.10	45.40	52.14	6.74	74.00	21.86	PK	Horizontal	PASS
4	14183.09	43.44	52.26	8.82	68.20	15.94	PK	Horizontal	PASS
5	16284.14	42.73	52.31	9.58	68.20	15.89	PK	Horizontal	PASS
6	17669.83	39.64	52.03	12.39	68.20	16.17	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8320.16	46.11	50.06	3.95	74.00	23.94	PK	Vertical	PASS
2	10981.49	45.88	50.39	4.51	74.00	23.61	PK	Vertical	PASS
3	12387.19	44.71	52.15	7.44	74.00	21.85	PK	Vertical	PASS
4	14178.09	44.15	52.95	8.80	68.20	15.25	PK	Vertical	PASS
5	15994.00	42.36	52.00	9.64	74.00	22.00	PK	Vertical	PASS
6	17669.83	40.02	52.41	12.39	68.20	15.79	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9985.99	45.08	50.48	5.40	68.20	17.72	PK	Horizontal	PASS
2	10561.28	45.97	50.66	4.69	68.20	17.54	PK	Horizontal	PASS
3	12312.16	44.74	51.89	7.15	74.00	22.11	PK	Horizontal	PASS
4	14138.07	43.37	51.97	8.60	68.20	16.23	PK	Horizontal	PASS
5	16044.02	42.41	52.02	9.61	74.00	21.98	PK	Horizontal	PASS
6	17214.61	40.60	52.23	11.63	68.20	15.97	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8330.17	46.14	50.14	4.00	74.00	23.86	PK	Vertical	PASS
2	10531.27	46.70	51.32	4.62	68.20	16.88	PK	Vertical	PASS
3	12397.20	45.40	52.87	7.47	74.00	21.13	PK	Vertical	PASS
4	14113.06	43.65	52.12	8.47	68.20	16.08	PK	Vertical	PASS
5	15988.99	42.11	51.70	9.59	74.00	22.30	PK	Vertical	PASS
6	17229.61	41.31	52.88	11.57	68.20	15.32	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	45.69	49.72	4.03	74.00	24.28	PK	Horizontal	PASS
2	9675.84	46.13	50.50	4.37	68.20	17.70	PK	Horizontal	PASS
3	10626.31	46.86	51.60	4.74	74.00	22.40	PK	Horizontal	PASS
4	12397.20	44.55	52.02	7.47	74.00	21.98	PK	Horizontal	PASS
5	14198.10	43.45	52.34	8.89	68.20	15.86	PK	Horizontal	PASS
6	15988.99	42.78	52.37	9.59	74.00	21.63	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8340.17	46.00	50.06	4.06	74.00	23.94	PK	Vertical	PASS
2	10631.32	47.60	52.33	4.73	74.00	21.67	PK	Vertical	PASS
3	12312.16	44.77	51.92	7.15	74.00	22.08	PK	Vertical	PASS
4	14248.12	43.56	52.27	8.71	68.20	15.93	PK	Vertical	PASS
5	16004.00	42.49	52.17	9.68	74.00	21.83	PK	Vertical	PASS
6	17749.87	39.86	52.12	12.26	74.00	21.88	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8805.40	46.02	50.38	4.36	68.20	17.82	PK	Horizontal	PASS
2	11016.51	47.49	52.03	4.54	74.00	21.97	PK	Horizontal	PASS
3	12397.20	44.42	51.89	7.47	74.00	22.11	PK	Horizontal	PASS
4	14213.11	44.28	53.12	8.84	68.20	15.08	PK	Horizontal	PASS
5	16009.00	42.56	52.24	9.68	74.00	21.76	PK	Horizontal	PASS
6	17729.86	40.48	52.78	12.30	74.00	21.22	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8355.18	45.82	49.96	4.14	74.00	24.04	PK	Vertical	PASS
2	9970.99	45.34	50.62	5.28	68.20	17.58	PK	Vertical	PASS
3	11016.51	54.64	59.18	4.54	74.00	14.82	PK	Vertical	PASS
4	12332.17	45.02	52.26	7.24	74.00	21.74	PK	Vertical	PASS
5	14168.08	43.56	52.30	8.74	68.20	15.90	PK	Vertical	PASS
6	17104.55	40.46	51.96	11.50	68.20	16.24	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11016.51	4.54	41.28	45.82	54.00	8.18	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8810.41	46.59	50.93	4.34	68.20	17.27	PK	Horizontal	PASS
2	11101.55	48.00	52.73	4.73	74.00	21.27	PK	Horizontal	PASS
3	12317.16	45.07	52.24	7.17	74.00	21.76	PK	Horizontal	PASS
4	14138.07	43.74	52.34	8.60	68.20	15.86	PK	Horizontal	PASS
5	15943.97	43.28	52.45	9.17	74.00	21.55	PK	Horizontal	PASS
6	17154.58	40.93	52.54	11.61	68.20	15.66	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8320.16	45.81	49.76	3.95	74.00	24.24	PK	Vertical	PASS
2	9985.99	46.02	51.42	5.40	68.20	16.78	PK	Vertical	PASS
3	11096.55	54.98	59.71	4.73	74.00	14.29	PK	Vertical	PASS
4	12397.20	44.70	52.17	7.47	74.00	21.83	PK	Vertical	PASS
5	14333.17	43.86	52.23	8.37	68.20	15.97	PK	Vertical	PASS
6	16009.00	42.81	52.49	9.68	74.00	21.51	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11096.55	4.73	43.06	47.79	54.00	6.21	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8345.17	45.74	49.83	4.09	74.00	24.17	PK	Horizontal	PASS
2	9175.59	46.24	50.76	4.52	74.00	23.24	PK	Horizontal	PASS
3	12372.19	44.64	52.01	7.37	74.00	21.99	PK	Horizontal	PASS
4	14228.11	43.91	52.71	8.80	68.20	15.49	PK	Horizontal	PASS
5	15958.98	43.66	52.98	9.32	74.00	21.02	PK	Horizontal	PASS
6	17724.86	39.52	51.82	12.30	74.00	22.18	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8835.42	46.07	50.31	4.24	68.20	17.89	PK	Vertical	PASS
2	11336.67	51.80	56.84	5.04	74.00	17.16	PK	Vertical	PASS
3	12462.23	45.24	52.36	7.12	74.00	21.64	PK	Vertical	PASS
4	14188.09	43.93	52.78	8.85	68.20	15.42	PK	Vertical	PASS
5	16084.04	42.34	51.87	9.53	74.00	22.13	PK	Vertical	PASS
6	17189.59	40.33	52.01	11.68	68.20	16.19	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11336.67	5.04	38.29	43.33	54.00	10.67	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8285.14	46.60	50.35	3.75	74.00	23.65	PK	Horizontal	PASS
2	9991.00	45.18	50.63	5.45	68.20	17.57	PK	Horizontal	PASS
3	12382.19	45.17	52.59	7.42	74.00	21.41	PK	Horizontal	PASS
4	14218.11	43.87	52.70	8.83	68.20	15.50	PK	Horizontal	PASS
5	15968.98	42.66	52.08	9.42	74.00	21.92	PK	Horizontal	PASS
6	17599.80	40.30	52.80	12.50	68.20	15.40	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8835.42	46.00	50.24	4.24	68.20	17.96	PK	Vertical	PASS
2	10016.01	45.60	51.01	5.41	68.20	17.19	PK	Vertical	PASS
3	11426.71	52.08	57.10	5.02	74.00	16.90	PK	Vertical	PASS
4	12282.14	45.14	52.19	7.05	74.00	21.81	PK	Vertical	PASS
5	14163.08	44.09	52.80	8.71	68.20	15.40	PK	Vertical	PASS
6	17164.58	40.44	52.07	11.63	68.20	16.13	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11426.71	5.02	39.53	44.55	54.00	9.45	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	45.09	50.41	5.32	68.20	17.79	PK	Horizontal	PASS
2	11506.75	46.79	51.58	4.79	74.00	22.42	PK	Horizontal	PASS
3	12257.13	45.33	52.28	6.95	74.00	21.72	PK	Horizontal	PASS
4	14143.07	43.82	52.44	8.62	68.20	15.76	PK	Horizontal	PASS
5	15994.00	41.98	51.62	9.64	74.00	22.38	PK	Horizontal	PASS
6	17184.59	40.46	52.14	11.68	68.20	16.06	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8355.18	45.42	49.56	4.14	74.00	24.44	PK	Vertical	PASS
2	9970.99	45.29	50.57	5.28	68.20	17.63	PK	Vertical	PASS
3	11506.75	51.22	56.01	4.79	74.00	17.99	PK	Vertical	PASS
4	14193.10	43.01	51.87	8.86	68.20	16.33	PK	Vertical	PASS
5	15958.98	41.99	51.31	9.32	74.00	22.69	PK	Vertical	PASS
6	16799.40	41.15	51.68	10.53	68.20	16.52	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11506.75	4.79	36.69	41.48	54.00	12.52	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	46.17	50.20	4.03	74.00	23.80	PK	Horizontal	PASS
2	9960.98	46.40	51.59	5.19	68.20	16.61	PK	Horizontal	PASS
3	12302.15	44.40	51.52	7.12	74.00	22.48	PK	Horizontal	PASS
4	14193.10	43.04	51.90	8.86	68.20	16.30	PK	Horizontal	PASS
5	15948.97	43.08	52.30	9.22	74.00	21.70	PK	Horizontal	PASS
6	17084.54	40.93	52.39	11.46	68.20	15.81	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8300.15	45.80	49.64	3.84	74.00	24.36	PK	Vertical	PASS
2	9675.84	46.05	50.42	4.37	68.20	17.78	PK	Vertical	PASS
3	11591.80	49.14	53.73	4.59	74.00	20.27	PK	Vertical	PASS
4	12322.16	44.60	51.79	7.19	74.00	22.21	PK	Vertical	PASS
5	15963.98	42.57	51.94	9.37	74.00	22.06	PK	Vertical	PASS
6	17789.89	39.71	51.91	12.20	74.00	22.09	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11591.80	4.59	36.41	41.00	54.00	13.00	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	11046.52	45.99	50.60	4.61	74.00	23.40	PK	Horizontal	PASS
2	12287.14	45.21	52.28	7.07	74.00	21.72	PK	Horizontal	PASS
3	14193.10	43.97	52.83	8.86	68.20	15.37	PK	Horizontal	PASS
4	16029.01	42.43	52.08	9.65	74.00	21.92	PK	Horizontal	PASS
5	17234.62	40.79	52.33	11.54	68.20	15.87	PK	Horizontal	PASS
6	17789.89	39.75	51.95	12.20	74.00	22.05	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	45.53	49.56	4.03	74.00	24.44	PK	Vertical	PASS
2	9970.99	45.79	51.07	5.28	68.20	17.13	PK	Vertical	PASS
3	12227.11	45.14	51.98	6.84	74.00	22.02	PK	Vertical	PASS
4	14148.07	43.75	52.40	8.65	68.20	15.80	PK	Vertical	PASS
5	16039.02	41.87	51.50	9.63	74.00	22.50	PK	Vertical	PASS
6	17709.85	39.71	52.04	12.33	74.00	21.96	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	45.88	49.91	4.03	74.00	24.09	PK	Horizontal	PASS
2	9975.99	45.72	51.04	5.32	68.20	17.16	PK	Horizontal	PASS
3	12242.12	44.89	51.78	6.89	74.00	22.22	PK	Horizontal	PASS
4	14143.07	43.05	51.67	8.62	68.20	16.53	PK	Horizontal	PASS
5	16054.03	42.02	51.61	9.59	74.00	22.39	PK	Horizontal	PASS
6	17674.84	39.40	51.77	12.37	68.20	16.43	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9630.82	46.18	50.74	4.56	68.20	17.46	PK	Vertical	PASS
2	10596.30	47.09	51.85	4.76	68.20	16.35	PK	Vertical	PASS
3	12317.16	44.46	51.63	7.17	74.00	22.37	PK	Vertical	PASS
4	14158.08	42.87	51.56	8.69	68.20	16.64	PK	Vertical	PASS
5	15968.98	42.17	51.59	9.42	74.00	22.41	PK	Vertical	PASS
6	17649.82	39.46	51.88	12.42	68.20	16.32	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	46.17	50.20	4.03	74.00	23.80	PK	Horizontal	PASS
2	9670.84	46.78	51.17	4.39	68.20	17.03	PK	Horizontal	PASS
3	11391.70	45.89	50.98	5.09	74.00	23.02	PK	Horizontal	PASS
4	12307.15	44.36	51.50	7.14	74.00	22.50	PK	Horizontal	PASS
5	14193.10	42.84	51.70	8.86	68.20	16.50	PK	Horizontal	PASS
6	15953.98	42.53	51.81	9.28	74.00	22.19	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	45.72	49.75	4.03	74.00	24.25	PK	Vertical	PASS
2	11046.52	51.22	55.83	4.61	74.00	18.17	PK	Vertical	PASS
3	12337.17	44.96	52.21	7.25	74.00	21.79	PK	Vertical	PASS
4	14148.07	44.27	52.92	8.65	68.20	15.28	PK	Vertical	PASS
5	15428.71	42.66	51.01	8.35	74.00	22.99	PK	Vertical	PASS
6	17169.58	41.24	52.88	11.64	68.20	15.32	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11046.52	4.61	37.94	42.55	54.00	11.45	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9991.00	46.15	51.60	5.45	68.20	16.60	PK	Horizontal	PASS
2	11216.61	46.23	51.20	4.97	74.00	22.80	PK	Horizontal	PASS
3	12302.15	44.90	52.02	7.12	74.00	21.98	PK	Horizontal	PASS
4	14213.11	42.94	51.78	8.84	68.20	16.42	PK	Horizontal	PASS
5	16089.04	43.06	52.58	9.52	74.00	21.42	PK	Horizontal	PASS
6	17174.59	40.15	51.80	11.65	68.20	16.40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8320.16	45.52	49.47	3.95	74.00	24.53	PK	Vertical	PASS
2	9675.84	46.23	50.60	4.37	68.20	17.60	PK	Vertical	PASS
3	11211.61	49.06	54.03	4.97	74.00	19.97	PK	Vertical	PASS
4	15303.65	44.58	52.38	7.80	68.20	15.82	PK	Vertical	PASS
5	16589.29	42.42	53.07	10.65	68.20	15.13	PK	Vertical	PASS
6	17794.90	40.18	52.37	12.19	74.00	21.63	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11211.61	4.97	34.60	39.57	54.00	14.43	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8330.17	45.96	49.96	4.00	74.00	24.04	PK	Horizontal	PASS
2	9985.99	45.29	50.69	5.40	68.20	17.51	PK	Horizontal	PASS
3	12322.16	44.80	51.99	7.19	74.00	22.01	PK	Horizontal	PASS
4	15988.99	42.74	52.33	9.59	74.00	21.67	PK	Horizontal	PASS
5	17094.55	41.23	52.71	11.48	68.20	15.49	PK	Horizontal	PASS
6	17734.87	39.51	51.79	12.28	74.00	22.21	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8360.18	46.89	51.06	4.17	74.00	22.94	PK	Vertical	PASS
2	9975.99	45.03	50.35	5.32	68.20	17.85	PK	Vertical	PASS
3	11376.69	47.43	52.51	5.08	74.00	21.49	PK	Vertical	PASS
4	12382.19	44.90	52.32	7.42	74.00	21.68	PK	Vertical	PASS
5	16054.03	42.40	51.99	9.59	74.00	22.01	PK	Vertical	PASS
6	17709.85	39.61	51.94	12.33	74.00	22.06	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8705.35	45.62	49.35	3.73	68.20	18.85	PK	Horizontal	PASS
2	9965.98	45.91	51.14	5.23	68.20	17.06	PK	Horizontal	PASS
3	12332.17	45.16	52.40	7.24	74.00	21.60	PK	Horizontal	PASS
4	14153.08	43.15	51.82	8.67	68.20	16.38	PK	Horizontal	PASS
5	14993.50	44.14	52.29	8.15	68.20	15.91	PK	Horizontal	PASS
6	17779.89	39.32	51.54	12.22	74.00	22.46	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8340.17	46.25	50.31	4.06	74.00	23.69	PK	Vertical	PASS
2	11566.78	46.89	51.55	4.66	74.00	22.45	PK	Vertical	PASS
3	12337.17	45.54	52.79	7.25	74.00	21.21	PK	Vertical	PASS
4	14108.05	43.07	51.52	8.45	68.20	16.68	PK	Vertical	PASS
5	15994.00	42.29	51.93	9.64	74.00	22.07	PK	Vertical	PASS
6	17174.59	40.62	52.27	11.65	68.20	15.93	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8305.15	45.65	49.51	3.86	74.00	24.49	PK	Horizontal	PASS
2	11411.71	45.74	50.80	5.06	74.00	23.20	PK	Horizontal	PASS
3	12302.15	44.61	51.73	7.12	74.00	22.27	PK	Horizontal	PASS
4	14098.05	44.13	52.53	8.40	68.20	15.67	PK	Horizontal	PASS
5	16044.02	42.13	51.74	9.61	74.00	22.26	PK	Horizontal	PASS
6	17299.65	40.90	52.12	11.22	68.20	16.08	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	46.53	50.56	4.03	74.00	23.44	PK	Vertical	PASS
2	9975.99	44.67	49.99	5.32	68.20	18.21	PK	Vertical	PASS
3	12332.17	44.38	51.62	7.24	74.00	22.38	PK	Vertical	PASS
4	14143.07	43.32	51.94	8.62	68.20	16.26	PK	Vertical	PASS
5	15988.99	42.54	52.13	9.59	74.00	21.87	PK	Vertical	PASS
6	17184.59	40.50	52.18	11.68	68.20	16.02	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8380.19	45.59	49.87	4.28	74.00	24.13	PK	Horizontal	PASS
2	11396.70	45.98	51.07	5.09	74.00	22.93	PK	Horizontal	PASS
3	12377.19	44.76	52.16	7.40	74.00	21.84	PK	Horizontal	PASS
4	14183.09	43.32	52.14	8.82	68.20	16.06	PK	Horizontal	PASS
5	16004.00	42.16	51.84	9.68	74.00	22.16	PK	Horizontal	PASS
6	17209.60	40.67	52.34	11.67	68.20	15.86	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8325.16	45.37	49.34	3.97	74.00	24.66	PK	Vertical	PASS
2	9930.97	45.60	50.55	4.95	68.20	17.65	PK	Vertical	PASS
3	12307.15	44.93	52.07	7.14	74.00	21.93	PK	Vertical	PASS
4	14168.08	42.88	51.62	8.74	68.20	16.58	PK	Vertical	PASS
5	16009.00	41.64	51.32	9.68	74.00	22.68	PK	Vertical	PASS
6	16779.39	42.27	52.81	10.54	68.20	15.39	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	45.32	49.35	4.03	74.00	24.65	PK	Horizontal	PASS
2	9985.99	45.13	50.53	5.40	68.20	17.67	PK	Horizontal	PASS
3	12307.15	45.23	52.37	7.14	74.00	21.63	PK	Horizontal	PASS
4	14228.11	42.98	51.78	8.80	68.20	16.42	PK	Horizontal	PASS
5	15988.99	42.27	51.86	9.59	74.00	22.14	PK	Horizontal	PASS
6	17289.64	40.95	52.21	11.26	68.20	15.99	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8330.17	45.57	49.57	4.00	74.00	24.43	PK	Vertical	PASS
2	10026.01	45.10	50.43	5.33	68.20	17.77	PK	Vertical	PASS
3	12292.15	45.63	52.71	7.08	74.00	21.29	PK	Vertical	PASS
4	14233.12	42.92	51.69	8.77	68.20	16.51	PK	Vertical	PASS
5	16044.02	42.39	52.00	9.61	74.00	22.00	PK	Vertical	PASS
6	17204.60	40.65	52.34	11.69	68.20	15.86	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9330.67	45.79	50.27	4.48	74.00	23.73	PK	Horizontal	PASS
2	10526.26	46.84	51.45	4.61	68.20	16.75	PK	Horizontal	PASS
3	12332.17	45.00	52.24	7.24	74.00	21.76	PK	Horizontal	PASS
4	14138.07	43.87	52.47	8.60	68.20	15.73	PK	Horizontal	PASS
5	15988.99	41.96	51.55	9.59	74.00	22.45	PK	Horizontal	PASS
6	17219.61	40.66	52.27	11.61	68.20	15.93	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8330.17	45.76	49.76	4.00	74.00	24.24	PK	Vertical	PASS
2	10521.26	48.37	52.96	4.59	68.20	15.24	PK	Vertical	PASS
3	12162.08	45.03	51.69	6.66	74.00	22.31	PK	Vertical	PASS
4	14143.07	43.46	52.08	8.62	68.20	16.12	PK	Vertical	PASS
5	15343.67	42.72	50.77	8.05	68.20	17.43	PK	Vertical	PASS
6	17174.59	40.93	52.58	11.65	68.20	15.62	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8825.41	47.46	51.74	4.28	68.20	16.46	PK	Horizontal	PASS
2	10566.28	46.62	51.32	4.70	68.20	16.88	PK	Horizontal	PASS
3	11301.65	45.95	50.97	5.02	74.00	23.03	PK	Horizontal	PASS
4	12282.14	44.74	51.79	7.05	74.00	22.21	PK	Horizontal	PASS
5	14148.07	42.96	51.61	8.65	68.20	16.59	PK	Horizontal	PASS
6	16004.00	42.67	52.35	9.68	74.00	21.65	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8350.18	45.34	49.45	4.11	74.00	24.55	PK	Vertical	PASS
2	9970.99	45.11	50.39	5.28	68.20	17.81	PK	Vertical	PASS
3	10561.28	48.14	52.83	4.69	68.20	15.37	PK	Vertical	PASS
4	12117.06	45.46	52.03	6.57	74.00	21.97	PK	Vertical	PASS
5	14193.10	43.23	52.09	8.86	68.20	16.11	PK	Vertical	PASS
6	16054.03	42.09	51.68	9.59	74.00	22.32	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8330.17	46.03	50.03	4.00	74.00	23.97	PK	Horizontal	PASS
2	10636.32	46.84	51.57	4.73	74.00	22.43	PK	Horizontal	PASS
3	12332.17	44.44	51.68	7.24	74.00	22.32	PK	Horizontal	PASS
4	14078.04	43.13	51.44	8.31	68.20	16.76	PK	Horizontal	PASS
5	16019.01	42.45	52.11	9.66	74.00	21.89	PK	Horizontal	PASS
6	17694.85	39.37	51.72	12.35	68.20	16.48	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	44.76	50.08	5.32	68.20	18.12	PK	Vertical	PASS
2	10641.32	50.29	55.01	4.72	74.00	18.99	PK	Vertical	PASS
3	12277.14	44.53	51.56	7.03	74.00	22.44	PK	Vertical	PASS
4	14208.10	43.32	52.19	8.87	68.20	16.01	PK	Vertical	PASS
5	15994.00	42.27	51.91	9.64	74.00	22.09	PK	Vertical	PASS
6	17729.86	39.63	51.93	12.30	74.00	22.07	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10641.32	4.72	37.45	42.17	54.00	11.83	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9996.00	45.16	50.65	5.49	68.20	17.55	PK	Horizontal	PASS
2	11001.50	49.09	53.59	4.50	74.00	20.41	PK	Horizontal	PASS
3	12322.16	44.74	51.93	7.19	74.00	22.07	PK	Horizontal	PASS
4	14988.49	43.02	51.14	8.12	68.20	17.06	PK	Horizontal	PASS
5	16029.01	42.85	52.50	9.65	74.00	21.50	PK	Horizontal	PASS
6	17209.60	40.62	52.29	11.67	68.20	15.91	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11001.50	4.50	37.83	42.33	54.00	11.67	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8325.16	46.11	50.08	3.97	74.00	23.92	PK	Vertical	PASS
2	11001.50	54.35	58.85	4.50	74.00	15.15	PK	Vertical	PASS
3	12327.16	44.73	51.94	7.21	74.00	22.06	PK	Vertical	PASS
4	14128.06	43.38	51.93	8.55	68.20	16.27	PK	Vertical	PASS
5	16009.00	42.03	51.71	9.68	74.00	22.29	PK	Vertical	PASS
6	17684.84	40.09	52.46	12.37	68.20	15.74	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11001.50	4.50	42.74	47.24	54.00	6.76	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8475.24	46.12	49.94	3.82	74.00	24.06	PK	Horizontal	PASS
2	9965.98	45.39	50.62	5.23	68.20	17.58	PK	Horizontal	PASS
3	11156.58	48.66	53.51	4.85	74.00	20.49	PK	Horizontal	PASS
4	12327.16	45.13	52.34	7.21	74.00	21.66	PK	Horizontal	PASS
5	16029.01	43.04	52.69	9.65	74.00	21.31	PK	Horizontal	PASS
6	17759.88	39.86	52.10	12.24	74.00	21.90	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11156.58	4.85	36.78	41.63	54.00	12.37	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	45.20	50.52	5.32	68.20	17.68	PK	Vertical	PASS
2	11156.58	52.88	57.73	4.85	74.00	16.27	PK	Vertical	PASS
3	12402.20	44.41	51.88	7.47	74.00	22.12	PK	Vertical	PASS
4	14138.07	43.07	51.67	8.60	68.20	16.53	PK	Vertical	PASS
5	16009.00	41.94	51.62	9.68	74.00	22.38	PK	Vertical	PASS
6	17164.58	40.59	52.22	11.63	68.20	15.98	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11156.58	4.85	41.82	46.67	54.00	7.33	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8340.17	45.46	49.52	4.06	74.00	24.48	PK	Horizontal	PASS
2	11396.70	46.20	51.29	5.09	74.00	22.71	PK	Horizontal	PASS
3	12332.17	44.77	52.01	7.24	74.00	21.99	PK	Horizontal	PASS
4	14188.09	42.91	51.76	8.85	68.20	16.44	PK	Horizontal	PASS
5	15963.98	41.98	51.35	9.37	74.00	22.65	PK	Horizontal	PASS
6	17124.56	40.23	51.78	11.55	68.20	16.42	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	45.49	49.52	4.03	74.00	24.48	PK	Vertical	PASS
2	9640.82	46.34	50.85	4.51	68.20	17.35	PK	Vertical	PASS
3	11401.70	51.37	56.45	5.08	74.00	17.55	PK	Vertical	PASS
4	12302.15	45.04	52.16	7.12	74.00	21.84	PK	Vertical	PASS
5	14198.10	43.00	51.89	8.89	68.20	16.31	PK	Vertical	PASS
6	16354.18	42.51	52.34	9.83	68.20	15.86	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11401.70	5.08	36.61	41.69	54.00	12.31	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	46.39	50.91	4.52	74.00	23.09	PK	Horizontal	PASS
2	9985.99	45.21	50.61	5.40	68.20	17.59	PK	Horizontal	PASS
3	11436.72	47.48	52.46	4.98	74.00	21.54	PK	Horizontal	PASS
4	12372.19	44.61	51.98	7.37	74.00	22.02	PK	Horizontal	PASS
5	14073.04	43.73	52.00	8.27	68.20	16.20	PK	Horizontal	PASS
6	15933.97	42.86	51.94	9.08	74.00	22.06	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8820.41	45.33	49.63	4.30	68.20	18.57	PK	Vertical	PASS
2	9955.98	45.76	50.91	5.15	68.20	17.29	PK	Vertical	PASS
3	11441.72	50.27	55.25	4.98	74.00	18.75	PK	Vertical	PASS
4	14068.03	43.69	51.94	8.25	68.20	16.26	PK	Vertical	PASS
5	16034.02	42.87	52.50	9.63	74.00	21.50	PK	Vertical	PASS
6	17169.58	40.29	51.93	11.64	68.20	16.27	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11441.72	4.98	37.36	42.34	54.00	11.66	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9650.83	47.13	51.59	4.46	68.20	16.61	PK	Horizontal	PASS
2	11491.75	46.35	51.19	4.84	74.00	22.81	PK	Horizontal	PASS
3	12312.16	44.46	51.61	7.15	74.00	22.39	PK	Horizontal	PASS
4	14188.09	43.31	52.16	8.85	68.20	16.04	PK	Horizontal	PASS
5	15933.97	42.84	51.92	9.08	74.00	22.08	PK	Horizontal	PASS
6	17229.61	40.79	52.36	11.57	68.20	15.84	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9996.00	44.72	50.21	5.49	68.20	17.99	PK	Vertical	PASS
2	11491.75	49.11	53.95	4.84	74.00	20.05	PK	Vertical	PASS
3	12237.12	44.82	51.70	6.88	74.00	22.30	PK	Vertical	PASS
4	14193.10	43.01	51.87	8.86	68.20	16.33	PK	Vertical	PASS
5	16029.01	42.23	51.88	9.65	74.00	22.12	PK	Vertical	PASS
6	17209.60	40.14	51.81	11.67	68.20	16.39	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11491.75	4.84	36.19	41.03	54.00	12.97	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8340.17	45.82	49.88	4.06	74.00	24.12	PK	Horizontal	PASS
2	9985.99	44.67	50.07	5.40	68.20	18.13	PK	Horizontal	PASS
3	12212.11	45.03	51.81	6.78	74.00	22.19	PK	Horizontal	PASS
4	14183.09	43.52	52.34	8.82	68.20	15.86	PK	Horizontal	PASS
5	16084.04	42.32	51.85	9.53	74.00	22.15	PK	Horizontal	PASS
6	17149.57	40.21	51.80	11.59	68.20	16.40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10021.01	44.81	50.17	5.36	68.20	18.03	PK	Vertical	PASS
2	11571.79	48.72	53.36	4.64	74.00	20.64	PK	Vertical	PASS
3	12407.20	44.29	51.73	7.44	74.00	22.27	PK	Vertical	PASS
4	14193.10	42.90	51.76	8.86	68.20	16.44	PK	Vertical	PASS
5	15978.99	42.92	52.43	9.51	74.00	21.57	PK	Vertical	PASS
6	17244.62	40.06	51.55	11.49	68.20	16.65	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11571.79	4.64	35.71	40.35	54.00	13.65	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	45.60	50.92	5.32	68.20	17.28	PK	Horizontal	PASS
2	11656.83	47.23	52.08	4.85	74.00	21.92	PK	Horizontal	PASS
3	12262.13	44.87	51.84	6.97	74.00	22.16	PK	Horizontal	PASS
4	16049.02	41.97	51.57	9.60	74.00	22.43	PK	Horizontal	PASS
5	16669.33	42.17	52.81	10.64	68.20	15.39	PK	Horizontal	PASS
6	17189.59	39.95	51.63	11.68	68.20	16.57	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	45.34	50.66	5.32	68.20	17.54	PK	Vertical	PASS
2	11651.83	49.08	53.90	4.82	74.00	20.10	PK	Vertical	PASS
3	12142.07	45.57	52.19	6.62	74.00	21.81	PK	Vertical	PASS
4	14188.09	43.93	52.78	8.85	68.20	15.42	PK	Vertical	PASS
5	16029.01	42.27	51.92	9.65	74.00	22.08	PK	Vertical	PASS
6	17644.82	39.50	51.93	12.43	68.20	16.27	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11651.83	4.82	35.87	40.69	54.00	13.31	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9240.62	47.06	51.65	4.59	68.20	16.55	PK	Horizontal	PASS
2	10676.34	45.21	49.90	4.69	74.00	24.10	PK	Horizontal	PASS
3	12272.14	44.57	51.57	7.00	74.00	22.43	PK	Horizontal	PASS
4	14168.08	43.06	51.80	8.74	68.20	16.40	PK	Horizontal	PASS
5	16064.03	41.74	51.31	9.57	74.00	22.69	PK	Horizontal	PASS
6	17619.81	39.48	51.94	12.46	68.20	16.26	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	46.27	50.30	4.03	74.00	23.70	PK	Vertical	PASS
2	9991.00	44.89	50.34	5.45	68.20	17.86	PK	Vertical	PASS
3	12327.16	45.18	52.39	7.21	74.00	21.61	PK	Vertical	PASS
4	14128.06	43.23	51.78	8.55	68.20	16.42	PK	Vertical	PASS
5	15994.00	41.87	51.51	9.64	74.00	22.49	PK	Vertical	PASS
6	17244.62	41.22	52.71	11.49	68.20	15.49	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9985.99	45.29	50.69	5.40	68.20	17.51	PK	Horizontal	PASS
2	11351.68	45.40	50.46	5.06	74.00	23.54	PK	Horizontal	PASS
3	12382.19	44.53	51.95	7.42	74.00	22.05	PK	Horizontal	PASS
4	13152.58	44.62	51.78	7.16	68.20	16.42	PK	Horizontal	PASS
5	14103.05	43.90	52.32	8.42	68.20	15.88	PK	Horizontal	PASS
6	16034.02	42.31	51.94	9.63	74.00	22.06	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9985.99	45.32	50.72	5.40	68.20	17.48	PK	Vertical	PASS
2	11391.70	46.03	51.12	5.09	74.00	22.88	PK	Vertical	PASS
3	12247.12	44.62	51.54	6.92	74.00	22.46	PK	Vertical	PASS
4	13162.58	44.67	51.86	7.19	68.20	16.34	PK	Vertical	PASS
5	15983.99	41.73	51.29	9.56	74.00	22.71	PK	Vertical	PASS
6	17204.60	40.59	52.28	11.69	68.20	15.92	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8360.18	45.24	49.41	4.17	74.00	24.59	PK	Horizontal	PASS
2	9970.99	46.10	51.38	5.28	68.20	16.82	PK	Horizontal	PASS
3	12297.15	45.80	52.90	7.10	74.00	21.10	PK	Horizontal	PASS
4	15333.67	44.02	52.00	7.98	68.20	16.20	PK	Horizontal	PASS
5	16009.00	42.52	52.20	9.68	74.00	21.80	PK	Horizontal	PASS
6	17639.82	39.46	51.90	12.44	68.20	16.30	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9935.97	45.81	50.79	4.98	68.20	17.41	PK	Vertical	PASS
2	10536.27	47.38	52.01	4.63	68.20	16.19	PK	Vertical	PASS
3	12147.07	45.63	52.27	6.64	74.00	21.73	PK	Vertical	PASS
4	14148.07	43.52	52.17	8.65	68.20	16.03	PK	Vertical	PASS
5	16059.03	42.22	51.80	9.58	74.00	22.20	PK	Vertical	PASS
6	17164.58	40.29	51.92	11.63	68.20	16.28	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8345.17	45.03	49.12	4.09	74.00	24.88	PK	Horizontal	PASS
2	9980.99	45.87	51.23	5.36	68.20	16.97	PK	Horizontal	PASS
3	12322.16	44.52	51.71	7.19	74.00	22.29	PK	Horizontal	PASS
4	14138.07	42.85	51.45	8.60	68.20	16.75	PK	Horizontal	PASS
5	16039.02	42.17	51.80	9.63	74.00	22.20	PK	Horizontal	PASS
6	17144.57	40.28	51.86	11.58	68.20	16.34	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8345.17	46.13	50.22	4.09	74.00	23.78	PK	Vertical	PASS
2	10011.01	45.09	50.53	5.44	68.20	17.67	PK	Vertical	PASS
3	10611.31	46.39	51.15	4.76	74.00	22.85	PK	Vertical	PASS
4	12322.16	44.69	51.88	7.19	74.00	22.12	PK	Vertical	PASS
5	15994.00	41.91	51.55	9.64	74.00	22.45	PK	Vertical	PASS
6	17194.60	40.62	52.32	11.70	68.20	15.88	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9960.98	45.22	50.41	5.19	68.20	17.79	PK	Horizontal	PASS
2	11006.50	46.27	50.78	4.51	74.00	23.22	PK	Horizontal	PASS
3	12322.16	44.71	51.90	7.19	74.00	22.10	PK	Horizontal	PASS
4	14208.10	43.29	52.16	8.87	68.20	16.04	PK	Horizontal	PASS
5	15973.99	42.63	52.09	9.46	74.00	21.91	PK	Horizontal	PASS
6	17829.91	39.43	51.52	12.09	74.00	22.48	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8360.18	45.46	49.63	4.17	74.00	24.37	PK	Vertical	PASS
2	9650.83	46.65	51.11	4.46	68.20	17.09	PK	Vertical	PASS
3	11016.51	50.98	55.52	4.54	74.00	18.48	PK	Vertical	PASS
4	12332.17	44.94	52.18	7.24	74.00	21.82	PK	Vertical	PASS
5	14198.10	42.91	51.80	8.89	68.20	16.40	PK	Vertical	PASS
6	16609.30	41.53	52.22	10.69	68.20	15.98	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11016.51	4.54	39.91	44.45	54.00	9.55	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9965.98	45.50	50.73	5.23	68.20	17.47	PK	Horizontal	PASS
2	11101.55	47.89	52.62	4.73	74.00	21.38	PK	Horizontal	PASS
3	12327.16	44.88	52.09	7.21	74.00	21.91	PK	Horizontal	PASS
4	14178.09	42.91	51.71	8.80	68.20	16.49	PK	Horizontal	PASS
5	16044.02	42.31	51.92	9.61	74.00	22.08	PK	Horizontal	PASS
6	17674.84	39.74	52.11	12.37	68.20	16.09	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8335.17	45.74	49.77	4.03	74.00	24.23	PK	Vertical	PASS
2	9950.98	45.70	50.81	5.11	68.20	17.39	PK	Vertical	PASS
3	11096.55	50.73	55.46	4.73	74.00	18.54	PK	Vertical	PASS
4	14153.08	43.39	52.06	8.67	68.20	16.14	PK	Vertical	PASS
5	16034.02	42.48	52.11	9.63	74.00	21.89	PK	Vertical	PASS
6	17834.92	39.45	51.52	12.07	74.00	22.48	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11096.55	4.73	38.53	43.26	54.00	10.74	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8360.18	46.17	50.34	4.17	74.00	23.66	PK	Horizontal	PASS
2	9980.99	44.70	50.06	5.36	68.20	18.14	PK	Horizontal	PASS
3	11336.67	46.04	51.08	5.04	74.00	22.92	PK	Horizontal	PASS
4	12337.17	44.90	52.15	7.25	74.00	21.85	PK	Horizontal	PASS
5	16019.01	42.18	51.84	9.66	74.00	22.16	PK	Horizontal	PASS
6	17834.92	39.53	51.60	12.07	74.00	22.40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9965.98	44.90	50.13	5.23	68.20	18.07	PK	Vertical	PASS
2	11331.67	48.22	53.26	5.04	74.00	20.74	PK	Vertical	PASS
3	12392.20	44.03	51.48	7.45	74.00	22.52	PK	Vertical	PASS
4	14193.10	42.97	51.83	8.86	68.20	16.37	PK	Vertical	PASS
5	16029.01	42.30	51.95	9.65	74.00	22.05	PK	Vertical	PASS
6	17209.60	40.83	52.50	11.67	68.20	15.70	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11331.67	5.04	35.77	40.81	54.00	13.19	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9991.00	44.92	50.37	5.45	68.20	17.83	PK	Horizontal	PASS
2	12242.12	45.28	52.17	6.89	74.00	21.83	PK	Horizontal	PASS
3	14093.05	43.39	51.76	8.37	68.20	16.44	PK	Horizontal	PASS
4	15968.98	42.10	51.52	9.42	74.00	22.48	PK	Horizontal	PASS
5	17169.58	39.91	51.55	11.64	68.20	16.65	PK	Horizontal	PASS
6	17714.86	39.86	52.17	12.31	74.00	21.83	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8820.41	46.26	50.56	4.30	68.20	17.64	PK	Vertical	PASS
2	9965.98	45.54	50.77	5.23	68.20	17.43	PK	Vertical	PASS
3	11421.71	48.25	53.28	5.03	74.00	20.72	PK	Vertical	PASS
4	12252.13	45.83	52.76	6.93	74.00	21.24	PK	Vertical	PASS
5	14118.06	44.26	52.76	8.50	68.20	15.44	PK	Vertical	PASS
6	16034.02	41.93	51.56	9.63	74.00	22.44	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11421.71	5.03	35.32	40.35	54.00	13.65	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8735.37	45.80	49.73	3.93	68.20	18.47	PK	Horizontal	PASS
2	11301.65	45.48	50.50	5.02	74.00	23.50	PK	Horizontal	PASS
3	12327.16	44.29	51.50	7.21	74.00	22.50	PK	Horizontal	PASS
4	14208.10	43.49	52.36	8.87	68.20	15.84	PK	Horizontal	PASS
5	15948.97	42.88	52.10	9.22	74.00	21.90	PK	Horizontal	PASS
6	17214.61	40.50	52.13	11.63	68.20	16.07	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9975.99	45.48	50.80	5.32	68.20	17.40	PK	Vertical	PASS
2	11506.75	47.87	52.66	4.79	74.00	21.34	PK	Vertical	PASS
3	12282.14	44.21	51.26	7.05	74.00	22.74	PK	Vertical	PASS
4	14168.08	42.89	51.63	8.74	68.20	16.57	PK	Vertical	PASS
5	17229.61	40.35	51.92	11.57	68.20	16.28	PK	Vertical	PASS
6	17769.88	39.67	51.90	12.23	74.00	22.10	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8350.18	45.11	49.22	4.11	74.00	24.78	PK	Horizontal	PASS
2	9960.98	45.24	50.43	5.19	68.20	17.77	PK	Horizontal	PASS
3	12332.17	44.38	51.62	7.24	74.00	22.38	PK	Horizontal	PASS
4	13962.98	43.96	51.95	7.99	68.20	16.25	PK	Horizontal	PASS
5	15353.68	42.84	50.95	8.11	74.00	23.05	PK	Horizontal	PASS
6	17184.59	40.30	51.98	11.68	68.20	16.22	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level