

Measurement Report for Device

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor
5G Air	Front, 10.00	10000.0Validation band, 10000	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	Air---	EUmmWV4 - SN9607_F1-55GHz, 2026-01-14	DAE4 Sn878, 2026-03-23

Scan Setup

	5G Scan
Grid Extents [mm]	25.0 x 25.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2026-07-27
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	144
psPDtot+ [W/m²]	144
psPDmod+ [W/m²]	146
E _{max} [V/m]	279
Power Drift [dB]	0.01



Measurement Report for Device

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor
5G Air	Front, 10.00	10000.0Validation band, 10000	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	Air---	EUmmWV4 - SN9607_F1-55GHz, 2026-01-14	DAE4 Sn878, 2026-03-23

Scan Setup

	5G Scan
Grid Extents [mm]	25.0 x 25.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2026-07-28
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	144
psPDtot+ [W/m²]	145
psPDmod+ [W/m²]	146
E _{max} [V/m]	281
Power Drift [dB]	-0.02



Measurement Report for Device

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor
5G Air	Front, 10.00	10000.0Validation band, 10000	1.0

Hardware Setup

Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	Air---	EUmmWV4 - SN9607_F1-55GHz, 2026-01-14	DAE4 Sn878, 2026-03-23

Scan Setup

	5G Scan
Grid Extents [mm]	25.0 x 25.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2026-07-29
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	141
psPDtot+ [W/m²]	143
psPDmod+ [W/m²]	144
E _{max} [V/m]	278
Power Drift [dB]	0.03

