



1.65. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.82	30.978	30	Pass




1.66. Occupied Bandwidth for SA_Part22-24-27(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.851	30.89	30	Pass




1.67. Occupied Bandwidth for SA_Part22-24-27(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1725	99	26	1	Peak	28.848	31.843	30	Pass




1.68. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.763	30.936	30	Pass




1.69. Occupied Bandwidth for SA_Part22-24-27(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.822	30.985	30	Pass




1.70. Occupied Bandwidth for SA_Part22-24-27(Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1725	99	26	1	Peak	28.787	31.032	30	Pass




1.71. Occupied Bandwidth for SA_Part22-24-27(Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	28.746	30.972	30	Pass



1.72. Occupied Bandwidth for SA_Part22-24-27(Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1765	99	26	1	Peak	28.784	30.991	30	Pass



1. n71 15kHz


1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.51	5.289	5	Pass




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.494	5.209	5	Pass




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.495	5.248	5	Pass




1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.209	5	Pass




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.561	5.354	5	Pass




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.552	5.213	5	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.507	5.215	5	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	5.198	5	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.505	5.257	5	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.52	5.31	5	Pass




1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.506	5.327	5	Pass




1.12. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.504	5.211	5	Pass




1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.349	10.385	10	Pass




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.354	10.319	10	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.338	10.372	10	Pass




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.351	10.327	10	Pass




1.17. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.345	10.358	10	Pass




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.326	10.252	10	Pass




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.346	10.311	10	Pass




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.361	10.42	10	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.325	10.367	10	Pass




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.364	10.344	10	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.366	10.395	10	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.35	10.343	10	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.15	15.194	15	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.1	15.185	15	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.101	15.168	15	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.117	15.182	15	Pass




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.1	15.155	15	Pass




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.082	15.174	15	Pass




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.181	15.102	15	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.127	15.098	15	Pass




1.33. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.116	15.139	15	Pass




1.34. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.124	15.311	15	Pass




1.35. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.095	15.199	15	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.081	15.272	15	Pass




1.37. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.3	Peak	18.853	20.04	20	Pass




1.38. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	18.862	20.125	20	Pass




1.39. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.3	Peak	18.846	20.127	20	Pass




1.40. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.3	Peak	18.916	20.084	20	Pass




1.41. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	18.918	20.124	20	Pass




1.42. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.3	Peak	18.856	20.021	20	Pass




1.43. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.3	Peak	18.909	20.121	20	Pass




1.44. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	18.873	20.105	20	Pass




1.45. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.3	Peak	18.838	20.068	20	Pass




1.46. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.3	Peak	18.989	20.074	20	Pass




1.47. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	19.005	20.085	20	Pass



1.48. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.3	Peak	18.906	20.103	20	Pass



3. n77(3450-3550)


3.13. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.264	20.018	20	Pass




3.14. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.3	Peak	18.257	20.264	20	Pass




3.15. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.247	20.485	20	Pass




3.16. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.283	20.086	20	Pass




3.17. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.3	Peak	18.23	19.941	20	Pass




3.18. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.25	20.058	20	Pass




3.19. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.275	20.189	20	Pass




3.20. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.3	Peak	18.243	20.38	20	Pass




3.21. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.27	20.045	20	Pass



3.22. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.232	19.883	20	Pass



3.23. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)

3.24. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.241	19.967	20	Pass

