



3.25. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.21	30.988	30	Pass




3.26. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.188	30.989	30	Pass




3.27. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.175	30.957	30	Pass




3.28. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.202	30.751	30	Pass




3.29. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.187	30.599	30	Pass




3.30. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.178	30.692	30	Pass




3.31. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.292	30.967	30	Pass




3.32. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.28	30.929	30	Pass




3.33. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.271	30.869	30	Pass




3.34. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.194	30.785	30	Pass




3.35. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.186	30.777	30	Pass




3.36. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.181	30.837	30	Pass




3.37. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.221	41.2	40	Pass




3.38. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.204	41.025	40	Pass




3.39. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.216	40.974	40	Pass




3.40. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.077	41.118	40	Pass




3.41. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.056	41.029	40	Pass




3.42. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.055	40.764	40	Pass




3.43. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.116	40.948	40	Pass




3.44. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.099	40.961	40	Pass




3.45. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.092	40.982	40	Pass




3.46. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.003	41.004	40	Pass




3.47. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	37.993	40.94	40	Pass




3.48. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.008	40.958	40	Pass




3.61. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.827	60.97	60	Pass




3.62. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.845	61.123	60	Pass




3.63. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.859	61.122	60	Pass




3.64. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.979	60.88	60	Pass




3.65. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.977	60.907	60	Pass




3.66. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.987	60.845	60	Pass




3.67. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.811	60.799	60	Pass




3.68. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.822	60.733	60	Pass




3.69. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.825	60.935	60	Pass




3.70. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.784	60.905	60	Pass




3.71. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.791	60.959	60	Pass




3.72. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.782	60.876	60	Pass




3.85. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.482	80.798	80	Pass




3.86. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.437	80.836	80	Pass




3.87. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.461	80.751	80	Pass




3.88. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.626	80.992	80	Pass




3.89. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.6	81.083	80	Pass




3.90. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.634	80.911	80	Pass




3.91. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.355	80.841	80	Pass




3.92. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.348	80.932	80	Pass




3.93. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.347	80.827	80	Pass




3.94. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.287	80.791	80	Pass




3.95. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.283	80.783	80	Pass




3.96. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.318	80.748	80	Pass




3.109. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.337	100.928	100	Pass




3.110. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.467	101.028	100	Pass




3.111. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.27	101.124	100	Pass



3.112. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.397	100.909	100	Pass



4. n78(3450-3550)


4.41. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.261	19.984	20	Pass




4.42. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.3	Peak	18.251	20.309	20	Pass




4.43. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.248	20.467	20	Pass




4.44. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.286	20.05	20	Pass




4.45. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.3	Peak	18.229	19.879	20	Pass




4.46. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.252	20.165	20	Pass




4.47. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.274	20.117	20	Pass




4.48. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.3	Peak	18.239	20.404	20	Pass




4.49. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.264	20.032	20	Pass




4.50. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.3	Peak	18.23	19.905	20	Pass




4.51. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.3	Peak	18.238	20.1	20	Pass




4.52. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.3	Peak	18.236	19.961	20	Pass




4.53. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.201	30.961	30	Pass



4.54. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.175	30.907	30	Pass



4.55. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.166	30.943	30	Pass

