



2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	60.93	Pass	401
0.15	30	0.01	RMS	0.22	-69.62	-13	56.62	Pass	5971
30	1000	0.1	RMS	998.999	-60.52	-13	47.52	Pass	19401
1000	3000	1	RMS	2987	-47.98	-13	34.98	Pass	4001
3000	3440	1	RMS	3120	-45.73	-13	32.73	Pass	881
3440	3560	1	RMS	3548.9	22.04	60	37.96	Pass	401
3560	7000	1	RMS	3856	-49.89	-13	36.89	Pass	6881
7000	26500	1	RMS	25544	-44.84	-13	31.84	Pass	39001




4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.13	-13	51.13	Pass	401
0.15	30	0.01	RMS	1.87	-68.48	-13	55.48	Pass	5971
30	1000	0.1	RMS	908.74	-60.58	-13	47.58	Pass	19401
1000	3000	1	RMS	2971	-47.64	-13	34.64	Pass	4001
3000	3440	1	RMS	3440	-28.8	-13	15.8	Pass	881
3440	3560	1	RMS	3505.1	5.7	60	54.3	Pass	401
3560	7000	1	RMS	3560	-41.59	-13	28.59	Pass	6881
7000	26500	1	RMS	25455	-44.52	-13	31.52	Pass	39001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.51	-13	50.51	Pass	401
0.15	30	0.01	RMS	0.77	-69.28	-13	56.28	Pass	5971
30	1000	0.1	RMS	922.248	-60.73	-13	47.73	Pass	19401
1000	3000	1	RMS	2983	-47.88	-13	34.88	Pass	4001
3000	3440	1	RMS	3221	-45.22	-13	32.22	Pass	881
3440	3560	1	RMS	3451.1	21.86	60	38.14	Pass	401
3560	7000	1	RMS	3681	-48.71	-13	35.71	Pass	6881
7000	26500	1	RMS	25888	-44.38	-13	31.38	Pass	39001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.06	-13	52.06	Pass	401
0.15	30	0.01	RMS	0.54	-68.36	-13	55.36	Pass	5971
30	1000	0.1	RMS	711.6	-60.39	-13	47.39	Pass	19401
1000	3000	1	RMS	2983	-47.65	-13	34.65	Pass	4001
3000	3440	1	RMS	3279	-45.17	-13	32.17	Pass	881
3440	3560	1	RMS	3509	22.12	60	37.88	Pass	401
3560	7000	1	RMS	3739	-48.41	-13	35.41	Pass	6881
7000	26500	1	RMS	25886	-44.88	-13	31.88	Pass	39001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.06	-13	50.06	Pass	401
0.15	30	0.01	RMS	0.18	-69.11	-13	56.11	Pass	5971
30	1000	0.1	RMS	996.698	-60.47	-13	47.47	Pass	19401
1000	3000	1	RMS	2974	-47.82	-13	34.82	Pass	4001
3000	3440	1	RMS	3440	-35.35	-13	22.35	Pass	881
3440	3560	1	RMS	3517.4	5.82	60	54.18	Pass	401
3560	7000	1	RMS	3561	-35.81	-13	22.81	Pass	6881
7000	26500	1	RMS	25890	-44.74	-13	31.74	Pass	39001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.6	-13	51.6	Pass	401
0.15	30	0.01	RMS	0.57	-69.4	-13	56.4	Pass	5971
30	1000	0.1	RMS	978.286	-60.48	-13	47.48	Pass	19401
1000	3000	1	RMS	2982	-47.94	-13	34.94	Pass	4001
3000	3440	1	RMS	3241	-45.4	-13	32.4	Pass	881
3440	3560	1	RMS	3470.9	21.8	60	38.2	Pass	401
3560	7000	1	RMS	3778	-49.04	-13	36.04	Pass	6881
7000	26500	1	RMS	25907	-44.85	-13	31.85	Pass	39001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.41	-13	51.41	Pass	401
0.15	30	0.01	RMS	0.21	-69.68	-13	56.68	Pass	5971
30	1000	0.1	RMS	970.38	-60.59	-13	47.59	Pass	19401
1000	3000	1	RMS	2961	-47.93	-13	34.93	Pass	4001
3000	3440	1	RMS	3299	-45.29	-13	32.29	Pass	881
3440	3560	1	RMS	3528.8	21.78	60	38.22	Pass	401
3560	7000	1	RMS	3759	-47.86	-13	34.86	Pass	6881
7000	26500	1	RMS	25485	-44.7	-13	31.7	Pass	39001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.73	-13	50.73	Pass	401
0.15	30	0.01	RMS	0.24	-69.15	-13	56.15	Pass	5971
30	1000	0.1	RMS	627.1	-60.43	-13	47.43	Pass	19401
1000	3000	1	RMS	2980	-47.87	-13	34.87	Pass	4001
3000	3440	1	RMS	3440	-41.88	-13	28.88	Pass	881
3440	3560	1	RMS	3520.4	5.67	60	54.33	Pass	401
3560	7000	1	RMS	3560	-33.06	-13	20.06	Pass	6881
7000	26500	1	RMS	25860	-44.25	-13	31.25	Pass	39001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.04	-13	51.04	Pass	401
0.15	30	0.01	RMS	0.21	-69.83	-13	56.83	Pass	5971
30	1000	0.1	RMS	838.5	-60.5	-13	47.5	Pass	19401
1000	3000	1	RMS	2991	-47.71	-13	34.71	Pass	4001
3000	3440	1	RMS	3261	-45.49	-13	32.49	Pass	881
3440	3560	1	RMS	3491	22.01	60	37.99	Pass	401
3560	7000	1	RMS	3721	-48.62	-13	35.62	Pass	6881
7000	26500	1	RMS	25883	-44.68	-13	31.68	Pass	39001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.1	-13	50.1	Pass	401
0.15	30	0.01	RMS	0.44	-69.87	-13	56.87	Pass	5971
30	1000	0.1	RMS	914.844	-60.82	-13	47.82	Pass	19401
1000	3000	1	RMS	2980	-47.86	-13	34.86	Pass	4001
3000	3440	1	RMS	3319	-45.42	-13	32.42	Pass	881
3440	3560	1	RMS	3548.9	21.78	60	38.22	Pass	401
3560	7000	1	RMS	3779	-47.84	-13	34.84	Pass	6881
7000	26500	1	RMS	25910	-44.65	-13	31.65	Pass	39001




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	41.09	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	42.84	Pass	5971
30	1000	0.1	RMS	880.5	-59.19	-13	46.19	Pass	19401
1000	3000	1	RMS	2691	-46.57	-13	33.57	Pass	4001
3000	3440	1	RMS	3440	-33.2	-13	20.2	Pass	881
3440	3560	1	RMS	3530.3	2.67	60	57.33	Pass	401
3560	7000	1	RMS	3560	-33.77	-13	20.77	Pass	6881
7000	26500	1	RMS	25532	-41.21	-13	28.21	Pass	39001




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	43.48	Pass	5971
30	1000	0.1	RMS	912.7	-59.03	-13	46.03	Pass	19401
1000	3000	1	RMS	2709	-46.67	-13	33.67	Pass	4001
3000	3440	1	RMS	3402	-46.26	-13	33.26	Pass	881
3440	3560	1	RMS	3451.1	21.05	60	38.95	Pass	401
3560	7000	1	RMS	3681	-49.48	-13	36.48	Pass	6881
7000	26500	1	RMS	25557	-41.33	-13	28.33	Pass	39001



5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	39.97	Pass	401
0.15	30	0.01	RMS	0.15	-58.1	-13	45.1	Pass	5971
30	1000	0.1	RMS	766	-58.72	-13	45.72	Pass	19401
1000	3000	1	RMS	2670	-46.87	-13	33.87	Pass	4001
3000	3440	1	RMS	3318	-46.16	-13	33.16	Pass	881
3440	3560	1	RMS	3548.9	20.95	60	39.05	Pass	401
3560	7000	1	RMS	3779	-48.74	-13	35.74	Pass	6881
7000	26500	1	RMS	25550	-41.22	-13	28.22	Pass	39001



1. n77(3700-3980)


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	1.68	-70.21	-13	57.21	Pass	5971
30	1000	0.1	RMS	890.828	-60.32	-13	47.32	Pass	19401
1000	3000	1	RMS	2990	-47.89	-13	34.89	Pass	4001
3000	3690	1	RMS	3690	-33.66	-13	20.66	Pass	1381
3690	3990	1	RMS	3716.25	9.94	60	50.06	Pass	601
3990	7000	1	RMS	4012	-60.05	-13	47.05	Pass	6021
7000	26500	1	RMS	25900	-44.83	-13	31.83	Pass	39001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-13	56.45	Pass	5971
30	1000	0.1	RMS	971.781	-60.24	-13	47.24	Pass	19401
1000	3000	1	RMS	2989	-47.87	-13	34.87	Pass	4001
3000	3690	1	RMS	3001	-45.59	-13	32.59	Pass	1381
3690	3990	1	RMS	3701.25	20.34	60	39.66	Pass	601
3990	7000	1	RMS	4008	-50.82	-13	37.82	Pass	6021
7000	26500	1	RMS	25504	-44.94	-13	31.94	Pass	39001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.56	-69.51	-13	56.51	Pass	5971
30	1000	0.1	RMS	918.846	-60.34	-13	47.34	Pass	19401
1000	3000	1	RMS	2995	-47.83	-13	34.83	Pass	4001
3000	3690	1	RMS	3489	-45.61	-13	32.61	Pass	1381
3690	3990	1	RMS	3719.25	20.63	60	39.37	Pass	601
3990	7000	1	RMS	4026	-51.05	-13	38.05	Pass	6021
7000	26500	1	RMS	25907	-44.89	-13	31.89	Pass	39001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.25	-13	61.25	Pass	401
0.15	30	0.01	RMS	0.36	-68.6	-13	55.6	Pass	5971
30	1000	0.1	RMS	654.2	-60.43	-13	47.43	Pass	19401
1000	3000	1	RMS	2978	-47.85	-13	34.85	Pass	4001
3000	3690	1	RMS	3110	-45.52	-13	32.52	Pass	1381
3690	3990	1	RMS	3834.75	10.53	60	49.47	Pass	601
3990	7000	1	RMS	4068	-58.93	-13	45.93	Pass	6021
7000	26500	1	RMS	25486	-44.84	-13	31.84	Pass	39001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.41	-69.1	-13	56.1	Pass	5971
30	1000	0.1	RMS	989.093	-60.42	-13	47.42	Pass	19401
1000	3000	1	RMS	3000	-47.82	-13	34.82	Pass	4001
3000	3690	1	RMS	3524	-45.5	-13	32.5	Pass	1381
3690	3990	1	RMS	3831	21.58	60	38.42	Pass	601
3990	7000	1	RMS	4061	-50.6	-13	37.6	Pass	6021
7000	26500	1	RMS	25846	-44.71	-13	31.71	Pass	39001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.48	-68.42	-13	55.42	Pass	5971
30	1000	0.1	RMS	896.631	-60.24	-13	47.24	Pass	19401
1000	3000	1	RMS	2981	-47.85	-13	34.85	Pass	4001
3000	3690	1	RMS	3542	-45.52	-13	32.52	Pass	1381
3690	3990	1	RMS	3849	21.53	60	38.47	Pass	601
3990	7000	1	RMS	4156	-50.51	-13	37.51	Pass	6021
7000	26500	1	RMS	25463	-44.86	-13	31.86	Pass	39001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.51	-70.13	-13	57.13	Pass	5971
30	1000	0.1	RMS	918.746	-60.29	-13	47.29	Pass	19401
1000	3000	1	RMS	2979	-47.7	-13	34.7	Pass	4001
3000	3690	1	RMS	3006	-45.54	-13	32.54	Pass	1381
3690	3990	1	RMS	3966	10.38	60	49.62	Pass	601
3990	7000	1	RMS	3990	-30.72	-13	17.72	Pass	6021
7000	26500	1	RMS	25952	-44.69	-13	31.69	Pass	39001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.25	-69.6	-13	56.6	Pass	5971
30	1000	0.1	RMS	847.6	-59.68	-13	46.68	Pass	19401
1000	3000	1	RMS	2979	-47.77	-13	34.77	Pass	4001
3000	3690	1	RMS	3654	-45.36	-13	32.36	Pass	1381
3690	3990	1	RMS	3960.75	20.9	60	39.1	Pass	601
3990	7000	1	RMS	4268	-50.68	-13	37.68	Pass	6021
7000	26500	1	RMS	25825	-44.37	-13	31.37	Pass	39001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-13	56.47	Pass	5971
30	1000	0.1	RMS	962.575	-60.17	-13	47.17	Pass	19401
1000	3000	1	RMS	2973	-47.86	-13	34.86	Pass	4001
3000	3690	1	RMS	3672	-45.39	-13	32.39	Pass	1381
3690	3990	1	RMS	3978.75	21	60	39	Pass	601
3990	7000	1	RMS	4286	-50.2	-13	37.2	Pass	6021
7000	26500	1	RMS	25918	-44.12	-13	31.12	Pass	39001




2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.36	-13	50.36	Pass	401
0.15	30	0.01	RMS	0.21	-70.44	-13	57.44	Pass	5971
30	1000	0.1	RMS	731.3	-60.91	-13	47.91	Pass	19401
1000	3000	1	RMS	2988	-48.03	-13	35.03	Pass	4001
3000	3690	1	RMS	3690	-39.64	-13	26.64	Pass	1381
3690	3990	1	RMS	3729.75	5.13	60	54.87	Pass	601
3990	7000	1	RMS	4012	-62.17	-13	49.17	Pass	6021
7000	26500	1	RMS	25486	-44.6	-13	31.6	Pass	39001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.26	-13	51.26	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-13	57.74	Pass	5971
30	1000	0.1	RMS	850.801	-61.08	-13	48.08	Pass	19401
1000	3000	1	RMS	2984	-48.14	-13	35.14	Pass	4001
3000	3690	1	RMS	3471	-45.59	-13	32.59	Pass	1381
3690	3990	1	RMS	3701.25	20.52	60	39.48	Pass	601
3990	7000	1	RMS	4008	-50.71	-13	37.71	Pass	6021
7000	26500	1	RMS	25914	-44.8	-13	31.8	Pass	39001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.5	-13	50.5	Pass	401
0.15	30	0.01	RMS	0.58	-69.98	-13	56.98	Pass	5971
30	1000	0.1	RMS	978.886	-61.23	-13	48.23	Pass	19401
1000	3000	1	RMS	2974	-48.08	-13	35.08	Pass	4001
3000	3690	1	RMS	3529	-44.73	-13	31.73	Pass	1381
3690	3990	1	RMS	3759	21.66	60	38.34	Pass	601
3990	7000	1	RMS	4066	-50.18	-13	37.18	Pass	6021
7000	26500	1	RMS	25902	-45.04	-13	32.04	Pass	39001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.29	-13	50.29	Pass	401
0.15	30	0.01	RMS	0.49	-71.3	-13	58.3	Pass	5971
30	1000	0.1	RMS	914.844	-61.58	-13	48.58	Pass	19401
1000	3000	1	RMS	2983	-47.98	-13	34.98	Pass	4001
3000	3690	1	RMS	3000	-46.21	-13	33.21	Pass	1381
3690	3990	1	RMS	3830.25	4.81	60	55.19	Pass	601
3990	7000	1	RMS	4096	-60.67	-13	47.67	Pass	6021
7000	26500	1	RMS	25846	-44.8	-13	31.8	Pass	39001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.58	-13	50.58	Pass	401
0.15	30	0.01	RMS	0.18	-70.98	-13	57.98	Pass	5971
30	1000	0.1	RMS	983.789	-61.76	-13	48.76	Pass	19401
1000	3000	1	RMS	2987	-48.16	-13	35.16	Pass	4001
3000	3690	1	RMS	3581	-45.38	-13	32.38	Pass	1381
3690	3990	1	RMS	3810.75	20.34	60	39.66	Pass	601
3990	7000	1	RMS	4041	-48.97	-13	35.97	Pass	6021
7000	26500	1	RMS	25897	-44.6	-13	31.6	Pass	39001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.54	-13	51.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	5971
30	1000	0.1	RMS	855.504	-61.58	-13	48.58	Pass	19401
1000	3000	1	RMS	2979	-47.91	-13	34.91	Pass	4001
3000	3690	1	RMS	3639	-45.13	-13	32.13	Pass	1381
3690	3990	1	RMS	3869.25	20.36	60	39.64	Pass	601
3990	7000	1	RMS	4099	-48.68	-13	35.68	Pass	6021
7000	26500	1	RMS	26222	-44.91	-13	31.91	Pass	39001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.58	-13	52.58	Pass	401
0.15	30	0.01	RMS	0.19	-69.79	-13	56.79	Pass	5971
30	1000	0.1	RMS	467.9	-61.75	-13	48.75	Pass	19401
1000	3000	1	RMS	2985	-48.13	-13	35.13	Pass	4001
3000	3690	1	RMS	3005	-46.37	-13	33.37	Pass	1381
3690	3990	1	RMS	3923.25	5.2	60	54.8	Pass	601
3990	7000	1	RMS	3990	-33.74	-13	20.74	Pass	6021
7000	26500	1	RMS	25937	-44.81	-13	31.81	Pass	39001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.82	-13	50.82	Pass	401
0.15	30	0.01	RMS	0.33	-70.37	-13	57.37	Pass	5971
30	1000	0.1	RMS	923.249	-61.81	-13	48.81	Pass	19401
1000	3000	1	RMS	2987	-48.1	-13	35.1	Pass	4001
3000	3690	1	RMS	3690	-45.52	-13	32.52	Pass	1381
3690	3990	1	RMS	3921	21.18	60	38.82	Pass	601
3990	7000	1	RMS	4151	-48.12	-13	35.12	Pass	6021
7000	26500	1	RMS	25497	-44.52	-13	31.52	Pass	39001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.46	-13	51.46	Pass	401
0.15	30	0.01	RMS	0.35	-70.77	-13	57.77	Pass	5971
30	1000	0.1	RMS	892.529	-62.43	-13	49.43	Pass	19401
1000	3000	1	RMS	2980	-47.99	-13	34.99	Pass	4001
3000	3690	1	RMS	3672	-45.85	-13	32.85	Pass	1381
3690	3990	1	RMS	3978.75	20.75	60	39.25	Pass	601
3990	7000	1	RMS	4209	-47.48	-13	34.48	Pass	6021
7000	26500	1	RMS	25525	-44.65	-13	31.65	Pass	39001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	41.22	Pass	401
0.15	30	0.01	RMS	0.15	-59.2	-13	46.2	Pass	2986
30	1000	0.1	RMS	902.3	-59.31	-13	46.31	Pass	9701
1000	3000	1	RMS	2667	-46.73	-13	33.73	Pass	2001
3000	3690	1	RMS	3690	-39.97	-13	26.97	Pass	691
3690	3990	1	RMS	3780.75	2.27	60	57.73	Pass	401
3990	7000	1	RMS	4011	-61.31	-13	48.31	Pass	3011
7000	26500	1	RMS	25586	-41.29	-13	28.29	Pass	19501




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.16	-58.18	-13	45.18	Pass	5971
30	1000	0.1	RMS	884.5	-59.63	-13	46.63	Pass	19401
1000	3000	1	RMS	2680	-46.64	-13	33.64	Pass	4001
3000	3690	1	RMS	3686	-45.66	-13	32.66	Pass	1381
3690	3990	1	RMS	3701.25	20.08	60	39.92	Pass	601
3990	7000	1	RMS	4008	-50.81	-13	37.81	Pass	6021
7000	26500	1	RMS	25583	-41.38	-13	28.38	Pass	39001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	39.98	Pass	401
0.15	30	0.01	RMS	0.18	-57.96	-13	44.96	Pass	5971
30	1000	0.1	RMS	917.3	-59.06	-13	46.06	Pass	19401
1000	3000	1	RMS	2695	-46.54	-13	33.54	Pass	4001
3000	3690	1	RMS	3569	-45.23	-13	32.23	Pass	1381
3690	3990	1	RMS	3798.75	20.45	60	39.55	Pass	601
3990	7000	1	RMS	4029	-48.28	-13	35.28	Pass	6021
7000	26500	1	RMS	25569	-41.4	-13	28.4	Pass	39001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-13	40.46	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	43.99	Pass	5971
30	1000	0.1	RMS	983.9	-59.07	-13	46.07	Pass	19401
1000	3000	1	RMS	2688	-46.59	-13	33.59	Pass	4001
3000	3690	1	RMS	3685	-46.19	-13	33.19	Pass	1381
3690	3990	1	RMS	3817.5	2.48	60	57.52	Pass	601
3990	7000	1	RMS	3992	-50.06	-13	37.06	Pass	6021
7000	26500	1	RMS	25585	-41.31	-13	28.31	Pass	39001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55	-13	42	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	44.8	Pass	5971
30	1000	0.1	RMS	830.2	-58.68	-13	45.68	Pass	19401
1000	3000	1	RMS	2707	-46.53	-13	33.53	Pass	4001
3000	3690	1	RMS	3561	-45.48	-13	32.48	Pass	1381
3690	3990	1	RMS	3791.25	20.21	60	39.79	Pass	601
3990	7000	1	RMS	4021	-49.97	-13	36.97	Pass	6021
7000	26500	1	RMS	25594	-41.54	-13	28.54	Pass	39001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	38.82	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	42.78	Pass	5971
30	1000	0.1	RMS	941.8	-59.29	-13	46.29	Pass	19401
1000	3000	1	RMS	2671	-46.49	-13	33.49	Pass	4001
3000	3690	1	RMS	3659	-44.25	-13	31.25	Pass	1381
3690	3990	1	RMS	3888.75	20.52	60	39.48	Pass	601
3990	7000	1	RMS	4119	-47.63	-13	34.63	Pass	6021
7000	26500	1	RMS	25513	-41.56	-13	28.56	Pass	39001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.45	-13	42.45	Pass	401
0.15	30	0.01	RMS	0.16	-58.85	-13	45.85	Pass	5971
30	1000	0.1	RMS	981.4	-59.5	-13	46.5	Pass	19401
1000	3000	1	RMS	2688	-46.49	-13	33.49	Pass	4001
3000	3690	1	RMS	3162	-46.43	-13	33.43	Pass	1381
3690	3990	1	RMS	3908.25	2.8	60	57.2	Pass	601
3990	7000	1	RMS	3991	-37.89	-13	24.89	Pass	6021
7000	26500	1	RMS	25548	-41.34	-13	28.34	Pass	39001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.76	-13	38.76	Pass	401
0.15	30	0.01	RMS	0.16	-59.12	-13	46.12	Pass	5971
30	1000	0.1	RMS	894.2	-58.61	-13	45.61	Pass	19401
1000	3000	1	RMS	2708	-46.7	-13	33.7	Pass	4001
3000	3690	1	RMS	3651	-44.53	-13	31.53	Pass	1381
3690	3990	1	RMS	3881.25	20.35	60	39.65	Pass	601
3990	7000	1	RMS	4111	-49.51	-13	36.51	Pass	6021
7000	26500	1	RMS	25502	-41.51	-13	28.51	Pass	39001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-13	41.17	Pass	401
0.15	30	0.01	RMS	0.19	-59.18	-13	46.18	Pass	5971
30	1000	0.1	RMS	984.7	-59.56	-13	46.56	Pass	19401
1000	3000	1	RMS	2686	-46.55	-13	33.55	Pass	4001
3000	3690	1	RMS	3672	-45.12	-13	32.12	Pass	1381
3690	3990	1	RMS	3978.75	20.88	60	39.12	Pass	601
3990	7000	1	RMS	4209	-47.81	-13	34.81	Pass	6021
7000	26500	1	RMS	25532	-41.66	-13	28.66	Pass	39001



2. n78(3700-3800)


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-89.56	-13	76.56	Pass	401
0.15	30	0.01	RMS	9.58	-88.55	-13	75.55	Pass	5971
30	1000	0.1	RMS	866.712	-80.48	-13	67.48	Pass	19401
1000	3000	1	RMS	2995	-66.33	-13	53.33	Pass	4001
3000	3690	1	RMS	3690	-32.93	-13	19.93	Pass	1381
3690	3810	1	RMS	3705.9	9.96	60	50.04	Pass	401
3810	7000	1	RMS	3948	-59.14	-13	46.14	Pass	6381
7000	26500	1	RMS	25500	-44.67	-13	31.67	Pass	39001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-91.75	-13	78.75	Pass	401
0.15	30	0.01	RMS	4.88	-85.32	-13	72.32	Pass	5971
30	1000	0.1	RMS	755	-80.29	-13	67.29	Pass	19401
1000	3000	1	RMS	2995	-66.57	-13	53.57	Pass	4001
3000	3690	1	RMS	3690	-48.05	-13	35.05	Pass	1381
3690	3810	1	RMS	3701.1	21.26	60	38.74	Pass	401
3810	7000	1	RMS	3931	-51.14	-13	38.14	Pass	6381
7000	26500	1	RMS	25894	-44.59	-13	31.59	Pass	39001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-93.44	-13	80.44	Pass	401
0.15	30	0.01	RMS	9.07	-88.11	-13	75.11	Pass	5971
30	1000	0.1	RMS	821.8	-80.75	-13	67.75	Pass	19401
1000	3000	1	RMS	2987	-66.47	-13	53.47	Pass	4001
3000	3690	1	RMS	3489	-50.36	-13	37.36	Pass	1381
3690	3810	1	RMS	3719.1	21.51	60	38.49	Pass	401
3810	7000	1	RMS	4026	-50.85	-13	37.85	Pass	6381
7000	26500	1	RMS	25915	-44.57	-13	31.57	Pass	39001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-88.8	-13	75.8	Pass	401
0.15	30	0.01	RMS	9.01	-88.61	-13	75.61	Pass	5971
30	1000	0.1	RMS	638.8	-80.26	-13	67.26	Pass	19401
1000	3000	1	RMS	2996	-66.54	-13	53.54	Pass	4001
3000	3690	1	RMS	3527	-58.79	-13	45.79	Pass	1381
3690	3810	1	RMS	3744.9	10.38	60	49.62	Pass	401
3810	7000	1	RMS	3973	-59.06	-13	46.06	Pass	6381
7000	26500	1	RMS	25544	-44.64	-13	31.64	Pass	39001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-88.96	-13	75.96	Pass	401
0.15	30	0.01	RMS	1.08	-88.26	-13	75.26	Pass	5971
30	1000	0.1	RMS	999.5	-80.94	-13	67.94	Pass	19401
1000	3000	1	RMS	2996	-66.3	-13	53.3	Pass	4001
3000	3690	1	RMS	3511	-50.49	-13	37.49	Pass	1381
3690	3810	1	RMS	3741	21.91	60	38.09	Pass	401
3810	7000	1	RMS	3971	-50.65	-13	37.65	Pass	6381
7000	26500	1	RMS	25474	-44.49	-13	31.49	Pass	39001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-91.94	-13	78.94	Pass	401
0.15	30	0.01	RMS	9.73	-88.32	-13	75.32	Pass	5971
30	1000	0.1	RMS	903.636	-80.3	-13	67.3	Pass	19401
1000	3000	1	RMS	2993	-66.3	-13	53.3	Pass	4001
3000	3690	1	RMS	3529	-50.36	-13	37.36	Pass	1381
3690	3810	1	RMS	3759	21.9	60	38.1	Pass	401
3810	7000	1	RMS	3989	-50.9	-13	37.9	Pass	6381
7000	26500	1	RMS	25892	-44.35	-13	31.35	Pass	39001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-92.59	-13	79.59	Pass	401
0.15	30	0.01	RMS	4.95	-88.39	-13	75.39	Pass	5971
30	1000	0.1	RMS	924.35	-80.54	-13	67.54	Pass	19401
1000	3000	1	RMS	2436	-63.25	-13	50.25	Pass	4001
3000	3690	1	RMS	3559	-58.83	-13	45.83	Pass	1381
3690	3810	1	RMS	3786	9.92	60	50.08	Pass	401
3810	7000	1	RMS	3810	-32.11	-13	19.11	Pass	6381
7000	26500	1	RMS	25898	-44.54	-13	31.54	Pass	39001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-90.79	-13	77.79	Pass	401
0.15	30	0.01	RMS	7.82	-89.5	-13	76.5	Pass	5971
30	1000	0.1	RMS	374	-80.93	-13	67.93	Pass	19401
1000	3000	1	RMS	2995	-66.37	-13	53.37	Pass	4001
3000	3690	1	RMS	3551	-50.79	-13	37.79	Pass	1381
3690	3810	1	RMS	3780.9	21.31	60	38.69	Pass	401
3810	7000	1	RMS	4011	-50.59	-13	37.59	Pass	6381
7000	26500	1	RMS	25916	-44.76	-13	31.76	Pass	39001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-92.03	-13	79.03	Pass	401
0.15	30	0.01	RMS	4.65	-87.44	-13	74.44	Pass	5971
30	1000	0.1	RMS	991.795	-79.54	-13	66.54	Pass	19401
1000	3000	1	RMS	2995	-66.32	-13	53.32	Pass	4001
3000	3690	1	RMS	3569	-50.74	-13	37.74	Pass	1381
3690	3810	1	RMS	3798.9	21.41	60	38.59	Pass	401
3810	7000	1	RMS	4106	-50.41	-13	37.41	Pass	6381
7000	26500	1	RMS	25870	-44.49	-13	31.49	Pass	39001




1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-79.4	-13	66.4	Pass	401
0.15	30	0.01	RMS	0.56	-87.77	-13	74.77	Pass	5971
30	1000	0.1	RMS	859.707	-81.54	-13	68.54	Pass	19401
1000	3000	1	RMS	2983	-66.62	-13	53.62	Pass	4001
3000	3690	1	RMS	3690	-40.63	-13	27.63	Pass	1381
3690	3810	1	RMS	3756.3	4.85	60	55.15	Pass	401
3810	7000	1	RMS	3812	-45.96	-13	32.96	Pass	6381
7000	26500	1	RMS	25884	-44.75	-13	31.75	Pass	39001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.24	-13	51.24	Pass	401
0.15	30	0.01	RMS	0.56	-79.56	-13	66.56	Pass	5971
30	1000	0.1	RMS	894.63	-81.38	-13	68.38	Pass	19401
1000	3000	1	RMS	2980	-66.51	-13	53.51	Pass	4001
3000	3690	1	RMS	3690	-47.65	-13	34.65	Pass	1381
3690	3810	1	RMS	3701.1	20.2	60	39.8	Pass	401
3810	7000	1	RMS	3931	-49.09	-13	36.09	Pass	6381
7000	26500	1	RMS	25936	-44.63	-13	31.63	Pass	39001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.15	-13	50.15	Pass	401
0.15	30	0.01	RMS	0.56	-86.3	-13	73.3	Pass	5971
30	1000	0.1	RMS	884.123	-81.89	-13	68.89	Pass	19401
1000	3000	1	RMS	2978	-66.65	-13	53.65	Pass	4001
3000	3690	1	RMS	3529	-47.47	-13	34.47	Pass	1381
3690	3810	1	RMS	3759	21.55	60	38.45	Pass	401
3810	7000	1	RMS	3989	-48.46	-13	35.46	Pass	6381
7000	26500	1	RMS	25516	-44.41	-13	31.41	Pass	39001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.96	-13	50.96	Pass	401
0.15	30	0.01	RMS	0.19	-88.14	-13	75.14	Pass	5971
30	1000	0.1	RMS	985.19	-81.48	-13	68.48	Pass	19401
1000	3000	1	RMS	2989	-66.6	-13	53.6	Pass	4001
3000	3690	1	RMS	3690	-44.87	-13	31.87	Pass	1381
3690	3810	1	RMS	3773.1	4.92	60	55.08	Pass	401
3810	7000	1	RMS	3810	-41.16	-13	28.16	Pass	6381
7000	26500	1	RMS	25915	-44.67	-13	31.67	Pass	39001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.81	-13	51.81	Pass	401
0.15	30	0.01	RMS	0.56	-87.74	-13	74.74	Pass	5971
30	1000	0.1	RMS	854.604	-82.41	-13	69.41	Pass	19401
1000	3000	1	RMS	2978	-66.67	-13	53.67	Pass	4001
3000	3690	1	RMS	3491	-48.66	-13	35.66	Pass	1381
3690	3810	1	RMS	3720.9	20.15	60	39.85	Pass	401
3810	7000	1	RMS	3951	-48.73	-13	35.73	Pass	6381
7000	26500	1	RMS	25701	-44.74	-13	31.74	Pass	39001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.21	-13	52.21	Pass	401
0.15	30	0.01	RMS	0.6	-89.54	-13	76.54	Pass	5971
30	1000	0.1	RMS	925.25	-81.92	-13	68.92	Pass	19401
1000	3000	1	RMS	2986	-66.86	-13	53.86	Pass	4001
3000	3690	1	RMS	3549	-47.58	-13	34.58	Pass	1381
3690	3810	1	RMS	3779.1	21.23	60	38.77	Pass	401
3810	7000	1	RMS	4009	-48.4	-13	35.4	Pass	6381
7000	26500	1	RMS	25497	-44.63	-13	31.63	Pass	39001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.56	-89.65	-13	76.65	Pass	5971
30	1000	0.1	RMS	990.294	-81.74	-13	68.74	Pass	19401
1000	3000	1	RMS	2980	-66.76	-13	53.76	Pass	4001
3000	3690	1	RMS	3690	-48.65	-13	35.65	Pass	1381
3690	3810	1	RMS	3796.5	4.88	60	55.12	Pass	401
3810	7000	1	RMS	3810	-35.44	-13	22.44	Pass	6381
7000	26500	1	RMS	25899	-44.73	-13	31.73	Pass	39001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.63	-13	50.63	Pass	401
0.15	30	0.01	RMS	0.91	-89.62	-13	76.62	Pass	5971
30	1000	0.1	RMS	881.121	-82.35	-13	69.35	Pass	19401
1000	3000	1	RMS	2977	-66.73	-13	53.73	Pass	4001
3000	3690	1	RMS	3511	-48.7	-13	35.7	Pass	1381
3690	3810	1	RMS	3741	21.09	60	38.91	Pass	401
3810	7000	1	RMS	3971	-48.94	-13	35.94	Pass	6381
7000	26500	1	RMS	25571	-44.81	-13	31.81	Pass	39001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.35	-13	50.35	Pass	401
0.15	30	0.01	RMS	0.56	-89.23	-13	76.23	Pass	5971
30	1000	0.1	RMS	984.089	-81.68	-13	68.68	Pass	19401
1000	3000	1	RMS	2997	-66.7	-13	53.7	Pass	4001
3000	3690	1	RMS	3569	-48.35	-13	35.35	Pass	1381
3690	3810	1	RMS	3798.9	21.38	60	38.62	Pass	401
3810	7000	1	RMS	4029	-48.59	-13	35.59	Pass	6381
7000	26500	1	RMS	25911	-44.8	-13	31.8	Pass	39001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.27	-13	40.27	Pass	401
0.15	30	0.01	RMS	0.6	-64.82	-13	51.82	Pass	5971
30	1000	0.1	RMS	991.2	-75.66	-13	62.66	Pass	19401
1000	3000	1	RMS	1190	-64.8	-13	51.8	Pass	4001
3000	3690	1	RMS	3690	-40.37	-13	27.37	Pass	1381
3690	3810	1	RMS	3761.1	2.42	60	57.58	Pass	401
3810	7000	1	RMS	3810	-40.21	-13	27.21	Pass	6381
7000	26500	1	RMS	25566	-41.57	-13	28.57	Pass	39001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.33	-13	40.33	Pass	401
0.15	30	0.01	RMS	0.17	-63.77	-13	50.77	Pass	5971
30	1000	0.1	RMS	286	-53.52	-13	40.52	Pass	19401
1000	3000	1	RMS	1140	-49.08	-13	36.08	Pass	4001
3000	3690	1	RMS	3471	-49.36	-13	36.36	Pass	1381
3690	3810	1	RMS	3701.1	21.11	60	38.89	Pass	401
3810	7000	1	RMS	3931	-49.56	-13	36.56	Pass	6381
7000	26500	1	RMS	25566	-41.26	-13	28.26	Pass	39001



2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.16	-13	39.16	Pass	401
0.15	30	0.01	RMS	0.6	-64.79	-13	51.79	Pass	5971
30	1000	0.1	RMS	384	-56.83	-13	43.83	Pass	19401
1000	3000	1	RMS	1152	-44.15	-13	31.15	Pass	4001
3000	3690	1	RMS	3569	-48.12	-13	35.12	Pass	1381
3690	3810	1	RMS	3798.9	21.22	60	38.78	Pass	401
3810	7000	1	RMS	4029	-47.93	-13	34.93	Pass	6381
7000	26500	1	RMS	25545	-41.34	-13	28.34	Pass	39001



--BLANK BELOW--