



2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-13	35.86	Pass	401
0.15	30	0.01	RMS	0.15	-52.07	-13	39.07	Pass	5971
30	1000	0.1	RMS	864.15	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1687.5	-51.6	-13	38.6	Pass	1401
1700	1765	1	RMS	1750.375	23.66	60	36.34	Pass	401
1765	3000	1	RMS	2675	-47.58	-13	34.58	Pass	2471
3000	12000	1	RMS	11949.5	-40.4	-13	27.4	Pass	18001
12000	20000	1	RMS	19323	-28.81	-13	15.81	Pass	16001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.91	-13	37.91	Pass	401
0.15	30	0.01	RMS	0.155	-52.86	-13	39.86	Pass	5971
30	1000	0.1	RMS	960.45	-61.31	-13	48.31	Pass	19401
1000	1700	1	RMS	1693	-51.62	-13	38.62	Pass	1401
1700	1765	1	RMS	1750.375	22.88	60	37.12	Pass	401
1765	3000	1	RMS	2667.5	-47.6	-13	34.6	Pass	2471
3000	12000	1	RMS	11955.5	-40.44	-13	27.44	Pass	18001
12000	20000	1	RMS	19310	-28.86	-13	15.86	Pass	16001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.95	-13	37.95	Pass	401
0.15	30	0.01	RMS	0.15	-51.58	-13	38.58	Pass	5971
30	1000	0.1	RMS	902.1	-61.43	-13	48.43	Pass	19401
1000	1700	1	RMS	1700	-49.78	-13	36.78	Pass	1401
1700	1765	1	RMS	1710.563	23.53	60	36.47	Pass	401
1765	3000	1	RMS	2664.5	-47.62	-13	34.62	Pass	2471
3000	12000	1	RMS	11954	-40.49	-13	27.49	Pass	18001
12000	20000	1	RMS	19313	-28.93	-13	15.93	Pass	16001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	38.87	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	40.5	Pass	5971
30	1000	0.1	RMS	947.65	-61.35	-13	48.35	Pass	19401
1000	1700	1	RMS	1700	-51.37	-13	38.37	Pass	1401
1700	1765	1	RMS	1710.563	22.65	60	37.35	Pass	401
1765	3000	1	RMS	2674.5	-47.63	-13	34.63	Pass	2471
3000	12000	1	RMS	11947	-40.39	-13	27.39	Pass	18001
12000	20000	1	RMS	19311	-28.94	-13	15.94	Pass	16001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.73	-13	38.73	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	40.06	Pass	5971
30	1000	0.1	RMS	939.8	-61.4	-13	48.4	Pass	19401
1000	1700	1	RMS	1699	-51.59	-13	38.59	Pass	1401
1700	1765	1	RMS	1728.113	23.51	60	36.49	Pass	401
1765	3000	1	RMS	2669	-47.59	-13	34.59	Pass	2471
3000	12000	1	RMS	11940	-40.4	-13	27.4	Pass	18001
12000	20000	1	RMS	19292	-28.9	-13	15.9	Pass	16001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.11	-13	37.11	Pass	401
0.15	30	0.01	RMS	0.15	-52.94	-13	39.94	Pass	5971
30	1000	0.1	RMS	905.85	-61.4	-13	48.4	Pass	19401
1000	1700	1	RMS	1699	-51.66	-13	38.66	Pass	1401
1700	1765	1	RMS	1728.113	22.56	60	37.44	Pass	401
1765	3000	1	RMS	2669.5	-47.44	-13	34.44	Pass	2471
3000	12000	1	RMS	11947.5	-40.41	-13	27.41	Pass	18001
12000	20000	1	RMS	19319	-28.93	-13	15.93	Pass	16001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.38	-13	37.38	Pass	401
0.15	30	0.01	RMS	0.155	-53.64	-13	40.64	Pass	5971
30	1000	0.1	RMS	962.9	-61.41	-13	48.41	Pass	19401
1000	1700	1	RMS	1697.5	-51.65	-13	38.65	Pass	1401
1700	1765	1	RMS	1745.663	23.44	60	36.56	Pass	401
1765	3000	1	RMS	2674	-47.53	-13	34.53	Pass	2471
3000	12000	1	RMS	11952	-40.5	-13	27.5	Pass	18001
12000	20000	1	RMS	19363	-28.95	-13	15.95	Pass	16001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.43	-13	36.43	Pass	401
0.15	30	0.01	RMS	0.155	-51.56	-13	38.56	Pass	5971
30	1000	0.1	RMS	943.7	-61.31	-13	48.31	Pass	19401
1000	1700	1	RMS	1694.5	-51.64	-13	38.64	Pass	1401
1700	1765	1	RMS	1745.5	22.64	60	37.36	Pass	401
1765	3000	1	RMS	2667.5	-47.65	-13	34.65	Pass	2471
3000	12000	1	RMS	11965	-40.44	-13	27.44	Pass	18001
12000	20000	1	RMS	19343	-28.88	-13	15.88	Pass	16001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.3	-13	37.3	Pass	401
0.15	30	0.01	RMS	0.15	-53.53	-13	40.53	Pass	5971
30	1000	0.1	RMS	939.05	-61.35	-13	48.35	Pass	19401
1000	1700	1	RMS	1699.5	-50.23	-13	37.23	Pass	1401
1700	1765	1	RMS	1710.888	23.46	60	36.54	Pass	401
1765	3000	1	RMS	2668	-47.5	-13	34.5	Pass	2471
3000	12000	1	RMS	11942	-40.41	-13	27.41	Pass	18001
12000	20000	1	RMS	19333	-28.95	-13	15.95	Pass	16001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.77	-13	37.77	Pass	401
0.15	30	0.01	RMS	0.17	-53.71	-13	40.71	Pass	5971
30	1000	0.1	RMS	901.7	-61.4	-13	48.4	Pass	19401
1000	1700	1	RMS	1698.5	-51.29	-13	38.29	Pass	1401
1700	1765	1	RMS	1710.888	22.65	60	37.35	Pass	401
1765	3000	1	RMS	2681.5	-47.62	-13	34.62	Pass	2471
3000	12000	1	RMS	11960	-40.5	-13	27.5	Pass	18001
12000	20000	1	RMS	19334	-28.91	-13	15.91	Pass	16001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.62	-13	37.62	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	40.06	Pass	5971
30	1000	0.1	RMS	851.3	-61.42	-13	48.42	Pass	19401
1000	1700	1	RMS	1688	-51.49	-13	38.49	Pass	1401
1700	1765	1	RMS	1725.838	23.45	60	36.55	Pass	401
1765	3000	1	RMS	2666	-47.58	-13	34.58	Pass	2471
3000	12000	1	RMS	11953	-40.43	-13	27.43	Pass	18001
12000	20000	1	RMS	19351	-28.91	-13	15.91	Pass	16001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51	-13	38	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-13	40.27	Pass	5971
30	1000	0.1	RMS	921.1	-61.36	-13	48.36	Pass	19401
1000	1700	1	RMS	1699.5	-51.3	-13	38.3	Pass	1401
1700	1765	1	RMS	1725.838	22.62	60	37.38	Pass	401
1765	3000	1	RMS	2667.5	-47.6	-13	34.6	Pass	2471
3000	12000	1	RMS	11946.5	-40.37	-13	27.37	Pass	18001
12000	20000	1	RMS	19321	-28.89	-13	15.89	Pass	16001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.42	-13	37.42	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	39.74	Pass	5971
30	1000	0.1	RMS	948.85	-61.25	-13	48.25	Pass	19401
1000	1700	1	RMS	1699.5	-51.6	-13	38.6	Pass	1401
1700	1765	1	RMS	1740.788	23.52	60	36.48	Pass	401
1765	3000	1	RMS	2670.5	-47.56	-13	34.56	Pass	2471
3000	12000	1	RMS	11921	-40.45	-13	27.45	Pass	18001
12000	20000	1	RMS	19315	-28.92	-13	15.92	Pass	16001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.56	-13	37.56	Pass	401
0.15	30	0.01	RMS	0.15	-52.29	-13	39.29	Pass	5971
30	1000	0.1	RMS	946.8	-61.19	-13	48.19	Pass	19401
1000	1700	1	RMS	1699.5	-51.64	-13	38.64	Pass	1401
1700	1765	1	RMS	1740.788	22.56	60	37.44	Pass	401
1765	3000	1	RMS	2670.5	-47.59	-13	34.59	Pass	2471
3000	12000	1	RMS	11948.5	-40.38	-13	27.38	Pass	18001
12000	20000	1	RMS	19331	-28.86	-13	15.86	Pass	16001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.32	-13	37.32	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-13	39.25	Pass	5971
30	1000	0.1	RMS	949.1	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1695.5	-49.98	-13	36.98	Pass	1401
1700	1765	1	RMS	1711.05	23.59	60	36.41	Pass	401
1765	3000	1	RMS	2671.5	-47.57	-13	34.57	Pass	2471
3000	12000	1	RMS	11947.5	-40.45	-13	27.45	Pass	18001
12000	20000	1	RMS	19325	-28.9	-13	15.9	Pass	16001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.69	-13	37.69	Pass	401
0.15	30	0.01	RMS	0.165	-53.74	-13	40.74	Pass	5971
30	1000	0.1	RMS	886.2	-61.29	-13	48.29	Pass	19401
1000	1700	1	RMS	1691.5	-51.05	-13	38.05	Pass	1401
1700	1765	1	RMS	1711.05	22.64	60	37.36	Pass	401
1765	3000	1	RMS	2671	-47.64	-13	34.64	Pass	2471
3000	12000	1	RMS	11946	-40.44	-13	27.44	Pass	18001
12000	20000	1	RMS	19349.5	-28.93	-13	15.93	Pass	16001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.74	-13	37.74	Pass	401
0.15	30	0.01	RMS	0.15	-52.98	-13	39.98	Pass	5971
30	1000	0.1	RMS	961	-61.1	-13	48.1	Pass	19401
1000	1700	1	RMS	1699.5	-51.53	-13	38.53	Pass	1401
1700	1765	1	RMS	1723.563	23.38	60	36.62	Pass	401
1765	3000	1	RMS	2673.5	-47.54	-13	34.54	Pass	2471
3000	12000	1	RMS	11943	-40.45	-13	27.45	Pass	18001
12000	20000	1	RMS	19325	-28.88	-13	15.88	Pass	16001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.74	-13	37.74	Pass	401
0.15	30	0.01	RMS	0.15	-51.32	-13	38.32	Pass	5971
30	1000	0.1	RMS	923.9	-61.36	-13	48.36	Pass	19401
1000	1700	1	RMS	1698	-50.57	-13	37.57	Pass	1401
1700	1765	1	RMS	1723.4	22.37	60	37.63	Pass	401
1765	3000	1	RMS	2667.5	-47.58	-13	34.58	Pass	2471
3000	12000	1	RMS	11937.5	-40.39	-13	27.39	Pass	18001
12000	20000	1	RMS	19316.5	-28.97	-13	15.97	Pass	16001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.64	-13	37.64	Pass	401
0.15	30	0.01	RMS	0.165	-52.88	-13	39.88	Pass	5971
30	1000	0.1	RMS	957.9	-61.21	-13	48.21	Pass	19401
1000	1700	1	RMS	1685	-51.61	-13	38.61	Pass	1401
1700	1765	1	RMS	1736.075	23.4	60	36.6	Pass	401
1765	3000	1	RMS	2673.5	-47.6	-13	34.6	Pass	2471
3000	12000	1	RMS	11957	-40.37	-13	27.37	Pass	18001
12000	20000	1	RMS	19327.5	-28.91	-13	15.91	Pass	16001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.28	-13	38.28	Pass	401
0.15	30	0.01	RMS	0.155	-51.63	-13	38.63	Pass	5971
30	1000	0.1	RMS	985.05	-61.44	-13	48.44	Pass	19401
1000	1700	1	RMS	1692	-51.63	-13	38.63	Pass	1401
1700	1765	1	RMS	1736.075	22.66	60	37.34	Pass	401
1765	3000	1	RMS	2669.5	-47.56	-13	34.56	Pass	2471
3000	12000	1	RMS	11951.5	-40.39	-13	27.39	Pass	18001
12000	20000	1	RMS	19320.5	-28.91	-13	15.91	Pass	16001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.26	-13	37.26	Pass	401
0.15	30	0.01	RMS	0.16	-52.97	-13	39.97	Pass	5971
30	814	0.1	RMS	813.55	-61.36	-13	48.36	Pass	15681
814	860	0.1	RMS	824.25	20.5	60	39.5	Pass	921
860	1000	0.1	RMS	940.85	-62.81	-13	49.81	Pass	2801
1000	3000	1	RMS	1648.5	-43.9	-13	30.9	Pass	4001
3000	10000	1	RMS	8350	-43.29	-13	30.29	Pass	14001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	38.56	Pass	401
0.15	30	0.01	RMS	0.155	-52.4	-13	39.4	Pass	5971
30	814	0.1	RMS	814	-61.65	-13	48.65	Pass	15681
814	860	0.1	RMS	824.25	19.37	60	40.63	Pass	921
860	1000	0.1	RMS	929.4	-62.77	-13	49.77	Pass	2801
1000	3000	1	RMS	1648.5	-44.66	-13	31.66	Pass	4001
3000	10000	1	RMS	9450	-43.25	-13	30.25	Pass	14001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	38.01	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-13	40.03	Pass	5971
30	814	0.1	RMS	809.05	-61.58	-13	48.58	Pass	15681
814	860	0.1	RMS	836.05	20.39	60	39.61	Pass	921
860	1000	0.1	RMS	958.9	-62.93	-13	49.93	Pass	2801
1000	3000	1	RMS	1672	-44.23	-13	31.23	Pass	4001
3000	10000	1	RMS	9447.5	-43.29	-13	30.29	Pass	14001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.18	-13	38.18	Pass	401
0.15	30	0.01	RMS	0.155	-52.38	-13	39.38	Pass	5971
30	814	0.1	RMS	813.1	-61.54	-13	48.54	Pass	15681
814	860	0.1	RMS	836.05	19.53	60	40.47	Pass	921
860	1000	0.1	RMS	937.75	-62.74	-13	49.74	Pass	2801
1000	3000	1	RMS	1672	-45.11	-13	32.11	Pass	4001
3000	10000	1	RMS	9443	-43.26	-13	30.26	Pass	14001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.05	-13	38.05	Pass	401
0.15	30	0.01	RMS	0.155	-52.3	-13	39.3	Pass	5971
30	814	0.1	RMS	792.8	-61.68	-13	48.68	Pass	15681
814	860	0.1	RMS	847.85	20.55	60	39.45	Pass	921
860	1000	0.1	RMS	947	-62.82	-13	49.82	Pass	2801
1000	3000	1	RMS	1695.5	-44.88	-13	31.88	Pass	4001
3000	10000	1	RMS	9449	-43.2	-13	30.2	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.57	-13	37.57	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-13	38.44	Pass	5971
30	814	0.1	RMS	810.55	-61.62	-13	48.62	Pass	15681
814	860	0.1	RMS	847.85	19.41	60	40.59	Pass	921
860	1000	0.1	RMS	987.35	-62.81	-13	49.81	Pass	2801
1000	3000	1	RMS	1695.5	-45.92	-13	32.92	Pass	4001
3000	10000	1	RMS	9444.5	-43.3	-13	30.3	Pass	14001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-13	36.55	Pass	401
0.15	30	0.01	RMS	0.15	-53.75	-13	40.75	Pass	5971
30	814	0.1	RMS	814	-60.29	-13	47.29	Pass	15681
814	860	0.1	RMS	824.25	20.42	60	39.58	Pass	921
860	1000	0.1	RMS	984.2	-62.79	-13	49.79	Pass	2801
1000	3000	1	RMS	1648.5	-43.88	-13	30.88	Pass	4001
3000	10000	1	RMS	8352	-43.25	-13	30.25	Pass	14001




**3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.74	-13	36.74	Pass	401
0.15	30	0.01	RMS	0.155	-52.63	-13	39.63	Pass	5971
30	814	0.1	RMS	814	-61.45	-13	48.45	Pass	15681
814	860	0.1	RMS	824.25	19.37	60	40.63	Pass	921
860	1000	0.1	RMS	996.05	-62.91	-13	49.91	Pass	2801
1000	3000	1	RMS	1648.5	-44.85	-13	31.85	Pass	4001
3000	10000	1	RMS	9443	-43.23	-13	30.23	Pass	14001




**3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.41	-13	37.41	Pass	401
0.15	30	0.01	RMS	0.155	-53.28	-13	40.28	Pass	5971
30	814	0.1	RMS	811.2	-61.58	-13	48.58	Pass	15681
814	860	0.1	RMS	835.25	20.46	60	39.54	Pass	921
860	1000	0.1	RMS	991.15	-62.74	-13	49.74	Pass	2801
1000	3000	1	RMS	1670.5	-44.63	-13	31.63	Pass	4001
3000	10000	1	RMS	9446.5	-43.24	-13	30.24	Pass	14001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.99	-13	37.99	Pass	401
0.15	30	0.01	RMS	0.15	-52.06	-13	39.06	Pass	5971
30	814	0.1	RMS	805.15	-61.63	-13	48.63	Pass	15681
814	860	0.1	RMS	835.25	19.65	60	40.35	Pass	921
860	1000	0.1	RMS	917.9	-62.87	-13	49.87	Pass	2801
1000	3000	1	RMS	1670.5	-45.48	-13	32.48	Pass	4001
3000	10000	1	RMS	9453.5	-43.3	-13	30.3	Pass	14001




**3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.84	-13	37.84	Pass	401
0.15	30	0.01	RMS	0.16	-53.57	-13	40.57	Pass	5971
30	814	0.1	RMS	814	-61.74	-13	48.74	Pass	15681
814	860	0.1	RMS	846.25	20.51	60	39.49	Pass	921
860	1000	0.1	RMS	950.25	-62.88	-13	49.88	Pass	2801
1000	3000	1	RMS	1692.5	-45.68	-13	32.68	Pass	4001
3000	10000	1	RMS	8348.5	-43.19	-13	30.19	Pass	14001




**3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.64	-13	37.64	Pass	401
0.15	30	0.01	RMS	0.16	-53.35	-13	40.35	Pass	5971
30	814	0.1	RMS	811.7	-61.68	-13	48.68	Pass	15681
814	860	0.1	RMS	846.25	19.63	60	40.37	Pass	921
860	1000	0.1	RMS	910.6	-62.76	-13	49.76	Pass	2801
1000	3000	1	RMS	1692.5	-46.33	-13	33.33	Pass	4001
3000	10000	1	RMS	8348	-43.28	-13	30.28	Pass	14001




**3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.2	-13	38.2	Pass	401
0.15	30	0.01	RMS	0.15	-52.44	-13	39.44	Pass	5971
30	814	0.1	RMS	814	-61.38	-13	48.38	Pass	15681
814	860	0.1	RMS	824.35	20.5	60	39.5	Pass	921
860	1000	0.1	RMS	925.8	-62.83	-13	49.83	Pass	2801
1000	3000	1	RMS	1648.5	-44.09	-13	31.09	Pass	4001
3000	10000	1	RMS	8351	-43.25	-13	30.25	Pass	14001




**3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.49	-13	37.49	Pass	401
0.15	30	0.01	RMS	0.155	-53.43	-13	40.43	Pass	5971
30	814	0.1	RMS	813.95	-61.34	-13	48.34	Pass	15681
814	860	0.1	RMS	824.35	19.49	60	40.51	Pass	921
860	1000	0.1	RMS	971.3	-62.8	-13	49.8	Pass	2801
1000	3000	1	RMS	1648.5	-45.04	-13	32.04	Pass	4001
3000	10000	1	RMS	9447.5	-43.25	-13	30.25	Pass	14001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.38	-13	36.38	Pass	401
0.15	30	0.01	RMS	0.15	-52.47	-13	39.47	Pass	5971
30	814	0.1	RMS	811.65	-61.45	-13	48.45	Pass	15681
814	860	0.1	RMS	834.35	20.44	60	39.56	Pass	921
860	1000	0.1	RMS	966.2	-62.72	-13	49.72	Pass	2801
1000	3000	1	RMS	1668.5	-45.08	-13	32.08	Pass	4001
3000	10000	1	RMS	8349.5	-43.3	-13	30.3	Pass	14001




**3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.08	-13	38.08	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-13	40.27	Pass	5971
30	814	0.1	RMS	807.55	-61.6	-13	48.6	Pass	15681
814	860	0.1	RMS	834.35	19.54	60	40.46	Pass	921
860	1000	0.1	RMS	925.45	-62.86	-13	49.86	Pass	2801
1000	3000	1	RMS	1668.5	-46.07	-13	33.07	Pass	4001
3000	10000	1	RMS	9446.5	-43.27	-13	30.27	Pass	14001




**3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.99	-13	37.99	Pass	401
0.15	30	0.01	RMS	0.15	-51.15	-13	38.15	Pass	5971
30	814	0.1	RMS	811.3	-61.71	-13	48.71	Pass	15681
814	860	0.1	RMS	844.35	20.52	60	39.48	Pass	921
860	1000	0.1	RMS	988.9	-62.91	-13	49.91	Pass	2801
1000	3000	1	RMS	1688.5	-44.88	-13	31.88	Pass	4001
3000	10000	1	RMS	8347	-43.26	-13	30.26	Pass	14001




**3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.15	-13	38.15	Pass	401
0.15	30	0.01	RMS	0.15	-52.23	-13	39.23	Pass	5971
30	814	0.1	RMS	813.7	-61.66	-13	48.66	Pass	15681
814	860	0.1	RMS	844.35	19.51	60	40.49	Pass	921
860	1000	0.1	RMS	983.45	-62.79	-13	49.79	Pass	2801
1000	3000	1	RMS	1688.5	-46.37	-13	33.37	Pass	4001
3000	10000	1	RMS	9450	-43.16	-13	30.16	Pass	14001




**3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.1	-13	38.1	Pass	401
0.15	30	0.01	RMS	0.16	-53.4	-13	40.4	Pass	5971
30	814	0.1	RMS	813.85	-60.94	-13	47.94	Pass	15681
814	860	0.1	RMS	824.6	20.41	60	39.59	Pass	921
860	1000	0.1	RMS	976.5	-62.86	-13	49.86	Pass	2801
1000	3000	1	RMS	1649	-43.93	-13	30.93	Pass	4001
3000	10000	1	RMS	9441.5	-43.19	-13	30.19	Pass	14001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.47	-13	37.47	Pass	401
0.15	30	0.01	RMS	0.155	-52.99	-13	39.99	Pass	5971
30	814	0.1	RMS	811.65	-58.33	-13	45.33	Pass	15681
814	860	0.1	RMS	824.6	19.67	60	40.33	Pass	921
860	1000	0.1	RMS	969.85	-62.8	-13	49.8	Pass	2801
1000	3000	1	RMS	1649	-45.13	-13	32.13	Pass	4001
3000	10000	1	RMS	9450	-43.27	-13	30.27	Pass	14001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.26	-13	38.26	Pass	401
0.15	30	0.01	RMS	0.16	-53.82	-13	40.82	Pass	5971
30	814	0.1	RMS	813.3	-61.6	-13	48.6	Pass	15681
814	860	0.1	RMS	832.1	20.5	60	39.5	Pass	921
860	1000	0.1	RMS	931	-62.8	-13	49.8	Pass	2801
1000	3000	1	RMS	1664	-45.41	-13	32.41	Pass	4001
3000	10000	1	RMS	9455	-43.21	-13	30.21	Pass	14001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.87	-13	37.87	Pass	401
0.15	30	0.01	RMS	0.15	-53.09	-13	40.09	Pass	5971
30	814	0.1	RMS	809.55	-61.68	-13	48.68	Pass	15681
814	860	0.1	RMS	832.1	19.46	60	40.54	Pass	921
860	1000	0.1	RMS	932.25	-62.75	-13	49.75	Pass	2801
1000	3000	1	RMS	1664	-46.39	-13	33.39	Pass	4001
3000	10000	1	RMS	9447	-43.24	-13	30.24	Pass	14001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	38.64	Pass	401
0.15	30	0.01	RMS	0.16	-53.47	-13	40.47	Pass	5971
30	814	0.1	RMS	806.25	-61.71	-13	48.71	Pass	15681
814	860	0.1	RMS	839.6	20.58	60	39.42	Pass	921
860	1000	0.1	RMS	940.85	-62.69	-13	49.69	Pass	2801
1000	3000	1	RMS	1679	-43.68	-13	30.68	Pass	4001
3000	10000	1	RMS	9424.5	-43.28	-13	30.28	Pass	14001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.03	-13	37.03	Pass	401
0.15	30	0.01	RMS	0.15	-52.49	-13	39.49	Pass	5971
30	814	0.1	RMS	812.1	-61.58	-13	48.58	Pass	15681
814	860	0.1	RMS	839.6	19.67	60	40.33	Pass	921
860	1000	0.1	RMS	963.2	-62.73	-13	49.73	Pass	2801
1000	3000	1	RMS	1679	-44.4	-13	31.4	Pass	4001
3000	10000	1	RMS	9430.5	-43.25	-13	30.25	Pass	14001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.97	-25	25.97	Pass	401
0.15	30	0.01	RMS	0.15	-51.54	-25	26.54	Pass	5971
30	1000	0.1	RMS	929.7	-61.3	-25	36.3	Pass	19401
1000	2490	1	RMS	2490	-48.89	-25	23.89	Pass	2981
2490	2580	1	RMS	2500.35	21.95	60	38.05	Pass	401
2580	3000	1	RMS	2666.5	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5000.5	-54.19	-25	29.19	Pass	18001
12000	26000	1	RMS	25679.5	-44.01	-25	19.01	Pass	28001




**4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.6	-25	25.6	Pass	401
0.15	30	0.01	RMS	0.165	-53.45	-25	28.45	Pass	5971
30	1000	0.1	RMS	956.2	-61.42	-25	36.42	Pass	19401
1000	2490	1	RMS	2488.5	-49	-25	24	Pass	2981
2490	2580	1	RMS	2500.35	21.11	60	38.89	Pass	401
2580	3000	1	RMS	2668	-48.27	-25	23.27	Pass	841
3000	12000	1	RMS	5000.5	-55.3	-25	30.3	Pass	18001
12000	26000	1	RMS	25683	-43.64	-25	18.64	Pass	28001




**4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.61	-25	26.61	Pass	401
0.15	30	0.01	RMS	0.15	-52.94	-25	27.94	Pass	5971
30	1000	0.1	RMS	914.55	-61.46	-25	36.46	Pass	19401
1000	2490	1	RMS	2488.5	-49.15	-25	24.15	Pass	2981
2490	2580	1	RMS	2532.75	22.4	60	37.6	Pass	401
2580	3000	1	RMS	2669.5	-48.3	-25	23.3	Pass	841
3000	12000	1	RMS	5065.5	-51.95	-25	26.95	Pass	18001
12000	26000	1	RMS	25712	-43.68	-25	18.68	Pass	28001



**4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.97	-25	24.97	Pass	401
0.15	30	0.01	RMS	0.15	-53.13	-25	28.13	Pass	5971
30	1000	0.1	RMS	924.45	-61.33	-25	36.33	Pass	19401
1000	2490	1	RMS	2488	-49.21	-25	24.21	Pass	2981
2490	2580	1	RMS	2532.975	21.48	60	38.52	Pass	401
2580	3000	1	RMS	2678.5	-48.29	-25	23.29	Pass	841
3000	12000	1	RMS	5065.5	-53.23	-25	28.23	Pass	18001
12000	26000	1	RMS	25703	-43.55	-25	18.55	Pass	28001




**4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.45	-25	24.45	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-25	28.58	Pass	5971
30	1000	0.1	RMS	929.2	-61.43	-25	36.43	Pass	19401
1000	2490	1	RMS	2489	-49.12	-25	24.12	Pass	2981
2490	2580	1	RMS	2565.375	22.61	60	37.39	Pass	401
2580	3000	1	RMS	2669.5	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5130.5	-49.06	-25	24.06	Pass	18001
12000	26000	1	RMS	25710	-43.61	-25	18.61	Pass	28001



4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.09	-25	26.09	Pass	401
0.15	30	0.01	RMS	0.15	-52.79	-25	27.79	Pass	5971
30	1000	0.1	RMS	972.8	-61.51	-25	36.51	Pass	19401
1000	2490	1	RMS	2488.5	-49.22	-25	24.22	Pass	2981
2490	2580	1	RMS	2565.375	21.66	60	38.34	Pass	401
2580	3000	1	RMS	2668	-48.25	-25	23.25	Pass	841
3000	12000	1	RMS	5130.5	-50.39	-25	25.39	Pass	18001
12000	26000	1	RMS	25704.5	-43.72	-25	18.72	Pass	28001



**4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-25	26.6	Pass	401
0.15	30	0.01	RMS	0.16	-52.07	-25	27.07	Pass	5971
30	1000	0.1	RMS	959.35	-61.6	-25	36.6	Pass	19401
1000	2490	1	RMS	2490	-48.92	-25	23.92	Pass	2981
2490	2580	1	RMS	2500.575	21.72	60	38.28	Pass	401
2580	3000	1	RMS	2670	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5001	-54.66	-25	29.66	Pass	18001
12000	26000	1	RMS	25695	-43.78	-25	18.78	Pass	28001




**4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.68	-25	25.68	Pass	401
0.15	30	0.01	RMS	0.16	-52.51	-25	27.51	Pass	5971
30	1000	0.1	RMS	986.95	-61.52	-25	36.52	Pass	19401
1000	2490	1	RMS	2490	-48.91	-25	23.91	Pass	2981
2490	2580	1	RMS	2500.575	20.94	60	39.06	Pass	401
2580	3000	1	RMS	2660.5	-48.31	-25	23.31	Pass	841
3000	12000	1	RMS	5001	-55.68	-25	30.68	Pass	18001
12000	26000	1	RMS	25696.5	-43.69	-25	18.69	Pass	28001




**4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.25	-25	26.25	Pass	401
0.15	30	0.01	RMS	0.15	-53.35	-25	28.35	Pass	5971
30	1000	0.1	RMS	937.65	-61.34	-25	36.34	Pass	19401
1000	2490	1	RMS	2490	-49.21	-25	24.21	Pass	2981
2490	2580	1	RMS	2530.5	22.46	60	37.54	Pass	401
2580	3000	1	RMS	2667	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5061	-53.06	-25	28.06	Pass	18001
12000	26000	1	RMS	25674	-43.7	-25	18.7	Pass	28001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.53	-25	25.53	Pass	401
0.15	30	0.01	RMS	0.15	-52.6	-25	27.6	Pass	5971
30	1000	0.1	RMS	857.05	-61.63	-25	36.63	Pass	19401
1000	2490	1	RMS	2489	-49.27	-25	24.27	Pass	2981
2490	2580	1	RMS	2530.5	21.66	60	38.34	Pass	401
2580	3000	1	RMS	2657.5	-48.3	-25	23.3	Pass	841
3000	12000	1	RMS	5061	-53.36	-25	28.36	Pass	18001
12000	26000	1	RMS	25713.5	-43.68	-25	18.68	Pass	28001




**4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.89	-25	24.89	Pass	401
0.15	30	0.01	RMS	0.15	-52.61	-25	27.61	Pass	5971
30	1000	0.1	RMS	918.45	-61.48	-25	36.48	Pass	19401
1000	2490	1	RMS	2480.5	-49.19	-25	24.19	Pass	2981
2490	2580	1	RMS	2560.65	22.47	60	37.53	Pass	401
2580	3000	1	RMS	2665.5	-48.29	-25	23.29	Pass	841
3000	12000	1	RMS	5121	-49.22	-25	24.22	Pass	18001
12000	26000	1	RMS	25692	-43.65	-25	18.65	Pass	28001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.14	-25	25.14	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-25	28.66	Pass	5971
30	1000	0.1	RMS	826.3	-61.42	-25	36.42	Pass	19401
1000	2490	1	RMS	2484	-49.21	-25	24.21	Pass	2981
2490	2580	1	RMS	2560.65	21.49	60	38.51	Pass	401
2580	3000	1	RMS	2670	-48.28	-25	23.28	Pass	841
3000	12000	1	RMS	5121	-50.04	-25	25.04	Pass	18001
12000	26000	1	RMS	25685.5	-43.67	-25	18.67	Pass	28001




**4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.74	-25	26.74	Pass	401
0.15	30	0.01	RMS	0.15	-52.44	-25	27.44	Pass	5971
30	1000	0.1	RMS	990.8	-61.47	-25	36.47	Pass	19401
1000	2490	1	RMS	2490	-48.85	-25	23.85	Pass	2981
2490	2580	1	RMS	2500.8	21.58	60	38.42	Pass	401
2580	3000	1	RMS	2674	-48.3	-25	23.3	Pass	841
3000	12000	1	RMS	5001.5	-54.98	-25	29.98	Pass	18001
12000	26000	1	RMS	25707	-43.51	-25	18.51	Pass	28001




**4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.58	-25	26.58	Pass	401
0.15	30	0.01	RMS	0.155	-53.04	-25	28.04	Pass	5971
30	1000	0.1	RMS	930.15	-61.26	-25	36.26	Pass	19401
1000	2490	1	RMS	2489.5	-48.92	-25	23.92	Pass	2981
2490	2580	1	RMS	2500.8	20.92	60	39.08	Pass	401
2580	3000	1	RMS	2668	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5001.5	-56.32	-25	31.32	Pass	18001
12000	26000	1	RMS	25703	-43.69	-25	18.69	Pass	28001




**4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-25	25.57	Pass	401
0.15	30	0.01	RMS	0.155	-51.83	-25	26.83	Pass	5971
30	1000	0.1	RMS	967.55	-61.48	-25	36.48	Pass	19401
1000	2490	1	RMS	2489	-49.18	-25	24.18	Pass	2981
2490	2580	1	RMS	2528.25	22.11	60	37.89	Pass	401
2580	3000	1	RMS	2660	-48.25	-25	23.25	Pass	841
3000	12000	1	RMS	5056.5	-53.41	-25	28.41	Pass	18001
12000	26000	1	RMS	25681.5	-43.62	-25	18.62	Pass	28001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.81	-25	25.81	Pass	401
0.15	30	0.01	RMS	0.155	-53.35	-25	28.35	Pass	5971
30	1000	0.1	RMS	950.9	-61.28	-25	36.28	Pass	19401
1000	2490	1	RMS	2488.5	-49.17	-25	24.17	Pass	2981
2490	2580	1	RMS	2528.25	21.21	60	38.79	Pass	401
2580	3000	1	RMS	2673	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5056.5	-54.3	-25	29.3	Pass	18001
12000	26000	1	RMS	25702	-43.56	-25	18.56	Pass	28001




**4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-25	24.65	Pass	401
0.15	30	0.01	RMS	0.15	-52.66	-25	27.66	Pass	5971
30	1000	0.1	RMS	971.75	-61.49	-25	36.49	Pass	19401
1000	2490	1	RMS	2488.5	-49.2	-25	24.2	Pass	2981
2490	2580	1	RMS	2555.925	22.13	60	37.87	Pass	401
2580	3000	1	RMS	2678.5	-48.25	-25	23.25	Pass	841
3000	12000	1	RMS	5111.5	-49.14	-25	24.14	Pass	18001
12000	26000	1	RMS	25696.5	-43.59	-25	18.59	Pass	28001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.03	-25	25.03	Pass	401
0.15	30	0.01	RMS	0.15	-52.03	-25	27.03	Pass	5971
30	1000	0.1	RMS	979.65	-61.59	-25	36.59	Pass	19401
1000	2490	1	RMS	2489.5	-49.18	-25	24.18	Pass	2981
2490	2580	1	RMS	2555.925	21.33	60	38.67	Pass	401
2580	3000	1	RMS	2677	-48.27	-25	23.27	Pass	841
3000	12000	1	RMS	5111.5	-50.3	-25	25.3	Pass	18001
12000	26000	1	RMS	25690	-43.63	-25	18.63	Pass	28001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-25	26.86	Pass	401
0.15	30	0.01	RMS	0.16	-52.67	-25	27.67	Pass	5971
30	1000	0.1	RMS	937.95	-61.32	-25	36.32	Pass	19401
1000	2490	1	RMS	2484.5	-48.59	-25	23.59	Pass	2981
2490	2580	1	RMS	2501.025	21.55	60	38.45	Pass	401
2580	3000	1	RMS	2673.5	-48.23	-25	23.23	Pass	841
3000	12000	1	RMS	5002	-54.44	-25	29.44	Pass	18001
12000	26000	1	RMS	25687.5	-43.66	-25	18.66	Pass	28001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.99	-25	25.99	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-25	28.61	Pass	5971
30	1000	0.1	RMS	935.75	-61.49	-25	36.49	Pass	19401
1000	2490	1	RMS	2484.5	-48.99	-25	23.99	Pass	2981
2490	2580	1	RMS	2501.025	20.64	60	39.36	Pass	401
2580	3000	1	RMS	2670.5	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5002	-55.81	-25	30.81	Pass	18001
12000	26000	1	RMS	25716.5	-43.62	-25	18.62	Pass	28001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-25	26.01	Pass	401
0.15	30	0.01	RMS	0.155	-53.85	-25	28.85	Pass	5971
30	1000	0.1	RMS	923.7	-61.59	-25	36.59	Pass	19401
1000	2490	1	RMS	2482	-49.18	-25	24.18	Pass	2981
2490	2580	1	RMS	2526	22.08	60	37.92	Pass	401
2580	3000	1	RMS	2663	-48.26	-25	23.26	Pass	841
3000	12000	1	RMS	5052	-52.04	-25	27.04	Pass	18001
12000	26000	1	RMS	25689.5	-43.52	-25	18.52	Pass	28001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-25	25.23	Pass	401
0.15	30	0.01	RMS	0.15	-51.98	-25	26.98	Pass	5971
30	1000	0.1	RMS	838.75	-61.49	-25	36.49	Pass	19401
1000	2490	1	RMS	2486	-49.2	-25	24.2	Pass	2981
2490	2580	1	RMS	2526.225	21.15	60	38.85	Pass	401
2580	3000	1	RMS	2674	-48.24	-25	23.24	Pass	841
3000	12000	1	RMS	5052	-53.53	-25	28.53	Pass	18001
12000	26000	1	RMS	25687	-43.63	-25	18.63	Pass	28001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.3	-25	26.3	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-25	27.58	Pass	5971
30	1000	0.1	RMS	935.3	-61.43	-25	36.43	Pass	19401
1000	2490	1	RMS	2488	-49.2	-25	24.2	Pass	2981
2490	2580	1	RMS	2551.2	22.08	60	37.92	Pass	401
2580	3000	1	RMS	2674	-48.18	-25	23.18	Pass	841
3000	12000	1	RMS	5102	-49.25	-25	24.25	Pass	18001
12000	26000	1	RMS	25705	-43.55	-25	18.55	Pass	28001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.72	-25	25.72	Pass	401
0.15	30	0.01	RMS	0.15	-52.11	-25	27.11	Pass	5971
30	1000	0.1	RMS	968	-61.45	-25	36.45	Pass	19401
1000	2490	1	RMS	2487.5	-49.17	-25	24.17	Pass	2981
2490	2580	1	RMS	2550.975	21.36	60	38.64	Pass	401
2580	3000	1	RMS	2672	-48.24	-25	23.24	Pass	841
3000	12000	1	RMS	5102	-50.73	-25	25.73	Pass	18001
12000	26000	1	RMS	25688.5	-43.59	-25	18.59	Pass	28001



5. LTE_Band12


**5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	36.22	Pass	401
0.15	30	0.01	RMS	0.15	-52.34	-13	39.34	Pass	5971
30	689	0.1	RMS	684.45	-62.64	-13	49.64	Pass	13181
689	726	0.1	RMS	699.25	20.46	60	39.54	Pass	741
726	1000	0.1	RMS	924.6	-62.34	-13	49.34	Pass	5481
1000	3000	1	RMS	2668.5	-47.43	-13	34.43	Pass	4001
3000	10000	1	RMS	9436.5	-43.31	-13	30.31	Pass	14001




**5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.64	-13	37.64	Pass	401
0.15	30	0.01	RMS	0.15	-53.18	-13	40.18	Pass	5971
30	689	0.1	RMS	667.55	-62.56	-13	49.56	Pass	13181
689	726	0.1	RMS	699.25	19.2	60	40.8	Pass	741
726	1000	0.1	RMS	901.7	-62.39	-13	49.39	Pass	5481
1000	3000	1	RMS	2670	-47.46	-13	34.46	Pass	4001
3000	10000	1	RMS	9440.5	-43.25	-13	30.25	Pass	14001




**5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.79	-13	36.79	Pass	401
0.15	30	0.01	RMS	0.15	-52.57	-13	39.57	Pass	5971
30	689	0.1	RMS	674.45	-62.61	-13	49.61	Pass	13181
689	726	0.1	RMS	707.05	20.33	60	39.67	Pass	741
726	1000	0.1	RMS	843.3	-62.44	-13	49.44	Pass	5481
1000	3000	1	RMS	1414	-44.78	-13	31.78	Pass	4001
3000	10000	1	RMS	9433.5	-43.21	-13	30.21	Pass	14001




**5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.2	-13	37.2	Pass	401
0.15	30	0.01	RMS	0.15	-52.27	-13	39.27	Pass	5971
30	689	0.1	RMS	688.3	-62.55	-13	49.55	Pass	13181
689	726	0.1	RMS	707.05	19.26	60	40.74	Pass	741
726	1000	0.1	RMS	965.55	-62.52	-13	49.52	Pass	5481
1000	3000	1	RMS	1414	-45.61	-13	32.61	Pass	4001
3000	10000	1	RMS	8352.5	-43.16	-13	30.16	Pass	14001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.78	-13	36.78	Pass	401
0.15	30	0.01	RMS	0.15	-52.08	-13	39.08	Pass	5971
30	689	0.1	RMS	680.8	-62.51	-13	49.51	Pass	13181
689	726	0.1	RMS	714.85	20.18	60	39.82	Pass	741
726	1000	0.1	RMS	894.1	-62.48	-13	49.48	Pass	5481
1000	3000	1	RMS	1429.5	-46.33	-13	33.33	Pass	4001
3000	10000	1	RMS	9451	-43.28	-13	30.28	Pass	14001



**5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.88	-13	36.88	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	39.74	Pass	5971
30	689	0.1	RMS	687.2	-62.59	-13	49.59	Pass	13181
689	726	0.1	RMS	714.85	19.53	60	40.47	Pass	741
726	1000	0.1	RMS	862.1	-62.59	-13	49.59	Pass	5481
1000	3000	1	RMS	1429.5	-47.43	-13	34.43	Pass	4001
3000	10000	1	RMS	9441	-43.19	-13	30.19	Pass	14001



**5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-13	36.66	Pass	401
0.15	30	0.01	RMS	0.15	-51.51	-13	38.51	Pass	5971
30	689	0.1	RMS	688.5	-62.56	-13	49.56	Pass	13181
689	726	0.1	RMS	699.25	20	60	40	Pass	741
726	1000	0.1	RMS	801.45	-62.41	-13	49.41	Pass	5481
1000	3000	1	RMS	2671	-47.45	-13	34.45	Pass	4001
3000	10000	1	RMS	9450	-43.25	-13	30.25	Pass	14001

