



**5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-13	35.72	Pass	401
0.15	30	0.01	RMS	0.165	-52.74	-13	39.74	Pass	5971
30	689	0.1	RMS	681.95	-62.72	-13	49.72	Pass	13181
689	726	0.1	RMS	699.25	19.23	60	40.77	Pass	741
726	1000	0.1	RMS	939.9	-62.51	-13	49.51	Pass	5481
1000	3000	1	RMS	2666	-47.46	-13	34.46	Pass	4001
3000	10000	1	RMS	9443	-43.22	-13	30.22	Pass	14001




**5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-13	36.84	Pass	401
0.15	30	0.01	RMS	0.15	-52.18	-13	39.18	Pass	5971
30	689	0.1	RMS	683.6	-62.41	-13	49.41	Pass	13181
689	726	0.1	RMS	706.25	20.61	60	39.39	Pass	741
726	1000	0.1	RMS	961.6	-62.19	-13	49.19	Pass	5481
1000	3000	1	RMS	1412.5	-46.13	-13	33.13	Pass	4001
3000	10000	1	RMS	8351	-43.31	-13	30.31	Pass	14001




**5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.79	-13	37.79	Pass	401
0.15	30	0.01	RMS	0.155	-53.6	-13	40.6	Pass	5971
30	689	0.1	RMS	677	-62.67	-13	49.67	Pass	13181
689	726	0.1	RMS	706.25	19.16	60	40.84	Pass	741
726	1000	0.1	RMS	906.5	-62.31	-13	49.31	Pass	5481
1000	3000	1	RMS	1412.5	-47.01	-13	34.01	Pass	4001
3000	10000	1	RMS	9443.5	-43.19	-13	30.19	Pass	14001




**5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.01	-13	38.01	Pass	401
0.15	30	0.01	RMS	0.155	-51.19	-13	38.19	Pass	5971
30	689	0.1	RMS	686.35	-62.58	-13	49.58	Pass	13181
689	726	0.1	RMS	713.25	20.29	60	39.71	Pass	741
726	1000	0.1	RMS	907.85	-62.1	-13	49.1	Pass	5481
1000	3000	1	RMS	1426.5	-46.55	-13	33.55	Pass	4001
3000	10000	1	RMS	9450.5	-43.29	-13	30.29	Pass	14001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-13	37.21	Pass	401
0.15	30	0.01	RMS	0.155	-52.54	-13	39.54	Pass	5971
30	689	0.1	RMS	677.3	-62.6	-13	49.6	Pass	13181
689	726	0.1	RMS	713.25	19.38	60	40.62	Pass	741
726	1000	0.1	RMS	987	-62.44	-13	49.44	Pass	5481
1000	3000	1	RMS	2664	-47.53	-13	34.53	Pass	4001
3000	10000	1	RMS	8352.5	-43.23	-13	30.23	Pass	14001




**5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-13	37.52	Pass	401
0.15	30	0.01	RMS	0.15	-52.5	-13	39.5	Pass	5971
30	689	0.1	RMS	684.4	-62.65	-13	49.65	Pass	13181
689	726	0.1	RMS	699.35	20.07	60	39.93	Pass	741
726	1000	0.1	RMS	990.2	-62.32	-13	49.32	Pass	5481
1000	3000	1	RMS	2669	-47.44	-13	34.44	Pass	4001
3000	10000	1	RMS	9453	-43.3	-13	30.3	Pass	14001




**5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-13	37.5	Pass	401
0.15	30	0.01	RMS	0.155	-53.08	-13	40.08	Pass	5971
30	689	0.1	RMS	661.7	-62.57	-13	49.57	Pass	13181
689	726	0.1	RMS	699.35	19.37	60	40.63	Pass	741
726	1000	0.1	RMS	959.2	-62.51	-13	49.51	Pass	5481
1000	3000	1	RMS	2663.5	-47.48	-13	34.48	Pass	4001
3000	10000	1	RMS	8349.5	-43.23	-13	30.23	Pass	14001




**5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-13	36.07	Pass	401
0.15	30	0.01	RMS	0.155	-52.35	-13	39.35	Pass	5971
30	689	0.1	RMS	687.6	-62.74	-13	49.74	Pass	13181
689	726	0.1	RMS	705.35	20.27	60	39.73	Pass	741
726	1000	0.1	RMS	815	-62.38	-13	49.38	Pass	5481
1000	3000	1	RMS	1410.5	-46.38	-13	33.38	Pass	4001
3000	10000	1	RMS	9465	-43.3	-13	30.3	Pass	14001




**5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.67	-13	37.67	Pass	401
0.15	30	0.01	RMS	0.155	-52.28	-13	39.28	Pass	5971
30	689	0.1	RMS	677.6	-62.63	-13	49.63	Pass	13181
689	726	0.1	RMS	705.35	18.97	60	41.03	Pass	741
726	1000	0.1	RMS	945.45	-62.56	-13	49.56	Pass	5481
1000	3000	1	RMS	1410.5	-47.12	-13	34.12	Pass	4001
3000	10000	1	RMS	9438.5	-43.33	-13	30.33	Pass	14001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-13	37.57	Pass	401
0.15	30	0.01	RMS	0.15	-52.73	-13	39.73	Pass	5971
30	689	0.1	RMS	686.75	-62.46	-13	49.46	Pass	13181
689	726	0.1	RMS	711.35	20.15	60	39.85	Pass	741
726	1000	0.1	RMS	919.8	-62.46	-13	49.46	Pass	5481
1000	3000	1	RMS	1422.5	-47.33	-13	34.33	Pass	4001
3000	10000	1	RMS	9442	-43.25	-13	30.25	Pass	14001




**5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.4	-13	37.4	Pass	401
0.15	30	0.01	RMS	0.155	-53.55	-13	40.55	Pass	5971
30	689	0.1	RMS	685.6	-62.59	-13	49.59	Pass	13181
689	726	0.1	RMS	711.35	19.67	60	40.33	Pass	741
726	1000	0.1	RMS	907.85	-62.62	-13	49.62	Pass	5481
1000	3000	1	RMS	2668.5	-47.49	-13	34.49	Pass	4001
3000	10000	1	RMS	8348	-43.31	-13	30.31	Pass	14001




**5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.19	-13	36.19	Pass	401
0.15	30	0.01	RMS	0.15	-52.45	-13	39.45	Pass	5971
30	689	0.1	RMS	685.3	-62.54	-13	49.54	Pass	13181
689	726	0.1	RMS	699.6	20.17	60	39.83	Pass	741
726	1000	0.1	RMS	906.6	-62.28	-13	49.28	Pass	5481
1000	3000	1	RMS	2669	-47.46	-13	34.46	Pass	4001
3000	10000	1	RMS	9457	-43.29	-13	30.29	Pass	14001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	38.48	Pass	401
0.15	30	0.01	RMS	0.155	-53.53	-13	40.53	Pass	5971
30	689	0.1	RMS	520.9	-62.52	-13	49.52	Pass	13181
689	726	0.1	RMS	699.6	19.19	60	40.81	Pass	741
726	1000	0.1	RMS	891.1	-62.41	-13	49.41	Pass	5481
1000	3000	1	RMS	2669	-47.51	-13	34.51	Pass	4001
3000	10000	1	RMS	8351.5	-43.33	-13	30.33	Pass	14001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.98	-13	35.98	Pass	401
0.15	30	0.01	RMS	0.15	-52.7	-13	39.7	Pass	5971
30	689	0.1	RMS	514.15	-62.61	-13	49.61	Pass	13181
689	726	0.1	RMS	703.1	20.24	60	39.76	Pass	741
726	1000	0.1	RMS	930.7	-62.42	-13	49.42	Pass	5481
1000	3000	1	RMS	1406	-46.9	-13	33.9	Pass	4001
3000	10000	1	RMS	9453.5	-43.24	-13	30.24	Pass	14001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.83	-13	37.83	Pass	401
0.15	30	0.01	RMS	0.165	-53.6	-13	40.6	Pass	5971
30	689	0.1	RMS	667	-62.7	-13	49.7	Pass	13181
689	726	0.1	RMS	703.1	19.29	60	40.71	Pass	741
726	1000	0.1	RMS	895.65	-62.31	-13	49.31	Pass	5481
1000	3000	1	RMS	2668.5	-47.44	-13	34.44	Pass	4001
3000	10000	1	RMS	9450.5	-43.15	-13	30.15	Pass	14001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.18	-13	38.18	Pass	401
0.15	30	0.01	RMS	0.15	-52.97	-13	39.97	Pass	5971
30	689	0.1	RMS	659.15	-62.65	-13	49.65	Pass	13181
689	726	0.1	RMS	706.6	20.41	60	39.59	Pass	741
726	1000	0.1	RMS	917.75	-62.49	-13	49.49	Pass	5481
1000	3000	1	RMS	1413	-46.36	-13	33.36	Pass	4001
3000	10000	1	RMS	9450.5	-43.27	-13	30.27	Pass	14001



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.38	-13	37.38	Pass	401
0.15	30	0.01	RMS	0.155	-52.79	-13	39.79	Pass	5971
30	689	0.1	RMS	687.15	-62.69	-13	49.69	Pass	13181
689	726	0.1	RMS	706.6	19.39	60	40.61	Pass	741
726	1000	0.1	RMS	938.9	-62.52	-13	49.52	Pass	5481
1000	3000	1	RMS	1413	-47.14	-13	34.14	Pass	4001
3000	10000	1	RMS	9442	-43.22	-13	30.22	Pass	14001



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	38.01	Pass	401
0.15	30	0.01	RMS	0.15	-51.52	-13	38.52	Pass	5971
30	767	0.1	RMS	764.45	-62.11	-13	49.11	Pass	14741
767	797	0.1	RMS	777.35	20.45	60	39.55	Pass	601
797	1000	0.1	RMS	929.2	-62.44	-13	49.44	Pass	4061
1000	3000	1	RMS	1554.5	-46.84	-13	33.84	Pass	4001
3000	10000	1	RMS	9449	-43.28	-13	30.28	Pass	14001




**6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.31	-13	37.31	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-13	40.27	Pass	5971
30	767	0.1	RMS	764.05	-62.08	-13	49.08	Pass	14741
767	797	0.1	RMS	777.35	19.53	60	40.47	Pass	601
797	1000	0.1	RMS	972.5	-62.69	-13	49.69	Pass	4061
1000	3000	1	RMS	1554.5	-47.49	-13	34.49	Pass	4001
3000	10000	1	RMS	9434.5	-43.22	-13	30.22	Pass	14001




**6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.6	-13	37.6	Pass	401
0.15	30	0.01	RMS	0.16	-53.61	-13	40.61	Pass	5971
30	767	0.1	RMS	749.9	-62.18	-13	49.18	Pass	14741
767	797	0.1	RMS	779.85	20.53	60	39.47	Pass	601
797	1000	0.1	RMS	978.1	-62.5	-13	49.5	Pass	4061
1000	3000	1	RMS	1559.5	-45.33	-13	32.33	Pass	4001
3000	10000	1	RMS	9449	-43.29	-13	30.29	Pass	14001




**6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.94	-13	36.94	Pass	401
0.15	30	0.01	RMS	0.15	-53.07	-13	40.07	Pass	5971
30	767	0.1	RMS	760.1	-62.01	-13	49.01	Pass	14741
767	797	0.1	RMS	779.85	19.67	60	40.33	Pass	601
797	1000	0.1	RMS	999.85	-62.32	-13	49.32	Pass	4061
1000	3000	1	RMS	1559.5	-46.28	-13	33.28	Pass	4001
3000	10000	1	RMS	9448.5	-43.3	-13	30.3	Pass	14001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.87	-13	37.87	Pass	401
0.15	30	0.01	RMS	0.15	-52.84	-13	39.84	Pass	5971
30	767	0.1	RMS	765.55	-61.99	-13	48.99	Pass	14741
767	797	0.1	RMS	782.35	20.66	60	39.34	Pass	601
797	1000	0.1	RMS	941.45	-62.4	-13	49.4	Pass	4061
1000	3000	1	RMS	1564.5	-44.68	-13	31.68	Pass	4001
3000	10000	1	RMS	9436.5	-43.24	-13	30.24	Pass	14001




**6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	36.82	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	39.93	Pass	5971
30	767	0.1	RMS	766.1	-62.15	-13	49.15	Pass	14741
767	797	0.1	RMS	782.35	19.51	60	40.49	Pass	601
797	1000	0.1	RMS	995.9	-62.37	-13	49.37	Pass	4061
1000	3000	1	RMS	1564.5	-45.86	-13	32.86	Pass	4001
3000	10000	1	RMS	9428	-43.24	-13	30.24	Pass	14001




**6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	38.44	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-13	40.25	Pass	5971
30	767	0.1	RMS	765.55	-62.16	-13	49.16	Pass	14741
767	797	0.1	RMS	777.6	20.34	60	39.66	Pass	601
797	1000	0.1	RMS	799.1	-62.56	-13	49.56	Pass	4061
1000	3000	1	RMS	1555	-46.71	-13	33.71	Pass	4001
3000	10000	1	RMS	9448	-43.25	-13	30.25	Pass	14001



**6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	37.75	Pass	401
0.15	30	0.01	RMS	0.15	-52.56	-13	39.56	Pass	5971
30	767	0.1	RMS	754.4	-62.11	-13	49.11	Pass	14741
767	797	0.1	RMS	777.6	19.77	60	40.23	Pass	601
797	1000	0.1	RMS	797.85	-62.66	-13	49.66	Pass	4061
1000	3000	1	RMS	2670	-47.41	-13	34.41	Pass	4001
3000	10000	1	RMS	9441	-43.33	-13	30.33	Pass	14001



8. LTE_Band17


**8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.68	-13	38.68	Pass	401
0.15	30	0.01	RMS	0.155	-52.55	-13	39.55	Pass	5971
30	694	0.1	RMS	689.75	-62.51	-13	49.51	Pass	13281
694	726	0.1	RMS	704.35	20.27	60	39.73	Pass	641
726	1000	0.1	RMS	818.05	-62.45	-13	49.45	Pass	5481
1000	3000	1	RMS	1408.5	-46.05	-13	33.05	Pass	4001
3000	10000	1	RMS	9449	-43.25	-13	30.25	Pass	14001




**8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.27	-13	38.27	Pass	401
0.15	30	0.01	RMS	0.155	-53.52	-13	40.52	Pass	5971
30	694	0.1	RMS	693	-62.51	-13	49.51	Pass	13281
694	726	0.1	RMS	704.35	19.32	60	40.68	Pass	641
726	1000	0.1	RMS	908.7	-62.38	-13	49.38	Pass	5481
1000	3000	1	RMS	1408.5	-47.17	-13	34.17	Pass	4001
3000	10000	1	RMS	9449	-43.27	-13	30.27	Pass	14001




**8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.79	-13	37.79	Pass	401
0.15	30	0.01	RMS	0.16	-52.92	-13	39.92	Pass	5971
30	694	0.1	RMS	671.75	-62.52	-13	49.52	Pass	13281
694	726	0.1	RMS	707.85	20.46	60	39.54	Pass	641
726	1000	0.1	RMS	917.75	-62.39	-13	49.39	Pass	5481
1000	3000	1	RMS	1415.5	-45.55	-13	32.55	Pass	4001
3000	10000	1	RMS	9453.5	-43.23	-13	30.23	Pass	14001




**8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	36.54	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	40.99	Pass	5971
30	694	0.1	RMS	692.35	-62.63	-13	49.63	Pass	13281
694	726	0.1	RMS	707.85	19.43	60	40.57	Pass	641
726	1000	0.1	RMS	909.25	-62.27	-13	49.27	Pass	5481
1000	3000	1	RMS	1415.5	-46.43	-13	33.43	Pass	4001
3000	10000	1	RMS	9450.5	-43.25	-13	30.25	Pass	14001




**8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.77	-13	37.77	Pass	401
0.15	30	0.01	RMS	0.16	-52.7	-13	39.7	Pass	5971
30	694	0.1	RMS	687.75	-62.66	-13	49.66	Pass	13281
694	726	0.1	RMS	711.35	20.39	60	39.61	Pass	641
726	1000	0.1	RMS	957.2	-62.36	-13	49.36	Pass	5481
1000	3000	1	RMS	1422.5	-47.45	-13	34.45	Pass	4001
3000	10000	1	RMS	8351	-43.28	-13	30.28	Pass	14001




**8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.07	-13	38.07	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	40.5	Pass	5971
30	694	0.1	RMS	693.2	-62.65	-13	49.65	Pass	13281
694	726	0.1	RMS	711.35	19.41	60	40.59	Pass	641
726	1000	0.1	RMS	945.35	-62.41	-13	49.41	Pass	5481
1000	3000	1	RMS	2668.5	-47.48	-13	34.48	Pass	4001
3000	10000	1	RMS	9452	-43.23	-13	30.23	Pass	14001




**8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.08	-13	37.08	Pass	401
0.15	30	0.01	RMS	0.165	-53.36	-13	40.36	Pass	5971
30	694	0.1	RMS	691.5	-62.55	-13	49.55	Pass	13281
694	726	0.1	RMS	704.6	20.32	60	39.68	Pass	641
726	1000	0.1	RMS	915.75	-62.47	-13	49.47	Pass	5481
1000	3000	1	RMS	1409	-46.08	-13	33.08	Pass	4001
3000	10000	1	RMS	9452.5	-43.21	-13	30.21	Pass	14001




**8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.7	-13	37.7	Pass	401
0.15	30	0.01	RMS	0.16	-53.79	-13	40.79	Pass	5971
30	694	0.1	RMS	691.8	-62.56	-13	49.56	Pass	13281
694	726	0.1	RMS	704.6	19.49	60	40.51	Pass	641
726	1000	0.1	RMS	894.55	-62.37	-13	49.37	Pass	5481
1000	3000	1	RMS	1409	-47.09	-13	34.09	Pass	4001
3000	10000	1	RMS	9445	-43.21	-13	30.21	Pass	14001




**8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.63	-13	37.63	Pass	401
0.15	30	0.01	RMS	0.15	-52.48	-13	39.48	Pass	5971
30	694	0.1	RMS	685.2	-62.49	-13	49.49	Pass	13281
694	726	0.1	RMS	705.6	20.49	60	39.51	Pass	641
726	1000	0.1	RMS	918	-62.43	-13	49.43	Pass	5481
1000	3000	1	RMS	1411	-46.46	-13	33.46	Pass	4001
3000	10000	1	RMS	9452	-43.27	-13	30.27	Pass	14001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-13	37.21	Pass	401
0.15	30	0.01	RMS	0.15	-52.22	-13	39.22	Pass	5971
30	694	0.1	RMS	693	-62.63	-13	49.63	Pass	13281
694	726	0.1	RMS	705.6	19.57	60	40.43	Pass	641
726	1000	0.1	RMS	777.7	-62.32	-13	49.32	Pass	5481
1000	3000	1	RMS	1411	-47.24	-13	34.24	Pass	4001
3000	10000	1	RMS	9456.5	-43.28	-13	30.28	Pass	14001




**8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.17	-13	37.17	Pass	401
0.15	30	0.01	RMS	0.155	-53.64	-13	40.64	Pass	5971
30	694	0.1	RMS	662.1	-62.56	-13	49.56	Pass	13281
694	726	0.1	RMS	706.6	20.38	60	39.62	Pass	641
726	1000	0.1	RMS	852.25	-62.47	-13	49.47	Pass	5481
1000	3000	1	RMS	1413	-46.06	-13	33.06	Pass	4001
3000	10000	1	RMS	9451.5	-43.26	-13	30.26	Pass	14001



8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.98	-13	36.98	Pass	401
0.15	30	0.01	RMS	0.155	-51.81	-13	38.81	Pass	5971
30	694	0.1	RMS	675.2	-62.44	-13	49.44	Pass	13281
694	726	0.1	RMS	706.6	19.37	60	40.63	Pass	641
726	1000	0.1	RMS	927.85	-62.27	-13	49.27	Pass	5481
1000	3000	1	RMS	1413	-46.92	-13	33.92	Pass	4001
3000	10000	1	RMS	9446	-43.26	-13	30.26	Pass	14001



9. LTE_Band25


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.38	-13	38.38	Pass	401
0.15	30	0.01	RMS	0.155	-52.71	-13	39.71	Pass	5971
30	1000	0.1	RMS	960.3	-61.42	-13	48.42	Pass	19401
1000	1840	1	RMS	1840	-51.07	-13	38.07	Pass	1681
1840	1925	1	RMS	1850.2	23.21	60	36.79	Pass	401
1925	3000	1	RMS	2676	-47.81	-13	34.81	Pass	2151
3000	12000	1	RMS	11948	-40.68	-13	27.68	Pass	18001
12000	20000	1	RMS	19314.5	-29.19	-13	16.19	Pass	16001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.34	-13	38.34	Pass	401
0.15	30	0.01	RMS	0.155	-53.51	-13	40.51	Pass	5971
30	1000	0.1	RMS	831.2	-61.44	-13	48.44	Pass	19401
1000	1840	1	RMS	1839	-51.24	-13	38.24	Pass	1681
1840	1925	1	RMS	1850.2	22.14	60	37.86	Pass	401
1925	3000	1	RMS	2672	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11951	-40.62	-13	27.62	Pass	18001
12000	20000	1	RMS	19323.5	-29.16	-13	16.16	Pass	16001




**9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.07	-13	38.07	Pass	401
0.15	30	0.01	RMS	0.15	-52.35	-13	39.35	Pass	5971
30	1000	0.1	RMS	928.5	-61.4	-13	48.4	Pass	19401
1000	1840	1	RMS	1838.5	-51.35	-13	38.35	Pass	1681
1840	1925	1	RMS	1882.075	23.36	60	36.64	Pass	401
1925	3000	1	RMS	2670	-47.81	-13	34.81	Pass	2151
3000	12000	1	RMS	11861	-40.63	-13	27.63	Pass	18001
12000	20000	1	RMS	19319	-29.24	-13	16.24	Pass	16001




**9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.2	-13	37.2	Pass	401
0.15	30	0.01	RMS	0.15	-52.61	-13	39.61	Pass	5971
30	1000	0.1	RMS	790.95	-61.46	-13	48.46	Pass	19401
1000	1840	1	RMS	1837	-51.42	-13	38.42	Pass	1681
1840	1925	1	RMS	1882.075	22.42	60	37.58	Pass	401
1925	3000	1	RMS	2670	-47.69	-13	34.69	Pass	2151
3000	12000	1	RMS	11950.5	-40.66	-13	27.66	Pass	18001
12000	20000	1	RMS	19322	-29.24	-13	16.24	Pass	16001




**9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.65	-13	37.65	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	39.93	Pass	5971
30	1000	0.1	RMS	927.8	-61.36	-13	48.36	Pass	19401
1000	1840	1	RMS	1833.5	-51.4	-13	38.4	Pass	1681
1840	1925	1	RMS	1913.95	23.3	60	36.7	Pass	401
1925	3000	1	RMS	2668	-47.81	-13	34.81	Pass	2151
3000	12000	1	RMS	11941.5	-40.65	-13	27.65	Pass	18001
12000	20000	1	RMS	19333	-29.26	-13	16.26	Pass	16001




**9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	38.9	Pass	401
0.15	30	0.01	RMS	0.16	-52.5	-13	39.5	Pass	5971
30	1000	0.1	RMS	911.85	-61.46	-13	48.46	Pass	19401
1000	1840	1	RMS	1836.5	-51.43	-13	38.43	Pass	1681
1840	1925	1	RMS	1913.95	22.32	60	37.68	Pass	401
1925	3000	1	RMS	2657.5	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11937	-40.72	-13	27.72	Pass	18001
12000	20000	1	RMS	19309.5	-29.21	-13	16.21	Pass	16001




**9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.92	-13	37.92	Pass	401
0.15	30	0.01	RMS	0.15	-53.15	-13	40.15	Pass	5971
30	1000	0.1	RMS	956.45	-61.37	-13	48.37	Pass	19401
1000	1840	1	RMS	1839.5	-50.57	-13	37.57	Pass	1681
1840	1925	1	RMS	1850.2	23.04	60	36.96	Pass	401
1925	3000	1	RMS	2668	-47.79	-13	34.79	Pass	2151
3000	12000	1	RMS	11940.5	-40.68	-13	27.68	Pass	18001
12000	20000	1	RMS	19324	-29.12	-13	16.12	Pass	16001




**9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.53	-13	37.53	Pass	401
0.15	30	0.01	RMS	0.15	-53.77	-13	40.77	Pass	5971
30	1000	0.1	RMS	915.4	-61.48	-13	48.48	Pass	19401
1000	1840	1	RMS	1840	-51.04	-13	38.04	Pass	1681
1840	1925	1	RMS	1850.2	22.33	60	37.67	Pass	401
1925	3000	1	RMS	2666.5	-47.82	-13	34.82	Pass	2151
3000	12000	1	RMS	11954	-40.71	-13	27.71	Pass	18001
12000	20000	1	RMS	19317	-29.24	-13	16.24	Pass	16001




**9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.55	-13	37.55	Pass	401
0.15	30	0.01	RMS	0.155	-52.21	-13	39.21	Pass	5971
30	1000	0.1	RMS	988.2	-61.64	-13	48.64	Pass	19401
1000	1840	1	RMS	1837	-51.48	-13	38.48	Pass	1681
1840	1925	1	RMS	1881.225	23.16	60	36.84	Pass	401
1925	3000	1	RMS	2667.5	-47.77	-13	34.77	Pass	2151
3000	12000	1	RMS	11944	-40.71	-13	27.71	Pass	18001
12000	20000	1	RMS	19338	-29.17	-13	16.17	Pass	16001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.19	-13	38.19	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-13	40.56	Pass	5971
30	1000	0.1	RMS	933.45	-61.53	-13	48.53	Pass	19401
1000	1840	1	RMS	1834	-51.41	-13	38.41	Pass	1681
1840	1925	1	RMS	1881.225	22.3	60	37.7	Pass	401
1925	3000	1	RMS	2671	-47.84	-13	34.84	Pass	2151
3000	12000	1	RMS	11935.5	-40.64	-13	27.64	Pass	18001
12000	20000	1	RMS	19329	-29.25	-13	16.25	Pass	16001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.28	-13	37.28	Pass	401
0.15	30	0.01	RMS	0.155	-52.33	-13	39.33	Pass	5971
30	1000	0.1	RMS	946.7	-61.54	-13	48.54	Pass	19401
1000	1840	1	RMS	1839.5	-51.43	-13	38.43	Pass	1681
1840	1925	1	RMS	1912.25	23.2	60	36.8	Pass	401
1925	3000	1	RMS	2666.5	-47.82	-13	34.82	Pass	2151
3000	12000	1	RMS	11938	-40.67	-13	27.67	Pass	18001
12000	20000	1	RMS	19333.5	-29.25	-13	16.25	Pass	16001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.71	-13	37.71	Pass	401
0.15	30	0.01	RMS	0.15	-52.69	-13	39.69	Pass	5971
30	1000	0.1	RMS	969.2	-61.45	-13	48.45	Pass	19401
1000	1840	1	RMS	1839.5	-51.45	-13	38.45	Pass	1681
1840	1925	1	RMS	1912.25	22.4	60	37.6	Pass	401
1925	3000	1	RMS	2676	-47.76	-13	34.76	Pass	2151
3000	12000	1	RMS	11954.5	-40.52	-13	27.52	Pass	18001
12000	20000	1	RMS	19324	-29.19	-13	16.19	Pass	16001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.59	-13	37.59	Pass	401
0.15	30	0.01	RMS	0.155	-52.98	-13	39.98	Pass	5971
30	1000	0.1	RMS	958.8	-61.52	-13	48.52	Pass	19401
1000	1840	1	RMS	1840	-51.04	-13	38.04	Pass	1681
1840	1925	1	RMS	1850.413	23.1	60	36.9	Pass	401
1925	3000	1	RMS	2679.5	-47.76	-13	34.76	Pass	2151
3000	12000	1	RMS	11839.5	-40.69	-13	27.69	Pass	18001
12000	20000	1	RMS	19311.5	-29.18	-13	16.18	Pass	16001




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.41	-13	37.41	Pass	401
0.15	30	0.01	RMS	0.15	-52.63	-13	39.63	Pass	5971
30	1000	0.1	RMS	935.9	-61.37	-13	48.37	Pass	19401
1000	1840	1	RMS	1840	-51.17	-13	38.17	Pass	1681
1840	1925	1	RMS	1850.413	22.09	60	37.91	Pass	401
1925	3000	1	RMS	2673.5	-47.79	-13	34.79	Pass	2151
3000	12000	1	RMS	11942.5	-40.67	-13	27.67	Pass	18001
12000	20000	1	RMS	19347.5	-29.19	-13	16.19	Pass	16001




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.59	-13	37.59	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-13	40.9	Pass	5971
30	1000	0.1	RMS	961.05	-61.56	-13	48.56	Pass	19401
1000	1840	1	RMS	1839.5	-51.4	-13	38.4	Pass	1681
1840	1925	1	RMS	1880.375	23.14	60	36.86	Pass	401
1925	3000	1	RMS	2669	-47.81	-13	34.81	Pass	2151
3000	12000	1	RMS	11940	-40.69	-13	27.69	Pass	18001
12000	20000	1	RMS	19307.5	-29.17	-13	16.17	Pass	16001




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.82	-13	36.82	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	41.14	Pass	5971
30	1000	0.1	RMS	976.8	-61.51	-13	48.51	Pass	19401
1000	1840	1	RMS	1839	-51.47	-13	38.47	Pass	1681
1840	1925	1	RMS	1880.375	22.26	60	37.74	Pass	401
1925	3000	1	RMS	2663.5	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11935.5	-40.59	-13	27.59	Pass	18001
12000	20000	1	RMS	19357.5	-29.18	-13	16.18	Pass	16001




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.08	-13	37.08	Pass	401
0.15	30	0.01	RMS	0.155	-52.8	-13	39.8	Pass	5971
30	1000	0.1	RMS	958.85	-61.4	-13	48.4	Pass	19401
1000	1840	1	RMS	1838.5	-51.38	-13	38.38	Pass	1681
1840	1925	1	RMS	1910.338	23.48	60	36.52	Pass	401
1925	3000	1	RMS	2676	-47.77	-13	34.77	Pass	2151
3000	12000	1	RMS	11849	-40.69	-13	27.69	Pass	18001
12000	20000	1	RMS	19320	-29.14	-13	16.14	Pass	16001




**9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.18	-13	37.18	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-13	40.71	Pass	5971
30	1000	0.1	RMS	918.45	-61.18	-13	48.18	Pass	19401
1000	1840	1	RMS	1836.5	-51.34	-13	38.34	Pass	1681
1840	1925	1	RMS	1910.338	22.55	60	37.45	Pass	401
1925	3000	1	RMS	2674	-47.79	-13	34.79	Pass	2151
3000	12000	1	RMS	11950	-40.55	-13	27.55	Pass	18001
12000	20000	1	RMS	19322.5	-29.16	-13	16.16	Pass	16001




**9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.43	-13	38.43	Pass	401
0.15	30	0.01	RMS	0.16	-53.01	-13	40.01	Pass	5971
30	1000	0.1	RMS	953.65	-61.33	-13	48.33	Pass	19401
1000	1840	1	RMS	1840	-51.15	-13	38.15	Pass	1681
1840	1925	1	RMS	1850.625	23.17	60	36.83	Pass	401
1925	3000	1	RMS	2677	-47.7	-13	34.7	Pass	2151
3000	12000	1	RMS	11942	-40.56	-13	27.56	Pass	18001
12000	20000	1	RMS	19324	-29.14	-13	16.14	Pass	16001




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	36.64	Pass	401
0.15	30	0.01	RMS	0.155	-52.73	-13	39.73	Pass	5971
30	1000	0.1	RMS	963.8	-61.38	-13	48.38	Pass	19401
1000	1840	1	RMS	1840	-51.02	-13	38.02	Pass	1681
1840	1925	1	RMS	1850.625	22.25	60	37.75	Pass	401
1925	3000	1	RMS	2668	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11951.5	-40.65	-13	27.65	Pass	18001
12000	20000	1	RMS	19328.5	-29.15	-13	16.15	Pass	16001




**9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	36.54	Pass	401
0.15	30	0.01	RMS	0.155	-53.19	-13	40.19	Pass	5971
30	1000	0.1	RMS	973.2	-61.33	-13	48.33	Pass	19401
1000	1840	1	RMS	1836.5	-51.44	-13	38.44	Pass	1681
1840	1925	1	RMS	1878.038	23.21	60	36.79	Pass	401
1925	3000	1	RMS	2664	-47.76	-13	34.76	Pass	2151
3000	12000	1	RMS	11932.5	-40.64	-13	27.64	Pass	18001
12000	20000	1	RMS	19321.5	-29.16	-13	16.16	Pass	16001




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-13	39.02	Pass	401
0.15	30	0.01	RMS	0.15	-52.62	-13	39.62	Pass	5971
30	1000	0.1	RMS	936.2	-61.17	-13	48.17	Pass	19401
1000	1840	1	RMS	1834.5	-51.36	-13	38.36	Pass	1681
1840	1925	1	RMS	1878.038	22.2	60	37.8	Pass	401
1925	3000	1	RMS	2677.5	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11955	-40.63	-13	27.63	Pass	18001
12000	20000	1	RMS	19351	-29.22	-13	16.22	Pass	16001




**9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.1	-13	38.1	Pass	401
0.15	30	0.01	RMS	0.15	-53.04	-13	40.04	Pass	5971
30	1000	0.1	RMS	923.35	-61.41	-13	48.41	Pass	19401
1000	1840	1	RMS	1838	-51.35	-13	38.35	Pass	1681
1840	1925	1	RMS	1905.663	23.23	60	36.77	Pass	401
1925	3000	1	RMS	2670.5	-47.76	-13	34.76	Pass	2151
3000	12000	1	RMS	11949.5	-40.64	-13	27.64	Pass	18001
12000	20000	1	RMS	19330.5	-29.19	-13	16.19	Pass	16001




9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.56	-13	36.56	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-13	39.72	Pass	5971
30	1000	0.1	RMS	928.75	-61.46	-13	48.46	Pass	19401
1000	1840	1	RMS	1837.5	-51.4	-13	38.4	Pass	1681
1840	1925	1	RMS	1905.663	22.39	60	37.61	Pass	401
1925	3000	1	RMS	2675	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11956	-40.7	-13	27.7	Pass	18001
12000	20000	1	RMS	19318	-29.15	-13	16.15	Pass	16001




9.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-13	38.12	Pass	401
0.15	30	0.01	RMS	0.15	-52.17	-13	39.17	Pass	5971
30	1000	0.1	RMS	971.85	-61.54	-13	48.54	Pass	19401
1000	1840	1	RMS	1837.5	-50.46	-13	37.46	Pass	1681
1840	1925	1	RMS	1850.838	22.97	60	37.03	Pass	401
1925	3000	1	RMS	2666.5	-47.74	-13	34.74	Pass	2151
3000	12000	1	RMS	11953	-40.62	-13	27.62	Pass	18001
12000	20000	1	RMS	19320	-29.18	-13	16.18	Pass	16001




9.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.38	-13	37.38	Pass	401
0.15	30	0.01	RMS	0.155	-52.97	-13	39.97	Pass	5971
30	1000	0.1	RMS	916.8	-61.38	-13	48.38	Pass	19401
1000	1840	1	RMS	1837.5	-50.95	-13	37.95	Pass	1681
1840	1925	1	RMS	1850.838	22.16	60	37.84	Pass	401
1925	3000	1	RMS	2665	-47.81	-13	34.81	Pass	2151
3000	12000	1	RMS	11951	-40.65	-13	27.65	Pass	18001
12000	20000	1	RMS	19328	-29.18	-13	16.18	Pass	16001




9.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.24	-13	38.24	Pass	401
0.15	30	0.01	RMS	0.15	-53.1	-13	40.1	Pass	5971
30	1000	0.1	RMS	941.65	-61.39	-13	48.39	Pass	19401
1000	1840	1	RMS	1839	-51.34	-13	38.34	Pass	1681
1840	1925	1	RMS	1875.913	22.89	60	37.11	Pass	401
1925	3000	1	RMS	2674.5	-47.73	-13	34.73	Pass	2151
3000	12000	1	RMS	11938	-40.62	-13	27.62	Pass	18001
12000	20000	1	RMS	19321	-29.08	-13	16.08	Pass	16001




9.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.13	-13	38.13	Pass	401
0.15	30	0.01	RMS	0.15	-51.97	-13	38.97	Pass	5971
30	1000	0.1	RMS	909.7	-61.44	-13	48.44	Pass	19401
1000	1840	1	RMS	1835	-51.39	-13	38.39	Pass	1681
1840	1925	1	RMS	1875.7	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2666.5	-47.75	-13	34.75	Pass	2151
3000	12000	1	RMS	11934.5	-40.67	-13	27.67	Pass	18001
12000	20000	1	RMS	19368.5	-29.14	-13	16.14	Pass	16001




**9.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14,
Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.22	-13	38.22	Pass	401
0.15	30	0.01	RMS	0.15	-52.23	-13	39.23	Pass	5971
30	1000	0.1	RMS	944.45	-61.3	-13	48.3	Pass	19401
1000	1840	1	RMS	1839.5	-51.29	-13	38.29	Pass	1681
1840	1925	1	RMS	1900.775	23.16	60	36.84	Pass	401
1925	3000	1	RMS	2665.5	-47.7	-13	34.7	Pass	2151
3000	12000	1	RMS	11952	-40.53	-13	27.53	Pass	18001
12000	20000	1	RMS	19325	-29.15	-13	16.15	Pass	16001




9.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-13	36.13	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	39.93	Pass	5971
30	1000	0.1	RMS	946.8	-61.43	-13	48.43	Pass	19401
1000	1840	1	RMS	1832.5	-51.37	-13	38.37	Pass	1681
1840	1925	1	RMS	1900.775	22.24	60	37.76	Pass	401
1925	3000	1	RMS	2665.5	-47.71	-13	34.71	Pass	2151
3000	12000	1	RMS	11935.5	-40.73	-13	27.73	Pass	18001
12000	20000	1	RMS	19322.5	-29.17	-13	16.17	Pass	16001




**9.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.17	-13	38.17	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-13	40.27	Pass	5971
30	1000	0.1	RMS	970.65	-61.46	-13	48.46	Pass	19401
1000	1840	1	RMS	1840	-51	-13	38	Pass	1681
1840	1925	1	RMS	1851.05	22.96	60	37.04	Pass	401
1925	3000	1	RMS	2667.5	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11930	-40.56	-13	27.56	Pass	18001
12000	20000	1	RMS	19353	-29.21	-13	16.21	Pass	16001




9.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.26	-13	38.26	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-13	40.61	Pass	5971
30	1000	0.1	RMS	945.05	-61.39	-13	48.39	Pass	19401
1000	1840	1	RMS	1839.5	-51.11	-13	38.11	Pass	1681
1840	1925	1	RMS	1851.05	22.05	60	37.95	Pass	401
1925	3000	1	RMS	2673	-47.78	-13	34.78	Pass	2151
3000	12000	1	RMS	11944.5	-40.65	-13	27.65	Pass	18001
12000	20000	1	RMS	19360	-29.18	-13	16.18	Pass	16001




9.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.66	-13	38.66	Pass	401
0.15	30	0.01	RMS	0.16	-52.4	-13	39.4	Pass	5971
30	1000	0.1	RMS	904.15	-61.4	-13	48.4	Pass	19401
1000	1840	1	RMS	1839	-51.3	-13	38.3	Pass	1681
1840	1925	1	RMS	1873.575	23.02	60	36.98	Pass	401
1925	3000	1	RMS	2677	-47.79	-13	34.79	Pass	2151
3000	12000	1	RMS	11946.5	-40.54	-13	27.54	Pass	18001
12000	20000	1	RMS	19338.5	-29.18	-13	16.18	Pass	16001




9.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-13	37.5	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-13	39.78	Pass	5971
30	1000	0.1	RMS	915.55	-61.48	-13	48.48	Pass	19401
1000	1840	1	RMS	1835.5	-51.41	-13	38.41	Pass	1681
1840	1925	1	RMS	1873.575	22.42	60	37.58	Pass	401
1925	3000	1	RMS	2675.5	-47.7	-13	34.7	Pass	2151
3000	12000	1	RMS	11948	-40.62	-13	27.62	Pass	18001
12000	20000	1	RMS	19352	-29.13	-13	16.13	Pass	16001




9.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.72	-13	37.72	Pass	401
0.15	30	0.01	RMS	0.15	-52.08	-13	39.08	Pass	5971
30	1000	0.1	RMS	934.15	-61.44	-13	48.44	Pass	19401
1000	1840	1	RMS	1839	-51.33	-13	38.33	Pass	1681
1840	1925	1	RMS	1896.1	23.16	60	36.84	Pass	401
1925	3000	1	RMS	2667.5	-47.74	-13	34.74	Pass	2151
3000	12000	1	RMS	11950.5	-40.66	-13	27.66	Pass	18001
12000	20000	1	RMS	19341.5	-29.2	-13	16.2	Pass	16001



9.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.99	-13	37.99	Pass	401
0.15	30	0.01	RMS	0.15	-52.07	-13	39.07	Pass	5971
30	1000	0.1	RMS	972	-61.46	-13	48.46	Pass	19401
1000	1840	1	RMS	1834.5	-51.38	-13	38.38	Pass	1681
1840	1925	1	RMS	1896.1	22.4	60	37.6	Pass	401
1925	3000	1	RMS	2664	-47.77	-13	34.77	Pass	2151
3000	12000	1	RMS	11947.5	-40.64	-13	27.64	Pass	18001
12000	20000	1	RMS	19326.5	-29.12	-13	16.12	Pass	16001



10. LTE_Band26(part22)

10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.07	-13	38.07	Pass	401
0.15	30	0.01	RMS	0.155	-53.51	-13	40.51	Pass	5971
30	814	0.1	RMS	812	-61.4	-13	48.4	Pass	15681
814	860	0.1	RMS	824.25	20.6	60	39.4	Pass	921
860	1000	0.1	RMS	966.35	-62.75	-13	49.75	Pass	2801
1000	3000	1	RMS	1648.5	-43.6	-13	30.6	Pass	4001
3000	10000	1	RMS	9454.5	-43.27	-13	30.27	Pass	14001

