



**1.15. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.85	-13	29.85	Pass	401
0.15	30	0.01	Peak	0.165	-45.6	-13	32.6	Pass	5971
30	809	0.1	Peak	808.2	-37.09	-13	24.09	Pass	15581
809	829	0.1	Peak	816.85	25.56	60	34.44	Pass	401
829	1000	0.1	Peak	923.3	-51.68	-13	38.68	Pass	3421
1000	3000	1	Peak	2718.5	-35.3	-13	22.3	Pass	4001
3000	10000	1	Peak	9988	-30.77	-13	17.77	Pass	14001




**1.16. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.37	-13	31.37	Pass	401
0.15	30	0.01	Peak	0.155	-46.61	-13	33.61	Pass	5971
30	809	0.1	Peak	808.05	-38.16	-13	25.16	Pass	15581
809	829	0.1	Peak	816.75	25.81	60	34.19	Pass	401
829	1000	0.1	Peak	992.5	-52.14	-13	39.14	Pass	3421
1000	3000	1	Peak	1633.5	-34.9	-13	21.9	Pass	4001
3000	10000	1	Peak	8925.5	-30.87	-13	17.87	Pass	14001




**1.17. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.88	-13	30.88	Pass	401
0.15	30	0.01	Peak	0.17	-45.15	-13	32.15	Pass	5971
30	809	0.1	Peak	775.95	-50.79	-13	37.79	Pass	15581
809	829	0.1	Peak	819.3	25.63	60	34.37	Pass	401
829	1000	0.1	Peak	829.4	-50.96	-13	37.96	Pass	3421
1000	3000	1	Peak	1638.5	-34.74	-13	21.74	Pass	4001
3000	10000	1	Peak	9375	-31.07	-13	18.07	Pass	14001




**1.18. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.75	-13	30.75	Pass	401
0.15	30	0.01	Peak	0.17	-46.52	-13	33.52	Pass	5971
30	809	0.1	Peak	808.65	-48.87	-13	35.87	Pass	15581
809	829	0.1	Peak	819.4	26.02	60	33.98	Pass	401
829	1000	0.1	Peak	829.55	-47.79	-13	34.79	Pass	3421
1000	3000	1	Peak	1638.5	-34.7	-13	21.7	Pass	4001
3000	10000	1	Peak	9465	-30.94	-13	17.94	Pass	14001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-44.16	-13	31.16	Pass	401
0.15	30	0.01	Peak	0.15	-45.21	-13	32.21	Pass	5971
30	809	0.1	Peak	808.9	-47.76	-13	34.76	Pass	15581
809	829	0.1	Peak	814.65	25.48	60	34.52	Pass	401
829	1000	0.1	Peak	880.25	-52.09	-13	39.09	Pass	3421
1000	3000	1	Peak	1629	-35.32	-13	22.32	Pass	4001
3000	10000	1	Peak	9429.5	-30.85	-13	17.85	Pass	14001



**1.20. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.02	-13	30.02	Pass	401
0.15	30	0.01	Peak	0.15	-43.66	-13	30.66	Pass	5971
30	809	0.1	Peak	808	-49.02	-13	36.02	Pass	15581
809	829	0.1	Peak	814.55	26.24	60	33.76	Pass	401
829	1000	0.1	Peak	941.65	-52.19	-13	39.19	Pass	3421
1000	3000	1	Peak	2771.5	-35.5	-13	22.5	Pass	4001
3000	10000	1	Peak	9475.5	-30.82	-13	17.82	Pass	14001



7. LTE_Band14


**7.1.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1,
Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.82	-13	37.82	Pass	401
0.15	30	0.01	RMS	0.15	-52.56	-13	39.56	Pass	5971
30	778	0.1	RMS	776.35	-61.74	-13	48.74	Pass	14961
778	808	0.1	RMS	788.35	20.29	60	39.71	Pass	601
808	1000	0.1	RMS	919.4	-62.55	-13	49.55	Pass	3841
1000	3000	1	RMS	1576.5	-45.4	-13	32.4	Pass	4001
3000	10000	1	RMS	8351	-43.26	-13	30.26	Pass	14001




**7.2.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2,
Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	38.64	Pass	401
0.15	30	0.01	RMS	0.165	-53.9	-13	40.9	Pass	5971
30	778	0.1	RMS	776.95	-61.84	-13	48.84	Pass	14961
778	808	0.1	RMS	788.35	19.76	60	40.24	Pass	601
808	1000	0.1	RMS	952.6	-62.58	-13	49.58	Pass	3841
1000	3000	1	RMS	1576.5	-46.55	-13	33.55	Pass	4001
3000	10000	1	RMS	8350.5	-43.33	-13	30.33	Pass	14001




**7.3.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3,
Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.03	-13	38.03	Pass	401
0.15	30	0.01	RMS	0.155	-53.1	-13	40.1	Pass	5971
30	778	0.1	RMS	776.9	-61.76	-13	48.76	Pass	14961
778	808	0.1	RMS	790.85	20.49	60	39.51	Pass	601
808	1000	0.1	RMS	927.35	-62.59	-13	49.59	Pass	3841
1000	3000	1	RMS	1581.5	-44.47	-13	31.47	Pass	4001
3000	10000	1	RMS	9439	-43.34	-13	30.34	Pass	14001




**7.4.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4,
Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.07	-13	37.07	Pass	401
0.15	30	0.01	RMS	0.16	-52.72	-13	39.72	Pass	5971
30	778	0.1	RMS	777.3	-61.7	-13	48.7	Pass	14961
778	808	0.1	RMS	790.85	19.41	60	40.59	Pass	601
808	1000	0.1	RMS	977.45	-62.68	-13	49.68	Pass	3841
1000	3000	1	RMS	1581.5	-45.55	-13	32.55	Pass	4001
3000	10000	1	RMS	9430	-43.28	-13	30.28	Pass	14001




**7.5.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.88	-13	37.88	Pass	401
0.15	30	0.01	RMS	0.155	-51.46	-13	38.46	Pass	5971
30	778	0.1	RMS	776.3	-61.93	-13	48.93	Pass	14961
778	808	0.1	RMS	793.35	20.28	60	39.72	Pass	601
808	1000	0.1	RMS	909.45	-62.73	-13	49.73	Pass	3841
1000	3000	1	RMS	1586.5	-44.31	-13	31.31	Pass	4001
3000	10000	1	RMS	9455	-43.2	-13	30.2	Pass	14001




**7.6.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6,
Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-13	38.12	Pass	401
0.15	30	0.01	RMS	0.15	-53.69	-13	40.69	Pass	5971
30	778	0.1	RMS	776.85	-61.88	-13	48.88	Pass	14961
778	808	0.1	RMS	793.35	19.49	60	40.51	Pass	601
808	1000	0.1	RMS	956.9	-62.51	-13	49.51	Pass	3841
1000	3000	1	RMS	1586.5	-45.56	-13	32.56	Pass	4001
3000	10000	1	RMS	8349.5	-43.11	-13	30.11	Pass	14001




**7.7.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-13	37.89	Pass	401
0.15	30	0.01	RMS	0.15	-52.4	-13	39.4	Pass	5971
30	778	0.1	RMS	778	-61.78	-13	48.78	Pass	14961
778	808	0.1	RMS	788.6	20.42	60	39.58	Pass	601
808	1000	0.1	RMS	961.55	-62.55	-13	49.55	Pass	3841
1000	3000	1	RMS	1577	-45.38	-13	32.38	Pass	4001
3000	10000	1	RMS	9436	-43.24	-13	30.24	Pass	14001



7.8.LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8,
Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)


Start Frequenc y (MHz)	Stop Frequenc y (MHz)	RBW (MHz)	Detecto r	Frequenc y (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdic t	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.15	-13	37.15	Pass	401
0.15	30	0.01	RMS	0.15	-52.28	-13	39.28	Pass	5971
30	778	0.1	RMS	776.8	-61.84	-13	48.84	Pass	14961
778	808	0.1	RMS	788.6	19.65	60	40.35	Pass	601
808	1000	0.1	RMS	994.85	-62.66	-13	49.66	Pass	3841
1000	3000	1	RMS	1577	-46.52	-13	33.52	Pass	4001
3000	10000	1	RMS	8354.5	-43.24	-13	30.24	Pass	14001



1. n2


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.22	-13	42.22	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	5971
30	1000	0.1	RMS	936.2	-61.62	-13	48.62	Pass	19401
1000	1840	1	RMS	1840	-47.44	-13	34.44	Pass	1681
1840	1920	1	RMS	1853.4	14.02	60	45.98	Pass	401
1920	3000	1	RMS	2690	-47.57	-13	34.57	Pass	2161
3000	7000	1	RMS	6967	-65.25	-13	52.25	Pass	8001
7000	20000	1	RMS	19941	-51.04	-13	38.04	Pass	26001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.36	-13	43.36	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	44.27	Pass	5971
30	1000	0.1	RMS	897.1	-61.52	-13	48.52	Pass	19401
1000	1840	1	RMS	1840	-50.22	-13	37.22	Pass	1681
1840	1920	1	RMS	1850.4	20.06	60	39.94	Pass	401
1920	3000	1	RMS	2691	-47.57	-13	34.57	Pass	2161
3000	7000	1	RMS	6961	-65.27	-13	52.27	Pass	8001
7000	20000	1	RMS	19935	-51.02	-13	38.02	Pass	26001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.89	-13	42.89	Pass	401
0.15	30	0.01	RMS	0.16	-58.72	-13	45.72	Pass	5971
30	1000	0.1	RMS	883.7	-61.59	-13	48.59	Pass	19401
1000	1840	1	RMS	1836	-50.34	-13	37.34	Pass	1681
1840	1920	1	RMS	1854.6	20.07	60	39.93	Pass	401
1920	3000	1	RMS	2692	-47.56	-13	34.56	Pass	2161
3000	7000	1	RMS	6965	-65.28	-13	52.28	Pass	8001
7000	20000	1	RMS	19950	-51.07	-13	38.07	Pass	26001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.29	-13	41.29	Pass	401
0.15	30	0.01	RMS	0.15	-57.28	-13	44.28	Pass	5971
30	1000	0.1	RMS	900.2	-61.58	-13	48.58	Pass	19401
1000	1840	1	RMS	1837	-50.35	-13	37.35	Pass	1681
1840	1920	1	RMS	1878.8	14.04	60	45.96	Pass	401
1920	3000	1	RMS	1959	-46.68	-13	33.68	Pass	2161
3000	7000	1	RMS	6963	-65.17	-13	52.17	Pass	8001
7000	20000	1	RMS	19953	-51.07	-13	38.07	Pass	26001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	41.54	Pass	401
0.15	30	0.01	RMS	0.15	-57.88	-13	44.88	Pass	5971
30	1000	0.1	RMS	896.3	-61.54	-13	48.54	Pass	19401
1000	1840	1	RMS	1832	-50.34	-13	37.34	Pass	1681
1840	1920	1	RMS	1877.8	20.23	60	39.77	Pass	401
1920	3000	1	RMS	1959	-46.68	-13	33.68	Pass	2161
3000	7000	1	RMS	6966	-65.22	-13	52.22	Pass	8001
7000	20000	1	RMS	19949	-51.06	-13	38.06	Pass	26001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-13	42.51	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	44.18	Pass	5971
30	1000	0.1	RMS	907.8	-61.59	-13	48.59	Pass	19401
1000	1840	1	RMS	1838	-50.28	-13	37.28	Pass	1681
1840	1920	1	RMS	1882.2	20.15	60	39.85	Pass	401
1920	3000	1	RMS	1960	-46.64	-13	33.64	Pass	2161
3000	7000	1	RMS	6961	-65.25	-13	52.25	Pass	8001
7000	20000	1	RMS	19951	-51.02	-13	38.02	Pass	26001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.35	-13	42.35	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	44.68	Pass	5971
30	1000	0.1	RMS	879.8	-61.68	-13	48.68	Pass	19401
1000	1840	1	RMS	1838	-50.31	-13	37.31	Pass	1681
1840	1920	1	RMS	1908.6	14.01	60	45.99	Pass	401
1920	3000	1	RMS	2685	-47.56	-13	34.56	Pass	2161
3000	7000	1	RMS	6960	-65.32	-13	52.32	Pass	8001
7000	20000	1	RMS	19929	-51.11	-13	38.11	Pass	26001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.03	-13	42.03	Pass	401
0.15	30	0.01	RMS	0.16	-58.75	-13	45.75	Pass	5971
30	1000	0.1	RMS	895.4	-61.63	-13	48.63	Pass	19401
1000	1840	1	RMS	1836	-50.34	-13	37.34	Pass	1681
1840	1920	1	RMS	1905.4	20.22	60	39.78	Pass	401
1920	3000	1	RMS	2677	-47.55	-13	34.55	Pass	2161
3000	7000	1	RMS	6968	-65.33	-13	52.33	Pass	8001
7000	20000	1	RMS	19955	-51.05	-13	38.05	Pass	26001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.33	-13	42.33	Pass	401
0.15	30	0.01	RMS	0.16	-58.11	-13	45.11	Pass	5971
30	1000	0.1	RMS	862.6	-61.62	-13	48.62	Pass	19401
1000	1840	1	RMS	1840	-50.33	-13	37.33	Pass	1681
1840	1920	1	RMS	1909.6	20.11	60	39.89	Pass	401
1920	3000	1	RMS	2677	-47.57	-13	34.57	Pass	2161
3000	7000	1	RMS	6958	-65.3	-13	52.3	Pass	8001
7000	20000	1	RMS	19932	-51	-13	38	Pass	26001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	41.54	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	44.95	Pass	5971
30	1000	0.1	RMS	892.6	-61.63	-13	48.63	Pass	19401
1000	1840	1	RMS	1840	-37.33	-13	24.33	Pass	1681
1840	1920	1	RMS	1862.8	9.82	60	50.18	Pass	401
1920	3000	1	RMS	2679	-47.54	-13	34.54	Pass	2161
3000	7000	1	RMS	6963	-65.29	-13	52.29	Pass	8001
7000	20000	1	RMS	19942	-50.96	-13	37.96	Pass	26001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.52	-13	43.52	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-13	44.47	Pass	5971
30	1000	0.1	RMS	892.6	-61.5	-13	48.5	Pass	19401
1000	1840	1	RMS	1840	-50.16	-13	37.16	Pass	1681
1840	1920	1	RMS	1850.4	20.33	60	39.67	Pass	401
1920	3000	1	RMS	2677	-47.55	-13	34.55	Pass	2161
3000	7000	1	RMS	6968	-65.22	-13	52.22	Pass	8001
7000	20000	1	RMS	19942	-51.1	-13	38.1	Pass	26001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.15	-13	43.15	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	44.53	Pass	5971
30	1000	0.1	RMS	910.2	-61.51	-13	48.51	Pass	19401
1000	1840	1	RMS	1840	-50.28	-13	37.28	Pass	1681
1840	1920	1	RMS	1864.4	20.2	60	39.8	Pass	401
1920	3000	1	RMS	2673	-47.58	-13	34.58	Pass	2161
3000	7000	1	RMS	6961	-65.24	-13	52.24	Pass	8001
7000	20000	1	RMS	19931	-51.02	-13	38.02	Pass	26001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	42.71	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	44.44	Pass	5971
30	1000	0.1	RMS	874.2	-61.67	-13	48.67	Pass	19401
1000	1840	1	RMS	1840	-49.53	-13	36.53	Pass	1681
1840	1920	1	RMS	1874	9.52	60	50.48	Pass	401
1920	3000	1	RMS	2684	-47.58	-13	34.58	Pass	2161
3000	7000	1	RMS	6966	-65.29	-13	52.29	Pass	8001
7000	20000	1	RMS	19942	-51.11	-13	38.11	Pass	26001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	40.93	Pass	401
0.15	30	0.01	RMS	0.15	-57.04	-13	44.04	Pass	5971
30	1000	0.1	RMS	893.9	-61.72	-13	48.72	Pass	19401
1000	1840	1	RMS	1834	-50.3	-13	37.3	Pass	1681
1840	1920	1	RMS	1873	20.45	60	39.55	Pass	401
1920	3000	1	RMS	2692	-47.54	-13	34.54	Pass	2161
3000	7000	1	RMS	6959	-65.24	-13	52.24	Pass	8001
7000	20000	1	RMS	19952	-51.01	-13	38.01	Pass	26001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-13	41.21	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-13	45.68	Pass	5971
30	1000	0.1	RMS	902.7	-61.65	-13	48.65	Pass	19401
1000	1840	1	RMS	1837	-50.35	-13	37.35	Pass	1681
1840	1920	1	RMS	1887	20.28	60	39.72	Pass	401
1920	3000	1	RMS	2680	-47.55	-13	34.55	Pass	2161
3000	7000	1	RMS	6962	-65.29	-13	52.29	Pass	8001
7000	20000	1	RMS	19943	-51.09	-13	38.09	Pass	26001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.02	-13	42.02	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	44.25	Pass	5971
30	1000	0.1	RMS	895.1	-61.65	-13	48.65	Pass	19401
1000	1840	1	RMS	1834	-50.31	-13	37.31	Pass	1681
1840	1920	1	RMS	1896.4	10.36	60	49.64	Pass	401
1920	3000	1	RMS	1920	-39.7	-13	26.7	Pass	2161
3000	7000	1	RMS	6960	-65.31	-13	52.31	Pass	8001
7000	20000	1	RMS	19933	-51.09	-13	38.09	Pass	26001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.73	-13	42.73	Pass	401
0.15	30	0.01	RMS	0.16	-58.34	-13	45.34	Pass	5971
30	1000	0.1	RMS	896.9	-61.51	-13	48.51	Pass	19401
1000	1840	1	RMS	1828	-50.33	-13	37.33	Pass	1681
1840	1920	1	RMS	1895.4	20.26	60	39.74	Pass	401
1920	3000	1	RMS	2679	-47.56	-13	34.56	Pass	2161
3000	7000	1	RMS	6961	-65.3	-13	52.3	Pass	8001
7000	20000	1	RMS	19950	-51.07	-13	38.07	Pass	26001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-13	41.3	Pass	401
0.15	30	0.01	RMS	0.15	-58.77	-13	45.77	Pass	5971
30	1000	0.1	RMS	916.5	-61.62	-13	48.62	Pass	19401
1000	1840	1	RMS	1837	-50.35	-13	37.35	Pass	1681
1840	1920	1	RMS	1909.6	20.24	60	39.76	Pass	401
1920	3000	1	RMS	2675	-47.57	-13	34.57	Pass	2161
3000	7000	1	RMS	3819	-65.33	-13	52.33	Pass	8001
7000	20000	1	RMS	19941	-51.07	-13	38.07	Pass	26001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.95	-13	42.95	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	44.46	Pass	5971
30	1000	0.1	RMS	891.2	-61.65	-13	48.65	Pass	19401
1000	1840	1	RMS	1840	-38.51	-13	25.51	Pass	1681
1840	1920	1	RMS	1866.6	8.47	60	51.53	Pass	401
1920	3000	1	RMS	2692	-47.51	-13	34.51	Pass	2161
3000	7000	1	RMS	6959	-65.33	-13	52.33	Pass	8001
7000	20000	1	RMS	19941	-51.1	-13	38.1	Pass	26001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.31	-13	42.31	Pass	401
0.15	30	0.01	RMS	0.15	-57.88	-13	44.88	Pass	5971
30	1000	0.1	RMS	894.6	-61.58	-13	48.58	Pass	19401
1000	1840	1	RMS	1840	-50.08	-13	37.08	Pass	1681
1840	1920	1	RMS	1850.6	20.33	60	39.67	Pass	401
1920	3000	1	RMS	2693	-47.55	-13	34.55	Pass	2161
3000	7000	1	RMS	6967	-65.36	-13	52.36	Pass	8001
7000	20000	1	RMS	19951	-51.03	-13	38.03	Pass	26001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	44.64	Pass	5971
30	1000	0.1	RMS	896.1	-61.55	-13	48.55	Pass	19401
1000	1840	1	RMS	1839	-50.25	-13	37.25	Pass	1681
1840	1920	1	RMS	1869.4	20.51	60	39.49	Pass	401
1920	3000	1	RMS	2676	-47.58	-13	34.58	Pass	2161
3000	7000	1	RMS	6963	-65.37	-13	52.37	Pass	8001
7000	20000	1	RMS	19939	-51.06	-13	38.06	Pass	26001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.42	-13	42.42	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	45.61	Pass	5971
30	1000	0.1	RMS	877.5	-61.57	-13	48.57	Pass	19401
1000	1840	1	RMS	1840	-47.36	-13	34.36	Pass	1681
1840	1920	1	RMS	1871.6	8.31	60	51.69	Pass	401
1920	3000	1	RMS	2681	-47.58	-13	34.58	Pass	2161
3000	7000	1	RMS	6966	-65.35	-13	52.35	Pass	8001
7000	20000	1	RMS	19941	-51.11	-13	38.11	Pass	26001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.45	-13	42.45	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-13	45.31	Pass	5971
30	1000	0.1	RMS	891.5	-61.53	-13	48.53	Pass	19401
1000	1840	1	RMS	1840	-50.32	-13	37.32	Pass	1681
1840	1920	1	RMS	1870.6	20.38	60	39.62	Pass	401
1920	3000	1	RMS	2683	-47.55	-13	34.55	Pass	2161
3000	7000	1	RMS	6960	-65.34	-13	52.34	Pass	8001
7000	20000	1	RMS	19930	-51.11	-13	38.11	Pass	26001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-13	41.65	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-13	45.23	Pass	5971
30	1000	0.1	RMS	898.9	-61.53	-13	48.53	Pass	19401
1000	1840	1	RMS	1840	-50.28	-13	37.28	Pass	1681
1840	1920	1	RMS	1889.4	20.29	60	39.71	Pass	401
1920	3000	1	RMS	2688	-47.56	-13	34.56	Pass	2161
3000	7000	1	RMS	6961	-65.32	-13	52.32	Pass	8001
7000	20000	1	RMS	19950	-51.11	-13	38.11	Pass	26001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.04	-13	43.04	Pass	401
0.15	30	0.01	RMS	0.16	-58.99	-13	45.99	Pass	5971
30	1000	0.1	RMS	871.6	-61.68	-13	48.68	Pass	19401
1000	1840	1	RMS	1840	-49.96	-13	36.96	Pass	1681
1840	1920	1	RMS	1893.8	8.86	60	51.14	Pass	401
1920	3000	1	RMS	1920	-40.08	-13	27.08	Pass	2161
3000	7000	1	RMS	6960	-65.3	-13	52.3	Pass	8001
7000	20000	1	RMS	19946	-51.05	-13	38.05	Pass	26001




1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.98	-13	42.98	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	44.65	Pass	5971
30	1000	0.1	RMS	908.6	-61.63	-13	48.63	Pass	19401
1000	1840	1	RMS	1719	-50.13	-13	37.13	Pass	1681
1840	1920	1	RMS	1890.6	20.24	60	39.76	Pass	401
1920	3000	1	RMS	2678	-47.52	-13	34.52	Pass	2161
3000	7000	1	RMS	6963	-65.25	-13	52.25	Pass	8001
7000	20000	1	RMS	19930	-51.03	-13	38.03	Pass	26001



1.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-13	42.02	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	44.56	Pass	5971
30	1000	0.1	RMS	915.5	-61.5	-13	48.5	Pass	19401
1000	1840	1	RMS	1834	-50.34	-13	37.34	Pass	1681
1840	1920	1	RMS	1909.4	20.26	60	39.74	Pass	401
1920	3000	1	RMS	2681	-47.51	-13	34.51	Pass	2161
3000	7000	1	RMS	6960	-65.31	-13	52.31	Pass	8001
7000	20000	1	RMS	19935	-51.09	-13	38.09	Pass	26001



2. n25


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.33	-70.98	-13	57.98	Pass	5971
30	1000	0.1	RMS	217.8	-75.6	-13	62.6	Pass	19401
1000	1840	1	RMS	1840	-49.89	-13	36.89	Pass	1681
1840	1925	1	RMS	1853.6	14.03	60	45.97	Pass	401
1925	3000	1	RMS	2070	-64.02	-13	51.02	Pass	2151
3000	7000	1	RMS	6968	-65.35	-13	52.35	Pass	8001
7000	20000	1	RMS	19947	-51	-13	38	Pass	26001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.15	-65.02	-13	52.02	Pass	5971
30	1000	0.1	RMS	214.2	-65.78	-13	52.78	Pass	19401
1000	1840	1	RMS	1840	-61.64	-13	48.64	Pass	1681
1840	1925	1	RMS	1850.413	20.06	60	39.94	Pass	401
1925	3000	1	RMS	2065	-62.59	-13	49.59	Pass	2151
3000	7000	1	RMS	6960	-65.26	-13	52.26	Pass	8001
7000	20000	1	RMS	19933	-51.02	-13	38.02	Pass	26001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.15	-65.2	-13	52.2	Pass	5971
30	1000	0.1	RMS	220.7	-63.95	-13	50.95	Pass	19401
1000	1840	1	RMS	1840	-63.64	-13	50.64	Pass	1681
1840	1925	1	RMS	1854.663	20.1	60	39.9	Pass	401
1925	3000	1	RMS	2075	-62.29	-13	49.29	Pass	2151
3000	7000	1	RMS	6961	-65.34	-13	52.34	Pass	8001
7000	20000	1	RMS	19935	-50.99	-13	37.99	Pass	26001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-74.8	-13	61.8	Pass	401
0.15	30	0.01	RMS	0.33	-74.07	-13	61.07	Pass	5971
30	1000	0.1	RMS	948.4	-78.76	-13	65.76	Pass	19401
1000	1840	1	RMS	1840	-66.41	-13	53.41	Pass	1681
1840	1925	1	RMS	1883.563	13.83	60	46.17	Pass	401
1925	3000	1	RMS	1963	-61.66	-13	48.66	Pass	2151
3000	7000	1	RMS	6969	-61.99	-13	48.99	Pass	8001
7000	20000	1	RMS	19933	-47.85	-13	34.85	Pass	26001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.81	-13	56.81	Pass	401
0.15	30	0.01	RMS	0.15	-68.59	-13	55.59	Pass	5971
30	1000	0.1	RMS	259.2	-69.83	-13	56.83	Pass	19401
1000	1840	1	RMS	1840	-66.39	-13	53.39	Pass	1681
1840	1925	1	RMS	1880.375	20	60	40	Pass	401
1925	3000	1	RMS	1962	-61.31	-13	48.31	Pass	2151
3000	7000	1	RMS	6961	-61.94	-13	48.94	Pass	8001
7000	20000	1	RMS	19943	-47.81	-13	34.81	Pass	26001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.48	-13	56.48	Pass	401
0.15	30	0.01	RMS	0.15	-68.83	-13	55.83	Pass	5971
30	1000	0.1	RMS	265.7	-67.76	-13	54.76	Pass	19401
1000	1840	1	RMS	1840	-66.26	-13	53.26	Pass	1681
1840	1925	1	RMS	1884.625	20.04	60	39.96	Pass	401
1925	3000	1	RMS	1962	-61.42	-13	48.42	Pass	2151
3000	7000	1	RMS	6964	-62	-13	49	Pass	8001
7000	20000	1	RMS	19951	-47.78	-13	34.78	Pass	26001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-74.39	-13	61.39	Pass	401
0.15	30	0.01	RMS	0.36	-73.86	-13	60.86	Pass	5971
30	1000	0.1	RMS	307.8	-76.99	-13	63.99	Pass	19401
1000	1840	1	RMS	1840	-66.59	-13	53.59	Pass	1681
1840	1925	1	RMS	1913.313	14.04	60	45.96	Pass	401
1925	3000	1	RMS	1925	-60.72	-13	47.72	Pass	2151
3000	7000	1	RMS	6960	-61.97	-13	48.97	Pass	8001
7000	20000	1	RMS	19926	-47.81	-13	34.81	Pass	26001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.38	-13	56.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-13	55.45	Pass	5971
30	1000	0.1	RMS	304.2	-67.71	-13	54.71	Pass	19401
1000	1840	1	RMS	1840	-66.43	-13	53.43	Pass	1681
1840	1925	1	RMS	1910.338	20.07	60	39.93	Pass	401
1925	3000	1	RMS	1991	-62	-13	49	Pass	2151
3000	7000	1	RMS	6962	-62.03	-13	49.03	Pass	8001
7000	20000	1	RMS	19936	-47.8	-13	34.8	Pass	26001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.08	-13	56.08	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-13	55.05	Pass	5971
30	1000	0.1	RMS	310.7	-66.61	-13	53.61	Pass	19401
1000	1840	1	RMS	1839	-66.68	-13	53.68	Pass	1681
1840	1925	1	RMS	1914.588	19.97	60	40.03	Pass	401
1925	3000	1	RMS	1992	-62.07	-13	49.07	Pass	2151
3000	7000	1	RMS	6968	-61.98	-13	48.98	Pass	8001
7000	20000	1	RMS	19954	-47.79	-13	34.79	Pass	26001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.55	-13	62.55	Pass	401
0.15	30	0.01	RMS	0.15	-77.85	-13	64.85	Pass	5971
30	1000	0.1	RMS	948.4	-79.58	-13	66.58	Pass	19401
1000	1840	1	RMS	1840	-36.62	-13	23.62	Pass	1681
1840	1925	1	RMS	1867.413	8.42	60	51.58	Pass	401
1925	3000	1	RMS	1941	-62.03	-13	49.03	Pass	2151
3000	7000	1	RMS	6960	-62.05	-13	49.05	Pass	8001
7000	20000	1	RMS	19938	-47.74	-13	34.74	Pass	26001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-13	55.04	Pass	5971
30	1000	0.1	RMS	214.6	-71.29	-13	58.29	Pass	19401
1000	1840	1	RMS	1840	-59.67	-13	46.67	Pass	1681
1840	1925	1	RMS	1850.625	20.16	60	39.84	Pass	401
1925	3000	1	RMS	1942	-61.99	-13	48.99	Pass	2151
3000	7000	1	RMS	6960	-62.01	-13	49.01	Pass	8001
7000	20000	1	RMS	19947	-47.78	-13	34.78	Pass	26001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.91	-13	55.91	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	55.43	Pass	5971
30	1000	0.1	RMS	242.9	-68.28	-13	55.28	Pass	19401
1000	1840	1	RMS	1840	-64.95	-13	51.95	Pass	1681
1840	1925	1	RMS	1869.325	20.24	60	39.76	Pass	401
1925	3000	1	RMS	1942	-61.95	-13	48.95	Pass	2151
3000	7000	1	RMS	6960	-62.04	-13	49.04	Pass	8001
7000	20000	1	RMS	19926	-47.79	-13	34.79	Pass	26001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-74.6	-13	61.6	Pass	401
0.15	30	0.01	RMS	0.16	-78.51	-13	65.51	Pass	5971
30	1000	0.1	RMS	892.6	-80.18	-13	67.18	Pass	19401
1000	1840	1	RMS	1840	-51.82	-13	38.82	Pass	1681
1840	1925	1	RMS	1890.575	8.01	60	51.99	Pass	401
1925	3000	1	RMS	1925	-60.83	-13	47.83	Pass	2151
3000	7000	1	RMS	6965	-62.01	-13	49.01	Pass	8001
7000	20000	1	RMS	19929	-47.78	-13	34.78	Pass	26001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.62	-13	55.62	Pass	401
0.15	30	0.01	RMS	0.15	-68.87	-13	55.87	Pass	5971
30	1000	0.1	RMS	248.3	-68.95	-13	55.95	Pass	19401
1000	1840	1	RMS	1840	-65.37	-13	52.37	Pass	1681
1840	1925	1	RMS	1872.938	20.23	60	39.77	Pass	401
1925	3000	1	RMS	1961	-61.7	-13	48.7	Pass	2151
3000	7000	1	RMS	6968	-61.97	-13	48.97	Pass	8001
7000	20000	1	RMS	19953	-47.8	-13	34.8	Pass	26001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.13	-13	56.13	Pass	401
0.15	30	0.01	RMS	0.15	-68.23	-13	55.23	Pass	5971
30	1000	0.1	RMS	276.7	-68.09	-13	55.09	Pass	19401
1000	1840	1	RMS	1840	-66.35	-13	53.35	Pass	1681
1840	1925	1	RMS	1891.85	19.99	60	40.01	Pass	401
1925	3000	1	RMS	1962	-61.79	-13	48.79	Pass	2151
3000	7000	1	RMS	6960	-62.02	-13	49.02	Pass	8001
7000	20000	1	RMS	19931	-47.79	-13	34.79	Pass	26001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-75.22	-13	62.22	Pass	401
0.15	30	0.01	RMS	0.15	-77.58	-13	64.58	Pass	5971
30	1000	0.1	RMS	948.4	-80.21	-13	67.21	Pass	19401
1000	1840	1	RMS	1840	-61.52	-13	48.52	Pass	1681
1840	1925	1	RMS	1896.525	8.82	60	51.18	Pass	401
1925	3000	1	RMS	1925	-45.56	-13	32.56	Pass	2151
3000	7000	1	RMS	6962	-62.04	-13	49.04	Pass	8001
7000	20000	1	RMS	19927	-47.82	-13	34.82	Pass	26001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	55.43	Pass	5971
30	1000	0.1	RMS	282.1	-67.97	-13	54.97	Pass	19401
1000	1840	1	RMS	1840	-66.52	-13	53.52	Pass	1681
1840	1925	1	RMS	1895.463	20.04	60	39.96	Pass	401
1925	3000	1	RMS	1978	-61.08	-13	48.08	Pass	2151
3000	7000	1	RMS	6960	-62.02	-13	49.02	Pass	8001
7000	20000	1	RMS	19955	-47.79	-13	34.79	Pass	26001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.11	-13	56.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.37	-13	55.37	Pass	5971
30	1000	0.1	RMS	310.4	-65.9	-13	52.9	Pass	19401
1000	1840	1	RMS	1838	-66.3	-13	53.3	Pass	1681
1840	1925	1	RMS	1914.375	20.21	60	39.79	Pass	401
1925	3000	1	RMS	1979	-61.02	-13	48.02	Pass	2151
3000	7000	1	RMS	6960	-62.03	-13	49.03	Pass	8001
7000	20000	1	RMS	19929	-47.84	-13	34.84	Pass	26001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-77.02	-13	64.02	Pass	401
0.15	30	0.01	RMS	1.16	-78.3	-13	65.3	Pass	5971
30	1000	0.1	RMS	495.6	-81.07	-13	68.07	Pass	19401
1000	1840	1	RMS	1840	-39.32	-13	26.32	Pass	1681
1840	1925	1	RMS	1866.988	6.28	60	53.72	Pass	401
1925	3000	1	RMS	1925	-62.89	-13	49.89	Pass	2151
3000	7000	1	RMS	6998	-62.77	-13	49.77	Pass	8001
7000	20000	1	RMS	17500	-50.06	-13	37.06	Pass	26001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.86	-13	56.86	Pass	401
0.15	30	0.01	RMS	0.15	-69.15	-13	56.15	Pass	5971
30	1000	0.1	RMS	214.8	-71.31	-13	58.31	Pass	19401
1000	1840	1	RMS	1840	-56.82	-13	43.82	Pass	1681
1840	1925	1	RMS	1850.625	20.2	60	39.8	Pass	401
1925	3000	1	RMS	1942	-63.15	-13	50.15	Pass	2151
3000	7000	1	RMS	6962	-62.06	-13	49.06	Pass	8001
7000	20000	1	RMS	19935	-47.78	-13	34.78	Pass	26001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-13	55.54	Pass	5971
30	1000	0.1	RMS	257.7	-68.01	-13	55.01	Pass	19401
1000	1840	1	RMS	1840	-61.04	-13	48.04	Pass	1681
1840	1925	1	RMS	1879.313	20.15	60	39.85	Pass	401
1925	3000	1	RMS	1943	-63.05	-13	50.05	Pass	2151
3000	7000	1	RMS	6964	-62.08	-13	49.08	Pass	8001
7000	20000	1	RMS	19945	-47.84	-13	34.84	Pass	26001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-75.91	-13	62.91	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	5971
30	1000	0.1	RMS	948.4	-80.24	-13	67.24	Pass	19401
1000	1840	1	RMS	1840	-44.8	-13	31.8	Pass	1681
1840	1925	1	RMS	1870.388	6.42	60	53.58	Pass	401
1925	3000	1	RMS	1925	-54.49	-13	41.49	Pass	2151
3000	7000	1	RMS	6971	-62.05	-13	49.05	Pass	8001
7000	20000	1	RMS	19944	-47.72	-13	34.72	Pass	26001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.58	-13	56.58	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-13	55.73	Pass	5971
30	1000	0.1	RMS	241	-68.03	-13	55.03	Pass	19401
1000	1840	1	RMS	1840	-63.23	-13	50.23	Pass	1681
1840	1925	1	RMS	1868.263	20.2	60	39.8	Pass	401
1925	3000	1	RMS	1962	-62.95	-13	49.95	Pass	2151
3000	7000	1	RMS	6964	-62.05	-13	49.05	Pass	8001
7000	20000	1	RMS	19937	-47.82	-13	34.82	Pass	26001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-13	54.68	Pass	5971
30	1000	0.1	RMS	283.9	-66.66	-13	53.66	Pass	19401
1000	1840	1	RMS	1840	-65.68	-13	52.68	Pass	1681
1840	1925	1	RMS	1896.738	20.17	60	39.83	Pass	401
1925	3000	1	RMS	1961	-62.99	-13	49.99	Pass	2151
3000	7000	1	RMS	6961	-62.04	-13	49.04	Pass	8001
7000	20000	1	RMS	19925	-47.83	-13	34.83	Pass	26001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-74.86	-13	61.86	Pass	401
0.15	30	0.01	RMS	0.15	-78.34	-13	65.34	Pass	5971
30	1000	0.1	RMS	948.4	-79.45	-13	66.45	Pass	19401
1000	1840	1	RMS	1840	-50.13	-13	37.13	Pass	1681
1840	1925	1	RMS	1893.125	6.77	60	53.23	Pass	401
1925	3000	1	RMS	1925	-46.08	-13	33.08	Pass	2151
3000	7000	1	RMS	6971	-62.04	-13	49.04	Pass	8001
7000	20000	1	RMS	19938	-47.81	-13	34.81	Pass	26001



2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-13	55.3	Pass	5971
30	1000	0.1	RMS	267.3	-68.1	-13	55.1	Pass	19401
1000	1840	1	RMS	1840	-65.21	-13	52.21	Pass	1681
1840	1925	1	RMS	1885.688	20.12	60	39.88	Pass	401
1925	3000	1	RMS	1983	-62.48	-13	49.48	Pass	2151
3000	7000	1	RMS	6960	-62.01	-13	49.01	Pass	8001
7000	20000	1	RMS	19932	-47.75	-13	34.75	Pass	26001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.34	-13	56.34	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-13	55.17	Pass	5971
30	1000	0.1	RMS	310.2	-65.43	-13	52.43	Pass	19401
1000	1840	1	RMS	1840	-66.03	-13	53.03	Pass	1681
1840	1925	1	RMS	1914.375	20.21	60	39.79	Pass	401
1925	3000	1	RMS	1986	-62.55	-13	49.55	Pass	2151
3000	7000	1	RMS	6963	-62.01	-13	49.01	Pass	8001
7000	20000	1	RMS	19938	-47.84	-13	34.84	Pass	26001

