


1. n7


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.69	-25	39.69	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-25	46.89	Pass	5971
30	1000	0.1	RMS	999.099	-63.41	-25	38.41	Pass	19401
1000	2495	1	RMS	2495	-37.66	-25	12.66	Pass	2991
2495	2575	1	RMS	2503.6	12.71	60	47.29	Pass	401
2575	3000	1	RMS	2978	-48.24	-25	23.24	Pass	851
3000	7000	1	RMS	5005	-58.54	-25	33.54	Pass	8001
7000	26000	1	RMS	25902	-45.59	-25	20.59	Pass	38001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.76	-25	30.76	Pass	401
0.15	30	0.01	RMS	0.15	-58.67	-25	33.67	Pass	5971
30	1000	0.1	RMS	883	-61.65	-25	36.65	Pass	19401
1000	2495	1	RMS	2495	-47.12	-25	22.12	Pass	2991
2495	2575	1	RMS	2500.4	18.54	60	41.46	Pass	401
2575	3000	1	RMS	2691	-47.59	-25	22.59	Pass	851
3000	7000	1	RMS	5001	-53.63	-25	28.63	Pass	8001
7000	26000	1	RMS	25517	-41.87	-25	16.87	Pass	38001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.05	-25	31.05	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-25	32.48	Pass	5971
30	1000	0.1	RMS	892.9	-61.63	-25	36.63	Pass	19401
1000	2495	1	RMS	2453	-47.73	-25	22.73	Pass	2991
2495	2575	1	RMS	2504.6	18.75	60	41.25	Pass	401
2575	3000	1	RMS	2680	-47.6	-25	22.6	Pass	851
3000	7000	1	RMS	5009	-53.34	-25	28.34	Pass	8001
7000	26000	1	RMS	25560	-41.96	-25	16.96	Pass	38001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-25	30.72	Pass	401
0.15	30	0.01	RMS	0.15	-58.65	-25	33.65	Pass	5971
30	1000	0.1	RMS	893.8	-61.79	-25	36.79	Pass	19401
1000	2495	1	RMS	2432	-47.78	-25	22.78	Pass	2991
2495	2575	1	RMS	2536.2	12.96	60	47.04	Pass	401
2575	3000	1	RMS	2680	-47.58	-25	22.58	Pass	851
3000	7000	1	RMS	5070	-63.17	-25	38.17	Pass	8001
7000	26000	1	RMS	25564	-41.97	-25	16.97	Pass	38001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.91	-25	30.91	Pass	401
0.15	30	0.01	RMS	0.15	-58.81	-25	33.81	Pass	5971
30	1000	0.1	RMS	889.6	-61.62	-25	36.62	Pass	19401
1000	2495	1	RMS	2431	-47.72	-25	22.72	Pass	2991
2495	2575	1	RMS	2532.8	19.08	60	40.92	Pass	401
2575	3000	1	RMS	2678	-47.61	-25	22.61	Pass	851
3000	7000	1	RMS	5066	-62.57	-25	37.57	Pass	8001
7000	26000	1	RMS	25537	-41.94	-25	16.94	Pass	38001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.01	-25	30.01	Pass	401
0.15	30	0.01	RMS	0.15	-58.56	-25	33.56	Pass	5971
30	1000	0.1	RMS	895.9	-61.65	-25	36.65	Pass	19401
1000	2495	1	RMS	2449	-47.76	-25	22.76	Pass	2991
2495	2575	1	RMS	2537.2	19.2	60	40.8	Pass	401
2575	3000	1	RMS	2677	-47.57	-25	22.57	Pass	851
3000	7000	1	RMS	5074	-57.28	-25	32.28	Pass	8001
7000	26000	1	RMS	25544	-41.9	-25	16.9	Pass	38001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-25	29.68	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-25	32.42	Pass	5971
30	1000	0.1	RMS	935.9	-61.72	-25	36.72	Pass	19401
1000	2495	1	RMS	2433	-47.75	-25	22.75	Pass	2991
2495	2575	1	RMS	2568.4	12.8	60	47.2	Pass	401
2575	3000	1	RMS	2575	-38.02	-25	13.02	Pass	851
3000	7000	1	RMS	5135	-59.07	-25	34.07	Pass	8001
7000	26000	1	RMS	25514	-41.97	-25	16.97	Pass	38001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.99	-25	29.99	Pass	401
0.15	30	0.01	RMS	0.15	-58.26	-25	33.26	Pass	5971
30	1000	0.1	RMS	890.7	-61.6	-25	36.6	Pass	19401
1000	2495	1	RMS	2436	-47.74	-25	22.74	Pass	2991
2495	2575	1	RMS	2565.4	19.06	60	40.94	Pass	401
2575	3000	1	RMS	2680	-47.58	-25	22.58	Pass	851
3000	7000	1	RMS	5131	-53.34	-25	28.34	Pass	8001
7000	26000	1	RMS	25562	-41.96	-25	16.96	Pass	38001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.41	-25	31.41	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-25	33.13	Pass	5971
30	1000	0.1	RMS	896.2	-61.63	-25	36.63	Pass	19401
1000	2495	1	RMS	2430	-47.75	-25	22.75	Pass	2991
2495	2575	1	RMS	2569.6	19.09	60	40.91	Pass	401
2575	3000	1	RMS	2575	-46.76	-25	21.76	Pass	851
3000	7000	1	RMS	5139	-56.24	-25	31.24	Pass	8001
7000	26000	1	RMS	25554	-41.81	-25	16.81	Pass	38001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.01	-25	31.01	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-25	32.58	Pass	5971
30	1000	0.1	RMS	925.4	-61.63	-25	36.63	Pass	19401
1000	2485	1	RMS	2485	-42.45	-25	17.45	Pass	2971
2485	2585	1	RMS	2512.75	7.99	60	52.01	Pass	401
2585	3000	1	RMS	2686	-47.61	-25	22.61	Pass	831
3000	7000	1	RMS	5015	-62.32	-25	37.32	Pass	8001
7000	26000	1	RMS	25540	-41.98	-25	16.98	Pass	38001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-25	30.27	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-25	33.31	Pass	5971
30	1000	0.1	RMS	894.8	-61.78	-25	36.78	Pass	19401
1000	2485	1	RMS	2431	-47.75	-25	22.75	Pass	2971
2485	2585	1	RMS	2500.5	18.8	60	41.2	Pass	401
2585	3000	1	RMS	2690	-47.59	-25	22.59	Pass	831
3000	7000	1	RMS	5001	-53.1	-25	28.1	Pass	8001
7000	26000	1	RMS	25558	-41.88	-25	16.88	Pass	38001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.97	-25	29.97	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-25	32.36	Pass	5971
30	1000	0.1	RMS	881	-61.73	-25	36.73	Pass	19401
1000	2485	1	RMS	2434	-47.71	-25	22.71	Pass	2971
2485	2585	1	RMS	2514.5	18.84	60	41.16	Pass	401
2585	3000	1	RMS	2687	-47.59	-25	22.59	Pass	831
3000	7000	1	RMS	5029	-53.84	-25	28.84	Pass	8001
7000	26000	1	RMS	25542	-41.89	-25	16.89	Pass	38001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.11	-25	29.11	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-25	33.04	Pass	5971
30	1000	0.1	RMS	895	-61.57	-25	36.57	Pass	19401
1000	2485	1	RMS	2440	-47.76	-25	22.76	Pass	2971
2485	2585	1	RMS	2540	8.34	60	51.66	Pass	401
2585	3000	1	RMS	2685	-47.59	-25	22.59	Pass	831
3000	7000	1	RMS	5076	-65.14	-25	40.14	Pass	8001
7000	26000	1	RMS	25582	-41.95	-25	16.95	Pass	38001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-25	29.09	Pass	401
0.15	30	0.01	RMS	0.15	-58.14	-25	33.14	Pass	5971
30	1000	0.1	RMS	914.4	-61.55	-25	36.55	Pass	19401
1000	2485	1	RMS	2454	-47.76	-25	22.76	Pass	2971
2485	2585	1	RMS	2528	19.15	60	40.85	Pass	401
2585	3000	1	RMS	2675	-47.59	-25	22.59	Pass	831
3000	7000	1	RMS	5056	-61.29	-25	36.29	Pass	8001
7000	26000	1	RMS	25518	-41.93	-25	16.93	Pass	38001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.98	-25	30.98	Pass	401
0.15	30	0.01	RMS	0.15	-58.49	-25	33.49	Pass	5971
30	1000	0.1	RMS	881.4	-61.51	-25	36.51	Pass	19401
1000	2485	1	RMS	2468	-47.71	-25	22.71	Pass	2971
2485	2585	1	RMS	2542	19.36	60	40.64	Pass	401
2585	3000	1	RMS	2678	-47.6	-25	22.6	Pass	831
3000	7000	1	RMS	5084	-54.97	-25	29.97	Pass	8001
7000	26000	1	RMS	25570	-41.9	-25	16.9	Pass	38001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.49	-25	30.49	Pass	401
0.15	30	0.01	RMS	0.15	-58.5	-25	33.5	Pass	5971
30	1000	0.1	RMS	889.8	-61.6	-25	36.6	Pass	19401
1000	2485	1	RMS	2425	-47.74	-25	22.74	Pass	2971
2485	2585	1	RMS	2556.75	8.12	60	51.88	Pass	401
2585	3000	1	RMS	2585	-41.71	-25	16.71	Pass	831
3000	7000	1	RMS	5124	-61.02	-25	36.02	Pass	8001
7000	26000	1	RMS	25528	-41.97	-25	16.97	Pass	38001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.88	-25	30.88	Pass	401
0.15	30	0.01	RMS	0.15	-58.07	-25	33.07	Pass	5971
30	1000	0.1	RMS	892	-61.63	-25	36.63	Pass	19401
1000	2485	1	RMS	2453	-47.78	-25	22.78	Pass	2971
2485	2585	1	RMS	2555.5	19.33	60	40.67	Pass	401
2585	3000	1	RMS	2677	-47.59	-25	22.59	Pass	831
3000	7000	1	RMS	5111	-51.12	-25	26.12	Pass	8001
7000	26000	1	RMS	25519	-41.95	-25	16.95	Pass	38001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.92	-25	30.92	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-25	33.04	Pass	5971
30	1000	0.1	RMS	893.8	-61.49	-25	36.49	Pass	19401
1000	2485	1	RMS	2438	-47.77	-25	22.77	Pass	2971
2485	2585	1	RMS	2569.5	19.19	60	40.81	Pass	401
2585	3000	1	RMS	2682	-47.6	-25	22.6	Pass	831
3000	7000	1	RMS	5139	-55.07	-25	30.07	Pass	8001
7000	26000	1	RMS	25525	-41.95	-25	16.95	Pass	38001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.17	-25	31.17	Pass	401
0.15	30	0.01	RMS	0.15	-57.79	-25	32.79	Pass	5971
30	1000	0.1	RMS	896.3	-61.6	-25	36.6	Pass	19401
1000	2480	1	RMS	2480	-43.84	-25	18.84	Pass	2961
2480	2590	1	RMS	2517.95	6.74	60	53.26	Pass	401
2590	3000	1	RMS	2679	-47.61	-25	22.61	Pass	821
3000	7000	1	RMS	5020	-63.29	-25	38.29	Pass	8001
7000	26000	1	RMS	25555	-41.85	-25	16.85	Pass	38001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55	-25	30	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-25	33.38	Pass	5971
30	1000	0.1	RMS	924.6	-61.71	-25	36.71	Pass	19401
1000	2480	1	RMS	2444	-47.71	-25	22.71	Pass	2961
2480	2590	1	RMS	2500.625	18.67	60	41.33	Pass	401
2590	3000	1	RMS	2677	-47.6	-25	22.6	Pass	821
3000	7000	1	RMS	5001	-53.09	-25	28.09	Pass	8001
7000	26000	1	RMS	25539	-41.85	-25	16.85	Pass	38001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.66	-25	30.66	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-25	32.46	Pass	5971
30	1000	0.1	RMS	897.9	-61.66	-25	36.66	Pass	19401
1000	2480	1	RMS	2440	-47.68	-25	22.68	Pass	2961
2480	2590	1	RMS	2519.325	18.83	60	41.17	Pass	401
2590	3000	1	RMS	2679	-47.56	-25	22.56	Pass	821
3000	7000	1	RMS	5039	-55.99	-25	30.99	Pass	8001
7000	26000	1	RMS	25562	-41.96	-25	16.96	Pass	38001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.12	-25	30.12	Pass	401
0.15	30	0.01	RMS	0.15	-58.49	-25	33.49	Pass	5971
30	1000	0.1	RMS	913.2	-61.61	-25	36.61	Pass	19401
1000	2480	1	RMS	2442	-47.76	-25	22.76	Pass	2961
2480	2590	1	RMS	2539.125	6.95	60	53.05	Pass	401
2590	3000	1	RMS	2686	-47.63	-25	22.63	Pass	821
3000	7000	1	RMS	6962	-65.43	-25	40.43	Pass	8001
7000	26000	1	RMS	25563	-41.93	-25	16.93	Pass	38001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-25	30.53	Pass	401
0.15	30	0.01	RMS	0.15	-57.77	-25	32.77	Pass	5971
30	1000	0.1	RMS	890.1	-61.63	-25	36.63	Pass	19401
1000	2480	1	RMS	2441	-47.74	-25	22.74	Pass	2961
2480	2590	1	RMS	2525.65	18.98	60	41.02	Pass	401
2590	3000	1	RMS	2677	-47.57	-25	22.57	Pass	821
3000	7000	1	RMS	5051	-59.42	-25	34.42	Pass	8001
7000	26000	1	RMS	25580	-41.8	-25	16.8	Pass	38001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.87	-25	30.87	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-25	33.01	Pass	5971
30	1000	0.1	RMS	898.3	-61.56	-25	36.56	Pass	19401
1000	2480	1	RMS	2430	-47.75	-25	22.75	Pass	2961
2480	2590	1	RMS	2544.35	19.25	60	40.75	Pass	401
2590	3000	1	RMS	2676	-47.6	-25	22.6	Pass	821
3000	7000	1	RMS	5089	-53.82	-25	28.82	Pass	8001
7000	26000	1	RMS	25585	-41.87	-25	16.87	Pass	38001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-25	29.68	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-25	32.2	Pass	5971
30	1000	0.1	RMS	893.6	-61.71	-25	36.71	Pass	19401
1000	2480	1	RMS	2438	-47.69	-25	22.69	Pass	2961
2480	2590	1	RMS	2551.775	7.01	60	52.99	Pass	401
2590	3000	1	RMS	2590	-42.72	-25	17.72	Pass	821
3000	7000	1	RMS	5120	-61.75	-25	36.75	Pass	8001
7000	26000	1	RMS	25555	-41.94	-25	16.94	Pass	38001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-25	30.41	Pass	401
0.15	30	0.01	RMS	0.16	-57.97	-25	32.97	Pass	5971
30	1000	0.1	RMS	898.1	-61.56	-25	36.56	Pass	19401
1000	2480	1	RMS	2433	-47.7	-25	22.7	Pass	2961
2480	2590	1	RMS	2550.4	19.14	60	40.86	Pass	401
2590	3000	1	RMS	2686	-47.61	-25	22.61	Pass	821
3000	7000	1	RMS	5101	-51.99	-25	26.99	Pass	8001
7000	26000	1	RMS	25507	-41.92	-25	16.92	Pass	38001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.94	-25	29.94	Pass	401
0.15	30	0.01	RMS	0.15	-58.76	-25	33.76	Pass	5971
30	1000	0.1	RMS	910.5	-61.71	-25	36.71	Pass	19401
1000	2480	1	RMS	2428	-47.73	-25	22.73	Pass	2961
2480	2590	1	RMS	2569.375	19.12	60	40.88	Pass	401
2590	3000	1	RMS	2676	-47.62	-25	22.62	Pass	821
3000	7000	1	RMS	5139	-55.36	-25	30.36	Pass	8001
7000	26000	1	RMS	25550	-42	-25	17	Pass	38001



1. n13


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	42.21	Pass	401
0.15	30	0.01	RMS	0.16	-58.87	-13	45.87	Pass	5971
30	767	0.1	RMS	757	-62.1	-13	49.1	Pass	14741
767	797	0.1	RMS	781.625	5.05	60	54.95	Pass	601
797	1000	0.1	RMS	797	-57.61	-13	44.61	Pass	4061
1000	3000	1	RMS	2673	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9965	-63.42	-13	50.42	Pass	14001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.05	-13	42.05	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	44.56	Pass	5971
30	767	0.1	RMS	751.9	-62.22	-13	49.22	Pass	14741
767	797	0.1	RMS	777.35	17.65	60	42.35	Pass	601
797	1000	0.1	RMS	924.8	-61.94	-13	48.94	Pass	4061
1000	3000	1	RMS	2679	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9981	-63.45	-13	50.45	Pass	14001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.82	-13	41.82	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	44.19	Pass	5971
30	767	0.1	RMS	751.6	-62.21	-13	49.21	Pass	14741
767	797	0.1	RMS	781.625	17.57	60	42.43	Pass	601
797	1000	0.1	RMS	844	-61.91	-13	48.91	Pass	4061
1000	3000	1	RMS	2677	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9996	-63.46	-13	50.46	Pass	14001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.79	-13	42.79	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	44.64	Pass	5971
30	767	0.1	RMS	748.5	-62.14	-13	49.14	Pass	14741
767	797	0.1	RMS	784.025	4.43	60	55.57	Pass	601
797	1000	0.1	RMS	797.3	-55.83	-13	42.83	Pass	4061
1000	3000	1	RMS	2684	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9957	-63.46	-13	50.46	Pass	14001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.81	-13	42.81	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	43.86	Pass	5971
30	767	0.1	RMS	759.4	-62.15	-13	49.15	Pass	14741
767	797	0.1	RMS	779.825	17.74	60	42.26	Pass	601
797	1000	0.1	RMS	952.7	-61.84	-13	48.84	Pass	4061
1000	3000	1	RMS	2680	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9962	-63.47	-13	50.47	Pass	14001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.3	-13	42.3	Pass	401
0.15	30	0.01	RMS	0.15	-58.5	-13	45.5	Pass	5971
30	767	0.1	RMS	766.2	-62.11	-13	49.11	Pass	14741
767	797	0.1	RMS	784.175	17.68	60	42.32	Pass	601
797	1000	0.1	RMS	798.9	-61.84	-13	48.84	Pass	4061
1000	3000	1	RMS	2684	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9969	-63.44	-13	50.44	Pass	14001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.61	-13	42.61	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	45.2	Pass	5971
30	767	0.1	RMS	754.8	-61.96	-13	48.96	Pass	14741
767	797	0.1	RMS	782.9	4.31	60	55.69	Pass	601
797	1000	0.1	RMS	797	-52.37	-13	39.37	Pass	4061
1000	3000	1	RMS	2680	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9971	-63.46	-13	50.46	Pass	14001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	41.03	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	44.9	Pass	5971
30	767	0.1	RMS	759.4	-62.1	-13	49.1	Pass	14741
767	797	0.1	RMS	782.3	17.59	60	42.41	Pass	601
797	1000	0.1	RMS	875.4	-61.9	-13	48.9	Pass	4061
1000	3000	1	RMS	2687	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9982	-63.5	-13	50.5	Pass	14001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	42.32	Pass	401
0.15	30	0.01	RMS	0.16	-57.55	-13	44.55	Pass	5971
30	767	0.1	RMS	756.5	-62.16	-13	49.16	Pass	14741
767	797	0.1	RMS	786.65	17.84	60	42.16	Pass	601
797	1000	0.1	RMS	901.3	-61.81	-13	48.81	Pass	4061
1000	3000	1	RMS	2689	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9972	-63.51	-13	50.51	Pass	14001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.23	-13	42.23	Pass	401
0.15	30	0.01	RMS	0.16	-58.98	-13	45.98	Pass	5971
30	767	0.1	RMS	763	-62.11	-13	49.11	Pass	14741
767	797	0.1	RMS	784.1	1.61	60	58.39	Pass	601
797	1000	0.1	RMS	797.1	-46.15	-13	33.15	Pass	4061
1000	3000	1	RMS	2686	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9962	-63.42	-13	50.42	Pass	14001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-13	42.14	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-13	44.06	Pass	5971
30	767	0.1	RMS	764.4	-62.16	-13	49.16	Pass	14741
767	797	0.1	RMS	777.425	17.62	60	42.38	Pass	601
797	1000	0.1	RMS	897.8	-61.88	-13	48.88	Pass	4061
1000	3000	1	RMS	2688	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9992	-63.51	-13	50.51	Pass	14001



1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.81	-13	41.81	Pass	401
0.15	30	0.01	RMS	0.15	-57	-13	44	Pass	5971
30	767	0.1	RMS	754.3	-62.25	-13	49.25	Pass	14741
767	797	0.1	RMS	786.575	17.91	60	42.09	Pass	601
797	1000	0.1	RMS	976.7	-61.9	-13	48.9	Pass	4061
1000	3000	1	RMS	2688	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9947	-63.42	-13	50.42	Pass	14001



2. n26 15kHz(824-849)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.64	-13	42.64	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	44.26	Pass	5971
30	814	0.1	RMS	813.9	-52.87	-13	39.87	Pass	15681
814	859	0.1	RMS	824.8	4.48	60	55.52	Pass	901
859	1000	0.1	RMS	908.3	-61.94	-13	48.94	Pass	2821
1000	3000	1	RMS	2676	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9997	-63.62	-13	50.62	Pass	14001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.78	-13	41.78	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-13	45.45	Pass	5971
30	814	0.1	RMS	813.5	-61.8	-13	48.8	Pass	15681
814	859	0.1	RMS	824.3	17.38	60	42.62	Pass	901
859	1000	0.1	RMS	872.7	-62.03	-13	49.03	Pass	2821
1000	3000	1	RMS	2685	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9951	-63.67	-13	50.67	Pass	14001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.13	-13	42.13	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	44.54	Pass	5971
30	814	0.1	RMS	811	-61.85	-13	48.85	Pass	15681
814	859	0.1	RMS	828.7	17.02	60	42.98	Pass	901
859	1000	0.1	RMS	866.2	-62.08	-13	49.08	Pass	2821
1000	3000	1	RMS	2678	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9982	-63.66	-13	50.66	Pass	14001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.31	-13	43.31	Pass	401
0.15	30	0.01	RMS	0.15	-58.64	-13	45.64	Pass	5971
30	814	0.1	RMS	813.5	-61.47	-13	48.47	Pass	15681
814	859	0.1	RMS	834.9	4.24	60	55.76	Pass	901
859	1000	0.1	RMS	916.7	-61.97	-13	48.97	Pass	2821
1000	3000	1	RMS	2681	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9988	-63.68	-13	50.68	Pass	14001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.16	-13	42.16	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	44.59	Pass	5971
30	814	0.1	RMS	811.7	-61.87	-13	48.87	Pass	15681
814	859	0.1	RMS	834.3	17.46	60	42.54	Pass	901
859	1000	0.1	RMS	883	-62.07	-13	49.07	Pass	2821
1000	3000	1	RMS	2673	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9979	-63.66	-13	50.66	Pass	14001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.74	-13	44.74	Pass	5971
30	814	0.1	RMS	787	-62.08	-13	49.08	Pass	15681
814	859	0.1	RMS	838.6	16.9	60	43.1	Pass	901
859	1000	0.1	RMS	879.5	-61.97	-13	48.97	Pass	2821
1000	3000	1	RMS	2691	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9958	-63.63	-13	50.63	Pass	14001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.49	-13	41.49	Pass	401
0.15	30	0.01	RMS	0.16	-58.36	-13	45.36	Pass	5971
30	814	0.1	RMS	807.9	-62.04	-13	49.04	Pass	15681
814	859	0.1	RMS	848.2	4.66	60	55.34	Pass	901
859	1000	0.1	RMS	892.4	-61.86	-13	48.86	Pass	2821
1000	3000	1	RMS	2695	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9961	-63.71	-13	50.71	Pass	14001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.35	-13	42.35	Pass	401
0.15	30	0.01	RMS	0.15	-58.02	-13	45.02	Pass	5971
30	814	0.1	RMS	803.8	-62.06	-13	49.06	Pass	15681
814	859	0.1	RMS	844.3	17.41	60	42.59	Pass	901
859	1000	0.1	RMS	913	-61.78	-13	48.78	Pass	2821
1000	3000	1	RMS	2686	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9967	-63.69	-13	50.69	Pass	14001




**2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3,
Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.24	-13	42.24	Pass	401
0.15	30	0.01	RMS	0.15	-57.07	-13	44.07	Pass	5971
30	814	0.1	RMS	782.1	-62.11	-13	49.11	Pass	15681
814	859	0.1	RMS	848.6	16.95	60	43.05	Pass	901
859	1000	0.1	RMS	880.1	-61.96	-13	48.96	Pass	2821
1000	3000	1	RMS	2688	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9973	-63.66	-13	50.66	Pass	14001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.59	-13	41.59	Pass	401
0.15	30	0.01	RMS	0.15	-58.99	-13	45.99	Pass	5971
30	814	0.1	RMS	813.8	-46.84	-13	33.84	Pass	15681
814	859	0.1	RMS	826.9	-0.09	60	60.09	Pass	901
859	1000	0.1	RMS	876	-61.98	-13	48.98	Pass	2821
1000	3000	1	RMS	2676	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9985	-63.69	-13	50.69	Pass	14001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.66	-13	42.66	Pass	401
0.15	30	0.01	RMS	0.16	-58.12	-13	45.12	Pass	5971
30	814	0.1	RMS	812.2	-61.7	-13	48.7	Pass	15681
814	859	0.1	RMS	824.5	17.65	60	42.35	Pass	901
859	1000	0.1	RMS	897.8	-61.91	-13	48.91	Pass	2821
1000	3000	1	RMS	2682	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9971	-63.7	-13	50.7	Pass	14001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.92	-13	41.92	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	44.69	Pass	5971
30	814	0.1	RMS	812.5	-61.94	-13	48.94	Pass	15681
814	859	0.1	RMS	838.5	17.72	60	42.28	Pass	901
859	1000	0.1	RMS	893.4	-61.99	-13	48.99	Pass	2821
1000	3000	1	RMS	2677	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9950	-63.7	-13	50.7	Pass	14001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.18	-13	42.18	Pass	401
0.15	30	0.01	RMS	0.16	-58.16	-13	45.16	Pass	5971
30	814	0.1	RMS	814	-49.6	-13	36.6	Pass	15681
814	859	0.1	RMS	829.7	-0.31	60	60.31	Pass	901
859	1000	0.1	RMS	916.8	-61.96	-13	48.96	Pass	2821
1000	3000	1	RMS	2678	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9965	-63.66	-13	50.66	Pass	14001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.82	-13	42.82	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-13	45.01	Pass	5971
30	814	0.1	RMS	813.6	-61.85	-13	48.85	Pass	15681
814	859	0.1	RMS	829.5	17.65	60	42.35	Pass	901
859	1000	0.1	RMS	896.2	-62.05	-13	49.05	Pass	2821
1000	3000	1	RMS	2684	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9956	-63.67	-13	50.67	Pass	14001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.18	-13	42.18	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	44.31	Pass	5971
30	814	0.1	RMS	792.4	-62.02	-13	49.02	Pass	15681
814	859	0.1	RMS	843.5	17.79	60	42.21	Pass	901
859	1000	0.1	RMS	879.8	-61.94	-13	48.94	Pass	2821
1000	3000	1	RMS	2691	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9951	-63.71	-13	50.71	Pass	14001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.5	-13	42.5	Pass	401
0.15	30	0.01	RMS	0.16	-58.08	-13	45.08	Pass	5971
30	814	0.1	RMS	813.8	-51.07	-13	38.07	Pass	15681
814	859	0.1	RMS	838.4	-0.3	60	60.3	Pass	901
859	1000	0.1	RMS	895	-62.02	-13	49.02	Pass	2821
1000	3000	1	RMS	2675	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9947	-63.68	-13	50.68	Pass	14001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.86	-13	42.86	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	5971
30	814	0.1	RMS	800.5	-61.89	-13	48.89	Pass	15681
814	859	0.1	RMS	834.5	17.62	60	42.38	Pass	901
859	1000	0.1	RMS	923.1	-61.95	-13	48.95	Pass	2821
1000	3000	1	RMS	2676	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9959	-63.73	-13	50.73	Pass	14001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.96	-13	41.96	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	44.3	Pass	5971
30	814	0.1	RMS	813.5	-62.07	-13	49.07	Pass	15681
814	859	0.1	RMS	848.5	17.73	60	42.27	Pass	901
859	1000	0.1	RMS	894.9	-62	-13	49	Pass	2821
1000	3000	1	RMS	2681	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9966	-63.69	-13	50.69	Pass	14001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	44.23	Pass	5971
30	814	0.1	RMS	813.9	-46.88	-13	33.88	Pass	15681
814	859	0.1	RMS	835.5	-1.53	60	61.53	Pass	901
859	1000	0.1	RMS	872.5	-61.93	-13	48.93	Pass	2821
1000	3000	1	RMS	2690	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9971	-63.71	-13	50.71	Pass	14001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.12	-13	42.12	Pass	401
0.15	30	0.01	RMS	0.15	-57.61	-13	44.61	Pass	5971
30	814	0.1	RMS	813.7	-61.84	-13	48.84	Pass	15681
814	859	0.1	RMS	824.5	17.41	60	42.59	Pass	901
859	1000	0.1	RMS	885.1	-61.87	-13	48.87	Pass	2821
1000	3000	1	RMS	2677	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9969	-63.72	-13	50.72	Pass	14001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	41.98	Pass	401
0.15	30	0.01	RMS	0.16	-58.43	-13	45.43	Pass	5971
30	814	0.1	RMS	811.1	-62	-13	49	Pass	15681
814	859	0.1	RMS	843.4	17.27	60	42.73	Pass	901
859	1000	0.1	RMS	903.6	-61.98	-13	48.98	Pass	2821
1000	3000	1	RMS	2685	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9957	-63.58	-13	50.58	Pass	14001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.49	-13	41.49	Pass	401
0.15	30	0.01	RMS	0.15	-58.42	-13	45.42	Pass	5971
30	814	0.1	RMS	813.8	-48.16	-13	35.16	Pass	15681
814	859	0.1	RMS	838	-1.44	60	61.44	Pass	901
859	1000	0.1	RMS	877.8	-61.99	-13	48.99	Pass	2821
1000	3000	1	RMS	2676	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9958	-63.67	-13	50.67	Pass	14001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.17	-13	42.17	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	44.6	Pass	5971
30	814	0.1	RMS	813.8	-61.91	-13	48.91	Pass	15681
814	859	0.1	RMS	827	17.37	60	42.63	Pass	901
859	1000	0.1	RMS	884.4	-62.06	-13	49.06	Pass	2821
1000	3000	1	RMS	2675	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9962	-63.71	-13	50.71	Pass	14001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	42.28	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	44.76	Pass	5971
30	814	0.1	RMS	814	-62.02	-13	49.02	Pass	15681
814	859	0.1	RMS	845.9	17.36	60	42.64	Pass	901
859	1000	0.1	RMS	889.6	-61.82	-13	48.82	Pass	2821
1000	3000	1	RMS	2679	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9949	-63.64	-13	50.64	Pass	14001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.92	-13	42.92	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	43.94	Pass	5971
30	814	0.1	RMS	813.4	-48.87	-13	35.87	Pass	15681
814	859	0.1	RMS	840.6	-1.42	60	61.42	Pass	901
859	1000	0.1	RMS	879.6	-62.06	-13	49.06	Pass	2821
1000	3000	1	RMS	2679	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9960	-63.68	-13	50.68	Pass	14001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.22	-13	42.22	Pass	401
0.15	30	0.01	RMS	0.15	-59.26	-13	46.26	Pass	5971
30	814	0.1	RMS	814	-61.93	-13	48.93	Pass	15681
814	859	0.1	RMS	829.5	17.39	60	42.61	Pass	901
859	1000	0.1	RMS	891.7	-62.02	-13	49.02	Pass	2821
1000	3000	1	RMS	2685	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9964	-63.69	-13	50.69	Pass	14001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.84	-13	42.84	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	44.41	Pass	5971
30	814	0.1	RMS	812	-61.95	-13	48.95	Pass	15681
814	859	0.1	RMS	848.4	17.29	60	42.71	Pass	901
859	1000	0.1	RMS	922	-62	-13	49	Pass	2821
1000	3000	1	RMS	2684	-46.76	-13	33.76	Pass	4001
3000	10000	1	RMS	9996	-63.65	-13	50.65	Pass	14001



1. n26 15kHz(814-824)


**1.1. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1,
Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.68	-13	41.68	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	44.59	Pass	5971
30	804	0.1	RMS	786.5	-62.04	-13	49.04	Pass	15481
804	834	0.1	RMS	817.95	4.45	60	55.55	Pass	601
834	1000	0.1	RMS	834	-59.22	-13	46.22	Pass	3321
1000	3000	1	RMS	2678	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9950	-63.65	-13	50.65	Pass	14001




**1.2. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.89	-13	42.89	Pass	401
0.15	30	0.01	RMS	0.15	-58.62	-13	45.62	Pass	5971
30	804	0.1	RMS	791.1	-62.06	-13	49.06	Pass	15481
804	834	0.1	RMS	814.35	17.71	60	42.29	Pass	601
834	1000	0.1	RMS	835.3	-61.94	-13	48.94	Pass	3321
1000	3000	1	RMS	2679	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9956	-63.67	-13	50.67	Pass	14001




**1.3. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	42.7	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	44.56	Pass	5971
30	804	0.1	RMS	783.9	-62.11	-13	49.11	Pass	15481
804	834	0.1	RMS	818.625	17.63	60	42.37	Pass	601
834	1000	0.1	RMS	915.8	-62.04	-13	49.04	Pass	3321
1000	3000	1	RMS	2678	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9954	-63.66	-13	50.66	Pass	14001




**1.4. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1,
Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.67	-13	41.67	Pass	401
0.15	30	0.01	RMS	0.15	-58.17	-13	45.17	Pass	5971
30	804	0.1	RMS	797.7	-62.12	-13	49.12	Pass	15481
804	834	0.1	RMS	820.65	4.38	60	55.62	Pass	601
834	1000	0.1	RMS	834.1	-56.42	-13	43.42	Pass	3321
1000	3000	1	RMS	2692	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9993	-63.69	-13	50.69	Pass	14001



**1.5. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.74	-13	42.74	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-13	45.31	Pass	5971
30	804	0.1	RMS	798.5	-62.03	-13	49.03	Pass	15481
804	834	0.1	RMS	816.825	17.72	60	42.28	Pass	601
834	1000	0.1	RMS	901.2	-62.01	-13	49.01	Pass	3321
1000	3000	1	RMS	2690	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9952	-63.67	-13	50.67	Pass	14001



**1.6. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.71	-13	41.71	Pass	401
0.15	30	0.01	RMS	0.15	-58.54	-13	45.54	Pass	5971
30	804	0.1	RMS	760.9	-61.99	-13	48.99	Pass	15481
804	834	0.1	RMS	821.175	17.57	60	42.43	Pass	601
834	1000	0.1	RMS	908.9	-61.79	-13	48.79	Pass	3321
1000	3000	1	RMS	2686	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9963	-63.69	-13	50.69	Pass	14001

