



4.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	786.65	17.3	30	12.7	Pass	401
787	787.1	0.03	RMS	787.001	-21.32	-13	8.32	Pass	401
787.1	797	0.1	RMS	787.1	-22.27	-13	9.27	Pass	401




4.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	782.75	3.89	30	26.11	Pass	401
787	787.1	0.03	RMS	787.001	-33.32	-13	20.32	Pass	401
787.1	797	0.1	RMS	787.1	-30.33	-13	17.33	Pass	401




4.5. Band Edge for SA_Part22-24-27(Subtest:5, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	774.702	-73.21	-35	38.21	Pass	1936




4.6. Band Edge for SA_Part22-24-27(Subtest:6, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	775	-60.45	-35	25.45	Pass	1936




4.7. Band Edge for SA_Part22-24-27(Subtest:7, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.75	-72.93	-35	37.93	Pass	2097




4.8. Band Edge for SA_Part22-24-27(Subtest:8, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.167	-55.13	-35	20.13	Pass	2097




4.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-22.8	-13	9.8	Pass	401
776.9	777	0.03	RMS	777	-23.19	-13	10.19	Pass	401
777	787	0.1	RMS	777.4	17.39	30	12.61	Pass	401




4.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-34.66	-13	21.66	Pass	401
776.9	777	0.03	RMS	777	-37.48	-13	24.48	Pass	401
777	787	0.1	RMS	783.875	1.3	30	28.7	Pass	401




4.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	786.575	17.34	30	12.66	Pass	401
787	787.1	0.03	RMS	787.001	-23.69	-13	10.69	Pass	401
787.1	802	0.1	RMS	787.1	-23.25	-13	10.25	Pass	401




4.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	783.85	1.31	30	28.69	Pass	401
787	787.1	0.03	RMS	787	-34.44	-13	21.44	Pass	401
787.1	802	0.1	RMS	787.1	-32.06	-13	19.06	Pass	401




4.13. Band Edge for SA_Part22-24-27(Subtest:5, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	771.781	-73.05	-35	38.05	Pass	1936




4.14. Band Edge for SA_Part22-24-27(Subtest:6, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	774.981	-67.51	-35	32.51	Pass	1936




4.15. Band Edge for SA_Part22-24-27(Subtest:7, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	794.017	-72.75	-35	37.75	Pass	2097



4.16. Band Edge for SA_Part22-24-27(Subtest:8, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.372	-51.73	-35	16.73	Pass	2097



6. n71 15kHz


6.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-20.74	-13	7.74	Pass	401
662.9	663	0.03	RMS	663	-20.15	-13	7.15	Pass	401
663	668	0.1	RMS	663.325	17.43	30	12.57	Pass	401




6.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-27.67	-13	14.67	Pass	401
662.9	663	0.03	RMS	662.997	-30.03	-13	17.03	Pass	401
663	668	0.1	RMS	666.475	3.82	30	26.18	Pass	401



6.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	17.12	30	12.88	Pass	401
698	698.1	0.03	RMS	698	-21.54	-13	8.54	Pass	401
698.1	708	0.1	RMS	698.1	-22.53	-13	9.53	Pass	401




6.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	693.838	4.19	30	25.81	Pass	401
698	698.1	0.03	RMS	698.001	-31.37	-13	18.37	Pass	401
698.1	708	0.1	RMS	698.1	-29.02	-13	16.02	Pass	401




6.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-24.96	-13	11.96	Pass	401
662.9	663	0.03	RMS	663	-25.59	-13	12.59	Pass	401
663	678	0.1	RMS	663.45	17.41	30	12.59	Pass	401




6.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-35.47	-13	22.47	Pass	401
662.9	663	0.03	RMS	663	-38.72	-13	25.72	Pass	401
663	678	0.1	RMS	666	-0.95	30	30.95	Pass	401




6.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	17.25	30	12.75	Pass	401
698	698.1	0.03	RMS	698	-26.84	-13	13.84	Pass	401
698.1	718	0.1	RMS	698.1	-26.84	-13	13.84	Pass	401




6.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	692.45	-0.99	30	30.99	Pass	401
698	698.1	0.03	RMS	698.05	-40.64	-13	27.64	Pass	401
698.1	718	0.1	RMS	698.1	-36.98	-13	23.98	Pass	401




6.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-29.49	-13	16.49	Pass	401
662.9	663	0.03	RMS	663	-29.25	-13	16.25	Pass	401
663	683	0.1	RMS	663.55	17.44	30	12.56	Pass	401




6.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-38.08	-13	25.08	Pass	401
662.9	663	0.03	RMS	662.976	-42.11	-13	29.11	Pass	401
663	683	0.1	RMS	680.3	-2.06	30	32.06	Pass	401




6.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	17.14	30	12.86	Pass	401
698	698.1	0.03	RMS	698	-31.03	-13	18.03	Pass	401
698.1	723	0.1	RMS	698.1	-31.88	-13	18.88	Pass	401



6.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	689.5	-2.11	30	32.11	Pass	401
698	698.1	0.03	RMS	698.001	-42.13	-13	29.13	Pass	401
698.1	723	0.1	RMS	698.1	-38.49	-13	25.49	Pass	401



1. n7


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.215	-48.6	-25	23.6	Pass	401
2490.5	2496	1	RMS	2495.986	-47.13	-13	34.13	Pass	401
2496	2498.5	1	RMS	2498.5	-41.75	-10	31.75	Pass	4
2499	2500	0.051	RMS	2499.998	-19.23	-10	9.23	Pass	401
2500	2505	1	RMS	2500.325	18.79	30	11.21	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.454	-46.73	-25	21.73	Pass	401
2490.5	2496	1	RMS	2495.973	-34.96	-13	21.96	Pass	401
2496	2498.5	1	RMS	2498.5	-28.23	-10	18.23	Pass	401
2499	2500	0.1	RMS	2500	-26.82	-10	16.82	Pass	401
2500	2505	1	RMS	2503.663	12.58	30	17.42	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.638	19.11	30	10.89	Pass	401
2570	2571	0.051	RMS	2570	-18.73	-10	8.73	Pass	401
2571.5	2575	1	RMS	2571.5	-29.21	-10	19.21	Pass	401
2575	2576	1	RMS	2575.098	-46.58	-13	33.58	Pass	401
2576	2580	1	RMS	2576.22	-47.2	-25	22.2	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.275	12.81	30	17.19	Pass	401
2570	2571	0.1	RMS	2570.003	-26.3	-10	16.3	Pass	401
2571	2575	1	RMS	2571	-26.91	-10	16.91	Pass	5
2575	2576	1	RMS	2575.005	-38.03	-13	25.03	Pass	401
2576	2580	1	RMS	2576.01	-40.13	-25	15.13	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.028	-48.62	-25	23.62	Pass	401
2490.5	2496	1	RMS	2495.918	-46.57	-13	33.57	Pass	401
2496	2498.5	1	RMS	2498.5	-35.63	-10	25.63	Pass	401
2499	2500	0.051	RMS	2500	-24.25	-10	14.25	Pass	401
2500	2515	1	RMS	2500.45	18.83	30	11.17	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490	1	RMS	2490	-38.23	-25	13.23	Pass	401
2490.5	2496	1	RMS	2495.973	-33.14	-13	20.14	Pass	401
2496	2499	1	RMS	2499	-26.63	-10	16.63	Pass	401
2499	2500	0.3	RMS	2500	-26.45	-10	16.45	Pass	401
2500	2515	1	RMS	2512.788	7.99	30	22.01	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2569.513	19.24	30	10.76	Pass	401
2570	2571	0.051	RMS	2570.005	-22.59	-10	12.59	Pass	401
2571.5	2575	1	RMS	2571.5	-36.08	-10	26.08	Pass	401
2575	2585	1	RMS	2575.025	-46.45	-13	33.45	Pass	401
2585	2590	1	RMS	2585.388	-47.93	-25	22.93	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2556.8	8.22	30	21.78	Pass	401
2570	2571	0.3	RMS	2570	-26.39	-10	16.39	Pass	401
2571	2575	1	RMS	2571	-26.39	-10	16.39	Pass	401
2575	2585	1	RMS	2575	-32.44	-13	19.44	Pass	401
2585	2590	1	RMS	2585	-41.76	-25	16.76	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.345	-48.59	-25	23.59	Pass	401
2490.5	2496	1	RMS	2495.945	-46.09	-13	33.09	Pass	401
2496	2498.5	1	RMS	2498.5	-38.14	-10	28.14	Pass	401
2499	2500	0.051	RMS	2499.995	-27.07	-10	17.07	Pass	401
2500	2520	1	RMS	2500.55	18.86	30	11.14	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.82	-25	12.82	Pass	16
2490.5	2496	1	RMS	2495.986	-33.87	-13	20.87	Pass	401
2496	2499	1	RMS	2499	-29.57	-10	19.57	Pass	401
2499	2500	0.4	RMS	2500	-23.23	-10	13.23	Pass	401
2500	2520	1	RMS	2517.95	6.7	30	23.3	Pass	401



1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	19.2	30	10.8	Pass	401
2570	2571	0.051	RMS	2570	-25.05	-10	15.05	Pass	401
2571.5	2575	1	RMS	2571.5	-38.45	-10	28.45	Pass	401
2575	2590	1	RMS	2575.075	-46.48	-13	33.48	Pass	401
2590	2595	1	RMS	2590.025	-48.06	-25	23.06	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2551.65	6.95	30	23.05	Pass	401
2570	2571	0.4	RMS	2570	-24.02	-10	14.02	Pass	401
2571	2575	1	RMS	2571	-29.48	-10	19.48	Pass	401
2575	2590	1	RMS	2575.038	-33.7	-13	20.7	Pass	401
2590	2595	1	RMS	2590	-42.67	-25	17.67	Pass	401



1. n25


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-26.93	-13	13.93	Pass	401
1849	1850	0.051	RMS	1849.998	-18.91	-13	5.91	Pass	401
1850	1855	1	RMS	1850.338	20.39	30	9.61	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.28	-13	16.28	Pass	401
1849	1850	0.051	RMS	1849.995	-28.19	-13	15.19	Pass	401
1850	1855	1	RMS	1853.738	14.12	30	15.88	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.663	20.4	30	9.6	Pass	401
1915	1916	0.051	RMS	1915.003	-18.42	-13	5.42	Pass	401
1916.5	1925	1	RMS	1916.5	-28.44	-13	15.44	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1912.988	14.08	30	15.92	Pass	401
1915	1916	0.051	RMS	1915.003	-29.23	-13	16.23	Pass	401
1916.5	1925	1	RMS	1916.5	-28.49	-13	15.49	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-39.21	-13	26.21	Pass	401
1849	1850	0.2	RMS	1850	-19.44	-13	6.44	Pass	401
1850	1870	1	RMS	1850.55	20.37	30	9.63	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-29.55	-13	16.55	Pass	401
1849	1850	0.2	RMS	1850	-34.12	-13	21.12	Pass	401
1850	1870	1	RMS	1867.45	8.36	30	21.64	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1914.5	20.4	30	9.6	Pass	401
1915	1916	0.2	RMS	1915	-19.38	-13	6.38	Pass	401
1916.5	1940	1	RMS	1916.5	-39.97	-13	26.97	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1896.35	9.01	30	20.99	Pass	401
1915	1916	0.2	RMS	1915	-34.02	-13	21.02	Pass	401
1916	1940	1	RMS	1916	-29.75	-13	16.75	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1815	1848.5	1	RMS	1848.5	-43.02	-13	30.02	Pass	401
1849	1849.8	0.3	RMS	1849.798	-33.74	-13	20.74	Pass	401
1850	1880	1	RMS	1850.675	20.31	30	9.69	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:373000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1815	1849	1	RMS	1849	-33.67	-13	20.67	Pass	401
1849	1850	0.3	RMS	1850	-36.38	-13	23.38	Pass	401
1850	1880	1	RMS	1866.8	6.44	30	23.56	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1885	1915	1	RMS	1914.325	20.36	30	9.64	Pass	401
1915.2	1916	0.3	RMS	1915.2	-33.83	-13	20.83	Pass	401
1916	1950	1	RMS	1916	-18.97	-13	5.97	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:380000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1885	1915	1	RMS	1892.425	7.02	30	22.98	Pass	401
1915	1916	0.3	RMS	1915.01	-35.65	-13	22.65	Pass	401
1916	1950	1	RMS	1916	-33.37	-13	20.37	Pass	401



2. n26 15kHz(824-849)


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-49.69	-13	36.69	Pass	401
823	824	0.051	RMS	824	-17.16	-13	4.16	Pass	401
824	829	0.1	RMS	824.325	17.85	30	12.15	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-37.82	-13	24.82	Pass	401
823	824	0.051	RMS	824	-26.99	-13	13.99	Pass	401
824	829	0.1	RMS	824.75	4.53	30	25.47	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.87	30	12.13	Pass	401
849	850	0.051	RMS	849.003	-18.25	-13	5.25	Pass	401
850	859	0.1	RMS	850.045	-51.08	-13	38.08	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.488	4.8	30	25.2	Pass	401
849	850	0.051	RMS	849.003	-29.03	-13	16.03	Pass	401
850	859	0.1	RMS	850.135	-36.53	-13	23.53	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-50.46	-13	37.46	Pass	401
823	824	0.15	RMS	824	-16.88	-13	3.88	Pass	401
824	839	0.1	RMS	824.488	17.96	30	12.04	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.953	-40.78	-13	27.78	Pass	401
823	824	0.15	RMS	823.998	-30.38	-13	17.38	Pass	401
824	839	0.1	RMS	824.713	-0.14	30	30.14	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	17.91	30	12.09	Pass	401
849	850	0.15	RMS	849.003	-18.1	-13	5.1	Pass	401
850	869	0.1	RMS	850.048	-51.99	-13	38.99	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.85	-0.22	30	30.22	Pass	401
849	850	0.15	RMS	849	-33.19	-13	20.19	Pass	401
850	869	0.1	RMS	850.19	-38.85	-13	25.85	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.64	-13	37.64	Pass	401
823	824	0.2	RMS	824	-18.08	-13	5.08	Pass	401
824	844	0.1	RMS	824.55	17.99	30	12.01	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-42.15	-13	29.15	Pass	401
823	824	0.2	RMS	824	-32.27	-13	19.27	Pass	401
824	844	0.1	RMS	835.55	-1.57	30	31.57	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.96	30	12.04	Pass	401
849	850	0.2	RMS	849.003	-19.13	-13	6.13	Pass	401
850	874	0.1	RMS	850.06	-51.77	-13	38.77	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	840.45	-1.46	30	31.46	Pass	401
849	850	0.2	RMS	849.003	-33.17	-13	20.17	Pass	401
850	874	0.1	RMS	850	-39.19	-13	26.19	Pass	401



1. n26 15kHz(814-824)


1.1. Band Edge for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-20.15	-13	7.15	Pass	401
813.9625	814	0.002	RMS	813.995	-30.63	-20	10.63	Pass	401
814	819	0.1	RMS	814.325	17.86	30	12.14	Pass	401




1.2. Band Edge for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.16	-13	12.16	Pass	401
813.9625	814	0.051	RMS	814	-26.71	-20	6.71	Pass	401
814	819	0.1	RMS	817.95	4.36	30	25.64	Pass	401




1.3. Band Edge for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	17.94	30	12.06	Pass	401
824	824.0375	0.002	RMS	824.007	-30.24	-20	10.24	Pass	401
824.0875	829	0.1	RMS	824.088	-20.05	-13	7.05	Pass	401




1.4. Band Edge for SA_Part90(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.188	4.32	30	25.68	Pass	401
824	824.0375	0.051	RMS	824	-29.75	-20	9.75	Pass	401
824.0375	829	0.1	RMS	824.038	-27.95	-13	14.95	Pass	401




1.5. Band Edge for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-18.77	-13	5.77	Pass	401
813.9625	814	0.002	RMS	813.995	-32.33	-20	12.33	Pass	401
814	824	0.1	RMS	814.4	17.89	30	12.11	Pass	401




1.6. Band Edge for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-30.29	-13	17.29	Pass	401
813.9625	814	0.1	RMS	814	-29.38	-20	9.38	Pass	401
814	824	0.1	RMS	821	1.5	30	28.5	Pass	401




1.7. Band Edge for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	17.84	30	12.16	Pass	401
824	824.0375	0.002	RMS	824.01	-31.72	-20	11.72	Pass	401
824.0375	834	0.1	RMS	824.038	-18.43	-13	5.43	Pass	401



1.8. Band Edge for SA_Part90(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	820.975	1.41	30	28.59	Pass	401
824	824.0375	0.1	RMS	824.001	-29.89	-20	9.89	Pass	401
824.0375	834	0.1	RMS	824.038	-31.25	-13	18.25	Pass	401



1. n14

1.1. Band Edge for SA_Part90(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-20.95	-13	7.95	Pass	401
787.9	788	0.051	RMS	788	-17.81	-13	4.81	Pass	401
788	793	0.1	RMS	788.338	17.8	30	12.2	Pass	401



1.2. Band Edge for SA_Part90(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-26.85	-13	13.85	Pass	401
787.9	788	0.051	RMS	788	-26.36	-13	13.36	Pass	401
788	793	0.1	RMS	789.013	4.52	30	25.48	Pass	401

