


Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band48


1.1. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-40	11.43	Pass	401
0.15	30	0.01	RMS	0.15	-51.23	-40	11.23	Pass	5971
30	1000	0.1	RMS	989.1	-60.2	-40	20.2	Pass	19401
1000	3000	1	RMS	2665.5	-47.17	-40	7.17	Pass	4001
3000	3500	1	RMS	3320	-45.79	-40	5.79	Pass	1001
3500	3750	1	RMS	3550.5	22.18	60	37.82	Pass	501
3750	6500	1	RMS	3781	-44.69	-40	4.69	Pass	5501
6500	26500	1	RMS	25696	-44.74	-40	4.74	Pass	40001




1.2. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:2, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.35	-40	10.35	Pass	401
0.15	30	0.01	RMS	0.155	-53.2	-40	13.2	Pass	5971
30	1000	0.1	RMS	951.35	-60.82	-40	20.82	Pass	19401
1000	3000	1	RMS	2677.5	-47.23	-40	7.23	Pass	4001
3000	3500	1	RMS	3320	-46.13	-40	6.13	Pass	1001
3500	3750	1	RMS	3550.5	21.41	60	38.59	Pass	501
3750	6500	1	RMS	6438	-47.69	-40	7.69	Pass	5501
6500	26500	1	RMS	25701	-44.86	-40	4.86	Pass	40001




1.3. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.35	-40	11.35	Pass	401
0.15	30	0.01	RMS	0.15	-52.87	-40	12.87	Pass	5971
30	1000	0.1	RMS	995.2	-60.9	-40	20.9	Pass	19401
1000	3000	1	RMS	2668	-47.22	-40	7.22	Pass	4001
3000	3500	1	RMS	3392.5	-46	-40	6	Pass	1001
3500	3750	1	RMS	3623	22.87	60	37.13	Pass	501
3750	6500	1	RMS	3930	-44.66	-40	4.66	Pass	5501
6500	26500	1	RMS	25691.5	-44.74	-40	4.74	Pass	40001




1.4. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:4, Channel:55990, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.76	-40	10.76	Pass	401
0.15	30	0.01	RMS	0.155	-53.78	-40	13.78	Pass	5971
30	1000	0.1	RMS	945.4	-60.93	-40	20.93	Pass	19401
1000	3000	1	RMS	2664	-47.1	-40	7.1	Pass	4001
3000	3500	1	RMS	3315.5	-46.3	-40	6.3	Pass	1001
3500	3750	1	RMS	3623	22.22	60	37.78	Pass	501
3750	6500	1	RMS	6446	-47.66	-40	7.66	Pass	5501
6500	26500	1	RMS	25696	-44.81	-40	4.81	Pass	40001




**1.5. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:5,
Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.42	-40	10.42	Pass	401
0.15	30	0.01	RMS	0.15	-51.64	-40	11.64	Pass	5971
30	1000	0.1	RMS	905.2	-60.89	-40	20.89	Pass	19401
1000	3000	1	RMS	2666.5	-47.12	-40	7.12	Pass	4001
3000	3500	1	RMS	3465	-45.98	-40	5.98	Pass	1001
3500	3750	1	RMS	3695.5	22.87	60	37.13	Pass	501
3750	6500	1	RMS	3926	-44.7	-40	4.7	Pass	5501
6500	26500	1	RMS	25711.5	-44.7	-40	4.7	Pass	40001




1.6. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:6, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.66	-40	10.66	Pass	401
0.15	30	0.01	RMS	0.15	-51.17	-40	11.17	Pass	5971
30	1000	0.1	RMS	945.25	-60.97	-40	20.97	Pass	19401
1000	3000	1	RMS	2672.5	-47.19	-40	7.19	Pass	4001
3000	3500	1	RMS	3465	-46.2	-40	6.2	Pass	1001
3500	3750	1	RMS	3695.5	21.83	60	38.17	Pass	501
3750	6500	1	RMS	3925.5	-44.84	-40	4.84	Pass	5501
6500	26500	1	RMS	25709.5	-44.89	-40	4.89	Pass	40001




1.7. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.09	-40	11.09	Pass	401
0.15	30	0.01	RMS	0.15	-53.65	-40	13.65	Pass	5971
30	1000	0.1	RMS	989.35	-60.12	-40	20.12	Pass	19401
1000	3000	1	RMS	2671	-47.15	-40	7.15	Pass	4001
3000	3500	1	RMS	3320	-45.95	-40	5.95	Pass	1001
3500	3750	1	RMS	3550.5	22.32	60	37.68	Pass	501
3750	6500	1	RMS	3781.5	-46.04	-40	6.04	Pass	5501
6500	26500	1	RMS	25702	-44.71	-40	4.71	Pass	40001




1.8. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:8, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-40	9.64	Pass	401
0.15	30	0.01	RMS	0.155	-52.72	-40	12.72	Pass	5971
30	1000	0.1	RMS	989.3	-60.63	-40	20.63	Pass	19401
1000	3000	1	RMS	2668.5	-47.18	-40	7.18	Pass	4001
3000	3500	1	RMS	3320	-46	-40	6	Pass	1001
3500	3750	1	RMS	3550.5	21.96	60	38.04	Pass	501
3750	6500	1	RMS	3781.5	-46.75	-40	6.75	Pass	5501
6500	26500	1	RMS	25693	-44.82	-40	4.82	Pass	40001




1.9. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.89	-40	10.89	Pass	401
0.15	30	0.01	RMS	0.15	-52.45	-40	12.45	Pass	5971
30	1000	0.1	RMS	982.75	-60.81	-40	20.81	Pass	19401
1000	3000	1	RMS	2672.5	-47.21	-40	7.21	Pass	4001
3000	3500	1	RMS	3313.5	-46.01	-40	6.01	Pass	1001
3500	3750	1	RMS	3620.5	23.09	60	36.91	Pass	501
3750	6500	1	RMS	3851	-44.27	-40	4.27	Pass	5501
6500	26500	1	RMS	25716.5	-44.83	-40	4.83	Pass	40001




1.10. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:10, Channel:55990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-40	11.31	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-40	13.03	Pass	5971
30	1000	0.1	RMS	997.7	-60.92	-40	20.92	Pass	19401
1000	3000	1	RMS	2669	-47.17	-40	7.17	Pass	4001
3000	3500	1	RMS	3313.5	-46.21	-40	6.21	Pass	1001
3500	3750	1	RMS	3620.5	22.18	60	37.82	Pass	501
3750	6500	1	RMS	3851	-46.01	-40	6.01	Pass	5501
6500	26500	1	RMS	25693.5	-44.81	-40	4.81	Pass	40001




1.11. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.37	-40	10.37	Pass	401
0.15	30	0.01	RMS	0.155	-51.95	-40	11.95	Pass	5971
30	1000	0.1	RMS	888.55	-60.99	-40	20.99	Pass	19401
1000	3000	1	RMS	2664.5	-47.19	-40	7.19	Pass	4001
3000	3500	1	RMS	3460	-46.02	-40	6.02	Pass	1001
3500	3750	1	RMS	3690.5	23.11	60	36.89	Pass	501
3750	6500	1	RMS	3997.5	-44.23	-40	4.23	Pass	5501
6500	26500	1	RMS	25680	-44.79	-40	4.79	Pass	40001




1.12. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:12, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.7	-40	10.7	Pass	401
0.15	30	0.01	RMS	0.155	-53.26	-40	13.26	Pass	5971
30	1000	0.1	RMS	976	-60.99	-40	20.99	Pass	19401
1000	3000	1	RMS	2673.5	-47.14	-40	7.14	Pass	4001
3000	3500	1	RMS	3460	-46.5	-40	6.5	Pass	1001
3500	3750	1	RMS	3690.5	22.37	60	37.63	Pass	501
3750	6500	1	RMS	3921	-44.58	-40	4.58	Pass	5501
6500	26500	1	RMS	25681.5	-44.8	-40	4.8	Pass	40001




1.13. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.91	-40	9.91	Pass	401
0.15	30	0.01	RMS	0.155	-52.78	-40	12.78	Pass	5971
30	1000	0.1	RMS	989.6	-60.51	-40	20.51	Pass	19401
1000	3000	1	RMS	2671	-47.17	-40	7.17	Pass	4001
3000	3500	1	RMS	3320.5	-45.76	-40	5.76	Pass	1001
3500	3750	1	RMS	3551	22.09	60	37.91	Pass	501
3750	6500	1	RMS	3858	-47.4	-40	7.4	Pass	5501
6500	26500	1	RMS	25697.5	-44.87	-40	4.87	Pass	40001




1.14. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:14, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.87	-40	10.87	Pass	401
0.15	30	0.01	RMS	0.155	-52.62	-40	12.62	Pass	5971
30	1000	0.1	RMS	989.55	-60.82	-40	20.82	Pass	19401
1000	3000	1	RMS	2669.5	-47.2	-40	7.2	Pass	4001
3000	3500	1	RMS	3320.5	-46.07	-40	6.07	Pass	1001
3500	3750	1	RMS	3551	21.34	60	38.66	Pass	501
3750	6500	1	RMS	6441	-47.62	-40	7.62	Pass	5501
6500	26500	1	RMS	25677	-44.77	-40	4.77	Pass	40001




1.15. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.51	-40	10.51	Pass	401
0.15	30	0.01	RMS	0.15	-52.34	-40	12.34	Pass	5971
30	1000	0.1	RMS	944.95	-61.08	-40	21.08	Pass	19401
1000	3000	1	RMS	2669	-47.13	-40	7.13	Pass	4001
3000	3500	1	RMS	3388	-46.12	-40	6.12	Pass	1001
3500	3750	1	RMS	3618.5	22.6	60	37.4	Pass	501
3750	6500	1	RMS	3849	-46.22	-40	6.22	Pass	5501
6500	26500	1	RMS	25689	-44.67	-40	4.67	Pass	40001




1.16. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:16, Channel:55990, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.2	-40	10.2	Pass	401
0.15	30	0.01	RMS	0.155	-53.37	-40	13.37	Pass	5971
30	1000	0.1	RMS	884.55	-61.03	-40	21.03	Pass	19401
1000	3000	1	RMS	2665.5	-47.17	-40	7.17	Pass	4001
3000	3500	1	RMS	3388	-46.52	-40	6.52	Pass	1001
3500	3750	1	RMS	3618.5	21.84	60	38.16	Pass	501
3750	6500	1	RMS	3848.5	-45.34	-40	5.34	Pass	5501
6500	26500	1	RMS	25676	-44.65	-40	4.65	Pass	40001




1.17. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.73	-40	10.73	Pass	401
0.15	30	0.01	RMS	0.15	-52.28	-40	12.28	Pass	5971
30	1000	0.1	RMS	908.55	-61.03	-40	21.03	Pass	19401
1000	3000	1	RMS	2676	-47.18	-40	7.18	Pass	4001
3000	3500	1	RMS	3455.5	-45.98	-40	5.98	Pass	1001
3500	3750	1	RMS	3686	22.69	60	37.31	Pass	501
3750	6500	1	RMS	3916	-45.69	-40	5.69	Pass	5501
6500	26500	1	RMS	25693	-44.83	-40	4.83	Pass	40001




1.18. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:18, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.04	-40	10.04	Pass	401
0.15	30	0.01	RMS	0.155	-53.55	-40	13.55	Pass	5971
30	1000	0.1	RMS	945.05	-61.01	-40	21.01	Pass	19401
1000	3000	1	RMS	2662.5	-47.14	-40	7.14	Pass	4001
3000	3500	1	RMS	3455.5	-46.43	-40	6.43	Pass	1001
3500	3750	1	RMS	3686	21.8	60	38.2	Pass	501
3750	6500	1	RMS	3993	-46.54	-40	6.54	Pass	5501
6500	26500	1	RMS	25692	-44.73	-40	4.73	Pass	40001




1.19. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.35	-40	10.35	Pass	401
0.15	30	0.01	RMS	0.17	-53.25	-40	13.25	Pass	5971
30	1000	0.1	RMS	989.9	-60.21	-40	20.21	Pass	19401
1000	3000	1	RMS	2664.5	-47.2	-40	7.2	Pass	4001
3000	3500	1	RMS	3320.5	-45.72	-40	5.72	Pass	1001
3500	3750	1	RMS	3551	22.83	60	37.17	Pass	501
3750	6500	1	RMS	3782	-46.47	-40	6.47	Pass	5501
6500	26500	1	RMS	25691	-44.71	-40	4.71	Pass	40001




1.20. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:20, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.55	-40	10.55	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-40	11.53	Pass	5971
30	1000	0.1	RMS	989.85	-60.39	-40	20.39	Pass	19401
1000	3000	1	RMS	2668.5	-47.16	-40	7.16	Pass	4001
3000	3500	1	RMS	3320.5	-46.09	-40	6.09	Pass	1001
3500	3750	1	RMS	3551	21.34	60	38.66	Pass	501
3750	6500	1	RMS	3858	-46.75	-40	6.75	Pass	5501
6500	26500	1	RMS	25692.5	-44.66	-40	4.66	Pass	40001




1.21. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.92	-40	9.92	Pass	401
0.15	30	0.01	RMS	0.165	-53.79	-40	13.79	Pass	5971
30	1000	0.1	RMS	985.65	-60.93	-40	20.93	Pass	19401
1000	3000	1	RMS	2672	-47.16	-40	7.16	Pass	4001
3000	3500	1	RMS	3309	-46.22	-40	6.22	Pass	1001
3500	3750	1	RMS	3616	22.7	60	37.3	Pass	501
3750	6500	1	RMS	3847	-46.86	-40	6.86	Pass	5501
6500	26500	1	RMS	25672	-44.87	-40	4.87	Pass	40001




1.22. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:22, Channel:55990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-40	10.19	Pass	401
0.15	30	0.01	RMS	0.155	-52.87	-40	12.87	Pass	5971
30	1000	0.1	RMS	944.45	-60.96	-40	20.96	Pass	19401
1000	3000	1	RMS	2671.5	-47.17	-40	7.17	Pass	4001
3000	3500	1	RMS	3385.5	-46.51	-40	6.51	Pass	1001
3500	3750	1	RMS	3616	21.84	60	38.16	Pass	501
3750	6500	1	RMS	3847	-46.78	-40	6.78	Pass	5501
6500	26500	1	RMS	25690	-44.78	-40	4.78	Pass	40001




1.23. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.36	-40	11.36	Pass	401
0.15	30	0.01	RMS	0.15	-51.82	-40	11.82	Pass	5971
30	1000	0.1	RMS	959.85	-60.83	-40	20.83	Pass	19401
1000	3000	1	RMS	2676	-47.22	-40	7.22	Pass	4001
3000	3500	1	RMS	3450.5	-46.21	-40	6.21	Pass	1001
3500	3750	1	RMS	3681	22.89	60	37.11	Pass	501
3750	6500	1	RMS	3912	-46.53	-40	6.53	Pass	5501
6500	26500	1	RMS	25683	-44.78	-40	4.78	Pass	40001



1.24. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:24, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.06	-40	10.06	Pass	401
0.15	30	0.01	RMS	0.15	-52.2	-40	12.2	Pass	5971
30	1000	0.1	RMS	939.1	-61	-40	21	Pass	19401
1000	3000	1	RMS	2681	-47.19	-40	7.19	Pass	4001
3000	3500	1	RMS	3450.5	-46.48	-40	6.48	Pass	1001
3500	3750	1	RMS	3681	22.28	60	37.72	Pass	501
3750	6500	1	RMS	3912	-47.11	-40	7.11	Pass	5501
6500	26500	1	RMS	25682.5	-44.6	-40	4.6	Pass	40001



1. n48 30kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.59	-40	15.59	Pass	401
0.15	30	0.01	RMS	1.52	-72.95	-40	32.95	Pass	5971
30	1000	0.1	RMS	440.2	-63.55	-40	23.55	Pass	19401
1000	3000	1	RMS	2976	-51.8	-40	11.8	Pass	4001
3000	3500	1	RMS	3002	-55.44	-40	15.44	Pass	1001
3500	3750	1	RMS	3556.875	3.79	60	56.21	Pass	501
3750	7000	1	RMS	3796	-64.6	-40	24.6	Pass	6501
7000	26500	1	RMS	25923	-54.7	-40	14.7	Pass	39001




1.2. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.85	-40	14.85	Pass	401
0.15	30	0.01	RMS	1.08	-73.37	-40	33.37	Pass	5971
30	1000	0.1	RMS	509.5	-63.45	-40	23.45	Pass	19401
1000	3000	1	RMS	2969	-51.61	-40	11.61	Pass	4001
3000	3500	1	RMS	3321	-54.45	-40	14.45	Pass	1001
3500	3750	1	RMS	3551.25	14.51	60	45.49	Pass	501
3750	7000	1	RMS	3781	-57.48	-40	17.48	Pass	6501
7000	26500	1	RMS	25901	-54.88	-40	14.88	Pass	39001




1.3. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.77	-40	16.77	Pass	401
0.15	30	0.01	RMS	2.28	-73.29	-40	33.29	Pass	5971
30	1000	0.1	RMS	876.618	-63.63	-40	23.63	Pass	19401
1000	3000	1	RMS	2980	-51.8	-40	11.8	Pass	4001
3000	3500	1	RMS	3339	-54.28	-40	14.28	Pass	1001
3500	3750	1	RMS	3568.75	14.44	60	45.56	Pass	501
3750	7000	1	RMS	3799	-56.95	-40	16.95	Pass	6501
7000	26500	1	RMS	25952	-54.86	-40	14.86	Pass	39001




1.4. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.53	-40	14.53	Pass	401
0.15	30	0.01	RMS	1.09	-72.85	-40	32.85	Pass	5971
30	1000	0.1	RMS	993.996	-63.72	-40	23.72	Pass	19401
1000	3000	1	RMS	2982	-51.86	-40	11.86	Pass	4001
3000	3500	1	RMS	3001	-55.42	-40	15.42	Pass	1001
3500	3750	1	RMS	3621.875	3.58	60	56.42	Pass	501
3750	7000	1	RMS	3938	-65.68	-40	25.68	Pass	6501
7000	26500	1	RMS	25556	-54.8	-40	14.8	Pass	39001




1.5. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.24	-40	15.24	Pass	401
0.15	30	0.01	RMS	0.16	-73.29	-40	33.29	Pass	5971
30	1000	0.1	RMS	626.4	-63.25	-40	23.25	Pass	19401
1000	3000	1	RMS	2994	-51.62	-40	11.62	Pass	4001
3000	3500	1	RMS	3386	-53.91	-40	13.91	Pass	1001
3500	3750	1	RMS	3616.25	14.13	60	45.87	Pass	501
3750	7000	1	RMS	3923	-57.45	-40	17.45	Pass	6501
7000	26500	1	RMS	25891	-54.9	-40	14.9	Pass	39001




1.6. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-40	14.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-40	32.75	Pass	5971
30	1000	0.1	RMS	886.425	-63.32	-40	23.32	Pass	19401
1000	3000	1	RMS	2985	-51.83	-40	11.83	Pass	4001
3000	3500	1	RMS	3327	-54.28	-40	14.28	Pass	1001
3500	3750	1	RMS	3633.75	14.38	60	45.62	Pass	501
3750	7000	1	RMS	3864	-58.33	-40	18.33	Pass	6501
7000	26500	1	RMS	25891	-54.79	-40	14.79	Pass	39001




1.7. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.47	-40	15.47	Pass	401
0.15	30	0.01	RMS	0.78	-73.49	-40	33.49	Pass	5971
30	1000	0.1	RMS	842.9	-63.36	-40	23.36	Pass	19401
1000	3000	1	RMS	2981	-51.79	-40	11.79	Pass	4001
3000	3500	1	RMS	3002	-55.33	-40	15.33	Pass	1001
3500	3750	1	RMS	3695	3.49	60	56.51	Pass	501
3750	7000	1	RMS	3918	-65.3	-40	25.3	Pass	6501
7000	26500	1	RMS	25870	-54.86	-40	14.86	Pass	39001




1.8. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.3	-40	14.3	Pass	401
0.15	30	0.01	RMS	0.23	-73.09	-40	33.09	Pass	5971
30	1000	0.1	RMS	974.883	-63.23	-40	23.23	Pass	19401
1000	3000	1	RMS	2988	-51.87	-40	11.87	Pass	4001
3000	3500	1	RMS	3451	-54.52	-40	14.52	Pass	1001
3500	3750	1	RMS	3681.25	14.12	60	45.88	Pass	501
3750	7000	1	RMS	3988	-57.08	-40	17.08	Pass	6501
7000	26500	1	RMS	25902	-54.6	-40	14.6	Pass	39001




1.9. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.01	-40	15.01	Pass	401
0.15	30	0.01	RMS	1.69	-72.23	-40	32.23	Pass	5971
30	1000	0.1	RMS	997.198	-63.49	-40	23.49	Pass	19401
1000	3000	1	RMS	2993	-51.74	-40	11.74	Pass	4001
3000	3500	1	RMS	3469	-54.16	-40	14.16	Pass	1001
3500	3750	1	RMS	3698.75	14.3	60	45.7	Pass	501
3750	7000	1	RMS	3929	-57.62	-40	17.62	Pass	6501
7000	26500	1	RMS	25528	-54.67	-40	14.67	Pass	39001




1.10. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.25	-40	14.25	Pass	401
0.15	30	0.01	RMS	1.19	-72.51	-40	32.51	Pass	5971
30	1000	0.1	RMS	912.042	-63.42	-40	23.42	Pass	19401
1000	3000	1	RMS	2984	-51.76	-40	11.76	Pass	4001
3000	3500	1	RMS	3000	-49.36	-40	9.36	Pass	1001
3500	3750	1	RMS	3556.25	1.95	60	58.05	Pass	501
3750	7000	1	RMS	4223	-65.41	-40	25.41	Pass	6501
7000	26500	1	RMS	25897	-54.97	-40	14.97	Pass	39001




1.11. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.08	-40	15.08	Pass	401
0.15	30	0.01	RMS	1.74	-72.93	-40	32.93	Pass	5971
30	1000	0.1	RMS	872.015	-63.67	-40	23.67	Pass	19401
1000	3000	1	RMS	2981	-51.74	-40	11.74	Pass	4001
3000	3500	1	RMS	3000	-49.33	-40	9.33	Pass	1001
3500	3750	1	RMS	3551.25	15.14	60	44.86	Pass	501
3750	7000	1	RMS	3782	-57.88	-40	17.88	Pass	6501
7000	26500	1	RMS	25524	-54.5	-40	14.5	Pass	39001




1.12. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-40	14.23	Pass	401
0.15	30	0.01	RMS	0.96	-73.25	-40	33.25	Pass	5971
30	1000	0.1	RMS	978.786	-63.46	-40	23.46	Pass	19401
1000	3000	1	RMS	2961	-51.74	-40	11.74	Pass	4001
3000	3500	1	RMS	3000	-49.42	-40	9.42	Pass	1001
3500	3750	1	RMS	3578.75	14.76	60	45.24	Pass	501
3750	7000	1	RMS	3809	-56.96	-40	16.96	Pass	6501
7000	26500	1	RMS	25877	-54.94	-40	14.94	Pass	39001




1.13. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-40	13.83	Pass	401
0.15	30	0.01	RMS	0.4	-72.57	-40	32.57	Pass	5971
30	1000	0.1	RMS	825.8	-62.71	-40	22.71	Pass	19401
1000	3000	1	RMS	2987	-51.8	-40	11.8	Pass	4001
3000	3500	1	RMS	3009	-49.37	-40	9.37	Pass	1001
3500	3750	1	RMS	3635	1.79	60	58.21	Pass	501
3750	7000	1	RMS	4222	-66.27	-40	26.27	Pass	6501
7000	26500	1	RMS	25905	-54.43	-40	14.43	Pass	39001




1.14. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.05	-40	15.05	Pass	401
0.15	30	0.01	RMS	0.65	-72.78	-40	32.78	Pass	5971
30	1000	0.1	RMS	927.652	-63.58	-40	23.58	Pass	19401
1000	3000	1	RMS	2975	-51.83	-40	11.83	Pass	4001
3000	3500	1	RMS	3304	-49.39	-40	9.39	Pass	1001
3500	3750	1	RMS	3611.25	14.9	60	45.1	Pass	501
3750	7000	1	RMS	3918	-57.73	-40	17.73	Pass	6501
7000	26500	1	RMS	25937	-54.76	-40	14.76	Pass	39001




**1.15. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3,
Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:77)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.59	-40	15.59	Pass	401
0.15	30	0.01	RMS	2	-73.37	-40	33.37	Pass	5971
30	1000	0.1	RMS	853.103	-63.21	-40	23.21	Pass	19401
1000	3000	1	RMS	2981	-51.82	-40	11.82	Pass	4001
3000	3500	1	RMS	3001	-49.34	-40	9.34	Pass	1001
3500	3750	1	RMS	3638.75	14.84	60	45.16	Pass	501
3750	7000	1	RMS	3869	-57.27	-40	17.27	Pass	6501
7000	26500	1	RMS	25620	-55.08	-40	15.08	Pass	39001




1.16. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.99	-40	14.99	Pass	401
0.15	30	0.01	RMS	1.16	-72.16	-40	32.16	Pass	5971
30	1000	0.1	RMS	891.428	-63.37	-40	23.37	Pass	19401
1000	3000	1	RMS	2994	-51.81	-40	11.81	Pass	4001
3000	3500	1	RMS	3002	-49.43	-40	9.43	Pass	1001
3500	3750	1	RMS	3693.125	1.64	60	58.36	Pass	501
3750	7000	1	RMS	3923	-66.31	-40	26.31	Pass	6501
7000	26500	1	RMS	25480	-54.61	-40	14.61	Pass	39001




1.17. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.59	-40	16.59	Pass	401
0.15	30	0.01	RMS	0.74	-72.44	-40	32.44	Pass	5971
30	1000	0.1	RMS	894.53	-62.86	-40	22.86	Pass	19401
1000	3000	1	RMS	2984	-51.88	-40	11.88	Pass	4001
3000	3500	1	RMS	3002	-49.41	-40	9.41	Pass	1001
3500	3750	1	RMS	3671.25	14.81	60	45.19	Pass	501
3750	7000	1	RMS	3978	-58.09	-40	18.09	Pass	6501
7000	26500	1	RMS	25503	-54.91	-40	14.91	Pass	39001




**1.18. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3,
Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:77)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.98	-40	14.98	Pass	401
0.15	30	0.01	RMS	1.08	-73.35	-40	33.35	Pass	5971
30	1000	0.1	RMS	983.789	-62.5	-40	22.5	Pass	19401
1000	3000	1	RMS	2985	-51.78	-40	11.78	Pass	4001
3000	3500	1	RMS	3000	-49.38	-40	9.38	Pass	1001
3500	3750	1	RMS	3698.75	14.7	60	45.3	Pass	501
3750	7000	1	RMS	3929	-56.69	-40	16.69	Pass	6501
7000	26500	1	RMS	25501	-54.78	-40	14.78	Pass	39001




1.19. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.21	-40	16.21	Pass	401
0.15	30	0.01	RMS	1.73	-73.42	-40	33.42	Pass	5971
30	1000	0.1	RMS	993.796	-63.25	-40	23.25	Pass	19401
1000	3000	1	RMS	2976	-51.87	-40	11.87	Pass	4001
3000	3500	1	RMS	3001	-55.33	-40	15.33	Pass	1001
3500	3750	1	RMS	3556.25	0.65	60	59.35	Pass	501
3750	7000	1	RMS	4222	-65.21	-40	25.21	Pass	6501
7000	26500	1	RMS	25506	-55.08	-40	15.08	Pass	39001




1.20. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.84	-40	15.84	Pass	401
0.15	30	0.01	RMS	1.71	-73.37	-40	33.37	Pass	5971
30	1000	0.1	RMS	636.9	-63.62	-40	23.62	Pass	19401
1000	3000	1	RMS	2976	-51.67	-40	11.67	Pass	4001
3000	3500	1	RMS	3321	-53.98	-40	13.98	Pass	1001
3500	3750	1	RMS	3551.25	14.97	60	45.03	Pass	501
3750	7000	1	RMS	3858	-58.15	-40	18.15	Pass	6501
7000	26500	1	RMS	25930	-54.71	-40	14.71	Pass	39001




1.21. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-40	15.4	Pass	401
0.15	30	0.01	RMS	0.2	-73.16	-40	33.16	Pass	5971
30	1000	0.1	RMS	702.9	-63.42	-40	23.42	Pass	19401
1000	3000	1	RMS	3000	-51.79	-40	11.79	Pass	4001
3000	3500	1	RMS	3358	-54.35	-40	14.35	Pass	1001
3500	3750	1	RMS	3588.75	14.65	60	45.35	Pass	501
3750	7000	1	RMS	3819	-58.01	-40	18.01	Pass	6501
7000	26500	1	RMS	25596	-54.8	-40	14.8	Pass	39001




1.22. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.6	-40	15.6	Pass	401
0.15	30	0.01	RMS	2.04	-72.42	-40	32.42	Pass	5971
30	1000	0.1	RMS	761.7	-63.18	-40	23.18	Pass	19401
1000	3000	1	RMS	2988	-51.67	-40	11.67	Pass	4001
3000	3500	1	RMS	3103	-55.43	-40	15.43	Pass	1001
3500	3750	1	RMS	3623.125	0.45	60	59.55	Pass	501
3750	7000	1	RMS	4223	-65.99	-40	25.99	Pass	6501
7000	26500	1	RMS	25916	-54.6	-40	14.6	Pass	39001




1.23. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.39	-40	16.39	Pass	401
0.15	30	0.01	RMS	3.51	-72.51	-40	32.51	Pass	5971
30	1000	0.1	RMS	924.95	-63.47	-40	23.47	Pass	19401
1000	3000	1	RMS	2973	-51.79	-40	11.79	Pass	4001
3000	3500	1	RMS	3376	-53.51	-40	13.51	Pass	1001
3500	3750	1	RMS	3606.25	14.68	60	45.32	Pass	501
3750	7000	1	RMS	3913	-57.77	-40	17.77	Pass	6501
7000	26500	1	RMS	25937	-54.78	-40	14.78	Pass	39001




1.24. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.88	-40	15.88	Pass	401
0.15	30	0.01	RMS	0.26	-72.55	-40	32.55	Pass	5971
30	1000	0.1	RMS	834.9	-63.51	-40	23.51	Pass	19401
1000	3000	1	RMS	2962	-51.83	-40	11.83	Pass	4001
3000	3500	1	RMS	3413	-54.3	-40	14.3	Pass	1001
3500	3750	1	RMS	3643.75	14.82	60	45.18	Pass	501
3750	7000	1	RMS	3874	-57.24	-40	17.24	Pass	6501
7000	26500	1	RMS	25871	-54.76	-40	14.76	Pass	39001




1.25. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.95	-40	15.95	Pass	401
0.15	30	0.01	RMS	0.17	-73.33	-40	33.33	Pass	5971
30	1000	0.1	RMS	747	-63.37	-40	23.37	Pass	19401
1000	3000	1	RMS	2975	-51.88	-40	11.88	Pass	4001
3000	3500	1	RMS	3000	-55.36	-40	15.36	Pass	1001
3500	3750	1	RMS	3677.5	0.3	60	59.7	Pass	501
3750	7000	1	RMS	3751	-64.68	-40	24.68	Pass	6501
7000	26500	1	RMS	25918	-54.69	-40	14.69	Pass	39001




1.26. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.48	-40	15.48	Pass	401
0.15	30	0.01	RMS	0.62	-73.58	-40	33.58	Pass	5971
30	1000	0.1	RMS	891.228	-63.47	-40	23.47	Pass	19401
1000	3000	1	RMS	2974	-51.78	-40	11.78	Pass	4001
3000	3500	1	RMS	3431	-53.96	-40	13.96	Pass	1001
3500	3750	1	RMS	3661.25	14.67	60	45.33	Pass	501
3750	7000	1	RMS	3968	-58.23	-40	18.23	Pass	6501
7000	26500	1	RMS	25512	-54.63	-40	14.63	Pass	39001



1.27. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.6	-40	16.6	Pass	401
0.15	30	0.01	RMS	0.95	-72.68	-40	32.68	Pass	5971
30	1000	0.1	RMS	667.8	-63.25	-40	23.25	Pass	19401
1000	3000	1	RMS	2978	-51.87	-40	11.87	Pass	4001
3000	3500	1	RMS	3468	-54.16	-40	14.16	Pass	1001
3500	3750	1	RMS	3698.75	14.77	60	45.23	Pass	501
3750	7000	1	RMS	3929	-56.68	-40	16.68	Pass	6501
7000	26500	1	RMS	25500	-54.89	-40	14.89	Pass	39001



2. n77(3550-3700)


2.1. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.77	-40	14.77	Pass	401
0.15	30	0.01	RMS	2.17	-71.59	-40	31.59	Pass	5971
30	1000	0.1	RMS	880.121	-62.8	-40	22.8	Pass	19401
1000	3000	1	RMS	2975	-51.52	-40	11.52	Pass	4001
3000	3500	1	RMS	3003	-54.94	-40	14.94	Pass	1001
3500	3750	1	RMS	3556.875	3.77	60	56.23	Pass	501
3750	7000	1	RMS	3788	-65.82	-40	25.82	Pass	6501
7000	26500	1	RMS	25898	-54.93	-40	14.93	Pass	39001




2.2. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.82	-40	14.82	Pass	401
0.15	30	0.01	RMS	1.58	-72.47	-40	32.47	Pass	5971
30	1000	0.1	RMS	861.308	-63.39	-40	23.39	Pass	19401
1000	3000	1	RMS	2992	-51.51	-40	11.51	Pass	4001
3000	3500	1	RMS	3321	-53.84	-40	13.84	Pass	1001
3500	3750	1	RMS	3551.25	14.52	60	45.48	Pass	501
3750	7000	1	RMS	3781	-57.9	-40	17.9	Pass	6501
7000	26500	1	RMS	25867	-54.29	-40	14.29	Pass	39001




2.3. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.48	-40	16.48	Pass	401
0.15	30	0.01	RMS	0.4	-74.11	-40	34.11	Pass	5971
30	1000	0.1	RMS	998.899	-63.16	-40	23.16	Pass	19401
1000	3000	1	RMS	2981	-51.62	-40	11.62	Pass	4001
3000	3500	1	RMS	3339	-53.82	-40	13.82	Pass	1001
3500	3750	1	RMS	3568.75	14.41	60	45.59	Pass	501
3750	7000	1	RMS	3876	-57.79	-40	17.79	Pass	6501
7000	26500	1	RMS	25882	-54.98	-40	14.98	Pass	39001




2.4. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.23	-40	16.23	Pass	401
0.15	30	0.01	RMS	5.57	-73.24	-40	33.24	Pass	5971
30	1000	0.1	RMS	983.189	-62.93	-40	22.93	Pass	19401
1000	3000	1	RMS	2968	-51.52	-40	11.52	Pass	4001
3000	3500	1	RMS	3001	-55.01	-40	15.01	Pass	1001
3500	3750	1	RMS	3621.875	3.54	60	56.46	Pass	501
3750	7000	1	RMS	3857	-65.67	-40	25.67	Pass	6501
7000	26500	1	RMS	25501	-54.83	-40	14.83	Pass	39001




2.5. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-40	14.09	Pass	401
0.15	30	0.01	RMS	2.55	-73.5	-40	33.5	Pass	5971
30	1000	0.1	RMS	985.09	-63	-40	23	Pass	19401
1000	3000	1	RMS	2988	-51.58	-40	11.58	Pass	4001
3000	3500	1	RMS	3386	-54.04	-40	14.04	Pass	1001
3500	3750	1	RMS	3616.25	14.14	60	45.86	Pass	501
3750	7000	1	RMS	3923	-58.13	-40	18.13	Pass	6501
7000	26500	1	RMS	25901	-54.9	-40	14.9	Pass	39001




2.6. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.23	-40	16.23	Pass	401
0.15	30	0.01	RMS	3.61	-73.69	-40	33.69	Pass	5971
30	1000	0.1	RMS	631.4	-63.36	-40	23.36	Pass	19401
1000	3000	1	RMS	2980	-51.62	-40	11.62	Pass	4001
3000	3500	1	RMS	3327	-53.46	-40	13.46	Pass	1001
3500	3750	1	RMS	3633.75	14.39	60	45.61	Pass	501
3750	7000	1	RMS	3941	-56.46	-40	16.46	Pass	6501
7000	26500	1	RMS	25511	-54.85	-40	14.85	Pass	39001




2.7. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-40	14.83	Pass	401
0.15	30	0.01	RMS	1.29	-73.48	-40	33.48	Pass	5971
30	1000	0.1	RMS	885.624	-63.16	-40	23.16	Pass	19401
1000	3000	1	RMS	2991	-51.63	-40	11.63	Pass	4001
3000	3500	1	RMS	3004	-54.95	-40	14.95	Pass	1001
3500	3750	1	RMS	3694.375	3.4	60	56.6	Pass	501
3750	7000	1	RMS	3922	-65.22	-40	25.22	Pass	6501
7000	26500	1	RMS	25873	-54.74	-40	14.74	Pass	39001




2.8. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.46	-40	14.46	Pass	401
0.15	30	0.01	RMS	0.56	-72.2	-40	32.2	Pass	5971
30	1000	0.1	RMS	864.41	-63.15	-40	23.15	Pass	19401
1000	3000	1	RMS	2992	-51.61	-40	11.61	Pass	4001
3000	3500	1	RMS	3374	-54.05	-40	14.05	Pass	1001
3500	3750	1	RMS	3681.25	13.96	60	46.04	Pass	501
3750	7000	1	RMS	3988	-57.29	-40	17.29	Pass	6501
7000	26500	1	RMS	25900	-54.75	-40	14.75	Pass	39001




2.9. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.62	-40	14.62	Pass	401
0.15	30	0.01	RMS	2.55	-73.16	-40	33.16	Pass	5971
30	1000	0.1	RMS	984.89	-62.74	-40	22.74	Pass	19401
1000	3000	1	RMS	2988	-51.6	-40	11.6	Pass	4001
3000	3500	1	RMS	3469	-53.87	-40	13.87	Pass	1001
3500	3750	1	RMS	3698.75	14.27	60	45.73	Pass	501
3750	7000	1	RMS	3929	-57.66	-40	17.66	Pass	6501
7000	26500	1	RMS	25916	-54.5	-40	14.5	Pass	39001




2.10. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-40	14.83	Pass	401
0.15	30	0.01	RMS	1.45	-73.01	-40	33.01	Pass	5971
30	1000	0.1	RMS	858.006	-63.06	-40	23.06	Pass	19401
1000	3000	1	RMS	2979	-51.53	-40	11.53	Pass	4001
3000	3500	1	RMS	3000	-54.8	-40	14.8	Pass	1001
3500	3750	1	RMS	3563.125	-1.64	60	61.64	Pass	501
3750	7000	1	RMS	4223	-66.16	-40	26.16	Pass	6501
7000	26500	1	RMS	25466	-54.73	-40	14.73	Pass	39001




2.11. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.07	-40	16.07	Pass	401
0.15	30	0.01	RMS	2.69	-73.95	-40	33.95	Pass	5971
30	1000	0.1	RMS	855.004	-63.59	-40	23.59	Pass	19401
1000	3000	1	RMS	2987	-51.62	-40	11.62	Pass	4001
3000	3500	1	RMS	3321	-53.09	-40	13.09	Pass	1001
3500	3750	1	RMS	3551.25	14.49	60	45.51	Pass	501
3750	7000	1	RMS	3781	-56.12	-40	16.12	Pass	6501
7000	26500	1	RMS	25534	-54.66	-40	14.66	Pass	39001




2.12. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.01	-40	16.01	Pass	401
0.15	30	0.01	RMS	0.67	-73.38	-40	33.38	Pass	5971
30	1000	0.1	RMS	908.639	-63.26	-40	23.26	Pass	19401
1000	3000	1	RMS	2971	-51.5	-40	11.5	Pass	4001
3000	3500	1	RMS	3379	-52.24	-40	12.24	Pass	1001
3500	3750	1	RMS	3608.75	14.13	60	45.87	Pass	501
3750	7000	1	RMS	3839	-56.07	-40	16.07	Pass	6501
7000	26500	1	RMS	25512	-54.67	-40	14.67	Pass	39001




2.13. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.16	-40	17.16	Pass	401
0.15	30	0.01	RMS	1.4	-73.59	-40	33.59	Pass	5971
30	1000	0.1	RMS	908.039	-63.52	-40	23.52	Pass	19401
1000	3000	1	RMS	2994	-51.66	-40	11.66	Pass	4001
3000	3500	1	RMS	3006	-55.08	-40	15.08	Pass	1001
3500	3750	1	RMS	3618.75	-1.65	60	61.65	Pass	501
3750	7000	1	RMS	4223	-66.23	-40	26.23	Pass	6501
7000	26500	1	RMS	25506	-54.66	-40	14.66	Pass	39001




2.14. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-40	13.75	Pass	401
0.15	30	0.01	RMS	28.2	-73.78	-40	33.78	Pass	5971
30	1000	0.1	RMS	838.7	-63.34	-40	23.34	Pass	19401
1000	3000	1	RMS	2971	-51.48	-40	11.48	Pass	4001
3000	3500	1	RMS	3366	-53.1	-40	13.1	Pass	1001
3500	3750	1	RMS	3596.25	14.02	60	45.98	Pass	501
3750	7000	1	RMS	3826	-56.26	-40	16.26	Pass	6501
7000	26500	1	RMS	25504	-54.89	-40	14.89	Pass	39001




2.15. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-40	15.37	Pass	401
0.15	30	0.01	RMS	0.27	-73.45	-40	33.45	Pass	5971
30	1000	0.1	RMS	916.945	-62.87	-40	22.87	Pass	19401
1000	3000	1	RMS	2980	-51.68	-40	11.68	Pass	4001
3000	3500	1	RMS	3424	-52.23	-40	12.23	Pass	1001
3500	3750	1	RMS	3653.75	14.27	60	45.73	Pass	501
3750	7000	1	RMS	3884	-55.53	-40	15.53	Pass	6501
7000	26500	1	RMS	25857	-54.79	-40	14.79	Pass	39001




2.16. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.36	-40	14.36	Pass	401
0.15	30	0.01	RMS	0.96	-73.56	-40	33.56	Pass	5971
30	1000	0.1	RMS	993.596	-63.58	-40	23.58	Pass	19401
1000	3000	1	RMS	2978	-51.58	-40	11.58	Pass	4001
3000	3500	1	RMS	3002	-55.08	-40	15.08	Pass	1001
3500	3750	1	RMS	3662.5	-1.62	60	61.62	Pass	501
3750	7000	1	RMS	3750	-60.35	-40	20.35	Pass	6501
7000	26500	1	RMS	25491	-54.24	-40	14.24	Pass	39001




2.17. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.77	-40	14.77	Pass	401
0.15	30	0.01	RMS	1.09	-73.56	-40	33.56	Pass	5971
30	1000	0.1	RMS	977.485	-63.26	-40	23.26	Pass	19401
1000	3000	1	RMS	2971	-51.65	-40	11.65	Pass	4001
3000	3500	1	RMS	3411	-52.9	-40	12.9	Pass	1001
3500	3750	1	RMS	3641.25	14.07	60	45.93	Pass	501
3750	7000	1	RMS	3871	-56.3	-40	16.3	Pass	6501
7000	26500	1	RMS	25563	-54.74	-40	14.74	Pass	39001




2.18. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.95	-40	15.95	Pass	401
0.15	30	0.01	RMS	2.53	-72.62	-40	32.62	Pass	5971
30	1000	0.1	RMS	615.3	-63.21	-40	23.21	Pass	19401
1000	3000	1	RMS	2978	-51.64	-40	11.64	Pass	4001
3000	3500	1	RMS	3469	-53.04	-40	13.04	Pass	1001
3500	3750	1	RMS	3698.75	14.17	60	45.83	Pass	501
3750	7000	1	RMS	3929	-55.75	-40	15.75	Pass	6501
7000	26500	1	RMS	25549	-54.76	-40	14.76	Pass	39001




2.19. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-40	14.12	Pass	401
0.15	30	0.01	RMS	1.59	-73.3	-40	33.3	Pass	283
30	1000	0.1	RMS	620.8	-63.42	-40	23.42	Pass	5971
1000	3000	1	RMS	2986	-51.61	-40	11.61	Pass	19401
3000	3495	1	RMS	3494	-54.2	-40	14.2	Pass	4001
3495	3499.5	1	RMS	3499.5	-52.99	-40	12.99	Pass	401
3500	3750	1	RMS	3615.625	-3.99	60	63.99	Pass	6501
3750	7000	1	RMS	3751	-63.2	-40	23.2	Pass	39001
7000	26500	1	RMS	25503	-54.28	-40	14.28	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-40	14	Pass	401
0.15	30	0.01	RMS	3.07	-73.55	-40	33.55	Pass	5971
30	1000	0.1	RMS	991.294	-63.38	-40	23.38	Pass	19401
1000	3000	1	RMS	2979	-51.64	-40	11.64	Pass	4001
3000	3500	1	RMS	3321	-53.37	-40	13.37	Pass	1001
3500	3750	1	RMS	3551.25	14.43	60	45.57	Pass	501
3750	7000	1	RMS	3781	-56.59	-40	16.59	Pass	6501
7000	26500	1	RMS	25890	-54.64	-40	14.64	Pass	39001




2.21. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.07	-40	16.07	Pass	401
0.15	30	0.01	RMS	1.19	-72.47	-40	32.47	Pass	5971
30	1000	0.1	RMS	715	-63.33	-40	23.33	Pass	19401
1000	3000	1	RMS	2993	-51.54	-40	11.54	Pass	4001
3000	3500	1	RMS	3419	-52.46	-40	12.46	Pass	1001
3500	3750	1	RMS	3648.75	14.25	60	45.75	Pass	501
3750	7000	1	RMS	3879	-56	-40	16	Pass	6501
7000	26500	1	RMS	25527	-54.81	-40	14.81	Pass	39001




2.22. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.43	-40	15.43	Pass	401
0.15	30	0.01	RMS	1.92	-72.89	-40	32.89	Pass	5971
30	1000	0.1	RMS	997.598	-62.71	-40	22.71	Pass	19401
1000	3000	1	RMS	2983	-51.64	-40	11.64	Pass	4001
3000	3500	1	RMS	3500	-54.93	-40	14.93	Pass	1001
3500	3750	1	RMS	3604.375	-3.98	60	63.98	Pass	501
3750	7000	1	RMS	3750	-60.44	-40	20.44	Pass	6501
7000	26500	1	RMS	25524	-54.6	-40	14.6	Pass	39001




2.23. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.39	-40	15.39	Pass	401
0.15	30	0.01	RMS	0.93	-73.22	-40	33.22	Pass	5971
30	1000	0.1	RMS	912.442	-63.51	-40	23.51	Pass	19401
1000	3000	1	RMS	2977	-51.5	-40	11.5	Pass	4001
3000	3500	1	RMS	3346	-53.66	-40	13.66	Pass	1001
3500	3750	1	RMS	3576.25	14.02	60	45.98	Pass	501
3750	7000	1	RMS	3806	-56.92	-40	16.92	Pass	6501
7000	26500	1	RMS	25901	-54.78	-40	14.78	Pass	39001




2.24. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-40	15.93	Pass	401
0.15	30	0.01	RMS	1.89	-73.22	-40	33.22	Pass	5971
30	1000	0.1	RMS	883.523	-63.08	-40	23.08	Pass	19401
1000	3000	1	RMS	2986	-51.64	-40	11.64	Pass	4001
3000	3500	1	RMS	3444	-52.43	-40	12.43	Pass	1001
3500	3750	1	RMS	3673.75	14.11	60	45.89	Pass	501
3750	7000	1	RMS	3904	-55.87	-40	15.87	Pass	6501
7000	26500	1	RMS	25898	-54.56	-40	14.56	Pass	39001




2.25. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.23	-40	15.23	Pass	401
0.15	30	0.01	RMS	1.53	-73.23	-40	33.23	Pass	5971
30	1000	0.1	RMS	828.2	-62.81	-40	22.81	Pass	19401
1000	3000	1	RMS	2977	-51.49	-40	11.49	Pass	4001
3000	3500	1	RMS	3120	-54.92	-40	14.92	Pass	1001
3500	3750	1	RMS	3626.25	-4	60	64	Pass	501
3750	7000	1	RMS	3751	-55.13	-40	15.13	Pass	6501
7000	26500	1	RMS	25506	-54.86	-40	14.86	Pass	39001




2.26. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-40	15.03	Pass	401
0.15	30	0.01	RMS	1.2	-73.61	-40	33.61	Pass	5971
30	1000	0.1	RMS	986.991	-62.85	-40	22.85	Pass	19401
1000	3000	1	RMS	2979	-51.56	-40	11.56	Pass	4001
3000	3500	1	RMS	3371	-53.48	-40	13.48	Pass	1001
3500	3750	1	RMS	3601.25	14.01	60	45.99	Pass	501
3750	7000	1	RMS	3831	-57.4	-40	17.4	Pass	6501
7000	26500	1	RMS	25528	-54.9	-40	14.9	Pass	39001



2.27. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.1	-40	15.1	Pass	401
0.15	30	0.01	RMS	0.91	-72.8	-40	32.8	Pass	5971
30	1000	0.1	RMS	877.119	-63.37	-40	23.37	Pass	19401
1000	3000	1	RMS	2986	-51.57	-40	11.57	Pass	4001
3000	3500	1	RMS	3469	-52.79	-40	12.79	Pass	1001
3500	3750	1	RMS	3698.75	14.3	60	45.7	Pass	501
3750	7000	1	RMS	3929	-55.74	-40	15.74	Pass	6501
7000	26500	1	RMS	25883	-54.74	-40	14.74	Pass	39001



3. n78(3550-3700)


3.1. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-40	14.55	Pass	401
0.15	30	0.01	RMS	0.4	-73.16	-40	33.16	Pass	5971
30	1000	0.1	RMS	867.812	-65.4	-40	25.4	Pass	19401
1000	3000	1	RMS	2982	-52.14	-40	12.14	Pass	4001
3000	3500	1	RMS	3006	-50.29	-40	10.29	Pass	1001
3500	3750	1	RMS	3556.875	3.89	60	56.11	Pass	501
3750	7000	1	RMS	3789	-65.34	-40	25.34	Pass	6501
7000	26500	1	RMS	26195	-54.92	-40	14.92	Pass	39001




3.2. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.01	-40	16.01	Pass	401
0.15	30	0.01	RMS	0.19	-73.6	-40	33.6	Pass	5971
30	1000	0.1	RMS	880.821	-65.21	-40	25.21	Pass	19401
1000	3000	1	RMS	2981	-52.11	-40	12.11	Pass	4001
3000	3500	1	RMS	3005	-50.17	-40	10.17	Pass	1001
3500	3750	1	RMS	3551.25	14.67	60	45.33	Pass	501
3750	7000	1	RMS	3858	-57.46	-40	17.46	Pass	6501
7000	26500	1	RMS	25919	-54.92	-40	14.92	Pass	39001




3.3. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.82	-40	14.82	Pass	401
0.15	30	0.01	RMS	0.24	-74.08	-40	34.08	Pass	5971
30	1000	0.1	RMS	915.644	-65.34	-40	25.34	Pass	19401
1000	3000	1	RMS	2981	-52.25	-40	12.25	Pass	4001
3000	3500	1	RMS	3013	-50.46	-40	10.46	Pass	1001
3500	3750	1	RMS	3568.75	14.54	60	45.46	Pass	501
3750	7000	1	RMS	3799	-57.4	-40	17.4	Pass	6501
7000	26500	1	RMS	25903	-54.75	-40	14.75	Pass	39001




3.4. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.69	-40	15.69	Pass	401
0.15	30	0.01	RMS	0.38	-74.62	-40	34.62	Pass	5971
30	1000	0.1	RMS	841.5	-65.3	-40	25.3	Pass	19401
1000	3000	1	RMS	2988	-52.12	-40	12.12	Pass	4001
3000	3500	1	RMS	3000	-50.3	-40	10.3	Pass	1001
3500	3750	1	RMS	3621.875	3.68	60	56.32	Pass	501
3750	7000	1	RMS	3856	-65.53	-40	25.53	Pass	6501
7000	26500	1	RMS	25461	-55.02	-40	15.02	Pass	39001




3.5. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-40	14.42	Pass	401
0.15	30	0.01	RMS	0.22	-73.7	-40	33.7	Pass	5971
30	1000	0.1	RMS	633.7	-65.74	-40	25.74	Pass	19401
1000	3000	1	RMS	2995	-52.02	-40	12.02	Pass	4001
3000	3500	1	RMS	3000	-50.26	-40	10.26	Pass	1001
3500	3750	1	RMS	3616.25	14.39	60	45.61	Pass	501
3750	7000	1	RMS	3923	-57.61	-40	17.61	Pass	6501
7000	26500	1	RMS	25515	-54.69	-40	14.69	Pass	39001




3.6. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-40	13.86	Pass	401
0.15	30	0.01	RMS	0.41	-73.95	-40	33.95	Pass	5971
30	1000	0.1	RMS	460.8	-65.58	-40	25.58	Pass	19401
1000	3000	1	RMS	2981	-52.15	-40	12.15	Pass	4001
3000	3500	1	RMS	3007	-50.41	-40	10.41	Pass	1001
3500	3750	1	RMS	3633.75	14.56	60	45.44	Pass	501
3750	7000	1	RMS	3941	-56.64	-40	16.64	Pass	6501
7000	26500	1	RMS	25756	-54.89	-40	14.89	Pass	39001




3.7. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-40	14.44	Pass	401
0.15	30	0.01	RMS	0.54	-74.26	-40	34.26	Pass	5971
30	1000	0.1	RMS	369.9	-66.05	-40	26.05	Pass	19401
1000	3000	1	RMS	2982	-52.14	-40	12.14	Pass	4001
3000	3500	1	RMS	3109	-50.04	-40	10.04	Pass	1001
3500	3750	1	RMS	3687.5	3.55	60	56.45	Pass	501
3750	7000	1	RMS	3921	-65.23	-40	25.23	Pass	6501
7000	26500	1	RMS	26187	-55.01	-40	15.01	Pass	39001




3.8. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-40	14.24	Pass	401
0.15	30	0.01	RMS	0.24	-74.26	-40	34.26	Pass	5971
30	1000	0.1	RMS	343.3	-65.3	-40	25.3	Pass	19401
1000	3000	1	RMS	2973	-52.18	-40	12.18	Pass	4001
3000	3500	1	RMS	3008	-50.47	-40	10.47	Pass	1001
3500	3750	1	RMS	3681.25	14.13	60	45.87	Pass	501
3750	7000	1	RMS	3911	-57.77	-40	17.77	Pass	6501
7000	26500	1	RMS	25492	-54.7	-40	14.7	Pass	39001




3.9. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.59	-40	15.59	Pass	401
0.15	30	0.01	RMS	0.52	-73.99	-40	33.99	Pass	5971
30	1000	0.1	RMS	991.895	-65.5	-40	25.5	Pass	19401
1000	3000	1	RMS	2981	-52.1	-40	12.1	Pass	4001
3000	3500	1	RMS	3002	-50.12	-40	10.12	Pass	1001
3500	3750	1	RMS	3698.75	14.41	60	45.59	Pass	501
3750	7000	1	RMS	4006	-57.11	-40	17.11	Pass	6501
7000	26500	1	RMS	25491	-54.66	-40	14.66	Pass	39001




3.10. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-40	15.37	Pass	401
0.15	30	0.01	RMS	0.15	-74.32	-40	34.32	Pass	5971
30	1000	0.1	RMS	976.584	-65.1	-40	25.1	Pass	19401
1000	3000	1	RMS	2966	-52.07	-40	12.07	Pass	4001
3000	3500	1	RMS	3000	-50.16	-40	10.16	Pass	1001
3500	3750	1	RMS	3568.75	-1.51	60	61.51	Pass	501
3750	7000	1	RMS	4222	-66.29	-40	26.29	Pass	6501
7000	26500	1	RMS	25910	-54.81	-40	14.81	Pass	39001




3.11. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-40	13.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-40	32.97	Pass	5971
30	1000	0.1	RMS	809.7	-64.68	-40	24.68	Pass	19401
1000	3000	1	RMS	3000	-52.11	-40	12.11	Pass	4001
3000	3500	1	RMS	3321	-49.98	-40	9.98	Pass	1001
3500	3750	1	RMS	3551.25	14.55	60	45.45	Pass	501
3750	7000	1	RMS	3781	-55.91	-40	15.91	Pass	6501
7000	26500	1	RMS	25901	-54.66	-40	14.66	Pass	39001




3.12. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-40	13.56	Pass	401
0.15	30	0.01	RMS	0.41	-74.4	-40	34.4	Pass	5971
30	1000	0.1	RMS	754.9	-64.73	-40	24.73	Pass	19401
1000	3000	1	RMS	2988	-52.1	-40	12.1	Pass	4001
3000	3500	1	RMS	3379	-49.99	-40	9.99	Pass	1001
3500	3750	1	RMS	3608.75	14.29	60	45.71	Pass	501
3750	7000	1	RMS	3839	-56.1	-40	16.1	Pass	6501
7000	26500	1	RMS	25906	-54.98	-40	14.98	Pass	39001




3.13. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-40	14.37	Pass	401
0.15	30	0.01	RMS	0.15	-73.55	-40	33.55	Pass	5971
30	1000	0.1	RMS	950.667	-65.28	-40	25.28	Pass	19401
1000	3000	1	RMS	2986	-52.09	-40	12.09	Pass	4001
3000	3500	1	RMS	3008	-50.19	-40	10.19	Pass	1001
3500	3750	1	RMS	3618.75	-1.56	60	61.56	Pass	501
3750	7000	1	RMS	4222	-66.8	-40	26.8	Pass	6501
7000	26500	1	RMS	25531	-54.81	-40	14.81	Pass	39001




3.14. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.75	-40	14.75	Pass	401
0.15	30	0.01	RMS	0.6	-74.21	-40	34.21	Pass	5971
30	1000	0.1	RMS	649.5	-65.22	-40	25.22	Pass	19401
1000	3000	1	RMS	2979	-52.07	-40	12.07	Pass	4001
3000	3500	1	RMS	3000	-50.17	-40	10.17	Pass	1001
3500	3750	1	RMS	3596.25	14.13	60	45.87	Pass	501
3750	7000	1	RMS	3826	-56.7	-40	16.7	Pass	6501
7000	26500	1	RMS	25906	-54.59	-40	14.59	Pass	39001




3.15. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-40	15.59	Pass	401
0.15	30	0.01	RMS	0.16	-73.77	-40	33.77	Pass	5971
30	1000	0.1	RMS	993.195	-65.29	-40	25.29	Pass	19401
1000	3000	1	RMS	2976	-52.2	-40	12.2	Pass	4001
3000	3500	1	RMS	3424	-50.07	-40	10.07	Pass	1001
3500	3750	1	RMS	3653.75	14.49	60	45.51	Pass	501
3750	7000	1	RMS	3884	-55.77	-40	15.77	Pass	6501
7000	26500	1	RMS	25498	-54.64	-40	14.64	Pass	39001




3.16. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-40	14.68	Pass	401
0.15	30	0.01	RMS	0.18	-74.39	-40	34.39	Pass	5971
30	1000	0.1	RMS	782.7	-65.73	-40	25.73	Pass	19401
1000	3000	1	RMS	2996	-52.04	-40	12.04	Pass	4001
3000	3500	1	RMS	3109	-49.84	-40	9.84	Pass	1001
3500	3750	1	RMS	3663.125	-1.45	60	61.45	Pass	501
3750	7000	1	RMS	3750	-60.44	-40	20.44	Pass	6501
7000	26500	1	RMS	25525	-54.97	-40	14.97	Pass	39001




3.17. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.29	-40	14.29	Pass	401
0.15	30	0.01	RMS	0.25	-73.34	-40	33.34	Pass	5971
30	1000	0.1	RMS	835.9	-65.69	-40	25.69	Pass	19401
1000	3000	1	RMS	2986	-52.16	-40	12.16	Pass	4001
3000	3500	1	RMS	3411	-50.27	-40	10.27	Pass	1001
3500	3750	1	RMS	3641.25	14.11	60	45.89	Pass	501
3750	7000	1	RMS	3871	-56.34	-40	16.34	Pass	6501
7000	26500	1	RMS	25909	-54.93	-40	14.93	Pass	39001




3.18. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-40	13.84	Pass	401
0.15	30	0.01	RMS	0.52	-74.09	-40	34.09	Pass	5971
30	1000	0.1	RMS	992.895	-65.18	-40	25.18	Pass	19401
1000	3000	1	RMS	2990	-52.05	-40	12.05	Pass	4001
3000	3500	1	RMS	3469	-50.06	-40	10.06	Pass	1001
3500	3750	1	RMS	3698.75	14.3	60	45.7	Pass	501
3750	7000	1	RMS	3929	-55.2	-40	15.2	Pass	6501
7000	26500	1	RMS	25898	-54.64	-40	14.64	Pass	39001




3.19. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-40	14.7	Pass	401
0.15	30	0.01	RMS	0.17	-73.17	-40	33.17	Pass	5971
30	1000	0.1	RMS	932.355	-65.2	-40	25.2	Pass	19401
1000	3000	1	RMS	2976	-52.02	-40	12.02	Pass	4001
3000	3500	1	RMS	3499	-53.55	-40	13.55	Pass	1001
3500	3750	1	RMS	3565.625	-3.82	60	63.82	Pass	501
3750	7000	1	RMS	3751	-64.03	-40	24.03	Pass	6501
7000	26500	1	RMS	25901	-54.89	-40	14.89	Pass	39001




3.20. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.89	-40	14.89	Pass	401
0.15	30	0.01	RMS	0.2	-74.1	-40	34.1	Pass	5971
30	1000	0.1	RMS	889.627	-65.1	-40	25.1	Pass	19401
1000	3000	1	RMS	2983	-52.04	-40	12.04	Pass	4001
3000	3500	1	RMS	3321	-54.1	-40	14.1	Pass	1001
3500	3750	1	RMS	3551.25	14.53	60	45.47	Pass	501
3750	7000	1	RMS	3781	-56.84	-40	16.84	Pass	6501
7000	26500	1	RMS	25493	-54.69	-40	14.69	Pass	39001




3.21. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-40	14.44	Pass	401
0.15	30	0.01	RMS	0.22	-73.25	-40	33.25	Pass	5971
30	1000	0.1	RMS	970.48	-65.47	-40	25.47	Pass	19401
1000	3000	1	RMS	2979	-52.22	-40	12.22	Pass	4001
3000	3500	1	RMS	3419	-53.27	-40	13.27	Pass	1001
3500	3750	1	RMS	3648.75	14.34	60	45.66	Pass	501
3750	7000	1	RMS	3879	-55.55	-40	15.55	Pass	6501
7000	26500	1	RMS	25503	-55.02	-40	15.02	Pass	39001




3.22. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-40	13.86	Pass	401
0.15	30	0.01	RMS	0.41	-73.61	-40	33.61	Pass	5971
30	1000	0.1	RMS	702.8	-65.58	-40	25.58	Pass	19401
1000	3000	1	RMS	2992	-52.05	-40	12.05	Pass	4001
3000	3500	1	RMS	3499	-55.74	-40	15.74	Pass	1001
3500	3750	1	RMS	3610.625	-3.82	60	63.82	Pass	501
3750	7000	1	RMS	3751	-59.57	-40	19.57	Pass	6501
7000	26500	1	RMS	25907	-54.8	-40	14.8	Pass	39001




3.23. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.88	-40	14.88	Pass	401
0.15	30	0.01	RMS	0.2	-73.77	-40	33.77	Pass	5971
30	1000	0.1	RMS	881.722	-64.99	-40	24.99	Pass	19401
1000	3000	1	RMS	2980	-52.03	-40	12.03	Pass	4001
3000	3500	1	RMS	3346	-54.19	-40	14.19	Pass	1001
3500	3750	1	RMS	3576.25	14.3	60	45.7	Pass	501
3750	7000	1	RMS	3806	-56.64	-40	16.64	Pass	6501
7000	26500	1	RMS	26219	-54.86	-40	14.86	Pass	39001




3.24. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.04	-40	15.04	Pass	401
0.15	30	0.01	RMS	1.36	-73.9	-40	33.9	Pass	5971
30	1000	0.1	RMS	894.73	-64.9	-40	24.9	Pass	19401
1000	3000	1	RMS	2980	-51.99	-40	11.99	Pass	4001
3000	3500	1	RMS	3444	-52.72	-40	12.72	Pass	1001
3500	3750	1	RMS	3673.75	14.29	60	45.71	Pass	501
3750	7000	1	RMS	3904	-55.46	-40	15.46	Pass	6501
7000	26500	1	RMS	25563	-54.79	-40	14.79	Pass	39001




3.25. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-40	14.7	Pass	401
0.15	30	0.01	RMS	0.54	-74.01	-40	34.01	Pass	5971
30	1000	0.1	RMS	758.9	-65.45	-40	25.45	Pass	19401
1000	3000	1	RMS	2973	-52.02	-40	12.02	Pass	4001
3000	3500	1	RMS	3109	-55.83	-40	15.83	Pass	1001
3500	3750	1	RMS	3628.75	-3.79	60	63.79	Pass	501
3750	7000	1	RMS	3750	-53.89	-40	13.89	Pass	6501
7000	26500	1	RMS	25905	-54.78	-40	14.78	Pass	39001




3.26. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.83	-40	13.83	Pass	401
0.15	30	0.01	RMS	0.38	-75.15	-40	35.15	Pass	5971
30	1000	0.1	RMS	933.156	-65.56	-40	25.56	Pass	19401
1000	3000	1	RMS	2979	-52.17	-40	12.17	Pass	4001
3000	3500	1	RMS	3371	-53.9	-40	13.9	Pass	1001
3500	3750	1	RMS	3601.25	14.16	60	45.84	Pass	501
3750	7000	1	RMS	3831	-56.63	-40	16.63	Pass	6501
7000	26500	1	RMS	25884	-54.4	-40	14.4	Pass	39001



3.27. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.8	-40	37.8	Pass	401
0.15	30	0.01	RMS	0.23	-71.83	-40	31.83	Pass	5971
30	1000	0.1	RMS	895.531	-65.37	-40	25.37	Pass	19401
1000	3000	1	RMS	2984	-51.98	-40	11.98	Pass	4001
3000	3500	1	RMS	3469	-53.38	-40	13.38	Pass	1001
3500	3750	1	RMS	3698.75	14.25	60	45.75	Pass	501
3750	7000	1	RMS	3929	-55.49	-40	15.49	Pass	6501
7000	26500	1	RMS	25905	-54.79	-40	14.79	Pass	39001



--BLANK BELOW--