


Annex A.6 Band Edge

1. LTE_Band48


1.1. LTE Band Edge_Part96(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.7	-50.77	-40	10.77	Pass	401
3530	3540	1	RMS	3539.95	-48.23	-25	23.23	Pass	401
3540	3545	1	RMS	3544.975	-44.67	-25	19.67	Pass	401
3545	3549	1	RMS	3549	-32.01	-13	19.01	Pass	9
3549	3550	0.01	RMS	3550	-28.47	-13	15.47	Pass	401
3550	3555	0.1	RMS	3550.338	20.74	30	9.26	Pass	401




1.2. LTE Band Edge_Part96(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-51.44	-40	11.44	Pass	401
3530	3540	1	RMS	3540	-48.15	-25	23.15	Pass	401
3540	3545	1	RMS	3544.988	-38.79	-25	13.79	Pass	401
3545	3549	1	RMS	3549	-19.94	-13	6.94	Pass	9
3549	3550	0.05	RMS	3549.993	-25.73	-13	12.73	Pass	401
3550	3555	0.1	RMS	3551.85	6.79	30	23.21	Pass	401




1.3. LTE Band Edge_Part96(Subtest:3, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.475	-51.07	-40	11.07	Pass	401
3530	3540	1	RMS	3539.85	-48.68	-25	23.68	Pass	401
3540	3545	1	RMS	3544.95	-44.55	-25	19.55	Pass	401
3545	3549	1	RMS	3549	-33.3	-13	20.3	Pass	9
3549	3550	0.01	RMS	3550	-29.76	-13	16.76	Pass	401
3550	3555	0.1	RMS	3550.338	19.93	30	10.07	Pass	401




1.4. LTE Band Edge_Part96(Subtest:4, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.325	-51.74	-40	11.74	Pass	401
3530	3540	1	RMS	3539.95	-49.39	-25	24.39	Pass	401
3540	3545	1	RMS	3545	-40.3	-25	15.3	Pass	401
3545	3549	1	RMS	3549	-21.87	-13	8.87	Pass	9
3549	3550	0.05	RMS	3549.995	-27.13	-13	14.13	Pass	401
3550	3555	0.1	RMS	3551.863	5.2	30	24.8	Pass	401




1.5. LTE Band Edge_Part96(Subtest:1, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.663	24.33	30	5.67	Pass	401
3700	3701	0.01	RMS	3700	-28.17	-13	15.17	Pass	401
3701	3705	1	RMS	3701	-30.84	-13	17.84	Pass	9
3705	3710	1	RMS	3705.375	-43.74	-25	18.74	Pass	401
3710	3720	1	RMS	3710.125	-46.93	-25	21.93	Pass	401
3720	3750	1	RMS	3720.375	-50.11	-40	10.11	Pass	401




1.6. LTE Band Edge_Part96(Subtest:2, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3697.95	17.25	30	12.75	Pass	401
3700	3701	0.05	RMS	3700.028	-25.57	-13	12.57	Pass	401
3701	3705	1	RMS	3701	-22.34	-13	9.34	Pass	9
3705	3710	1	RMS	3705.063	-37.7	-25	12.7	Pass	401
3710	3720	1	RMS	3710.25	-46.09	-25	21.09	Pass	401
3720	3750	1	RMS	3720.075	-50.82	-40	10.82	Pass	401




1.7. LTE Band Edge_Part96(Subtest:3, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.6	23.4	30	6.6	Pass	401
3700	3701	0.01	RMS	3700	-29.14	-13	16.14	Pass	401
3701	3705	1	RMS	3701	-31.95	-13	18.95	Pass	9
3705	3710	1	RMS	3705.025	-43.7	-25	18.7	Pass	401
3710	3720	1	RMS	3710.1	-47.59	-25	22.59	Pass	401
3720	3750	1	RMS	3720.075	-50.53	-40	10.53	Pass	401




1.8. LTE Band Edge_Part96(Subtest:4, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3698.663	16.11	30	13.89	Pass	401
3700	3701	0.05	RMS	3700.003	-26.63	-13	13.63	Pass	401
3701	3705	1	RMS	3701	-24.65	-13	11.65	Pass	9
3705	3710	1	RMS	3705	-38.54	-25	13.54	Pass	401
3710	3720	1	RMS	3710.075	-47.9	-25	22.9	Pass	401
3720	3750	1	RMS	3720.15	-51.21	-40	11.21	Pass	401




1.9. LTE Band Edge_Part96(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-50.9	-40	10.9	Pass	401
3530	3540	1	RMS	3539.4	-48	-25	23	Pass	401
3540	3549	1	RMS	3549	-33.89	-13	20.89	Pass	19
3549	3550	0.01	RMS	3549.998	-38.88	-13	25.88	Pass	401
3550	3560	0.1	RMS	3550.6	20.99	30	9.01	Pass	401




1.10. LTE Band Edge_Part96(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.7	-51.48	-40	11.48	Pass	401
3530	3540	1	RMS	3540	-41.26	-25	16.26	Pass	401
3540	3549	1	RMS	3549	-20.02	-13	7.02	Pass	401
3549	3550	0.1	RMS	3549.983	-27.26	-13	14.26	Pass	401
3550	3560	0.1	RMS	3556.2	3.47	30	26.53	Pass	401




1.11. LTE Band Edge_Part96(Subtest:3, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.175	-51.07	-40	11.07	Pass	401
3530	3540	1	RMS	3537.975	-48.53	-25	23.53	Pass	401
3540	3549	1	RMS	3549	-34.5	-13	21.5	Pass	19
3549	3550	0.01	RMS	3549.998	-39.3	-13	26.3	Pass	401
3550	3560	0.1	RMS	3550.6	20.06	30	9.94	Pass	401




1.12. LTE Band Edge_Part96(Subtest:4, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-51.86	-40	11.86	Pass	401
3530	3540	1	RMS	3539.975	-43.28	-25	18.28	Pass	401
3540	3549	1	RMS	3548.978	-23.01	-13	10.01	Pass	401
3549	3550	0.1	RMS	3549.978	-30.54	-13	17.54	Pass	401
3550	3560	0.1	RMS	3551	2.61	30	27.39	Pass	401




1.13. LTE Band Edge_Part96(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.4	24	30	6	Pass	401
3700	3701	0.01	RMS	3700.008	-38.32	-13	25.32	Pass	401
3701	3710	1	RMS	3701	-32.38	-13	19.38	Pass	19
3710	3720	1	RMS	3710.025	-47.61	-25	22.61	Pass	401
3720	3750	1	RMS	3720.075	-50.31	-40	10.31	Pass	401




1.14. LTE Band Edge_Part96(Subtest:2, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3693.925	13.68	30	16.32	Pass	401
3700	3701	0.1	RMS	3700	-29.05	-13	16.05	Pass	401
3701	3710	1	RMS	3701	-22.03	-13	9.03	Pass	401
3710	3720	1	RMS	3710.175	-39.63	-25	14.63	Pass	401
3720	3750	1	RMS	3720.075	-51.11	-40	11.11	Pass	401




1.15. LTE Band Edge_Part96(Subtest:3, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.425	23.06	30	6.94	Pass	401
3700	3701	0.01	RMS	3700.003	-38.78	-13	25.78	Pass	401
3701	3710	1	RMS	3701	-33.67	-13	20.67	Pass	19
3710	3720	1	RMS	3710.05	-47.82	-25	22.82	Pass	401
3720	3750	1	RMS	3720.525	-50.79	-40	10.79	Pass	401




1.16. LTE Band Edge_Part96(Subtest:4, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3698.1	12.73	30	17.27	Pass	401
3700	3701	0.1	RMS	3700.03	-30.48	-13	17.48	Pass	401
3701	3710	1	RMS	3701	-24.52	-13	11.52	Pass	401
3710	3720	1	RMS	3710.275	-42.21	-25	17.21	Pass	401
3720	3750	1	RMS	3720	-51.29	-40	11.29	Pass	401




1.17. LTE Band Edge_Part96(Subtest:1, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-50.79	-40	10.79	Pass	401
3530	3540	1	RMS	3539.875	-48.32	-25	23.32	Pass	401
3540	3549	1	RMS	3549	-24.72	-13	11.72	Pass	401
3549	3550	0.01	RMS	3549.995	-38.71	-13	25.71	Pass	401
3550	3565	0.1	RMS	3550.825	20.04	30	9.96	Pass	401




1.18. LTE Band Edge_Part96(Subtest:2, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-47.98	-40	7.98	Pass	61
3530	3540	1	RMS	3540	-30.79	-25	5.79	Pass	401
3540	3549	1	RMS	3548.933	-21.6	-13	8.6	Pass	401
3549	3550	0.15	RMS	3549.975	-28.55	-13	15.55	Pass	401
3550	3565	0.1	RMS	3561.925	1.53	30	28.47	Pass	401




1.19. LTE Band Edge_Part96(Subtest:3, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3527.6	-50.97	-40	10.97	Pass	401
3530	3540	1	RMS	3539.9	-48.78	-25	23.78	Pass	401
3540	3549	1	RMS	3549	-25.22	-13	12.22	Pass	401
3549	3550	0.01	RMS	3549.998	-39.13	-13	26.13	Pass	401
3550	3565	0.1	RMS	3550.863	19.83	30	10.17	Pass	401




1.20. LTE Band Edge_Part96(Subtest:4, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-49.69	-40	9.69	Pass	401
3530	3540	1	RMS	3539.975	-33.89	-25	8.89	Pass	401
3540	3549	1	RMS	3548.978	-24.28	-13	11.28	Pass	401
3549	3550	0.15	RMS	3549.995	-30.94	-13	17.94	Pass	401
3550	3565	0.1	RMS	3553.75	0.38	30	29.62	Pass	401




1.21. LTE Band Edge_Part96(Subtest:1, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.1	23.93	30	6.07	Pass	401
3700	3701	0.01	RMS	3700.005	-38.3	-13	25.3	Pass	401
3701	3710	1	RMS	3701	-23.19	-13	10.19	Pass	401
3710	3720	1	RMS	3710.025	-47.16	-25	22.16	Pass	401
3720	3750	1	RMS	3720.075	-50.43	-40	10.43	Pass	401




1.22. LTE Band Edge_Part96(Subtest:2, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3695.388	12.29	30	17.71	Pass	401
3700	3701	0.15	RMS	3700.005	-30.15	-13	17.15	Pass	401
3701	3710	1	RMS	3701.023	-23.96	-13	10.96	Pass	401
3710	3720	1	RMS	3710.025	-33.42	-25	8.42	Pass	401
3720	3750	1	RMS	3720	-47.37	-40	7.37	Pass	61




1.23. LTE Band Edge_Part96(Subtest:3, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.25	23.19	30	6.81	Pass	401
3700	3701	0.01	RMS	3700.005	-39.24	-13	26.24	Pass	401
3701	3710	1	RMS	3701	-24.06	-13	11.06	Pass	401
3710	3720	1	RMS	3710.025	-47.86	-25	22.86	Pass	401
3720	3750	1	RMS	3720.075	-50.63	-40	10.63	Pass	401




1.24. LTE Band Edge_Part96(Subtest:4, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3693.4	10.71	30	19.29	Pass	401
3700	3701	0.15	RMS	3700.008	-32.59	-13	19.59	Pass	401
3701	3710	1	RMS	3701.023	-27.38	-13	14.38	Pass	401
3710	3720	1	RMS	3710.05	-36.97	-25	11.97	Pass	401
3720	3750	1	RMS	3720.075	-49.33	-40	9.33	Pass	401




1.25. LTE Band Edge_Part96(Subtest:1, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-50.91	-40	10.91	Pass	401
3530	3540	1	RMS	3539.475	-48.13	-25	23.13	Pass	401
3540	3549	1	RMS	3548.978	-32.12	-13	19.12	Pass	401
3549	3550	0.01	RMS	3549.995	-39.94	-13	26.94	Pass	401
3550	3570	0.1	RMS	3551.1	20.81	30	9.19	Pass	401




1.26. LTE Band Edge_Part96(Subtest:2, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.5	-45.46	-40	5.46	Pass	61
3530	3540	1	RMS	3539.95	-29.66	-25	4.66	Pass	401
3540	3549	1	RMS	3548.933	-24.3	-13	11.3	Pass	401
3549	3550	0.2	RMS	3549.965	-29.95	-13	16.95	Pass	401
3550	3570	0.1	RMS	3560.55	0.46	30	29.54	Pass	401




1.27. LTE Band Edge_Part96(Subtest:3, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-51.15	-40	11.15	Pass	401
3530	3540	1	RMS	3540	-48.59	-25	23.59	Pass	401
3540	3549	1	RMS	3548.955	-31	-13	18	Pass	401
3549	3550	0.01	RMS	3549.995	-40.21	-13	27.21	Pass	401
3550	3570	0.1	RMS	3551.1	19.75	30	10.25	Pass	401




1.28. LTE Band Edge_Part96(Subtest:4, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-46.93	-40	6.93	Pass	61
3530	3540	1	RMS	3539.85	-32.17	-25	7.17	Pass	401
3540	3549	1	RMS	3549	-26.88	-13	13.88	Pass	401
3549	3550	0.2	RMS	3549.995	-32.47	-13	19.47	Pass	401
3550	3570	0.1	RMS	3563.7	-0.37	30	30.37	Pass	401




1.29. LTE Band Edge_Part96(Subtest:1, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.85	23.51	30	6.49	Pass	401
3700	3701	0.01	RMS	3700.003	-39.87	-13	26.87	Pass	401
3701	3710	1	RMS	3701	-31.19	-13	18.19	Pass	401
3710	3720	1	RMS	3710.125	-47.58	-25	22.58	Pass	401
3720	3750	1	RMS	3720.075	-50.66	-40	10.66	Pass	401




1.30. LTE Band Edge_Part96(Subtest:2, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3692.4	10.89	30	19.11	Pass	401
3700	3701	0.2	RMS	3700.033	-31.41	-13	18.41	Pass	401
3701	3710	1	RMS	3701.113	-26.67	-13	13.67	Pass	401
3710	3720	1	RMS	3710.1	-33.68	-25	8.68	Pass	401
3720	3750	1	RMS	3720	-46.12	-40	6.12	Pass	61




1.31. LTE Band Edge_Part96(Subtest:3, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	22.76	30	7.24	Pass	401
3700	3701	0.01	RMS	3700.01	-40.36	-13	27.36	Pass	401
3701	3710	1	RMS	3701	-31.59	-13	18.59	Pass	401
3710	3720	1	RMS	3710.1	-48.1	-25	23.1	Pass	401
3720	3750	1	RMS	3720	-50.81	-40	10.81	Pass	401



1.32. LTE Band Edge_Part96(Subtest:4, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3693.3	9.31	30	20.69	Pass	401
3700	3701	0.2	RMS	3700.013	-33.6	-13	20.6	Pass	401
3701	3710	1	RMS	3701.023	-28.96	-13	15.96	Pass	401
3710	3720	1	RMS	3710.025	-36.32	-25	11.32	Pass	401
3720	3750	1	RMS	3720.5	-46.88	-40	6.88	Pass	61



1. n48 30kHz


1.1. Band Edge for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3523.4	-47.11	-40	7.11	Pass	401
3530	3540	1	RMS	3532.875	-47.05	-25	22.05	Pass	401
3540	3549	1	RMS	3549	-35.06	-13	22.06	Pass	401
3549	3550	0.051	RMS	3550	-34.04	-13	21.04	Pass	401
3550	3570	1	RMS	3551	13	40	27	Pass	401




1.2. Band Edge for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3516.425	-47.15	-40	7.15	Pass	401
3530	3540	1	RMS	3539.775	-45.95	-25	20.95	Pass	401
3540	3549	1	RMS	3549	-41.89	-13	28.89	Pass	401
3549	3550	0.2	RMS	3550	-40	-13	27	Pass	401
3550	3570	1	RMS	3556.6	0.69	40	39.31	Pass	401




1.3. Band Edge for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	12.63	40	27.37	Pass	401
3700	3701	0.051	RMS	3700	-34.19	-13	21.19	Pass	401
3701	3710	1	RMS	3701	-35.48	-13	22.48	Pass	401
3710	3720	1	RMS	3717.1	-47	-25	22	Pass	401
3720	3750	1	RMS	3748.125	-46.81	-40	6.81	Pass	401




1.4. Band Edge for SA_Part96(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3693.7	0.54	40	39.46	Pass	401
3700	3701	0.2	RMS	3700	-40.92	-13	27.92	Pass	401
3701	3710	1	RMS	3701	-39.08	-13	26.08	Pass	401
3710	3720	1	RMS	3710.35	-43.17	-25	18.17	Pass	401
3720	3750	1	RMS	3749.175	-46.87	-40	6.87	Pass	401




1.5. Band Edge for SA_Part96(Subtest:1, Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3509.9	-47.13	-40	7.13	Pass	401
3530	3540	1	RMS	3537.275	-47.2	-25	22.2	Pass	401
3540	3549	1	RMS	3549	-43.76	-13	30.76	Pass	401
3549	3550	0.051	RMS	3550	-44.73	-13	31.73	Pass	401
3550	3580	1	RMS	3551.125	7.52	40	32.48	Pass	401




1.6. Band Edge for SA_Part96(Subtest:2, Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3519.35	-47.14	-40	7.14	Pass	401
3530	3540	1	RMS	3538.425	-47.19	-25	22.19	Pass	401
3540	3549	1	RMS	3549	-46.36	-13	33.36	Pass	401
3549	3550	0.3	RMS	3549.99	-46.85	-13	33.85	Pass	401
3550	3580	1	RMS	3559.675	-6.55	40	46.55	Pass	401




1.7. Band Edge for SA_Part96(Subtest:3, Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3670	3700	1	RMS	3698.8	7.38	40	32.62	Pass	401
3700	3701	0.051	RMS	3700.003	-45.89	-13	32.89	Pass	401
3701	3710	1	RMS	3701	-44.6	-13	31.6	Pass	401
3710	3720	1	RMS	3712.275	-47.12	-25	22.12	Pass	401
3720	3750	1	RMS	3748.725	-46.91	-40	6.91	Pass	401




1.8. Band Edge for SA_Part96(Subtest:4, Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3670	3700	1	RMS	3695.2	-6.6	40	46.6	Pass	401
3700	3701	0.3	RMS	3700.013	-46.83	-13	33.83	Pass	401
3701	3710	1	RMS	3701.023	-45.39	-13	32.39	Pass	401
3710	3720	1	RMS	3711.65	-46.56	-25	21.56	Pass	401
3720	3750	1	RMS	3749.925	-46.85	-40	6.85	Pass	401




1.9. Band Edge for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3500.675	-47.15	-40	7.15	Pass	401
3530	3540	1	RMS	3532.5	-47.25	-25	22.25	Pass	401
3540	3549	1	RMS	3549	-42.85	-13	29.85	Pass	401
3549	3550	0.051	RMS	3549.998	-42.87	-13	29.87	Pass	401
3550	3590	1	RMS	3551.1	7.62	40	32.38	Pass	401




1.10. Band Edge for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3519.101	-47.13	-40	7.13	Pass	401
3530	3540	1	RMS	3532.35	-47.16	-25	22.16	Pass	401
3540	3549	1	RMS	3549	-46.89	-13	33.89	Pass	401
3549	3550	0.4	RMS	3550	-46.45	-13	33.45	Pass	401
3550	3590	1	RMS	3558.6	-7.9	40	47.9	Pass	401




1.11. Band Edge for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3698.8	7.23	40	32.77	Pass	401
3700	3701	0.051	RMS	3700.008	-45.15	-13	32.15	Pass	401
3701	3710	1	RMS	3701	-44.22	-13	31.22	Pass	401
3710	3720	1	RMS	3717.475	-47.15	-25	22.15	Pass	401
3720	3750	1	RMS	3748.35	-46.86	-40	6.86	Pass	401



1.12. Band Edge for SA_Part96(Subtest:4, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3670.4	-8.08	40	48.08	Pass	401
3700	3701	0.4	RMS	3700	-45.76	-13	32.76	Pass	401
3701	3710	1	RMS	3701	-45.55	-13	32.55	Pass	401
3710	3720	1	RMS	3711.5	-46.71	-25	21.71	Pass	401
3720.5	3750	1	RMS	3748.673	-46.82	-40	6.82	Pass	401



2. n77(3550-3700)


2.1. Band Edge for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-50.6	-40	10.6	Pass	401
3530	3540	1	RMS	3539.7	-50.16	-25	25.16	Pass	401
3540	3549	1	RMS	3549	-32.49	-13	19.49	Pass	401
3549	3550	0.051	RMS	3550	-31.43	-13	18.43	Pass	401
3550	3570	1	RMS	3550.95	15.41	40	24.59	Pass	401




2.2. Band Edge for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3529.205	-52	-40	12	Pass	401
3530	3540	1	RMS	3539.925	-48.28	-25	23.28	Pass	401
3540	3549	1	RMS	3548.978	-33.77	-13	20.77	Pass	401
3549	3550	0.2	RMS	3550	-35.35	-13	22.35	Pass	401
3550	3570	1	RMS	3556.15	3.71	40	36.29	Pass	401




2.3. Band Edge for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	13.87	40	26.13	Pass	401
3700	3701	0.051	RMS	3700	-33.68	-13	20.68	Pass	401
3701	3710	1	RMS	3701	-35.12	-13	22.12	Pass	401
3710	3720	1	RMS	3710.175	-50.19	-25	25.19	Pass	401
3720	3750	1	RMS	3749.925	-50.22	-40	10.22	Pass	401




2.4. Band Edge for SA_Part96(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3686.15	2.92	40	37.08	Pass	401
3700	3701	0.2	RMS	3700.005	-37.27	-13	24.27	Pass	401
3701	3710	1	RMS	3701	-34.83	-13	21.83	Pass	401
3710	3720	1	RMS	3710.025	-46.72	-25	21.72	Pass	401
3720.5	3750	1	RMS	3720.795	-52.15	-40	12.15	Pass	401




2.5. Band Edge for SA_Part96(Subtest:1, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3522.125	-50	-40	10	Pass	401
3530	3540	1	RMS	3539.975	-50.1	-25	25.1	Pass	401
3540	3549	1	RMS	3549	-34.17	-13	21.17	Pass	401
3549	3550	0.051	RMS	3549.998	-32.85	-13	19.85	Pass	401
3550	3610	1	RMS	3551.05	15.14	40	24.86	Pass	401




2.6. Band Edge for SA_Part96(Subtest:2, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3528.984	-50.21	-40	10.21	Pass	401
3530	3540	1	RMS	3533.275	-48.75	-25	23.75	Pass	401
3540	3549	1	RMS	3549	-42.82	-13	29.82	Pass	401
3549	3550	0.62	RMS	3550	-33.74	-13	20.74	Pass	401
3550	3610	1	RMS	3570.4	-1.7	40	41.7	Pass	401




2.7. Band Edge for SA_Part96(Subtest:3, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3640	3700	1	RMS	3698.95	14.76	40	25.24	Pass	401
3700	3701	0.051	RMS	3700	-33.74	-13	20.74	Pass	401
3701	3710	1	RMS	3701	-34.93	-13	21.93	Pass	401
3710	3720	1	RMS	3714.45	-49.86	-25	24.86	Pass	401
3720	3750	1	RMS	3728.025	-50.09	-40	10.09	Pass	401




2.8. Band Edge for SA_Part96(Subtest:4, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3640	3700	1	RMS	3662.95	-1.7	40	41.7	Pass	401
3700	3701	0.62	RMS	3700	-35.27	-13	22.27	Pass	401
3701	3710	1	RMS	3701	-42.89	-13	29.89	Pass	401
3710	3720	1	RMS	3712.3	-46.8	-25	21.8	Pass	401
3720.5	3750	1	RMS	3721.311	-49.18	-40	9.18	Pass	401




2.9. Band Edge for SA_Part96(Subtest:1, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3502.025	-52.04	-40	12.04	Pass	401
3530	3540	1	RMS	3539.85	-50.05	-25	25.05	Pass	401
3540	3549	1	RMS	3549	-34.36	-13	21.36	Pass	401
3549	3550	0.051	RMS	3550	-33	-13	20	Pass	401
3550	3650	1	RMS	3551	15.07	40	24.93	Pass	401




2.10. Band Edge for SA_Part96(Subtest:2, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3528.541	-50.56	-40	10.56	Pass	401
3530	3540	1	RMS	3540	-48.58	-25	23.58	Pass	401
3540	3549	1	RMS	3549	-44.15	-13	31.15	Pass	401
3549	3549.5	1	RMS	3549.5	-36.84	-13	23.84	Pass	401
3550	3650	1	RMS	3614.25	-3.95	40	43.95	Pass	401




2.11. Band Edge for SA_Part96(Subtest:3, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3600	3700	1	RMS	3699	14.67	40	25.33	Pass	401
3700	3701	0.051	RMS	3700	-34.95	-13	21.95	Pass	401
3701	3710	1	RMS	3701	-35.97	-13	22.97	Pass	401
3710	3720	1	RMS	3711.05	-49.99	-25	24.99	Pass	401
3720	3750	1	RMS	3747.6	-50.06	-40	10.06	Pass	401



2.12. Band Edge for SA_Part96(Subtest:4, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3600	3700	1	RMS	3636	-3.91	40	43.91	Pass	401
3700.5	3701	1	RMS	3700.5	-38.99	-13	25.99	Pass	401
3701	3710	1	RMS	3701	-44.26	-13	31.26	Pass	401
3710	3720	1	RMS	3711.05	-47.67	-25	22.67	Pass	401
3720.5	3750	1	RMS	3720.795	-50.93	-40	10.93	Pass	401



3. n78(3550-3700)


3.1. Band Edge for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.4	-51.38	-40	11.38	Pass	401
3530	3540	1	RMS	3539.725	-51.01	-25	26.01	Pass	401
3540	3549	1	RMS	3549	-32.58	-13	19.58	Pass	401
3549	3550	0.051	RMS	3550	-31.63	-13	18.63	Pass	401
3550	3570	1	RMS	3551	15.5	40	24.5	Pass	401




3.2. Band Edge for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3528.763	-51.35	-40	11.35	Pass	401
3530	3540	1	RMS	3540	-48.08	-25	23.08	Pass	401
3540	3549	1	RMS	3548.978	-34.83	-13	21.83	Pass	401
3549	3550	0.2	RMS	3549.998	-35.65	-13	22.65	Pass	401
3550	3570	1	RMS	3556.55	3.79	40	36.21	Pass	401




3.3. Band Edge for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	13.81	40	26.19	Pass	401
3700	3701	0.051	RMS	3700.013	-33.51	-13	20.51	Pass	401
3701	3710	1	RMS	3701	-35.21	-13	22.21	Pass	401
3710	3720	1	RMS	3710.2	-51.34	-25	26.34	Pass	401
3720	3750	1	RMS	3747.525	-51.68	-40	11.68	Pass	401




3.4. Band Edge for SA_Part96(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3683.85	2.82	40	37.18	Pass	401
3700	3701	0.2	RMS	3700	-38.67	-13	25.67	Pass	401
3701	3710	1	RMS	3701.045	-37.54	-13	24.54	Pass	401
3710	3720	1	RMS	3710	-46.36	-25	21.36	Pass	401
3720	3750	1	RMS	3724.575	-51.5	-40	11.5	Pass	401




3.5. Band Edge for SA_Part96(Subtest:1, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3521.975	-51.2	-40	11.2	Pass	401
3530	3540	1	RMS	3538.75	-51.2	-25	26.2	Pass	401
3540	3549	1	RMS	3549	-34.09	-13	21.09	Pass	401
3549	3550	0.051	RMS	3549.998	-32.61	-13	19.61	Pass	401
3550	3610	1	RMS	3551.05	15.24	40	24.76	Pass	401




3.6. Band Edge for SA_Part96(Subtest:2, Channel:638668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3529.353	-49.73	-40	9.73	Pass	401
3530	3540	1	RMS	3539.9	-48.31	-25	23.31	Pass	401
3540	3549	1	RMS	3548.978	-43.17	-13	30.17	Pass	401
3549	3550	0.62	RMS	3550	-33.68	-13	20.68	Pass	401
3550	3610	1	RMS	3573.25	-1.53	40	41.53	Pass	401




3.7. Band Edge for SA_Part96(Subtest:3, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3640	3700	1	RMS	3698.95	14.94	40	25.06	Pass	401
3700	3701	0.051	RMS	3700	-33.47	-13	20.47	Pass	401
3701	3710	1	RMS	3701	-34.99	-13	21.99	Pass	401
3710	3720	1	RMS	3714.075	-50.99	-25	25.99	Pass	401
3720	3750	1	RMS	3728.025	-51.36	-40	11.36	Pass	401




3.8. Band Edge for SA_Part96(Subtest:4, Channel:644666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3640	3700	1	RMS	3662.95	-1.51	40	41.51	Pass	401
3700	3701	0.62	RMS	3700	-35.41	-13	22.41	Pass	401
3701	3710	1	RMS	3701	-43.67	-13	30.67	Pass	401
3710	3720	1	RMS	3710.95	-46.19	-25	21.19	Pass	401
3720.5	3750	1	RMS	3721.016	-47.02	-40	7.02	Pass	401




3.9. Band Edge for SA_Part96(Subtest:1, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3501.95	-51.42	-40	11.42	Pass	401
3530	3540	1	RMS	3539.85	-51.2	-25	26.2	Pass	401
3540	3549	1	RMS	3549	-34.23	-13	21.23	Pass	401
3549	3550	0.051	RMS	3549.993	-32.85	-13	19.85	Pass	401
3550	3650	1	RMS	3551	15.17	40	24.83	Pass	401




3.10. Band Edge for SA_Part96(Subtest:2, Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3524.116	-49.27	-40	9.27	Pass	401
3530	3540	1	RMS	3539.975	-48.93	-25	23.93	Pass	401
3540	3549	1	RMS	3549	-45.17	-13	32.17	Pass	401
3549	3549.5	1	RMS	3549.496	-36.9	-13	23.9	Pass	401
3550	3650	1	RMS	3614.25	-3.79	40	43.79	Pass	401




3.11. Band Edge for SA_Part96(Subtest:3, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3600	3700	1	RMS	3699	14.88	40	25.12	Pass	401
3700	3701	0.051	RMS	3700	-34.73	-13	21.73	Pass	401
3701	3710	1	RMS	3701	-36.04	-13	23.04	Pass	401
3710	3720	1	RMS	3710.65	-51.17	-25	26.17	Pass	401
3720	3750	1	RMS	3721.35	-51.61	-40	11.61	Pass	401



3.12. Band Edge for SA_Part96(Subtest:4, Channel:643332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3600	3700	1	RMS	3629	-3.76	40	43.76	Pass	401
3700.5	3701	1	RMS	3700.5	-39.33	-13	26.33	Pass	401
3701	3710	1	RMS	3701	-45.87	-13	32.87	Pass	401
3710	3720	1	RMS	3710.875	-47.9	-25	22.9	Pass	401
3720.5	3750	1	RMS	3722.196	-48.35	-40	8.35	Pass	401



--BLANK BELOW--