




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11n-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-40 MHz LOW CHANNEL, BAND EDGE




802.11n-40 MHz HIGH CHANNEL, CARRIER LEVEL




802.11n-40 MHz HIGH CHANNEL, BAND EDGE




VHT-20 MHz LOW CHANNEL, CARRIER LEVEL




VHT-20 MHz LOW CHANNEL, BAND EDGE




VHT-20 MHz HIGH CHANNEL, CARRIER LEVEL




VHT-20 MHz HIGH CHANNEL, BAND EDGE




VHT-40 MHz LOW CHANNEL, CARRIER LEVEL




VHT-40 MHz LOW CHANNEL, BAND EDGE




VHT-40 MHz HIGH CHANNEL, CARRIER LEVEL




VHT-40 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE




802.11ax-40 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-40 MHz(SU) LOW CHANNEL, BAND EDGE




802.11ax-40 MHz(SU) HIGH CHANNEL, CARRIER LEVEL




802.11ax-40 MHz(SU) HIGH CHANNEL, BAND EDGE




802.11be-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11be-20 MHz(SU) LOW CHANNEL, BAND EDGE




802.11be-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL




802.11be-20 MHz(SU) HIGH CHANNEL, BAND EDGE




802.11be-40 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11be-40 MHz(SU) LOW CHANNEL, BAND EDGE



802.11be-40 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11be-40 MHz(SU) HIGH CHANNEL, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.162	51.52	10.23	65.36	13.84	Peak	L	Pass
1**	0.162	37.46	10.23	55.36	17.90	AV	L	Pass
2	0.516	50.65	10.25	56.00	5.35	Peak	L	Pass
2**	0.516	37.18	10.25	46.00	8.82	AV	L	Pass
3	0.694	41.12	10.27	56.00	14.88	Peak	L	Pass
3**	0.694	28.70	10.27	46.00	17.30	AV	L	Pass
4	0.976	41.08	10.31	56.00	14.92	Peak	L	Pass
4**	0.976	26.85	10.31	46.00	19.15	AV	L	Pass
5	1.414	41.01	10.37	56.00	14.99	Peak	L	Pass
5**	1.414	26.20	10.37	46.00	19.80	AV	L	Pass
6	13.292	48.19	13.39	60.00	11.81	Peak	L	Pass
6**	13.292	22.64	13.39	50.00	27.36	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.164	60.66	10.22	65.26	4.60	Peak	N	Pass
1**	0.164	43.88	10.22	55.26	11.38	AV	N	Pass
2	0.218	54.18	10.21	62.89	8.71	Peak	N	Pass
2**	0.218	37.18	10.21	52.89	15.71	AV	N	Pass
3	0.284	49.95	10.22	60.70	10.75	Peak	N	Pass
3**	0.284	33.27	10.22	50.70	17.43	AV	N	Pass
4	0.508	49.68	10.23	56.00	6.32	Peak	N	Pass
4**	0.508	31.62	10.23	46.00	14.38	AV	N	Pass
5	1.428	43.33	10.35	56.00	12.67	Peak	N	Pass
5**	1.428	26.99	10.35	46.00	19.01	AV	N	Pass
6	20.582	51.85	15.26	60.00	8.15	Peak	N	Pass
6**	20.582	32.87	15.26	50.00	17.13	AV	N	Pass

A.6 Radiated Emission

Note ¹: The symbol of “--” in the table which means not application.


Note ²: For the test data above 1 GHz, According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.485	17.99	-28.72	40.0	22.01	Peak	168.00	200	Horizontal	Pass
2	46.005	18.69	-25.44	40.0	21.31	Peak	0.00	100	Horizontal	Pass
3	105.902	19.26	-25.86	43.5	24.24	Peak	119.00	100	Horizontal	Pass
4	162.987	27.56	-28.68	43.5	15.94	Peak	172.00	200	Horizontal	Pass
5	777.724	29.25	-11.20	46.0	16.75	Peak	140.00	200	Horizontal	Pass
6	905.328	30.97	-8.68	46.0	15.03	Peak	328.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.242	34.72	-28.65	40.0	5.28	Peak	258.00	100	Vertical	Pass
2	45.181	35.66	-25.57	40.0	4.34	Peak	243.00	100	Vertical	Pass
3	75.929	23.75	-30.94	40.0	16.25	Peak	185.00	100	Vertical	Pass
4	161.678	36.66	-28.78	43.5	6.84	Peak	274.00	100	Vertical	Pass
5	267.116	29.41	-24.72	46.0	16.59	Peak	243.00	100	Vertical	Pass
6	921.575	30.94	-8.58	46.0	15.06	Peak	177.00	200	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious above 18G is noise only, do not show on the report.


Note³: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note⁴: All antenna were pre tested, but only the worst case has been reported in this report.

MIMO

1 GHz to 18 GHz, ANT H 802.11b Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	46.46	74.0	27.54	Peak	247.00	300	Horizontal	Pass
1**	1440.400	37.08	54.0	16.92	AV	247.00	300	Horizontal	Pass
2	2410.900	109.27	--	--	Peak	127.00	400	Horizontal	N/A
2**	2410.900	106.39	--	--	AV	127.00	400	Horizontal	N/A
3	2950.500	55.25	74.0	18.75	Peak	223.00	400	Horizontal	Pass
3**	2950.500	45.47	54.0	8.53	AV	223.00	400	Horizontal	Pass
4	4974.000	49.63	74.0	24.37	Peak	20.00	200	Horizontal	Pass
4**	4974.000	41.43	54.0	12.57	AV	20.00	200	Horizontal	Pass
5	7987.000	55.80	74.0	18.20	Peak	360.00	400	Horizontal	Pass
5**	7987.000	46.21	54.0	7.79	AV	360.00	400	Horizontal	Pass
6	17068.912	51.89	74.0	22.11	Peak	323.00	400	Horizontal	Pass
6**	17068.912	42.75	54.0	11.25	AV	323.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel

RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1266.900	44.78	74.0	29.22	Peak	61.00	100	Vertical	Pass
1**	1266.900	36.70	54.0	17.30	AV	61.00	100	Vertical	Pass
2	2413.100	104.02	--	--	Peak	340.00	200	Vertical	N/A
2**	2413.100	101.26	--	--	AV	340.00	200	Vertical	N/A
3	2972.700	54.74	74.0	19.26	Peak	52.00	200	Vertical	Pass
3**	2972.700	44.85	54.0	9.15	AV	52.00	200	Vertical	Pass
4	4929.500	49.72	74.0	24.28	Peak	339.00	400	Vertical	Pass
4**	4929.500	40.22	54.0	13.78	AV	339.00	400	Vertical	Pass
5	7997.250	55.83	74.0	18.17	Peak	1.00	400	Vertical	Pass
5**	7997.250	46.24	54.0	7.76	AV	1.00	400	Vertical	Pass
6	17088.338	52.19	74.0	21.81	Peak	3.00	300	Vertical	Pass
6**	17088.338	43.14	54.0	10.86	AV	3.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	46.59	74.0	27.41	Peak	255.00	200	Horizontal	Pass
1**	1440.100	35.43	54.0	18.57	AV	255.00	200	Horizontal	Pass
2	2438.200	109.57	--	--	Peak	39.00	100	Horizontal	N/A
2**	2438.200	106.75	--	--	AV	39.00	100	Horizontal	N/A
3	2996.000	54.65	74.0	19.35	Peak	0.00	200	Horizontal	Pass
3**	2996.000	45.23	54.0	8.77	AV	0.00	200	Horizontal	Pass
4	4953.750	49.50	74.0	24.50	Peak	6.00	100	Horizontal	Pass
4**	4953.750	40.05	54.0	13.95	AV	6.00	100	Horizontal	Pass
5	7549.750	56.10	74.0	17.90	Peak	349.00	200	Horizontal	Pass
5**	7549.750	46.06	54.0	7.94	AV	349.00	200	Horizontal	Pass
6	15204.901	51.78	74.0	22.22	Peak	333.00	200	Horizontal	Pass
6**	15204.901	41.38	54.0	12.62	AV	333.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.600	45.20	74.0	28.80	Peak	160.00	100	Vertical	Pass
1**	1197.600	35.51	54.0	18.49	AV	160.00	100	Vertical	Pass
2	2438.200	104.32	--	--	Peak	0.00	400	Vertical	N/A
2**	2438.200	101.53	--	--	AV	0.00	400	Vertical	N/A
3	2976.500	54.36	74.0	19.64	Peak	204.00	300	Vertical	Pass
3**	2976.500	44.89	54.0	9.11	AV	204.00	300	Vertical	Pass
4	4986.250	50.24	74.0	23.76	Peak	90.00	100	Vertical	Pass
4**	4986.250	40.74	54.0	13.26	AV	90.00	100	Vertical	Pass
5	7553.500	55.85	74.0	18.15	Peak	269.00	400	Vertical	Pass
5**	7553.500	46.80	54.0	7.20	AV	269.00	400	Vertical	Pass
6	17174.176	51.30	74.0	22.70	Peak	153.00	300	Vertical	Pass
6**	17174.176	41.96	54.0	12.04	AV	153.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.000	46.12	74.0	27.88	Peak	247.00	200	Horizontal	Pass
1**	1441.000	36.24	54.0	17.76	AV	247.00	200	Horizontal	Pass
2	2462.000	109.25	--	--	Peak	127.00	400	Horizontal	N/A
2**	2462.000	105.26	--	--	AV	127.00	400	Horizontal	N/A
3	2991.400	54.94	74.0	19.06	Peak	0.00	100	Horizontal	Pass
3**	2991.400	45.55	54.0	8.45	AV	0.00	100	Horizontal	Pass
4	4976.500	49.95	74.0	24.05	Peak	360.00	100	Horizontal	Pass
4**	4976.500	41.20	54.0	12.80	AV	360.00	100	Horizontal	Pass
5	7908.250	55.94	74.0	18.06	Peak	67.00	200	Horizontal	Pass
5**	7908.250	47.05	54.0	6.95	AV	67.00	200	Horizontal	Pass
6	17087.025	51.66	74.0	22.34	Peak	145.00	100	Horizontal	Pass
6**	17087.025	42.64	54.0	11.36	AV	145.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1287.300	45.52	74.0	28.48	Peak	157.00	100	Vertical	Pass
1**	1287.300	35.32	54.0	18.68	AV	157.00	100	Vertical	Pass
2	2460.800	104.38	--	--	Peak	7.00	200	Vertical	N/A
2**	2460.800	101.35	--	--	AV	7.00	200	Vertical	N/A
3	2954.000	54.69	74.0	19.31	Peak	286.00	100	Vertical	Pass
3**	2954.000	44.61	54.0	9.39	AV	286.00	100	Vertical	Pass
4	4926.750	49.30	74.0	24.70	Peak	360.00	300	Vertical	Pass
4**	4926.750	40.31	54.0	13.69	AV	360.00	300	Vertical	Pass
5	7938.000	55.72	74.0	18.28	Peak	2.00	100	Vertical	Pass
5**	7938.000	47.29	54.0	6.71	AV	2.00	100	Vertical	Pass
6	17077.838	52.16	74.0	21.84	Peak	342.00	400	Vertical	Pass
6**	17077.838	42.26	54.0	11.74	AV	342.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.600	45.87	74.0	28.13	Peak	256.00	400	Horizontal	Pass
1**	1440.600	35.87	54.0	18.13	AV	256.00	400	Horizontal	Pass
2	2416.300	111.06	--	--	Peak	40.00	100	Horizontal	N/A
2**	2416.300	103.49	--	--	AV	40.00	100	Horizontal	N/A
3	2957.600	55.42	74.0	18.58	Peak	94.00	300	Horizontal	Pass
3**	2957.600	45.18	54.0	8.82	AV	94.00	300	Horizontal	Pass
4	4960.750	49.82	74.0	24.18	Peak	351.00	100	Horizontal	Pass
4**	4960.750	41.10	54.0	12.90	AV	351.00	100	Horizontal	Pass
5	7241.500	54.88	74.0	19.12	Peak	31.00	100	Horizontal	Pass
5**	7241.500	50.10	--	--	AV	31.00	100	Horizontal	N/A
6	17173.650	52.04	74.0	21.96	Peak	360.00	100	Horizontal	Pass
6**	17173.650	42.50	54.0	11.50	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1241.800	44.48	74.0	29.52	Peak	356.00	100	Vertical	Pass
1**	1241.800	35.42	54.0	18.58	AV	356.00	100	Vertical	Pass
2	2405.400	105.71	--	--	Peak	160.00	400	Vertical	N/A
2**	2405.400	97.98	--	--	AV	160.00	400	Vertical	N/A
3	2747.000	54.21	74.0	19.79	Peak	126.00	200	Vertical	Pass
3**	2747.000	44.54	54.0	9.46	AV	126.00	200	Vertical	Pass
4	4826.500	50.18	74.0	23.82	Peak	351.00	400	Vertical	Pass
4**	4826.500	40.47	54.0	13.53	AV	351.00	400	Vertical	Pass
5	7238.500	56.71	74.0	17.29	Peak	43.00	100	Vertical	Pass
5**	7238.500	51.97	--	--	AV	43.00	100	Vertical	N/A
6	17462.661	51.21	74.0	22.79	Peak	332.00	100	Vertical	Pass
6**	17462.661	42.20	54.0	11.80	AV	332.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	46.44	74.0	27.56	Peak	255.00	200	Horizontal	Pass
1**	1440.500	37.05	54.0	16.95	AV	255.00	200	Horizontal	Pass
2	2441.100	110.79	--	--	Peak	40.00	400	Horizontal	N/A
2**	2441.100	103.77	--	--	AV	40.00	400	Horizontal	N/A
3	2988.800	54.33	74.0	19.67	Peak	267.00	400	Horizontal	Pass
3**	2988.800	45.57	54.0	8.43	AV	267.00	400	Horizontal	Pass
4	4966.000	49.64	74.0	24.36	Peak	3.00	200	Horizontal	Pass
4**	4966.000	40.17	54.0	13.83	AV	3.00	200	Horizontal	Pass
5	7306.250	53.99	74.0	20.01	Peak	3.00	100	Horizontal	Pass
5**	7306.250	48.86	54.0	5.14	AV	3.00	100	Horizontal	Pass
6	17839.874	52.32	74.0	21.68	Peak	3.00	100	Horizontal	Pass
6**	17839.874	42.36	54.0	11.64	AV	3.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1238.300	44.78	74.0	29.22	Peak	254.00	100	Vertical	Pass
1**	1238.300	35.09	54.0	18.91	AV	254.00	100	Vertical	Pass
2	2442.800	104.72	--	--	Peak	0.00	100	Vertical	N/A
2**	2442.800	97.77	--	--	AV	0.00	100	Vertical	N/A
3	2960.800	54.92	74.0	19.08	Peak	275.00	400	Vertical	Pass
3**	2960.800	45.38	54.0	8.62	AV	275.00	400	Vertical	Pass
4	4973.750	49.97	74.0	24.03	Peak	135.00	400	Vertical	Pass
4**	4973.750	40.61	54.0	13.39	AV	135.00	400	Vertical	Pass
5	7941.000	55.50	74.0	18.50	Peak	360.00	400	Vertical	Pass
5**	7941.000	47.28	54.0	6.72	AV	360.00	400	Vertical	Pass
6	17060.775	52.76	74.0	21.24	Peak	252.00	300	Vertical	Pass
6**	17060.775	42.27	54.0	11.73	AV	252.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	46.92	74.0	27.08	Peak	246.00	200	Horizontal	Pass
1**	1440.200	37.42	54.0	16.58	AV	246.00	200	Horizontal	Pass
2	2467.600	110.57	--	--	Peak	126.00	300	Horizontal	N/A
2**	2467.600	102.80	--	--	AV	126.00	300	Horizontal	N/A
3	2996.200	54.29	74.0	19.71	Peak	61.00	400	Horizontal	Pass
3**	2996.200	45.94	54.0	8.06	AV	61.00	400	Horizontal	Pass
4	4981.750	49.74	74.0	24.26	Peak	112.00	100	Horizontal	Pass
4**	4981.750	39.79	54.0	14.21	AV	112.00	100	Horizontal	Pass
5	7955.750	55.84	74.0	18.16	Peak	9.00	200	Horizontal	Pass
5**	7955.750	47.67	54.0	6.33	AV	9.00	200	Horizontal	Pass
6	17255.813	51.58	74.0	22.42	Peak	27.00	100	Horizontal	Pass
6**	17255.813	42.32	54.0	11.68	AV	27.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1291.300	45.47	74.0	28.53	Peak	96.00	100	Vertical	Pass
1**	1291.300	35.51	54.0	18.49	AV	96.00	100	Vertical	Pass
2	2457.000	104.27	--	--	Peak	7.00	400	Vertical	N/A
2**	2457.000	97.22	--	--	AV	7.00	400	Vertical	N/A
3	2968.600	54.87	74.0	19.13	Peak	359.00	400	Vertical	Pass
3**	2968.600	45.75	54.0	8.25	AV	359.00	400	Vertical	Pass
4	4975.250	50.47	74.0	23.53	Peak	172.00	200	Vertical	Pass
4**	4975.250	42.04	54.0	11.96	AV	172.00	200	Vertical	Pass
5	7946.750	56.07	74.0	17.93	Peak	66.00	100	Vertical	Pass
5**	7946.750	46.79	54.0	7.21	AV	66.00	100	Vertical	Pass
6	17538.787	51.81	74.0	22.19	Peak	128.00	100	Vertical	Pass
6**	17538.787	42.92	54.0	11.08	AV	128.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1262.200	46.08	74.0	27.92	Peak	352.00	100	Horizontal	Pass
1**	1262.200	36.25	54.0	17.75	AV	352.00	100	Horizontal	Pass
2	2406.900	110.18	--	--	Peak	82.00	400	Horizontal	N/A
2**	2406.900	102.65	--	--	AV	82.00	400	Horizontal	N/A
3	2984.300	54.78	74.0	19.22	Peak	294.00	100	Horizontal	Pass
3**	2984.300	45.37	54.0	8.63	AV	294.00	100	Horizontal	Pass
4	4966.250	49.63	74.0	24.37	Peak	147.00	100	Horizontal	Pass
4**	4966.250	40.14	54.0	13.86	AV	147.00	100	Horizontal	Pass
5	7242.000	55.11	74.0	18.89	Peak	18.00	100	Horizontal	Pass
5**	7242.000	49.16	--	--	AV	18.00	100	Horizontal	N/A
6	15222.225	52.00	74.0	22.00	Peak	323.00	200	Horizontal	Pass
6**	15222.225	42.28	54.0	11.72	AV	323.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1306.600	45.43	74.0	28.57	Peak	126.00	100	Vertical	Pass
1**	1306.600	35.91	54.0	18.09	AV	126.00	100	Vertical	Pass
2	2406.600	104.97	--	--	Peak	169.00	300	Vertical	N/A
2**	2406.600	97.22	--	--	AV	169.00	300	Vertical	N/A
3	2891.600	54.92	74.0	19.08	Peak	169.00	400	Vertical	Pass
3**	2891.600	44.78	54.0	9.22	AV	169.00	400	Vertical	Pass
4	4948.000	50.03	74.0	23.97	Peak	231.00	100	Vertical	Pass
4**	4948.000	41.02	54.0	12.98	AV	231.00	100	Vertical	Pass
5	7941.500	55.91	74.0	18.09	Peak	196.00	300	Vertical	Pass
5**	7941.500	46.43	54.0	7.57	AV	196.00	300	Vertical	Pass
6	17092.537	52.81	74.0	21.19	Peak	1.00	300	Vertical	Pass
6**	17092.537	42.86	54.0	11.14	AV	1.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1295.600	46.22	74.0	27.78	Peak	0.00	100	Horizontal	Pass
1**	1295.600	35.66	54.0	18.34	AV	0.00	100	Horizontal	Pass
2	2431.300	110.25	--	--	Peak	28.00	200	Horizontal	N/A
2**	2431.300	102.96	--	--	AV	28.00	200	Horizontal	N/A
3	2990.600	55.10	74.0	18.90	Peak	341.00	300	Horizontal	Pass
3**	2990.600	45.85	54.0	8.15	AV	341.00	300	Horizontal	Pass
4	4645.250	49.67	74.0	24.33	Peak	86.00	200	Horizontal	Pass
4**	4645.250	40.08	54.0	13.92	AV	86.00	200	Horizontal	Pass
5	7929.000	55.93	74.0	18.07	Peak	133.00	200	Horizontal	Pass
5**	7929.000	46.74	54.0	7.26	AV	133.00	200	Horizontal	Pass
6	17245.313	51.53	74.0	22.47	Peak	288.00	200	Horizontal	Pass
6**	17245.313	42.52	54.0	11.48	AV	288.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.700	46.58	74.0	27.42	Peak	30.00	100	Vertical	Pass
1**	1441.700	36.56	54.0	17.44	AV	30.00	100	Vertical	Pass
2	2440.500	103.28	--	--	Peak	0.00	400	Vertical	N/A
2**	2440.500	96.13	--	--	AV	0.00	400	Vertical	N/A
3	2979.100	55.01	74.0	18.99	Peak	0.00	200	Vertical	Pass
3**	2979.100	45.28	54.0	8.72	AV	0.00	200	Vertical	Pass
4	4831.500	49.71	74.0	24.29	Peak	174.00	300	Vertical	Pass
4**	4831.500	39.56	54.0	14.44	AV	174.00	300	Vertical	Pass
5	7977.500	55.68	74.0	18.32	Peak	198.00	200	Vertical	Pass
5**	7977.500	46.92	54.0	7.08	AV	198.00	200	Vertical	Pass
6	17685.524	52.36	74.0	21.64	Peak	224.00	100	Vertical	Pass
6**	17685.524	42.73	54.0	11.27	AV	224.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1220.000	45.15	74.0	28.85	Peak	0.00	300	Horizontal	Pass
1**	1220.000	36.66	54.0	17.34	AV	0.00	300	Horizontal	Pass
2	2457.800	109.65	--	--	Peak	40.00	400	Horizontal	N/A
2**	2457.800	103.12	--	--	AV	40.00	400	Horizontal	N/A
3	2898.000	54.30	74.0	19.70	Peak	63.00	200	Horizontal	Pass
3**	2898.000	44.96	54.0	9.04	AV	63.00	200	Horizontal	Pass
4	4870.750	49.71	74.0	24.29	Peak	360.00	400	Horizontal	Pass
4**	4870.750	40.11	54.0	13.89	AV	360.00	400	Horizontal	Pass
5	7997.250	55.57	74.0	18.43	Peak	210.00	100	Horizontal	Pass
5**	7997.250	46.17	54.0	7.83	AV	210.00	100	Horizontal	Pass
6	17254.500	52.20	74.0	21.80	Peak	360.00	300	Horizontal	Pass
6**	17254.500	42.64	54.0	11.36	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	46.20	74.0	27.80	Peak	169.00	100	Vertical	Pass
1**	1437.400	35.33	54.0	18.67	AV	169.00	100	Vertical	Pass
2	2460.500	102.20	--	--	Peak	0.00	200	Vertical	N/A
2**	2460.500	94.70	--	--	AV	0.00	200	Vertical	N/A
3	2972.700	54.68	74.0	19.32	Peak	16.00	400	Vertical	Pass
3**	2972.700	45.47	54.0	8.53	AV	16.00	400	Vertical	Pass
4	4964.000	49.42	74.0	24.58	Peak	351.00	200	Vertical	Pass
4**	4964.000	41.03	54.0	12.97	AV	351.00	200	Vertical	Pass
5	7887.500	55.42	74.0	18.58	Peak	161.00	100	Vertical	Pass
5**	7887.500	45.93	54.0	8.07	AV	161.00	100	Vertical	Pass
6	17061.301	51.52	74.0	22.48	Peak	71.00	400	Vertical	Pass
6**	17061.301	42.70	54.0	11.30	AV	71.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.200	45.78	74.0	28.22	Peak	0.00	400	Horizontal	Pass
1**	1162.200	34.77	54.0	19.23	AV	0.00	400	Horizontal	Pass
2	2417.000	107.32	--	--	Peak	30.00	200	Horizontal	N/A
2**	2417.000	100.44	--	--	AV	30.00	200	Horizontal	N/A
3	2977.800	54.58	74.0	19.42	Peak	7.00	300	Horizontal	Pass
3**	2977.800	45.19	54.0	8.81	AV	7.00	300	Horizontal	Pass
4	4956.500	49.93	74.0	24.07	Peak	112.00	300	Horizontal	Pass
4**	4956.500	40.82	54.0	13.18	AV	112.00	300	Horizontal	Pass
5	7953.000	55.74	74.0	18.26	Peak	325.00	100	Horizontal	Pass
5**	7953.000	46.82	54.0	7.18	AV	325.00	100	Horizontal	Pass
6	17480.249	51.64	74.0	22.36	Peak	154.00	200	Horizontal	Pass
6**	17480.249	42.16	54.0	11.84	AV	154.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.900	46.64	74.0	27.36	Peak	169.00	100	Vertical	Pass
1**	1440.900	35.67	54.0	18.33	AV	169.00	100	Vertical	Pass
2	2418.900	99.86	--	--	Peak	235.00	300	Vertical	N/A
2**	2418.900	92.31	--	--	AV	235.00	300	Vertical	N/A
3	2876.200	54.52	74.0	19.48	Peak	126.00	100	Vertical	Pass
3**	2876.200	44.17	54.0	9.83	AV	126.00	100	Vertical	Pass
4	4982.000	49.68	74.0	24.32	Peak	276.00	400	Vertical	Pass
4**	4982.000	40.60	54.0	13.40	AV	276.00	400	Vertical	Pass
5	7956.750	55.49	74.0	18.51	Peak	302.00	200	Vertical	Pass
5**	7956.750	45.89	54.0	8.11	AV	302.00	200	Vertical	Pass
6	17452.425	51.93	74.0	22.07	Peak	283.00	100	Vertical	Pass
6**	17452.425	42.30	54.0	11.70	AV	283.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.400	48.47	74.0	25.53	Peak	322.00	200	Horizontal	Pass
1**	1442.400	36.57	54.0	17.43	AV	322.00	200	Horizontal	Pass
2	2432.400	106.38	--	--	Peak	31.00	150	Horizontal	N/A
2**	2432.400	100.23	--	--	AV	31.00	150	Horizontal	N/A
3	2975.500	54.27	74.0	19.73	Peak	108.00	200	Horizontal	Pass
3**	2975.500	45.53	54.0	8.47	AV	108.00	200	Horizontal	Pass
4	4899.000	49.60	74.0	24.40	Peak	215.00	300	Horizontal	Pass
4**	4899.000	41.09	54.0	12.91	AV	215.00	300	Horizontal	Pass
5	7912.750	55.70	74.0	18.30	Peak	271.00	300	Horizontal	Pass
5**	7912.750	46.66	54.0	7.34	AV	271.00	300	Horizontal	Pass
6	17063.663	51.99	74.0	22.01	Peak	189.00	300	Horizontal	Pass
6**	17063.663	42.91	54.0	11.09	AV	189.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	47.13	74.0	26.87	Peak	167.00	200	Vertical	Pass
1**	1439.800	36.24	54.0	17.76	AV	167.00	200	Vertical	Pass
2	2435.100	99.84	--	--	Peak	349.00	200	Vertical	N/A
2**	2435.100	92.40	--	--	AV	349.00	200	Vertical	N/A
3	2975.300	55.31	74.0	18.69	Peak	0.00	100	Vertical	Pass
3**	2975.300	45.34	54.0	8.66	AV	0.00	100	Vertical	Pass
4	4941.500	49.68	74.0	24.32	Peak	1.00	200	Vertical	Pass
4**	4941.500	40.56	54.0	13.44	AV	1.00	200	Vertical	Pass
5	7937.500	55.74	74.0	18.26	Peak	304.00	300	Vertical	Pass
5**	7937.500	46.98	54.0	7.02	AV	304.00	300	Vertical	Pass
6	17721.750	52.46	74.0	21.54	Peak	321.00	300	Vertical	Pass
6**	17721.750	42.66	54.0	11.34	AV	321.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	48.88	74.0	25.12	Peak	81.00	200	Horizontal	Pass
1**	1439.700	37.58	54.0	16.42	AV	81.00	200	Horizontal	Pass
2	2449.200	106.42	--	--	Peak	28.00	100	Horizontal	N/A
2**	2449.200	98.81	--	--	AV	28.00	100	Horizontal	N/A
3	2974.900	54.35	74.0	19.65	Peak	352.00	200	Horizontal	Pass
3**	2974.900	45.88	54.0	8.12	AV	352.00	200	Horizontal	Pass
4	5201.750	51.31	74.0	22.69	Peak	62.00	150	Horizontal	Pass
4**	5201.750	42.28	54.0	11.72	AV	62.00	150	Horizontal	Pass
5	7989.500	55.67	74.0	18.33	Peak	44.00	200	Horizontal	Pass
5**	7989.500	45.76	54.0	8.24	AV	44.00	200	Horizontal	Pass
6	17965.613	52.57	74.0	21.43	Peak	312.00	300	Horizontal	Pass
6**	17965.613	42.48	54.0	11.52	AV	312.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	47.54	74.0	26.46	Peak	188.00	400	Vertical	Pass
1**	1437.700	37.31	54.0	16.69	AV	188.00	400	Vertical	Pass
2	2449.500	98.95	--	--	Peak	0.00	150	Vertical	N/A
2**	2449.500	91.65	--	--	AV	0.00	150	Vertical	N/A
3	2894.400	54.91	74.0	19.09	Peak	263.00	150	Vertical	Pass
3**	2894.400	45.15	54.0	8.85	AV	263.00	150	Vertical	Pass
4	4956.000	50.02	74.0	23.98	Peak	158.00	400	Vertical	Pass
4**	4956.000	40.51	54.0	13.49	AV	158.00	400	Vertical	Pass
5	7830.750	55.95	74.0	18.05	Peak	281.00	200	Vertical	Pass
5**	7830.750	45.86	54.0	8.14	AV	281.00	200	Vertical	Pass
6	17861.925	51.94	74.0	22.06	Peak	34.00	100	Vertical	Pass
6**	17861.925	42.08	54.0	11.92	AV	34.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.700	48.14	74.0	25.86	Peak	167.00	100	Horizontal	Pass
1**	1441.700	37.41	54.0	16.59	AV	167.00	100	Horizontal	Pass
2	2406.900	110.06	--	--	Peak	73.00	200	Horizontal	N/A
2**	2406.900	103.41	--	--	AV	73.00	200	Horizontal	N/A
3	2975.500	54.80	74.0	19.20	Peak	232.00	150	Horizontal	Pass
3**	2975.500	45.23	54.0	8.77	AV	232.00	150	Horizontal	Pass
4	4896.250	49.96	74.0	24.04	Peak	2.00	300	Horizontal	Pass
4**	4896.250	39.85	54.0	14.15	AV	2.00	300	Horizontal	Pass
5	7240.500	54.15	74.0	19.85	Peak	21.00	150	Horizontal	Pass
5**	7240.500	49.67	--	--	AV	21.00	150	Horizontal	N/A
6	17069.963	52.25	74.0	21.75	Peak	203.00	150	Horizontal	Pass
6**	17069.963	42.39	54.0	11.61	AV	203.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.700	46.96	74.0	27.04	Peak	199.00	100	Vertical	Pass
1**	1441.700	37.41	54.0	16.59	AV	199.00	100	Vertical	Pass
2	2408.400	102.95	--	--	Peak	188.00	200	Vertical	N/A
2**	2408.400	95.33	--	--	AV	188.00	200	Vertical	N/A
3	2957.200	55.31	74.0	18.69	Peak	359.00	100	Vertical	Pass
3**	2957.200	45.38	54.0	8.62	AV	359.00	100	Vertical	Pass
4	4979.500	50.46	74.0	23.54	Peak	143.00	200	Vertical	Pass
4**	4979.500	41.61	54.0	12.39	AV	143.00	200	Vertical	Pass
5	7239.000	52.81	74.0	21.19	Peak	168.00	150	Vertical	Pass
5**	7239.000	47.91	--	--	AV	168.00	150	Vertical	N/A
6	17982.151	52.34	74.0	21.66	Peak	94.00	400	Vertical	Pass
6**	17982.151	42.62	54.0	11.38	AV	94.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.600	48.88	74.0	25.12	Peak	170.00	100	Horizontal	Pass
1**	1439.600	38.37	54.0	15.63	AV	170.00	100	Horizontal	Pass
2	2432.900	109.46	--	--	Peak	28.00	150	Horizontal	N/A
2**	2432.900	102.41	--	--	AV	28.00	150	Horizontal	N/A
3	2985.100	54.87	74.0	19.13	Peak	191.00	150	Horizontal	Pass
3**	2985.100	45.20	54.0	8.80	AV	191.00	150	Horizontal	Pass
4	4982.750	49.99	74.0	24.01	Peak	320.00	100	Horizontal	Pass
4**	4982.750	41.03	54.0	12.97	AV	320.00	100	Horizontal	Pass
5	7929.250	56.20	74.0	17.80	Peak	8.00	300	Horizontal	Pass
5**	7929.250	46.04	54.0	7.96	AV	8.00	300	Horizontal	Pass
6	17081.512	51.77	74.0	22.23	Peak	290.00	150	Horizontal	Pass
6**	17081.512	42.31	54.0	11.69	AV	290.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	48.03	74.0	25.97	Peak	188.00	300	Vertical	Pass
1**	1440.200	37.02	54.0	16.98	AV	188.00	300	Vertical	Pass
2	2438.000	102.04	--	--	Peak	345.00	100	Vertical	N/A
2**	2438.000	94.60	--	--	AV	345.00	100	Vertical	N/A
3	2968.500	55.04	74.0	18.96	Peak	146.00	200	Vertical	Pass
3**	2968.500	45.35	54.0	8.65	AV	146.00	200	Vertical	Pass
4	4976.750	49.78	74.0	24.22	Peak	224.00	400	Vertical	Pass
4**	4976.750	41.03	54.0	12.97	AV	224.00	400	Vertical	Pass
5	7582.250	55.80	74.0	18.20	Peak	45.00	150	Vertical	Pass
5**	7582.250	46.19	54.0	7.81	AV	45.00	150	Vertical	Pass
6	17975.325	52.02	74.0	21.98	Peak	310.00	100	Vertical	Pass
6**	17975.325	42.99	54.0	11.01	AV	310.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	47.85	74.0	26.15	Peak	354.00	300	Horizontal	Pass
1**	1439.800	37.88	54.0	16.12	AV	354.00	300	Horizontal	Pass
2	2458.400	109.32	--	--	Peak	26.00	200	Horizontal	N/A
2**	2458.400	102.27	--	--	AV	26.00	200	Horizontal	N/A
3	2954.500	54.39	74.0	19.61	Peak	342.00	100	Horizontal	Pass
3**	2954.500	44.98	54.0	9.02	AV	342.00	100	Horizontal	Pass
4	5135.000	50.78	74.0	23.22	Peak	207.00	150	Horizontal	Pass
4**	5135.000	42.75	54.0	11.25	AV	207.00	150	Horizontal	Pass
5	7552.250	55.78	74.0	18.22	Peak	273.00	100	Horizontal	Pass
5**	7552.250	46.29	54.0	7.71	AV	273.00	100	Horizontal	Pass
6	17982.675	52.32	74.0	21.68	Peak	40.00	200	Horizontal	Pass
6**	17982.675	44.09	54.0	9.91	AV	40.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	47.94	74.0	26.06	Peak	274.00	100	Vertical	Pass
1**	1327.800	36.20	54.0	17.80	AV	274.00	100	Vertical	Pass
2	2460.100	102.87	--	--	Peak	0.00	150	Vertical	N/A
2**	2460.100	95.34	--	--	AV	0.00	150	Vertical	N/A
3	2963.700	54.47	74.0	19.53	Peak	211.00	150	Vertical	Pass
3**	2963.700	45.01	54.0	8.99	AV	211.00	150	Vertical	Pass
4	5058.750	50.38	74.0	23.62	Peak	134.00	150	Vertical	Pass
4**	5058.750	40.83	54.0	13.17	AV	134.00	150	Vertical	Pass
5	7954.250	55.89	74.0	18.11	Peak	158.00	100	Vertical	Pass
5**	7954.250	47.21	54.0	6.79	AV	158.00	100	Vertical	Pass
6	17759.287	52.19	74.0	21.81	Peak	80.00	100	Vertical	Pass
6**	17759.287	42.86	54.0	11.14	AV	80.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.500	48.12	74.0	25.88	Peak	169.00	100	Horizontal	Pass
1**	1442.500	37.01	54.0	16.99	AV	169.00	100	Horizontal	Pass
2	2416.800	106.96	--	--	Peak	73.00	150	Horizontal	N/A
2**	2416.800	100.21	--	--	AV	73.00	150	Horizontal	N/A
3	2975.600	54.22	74.0	19.78	Peak	200.00	100	Horizontal	Pass
3**	2975.600	45.95	54.0	8.05	AV	200.00	100	Horizontal	Pass
4	5043.500	50.27	74.0	23.73	Peak	20.00	150	Horizontal	Pass
4**	5043.500	40.75	54.0	13.25	AV	20.00	150	Horizontal	Pass
5	7568.000	56.24	74.0	17.76	Peak	14.00	400	Horizontal	Pass
5**	7568.000	46.47	54.0	7.53	AV	14.00	400	Horizontal	Pass
6	17997.900	52.09	74.0	21.91	Peak	313.00	100	Horizontal	Pass
6**	17997.900	42.33	54.0	11.67	AV	313.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	47.67	74.0	26.33	Peak	38.00	300	Vertical	Pass
1**	1440.200	38.13	54.0	15.87	AV	38.00	300	Vertical	Pass
2	2416.100	101.02	--	--	Peak	186.00	100	Vertical	N/A
2**	2416.100	93.75	--	--	AV	186.00	100	Vertical	N/A
3	2982.200	54.50	74.0	19.50	Peak	70.00	200	Vertical	Pass
3**	2982.200	45.06	54.0	8.94	AV	70.00	200	Vertical	Pass
4	5134.250	50.04	74.0	23.96	Peak	45.00	150	Vertical	Pass
4**	5134.250	41.05	54.0	12.95	AV	45.00	150	Vertical	Pass
5	7916.500	55.74	74.0	18.26	Peak	96.00	300	Vertical	Pass
5**	7916.500	46.64	54.0	7.36	AV	96.00	300	Vertical	Pass
6	17742.488	52.53	74.0	21.47	Peak	244.00	200	Vertical	Pass
6**	17742.488	42.79	54.0	11.21	AV	244.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	47.82	74.0	26.18	Peak	354.00	400	Horizontal	Pass
1**	1438.000	37.63	54.0	16.37	AV	354.00	400	Horizontal	Pass
2	2434.300	106.51	--	--	Peak	28.00	150	Horizontal	N/A
2**	2434.300	99.32	--	--	AV	28.00	150	Horizontal	N/A
3	2970.100	54.72	74.0	19.28	Peak	37.00	100	Horizontal	Pass
3**	2970.100	45.16	54.0	8.84	AV	37.00	100	Horizontal	Pass
4	4956.750	49.85	74.0	24.15	Peak	328.00	300	Horizontal	Pass
4**	4956.750	40.74	54.0	13.26	AV	328.00	300	Horizontal	Pass
5	7583.000	55.73	74.0	18.27	Peak	271.00	400	Horizontal	Pass
5**	7583.000	45.62	54.0	8.38	AV	271.00	400	Horizontal	Pass
6	17977.688	51.60	74.0	22.40	Peak	148.00	400	Horizontal	Pass
6**	17977.688	43.10	54.0	10.90	AV	148.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.600	47.34	74.0	26.66	Peak	199.00	200	Vertical	Pass
1**	1440.600	36.80	54.0	17.20	AV	199.00	200	Vertical	Pass
2	2426.300	99.95	--	--	Peak	317.00	150	Vertical	N/A
2**	2426.300	92.58	--	--	AV	317.00	150	Vertical	N/A
3	2894.800	54.97	74.0	19.03	Peak	0.00	150	Vertical	Pass
3**	2894.800	45.11	54.0	8.89	AV	0.00	150	Vertical	Pass
4	4956.250	50.05	74.0	23.95	Peak	360.00	400	Vertical	Pass
4**	4956.250	41.35	54.0	12.65	AV	360.00	400	Vertical	Pass
5	7875.500	56.03	74.0	17.97	Peak	54.00	150	Vertical	Pass
5**	7875.500	46.21	54.0	7.79	AV	54.00	150	Vertical	Pass
6	17739.074	52.20	74.0	21.80	Peak	281.00	100	Vertical	Pass
6**	17739.074	42.27	54.0	11.73	AV	281.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.100	47.75	74.0	26.25	Peak	167.00	200	Horizontal	Pass
1**	1441.100	36.93	54.0	17.07	AV	167.00	200	Horizontal	Pass
2	2447.400	106.78	--	--	Peak	28.00	200	Horizontal	N/A
2**	2447.400	99.19	--	--	AV	28.00	200	Horizontal	N/A
3	2990.700	54.16	74.0	19.84	Peak	345.00	150	Horizontal	Pass
3**	2990.700	45.62	54.0	8.38	AV	345.00	150	Horizontal	Pass
4	5017.750	50.23	74.0	23.77	Peak	360.00	150	Horizontal	Pass
4**	5017.750	41.09	54.0	12.91	AV	360.00	150	Horizontal	Pass
5	7602.750	55.69	74.0	18.31	Peak	2.00	150	Horizontal	Pass
5**	7602.750	45.54	54.0	8.46	AV	2.00	150	Horizontal	Pass
6	17961.150	52.25	74.0	21.75	Peak	269.00	300	Horizontal	Pass
6**	17961.150	42.52	54.0	11.48	AV	269.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.200	48.42	74.0	25.58	Peak	294.00	200	Vertical	Pass
1**	1497.200	35.23	54.0	18.77	AV	294.00	200	Vertical	Pass
2	2454.200	99.76	--	--	Peak	358.00	200	Vertical	N/A
2**	2454.200	91.72	--	--	AV	358.00	200	Vertical	N/A
3	2889.700	54.92	74.0	19.08	Peak	26.00	150	Vertical	Pass
3**	2889.700	45.39	54.0	8.61	AV	26.00	150	Vertical	Pass
4	5243.750	51.04	74.0	22.96	Peak	280.00	150	Vertical	Pass
4**	5243.750	40.93	54.0	13.07	AV	280.00	150	Vertical	Pass
5	7853.000	55.75	74.0	18.25	Peak	142.00	400	Vertical	Pass
5**	7853.000	45.87	54.0	8.13	AV	142.00	400	Vertical	Pass
6	17982.151	52.95	74.0	21.05	Peak	351.00	200	Vertical	Pass
6**	17982.151	43.18	54.0	10.82	AV	351.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	48.66	74.0	25.34	Peak	167.00	400	Horizontal	Pass
1**	1439.700	37.06	54.0	16.94	AV	167.00	400	Horizontal	Pass
2	2407.400	108.89	--	--	Peak	70.00	150	Horizontal	N/A
2**	2407.400	100.04	--	--	AV	70.00	150	Horizontal	N/A
3	2970.500	54.88	74.0	19.12	Peak	188.00	150	Horizontal	Pass
3**	2970.500	45.20	54.0	8.80	AV	188.00	150	Horizontal	Pass
4	5151.250	50.75	74.0	23.25	Peak	360.00	150	Horizontal	Pass
4**	5151.250	41.09	54.0	12.91	AV	360.00	150	Horizontal	Pass
5	7940.500	56.35	74.0	17.65	Peak	295.00	200	Horizontal	Pass
5**	7940.500	46.69	54.0	7.31	AV	295.00	200	Horizontal	Pass
6	17067.338	52.58	74.0	21.42	Peak	274.00	300	Horizontal	Pass
6**	17067.338	42.36	54.0	11.64	AV	274.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	47.64	74.0	26.36	Peak	188.00	400	Vertical	Pass
1**	1437.400	36.54	54.0	17.46	AV	188.00	400	Vertical	Pass
2	2411.200	102.44	--	--	Peak	28.00	200	Vertical	N/A
2**	2411.200	92.97	--	--	AV	28.00	200	Vertical	N/A
3	2981.800	54.46	74.0	19.54	Peak	49.00	150	Vertical	Pass
3**	2981.800	45.13	54.0	8.87	AV	49.00	150	Vertical	Pass
4	5232.500	50.87	74.0	23.13	Peak	312.00	150	Vertical	Pass
4**	5232.500	42.02	54.0	11.98	AV	312.00	150	Vertical	Pass
5	7913.500	55.86	74.0	18.14	Peak	2.00	200	Vertical	Pass
5**	7913.500	46.34	54.0	7.66	AV	2.00	200	Vertical	Pass
6	17964.300	51.54	74.0	22.46	Peak	360.00	200	Vertical	Pass
6**	17964.300	42.84	54.0	11.16	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.300	47.79	74.0	26.21	Peak	167.00	200	Horizontal	Pass
1**	1442.300	37.05	54.0	16.95	AV	167.00	200	Horizontal	Pass
2	2434.800	108.78	--	--	Peak	17.00	100	Horizontal	N/A
2**	2434.800	99.27	--	--	AV	17.00	100	Horizontal	N/A
3	2980.300	55.06	74.0	18.94	Peak	306.00	150	Horizontal	Pass
3**	2980.300	45.40	54.0	8.60	AV	306.00	150	Horizontal	Pass
4	4873.750	49.76	74.0	24.24	Peak	208.00	200	Horizontal	Pass
4**	4873.750	39.60	54.0	14.40	AV	208.00	200	Horizontal	Pass
5	7901.000	55.60	74.0	18.40	Peak	200.00	400	Horizontal	Pass
5**	7901.000	45.80	54.0	8.20	AV	200.00	400	Horizontal	Pass
6	17819.662	52.10	74.0	21.90	Peak	360.00	300	Horizontal	Pass
6**	17819.662	42.12	54.0	11.88	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	47.39	74.0	26.61	Peak	179.00	300	Vertical	Pass
1**	1442.200	36.05	54.0	17.95	AV	179.00	300	Vertical	Pass
2	2434.500	101.14	--	--	Peak	200.00	200	Vertical	N/A
2**	2434.500	91.34	--	--	AV	200.00	200	Vertical	N/A
3	2957.300	54.22	74.0	19.78	Peak	179.00	100	Vertical	Pass
3**	2957.300	45.35	54.0	8.65	AV	179.00	100	Vertical	Pass
4	4952.250	49.26	74.0	24.74	Peak	208.00	200	Vertical	Pass
4**	4952.250	40.96	54.0	13.04	AV	208.00	200	Vertical	Pass
5	7882.250	55.60	74.0	18.40	Peak	103.00	400	Vertical	Pass
5**	7882.250	46.55	54.0	7.45	AV	103.00	400	Vertical	Pass
6	17955.899	52.20	74.0	21.80	Peak	360.00	400	Vertical	Pass
6**	17955.899	42.66	54.0	11.34	AV	360.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.300	48.39	74.0	25.61	Peak	354.00	400	Horizontal	Pass
1**	1442.300	38.16	54.0	15.84	AV	354.00	400	Horizontal	Pass
2	2456.600	107.52	--	--	Peak	28.00	100	Horizontal	N/A
2**	2456.600	98.79	--	--	AV	28.00	100	Horizontal	N/A
3	2988.600	54.32	74.0	19.68	Peak	315.00	200	Horizontal	Pass
3**	2988.600	46.23	54.0	7.77	AV	315.00	200	Horizontal	Pass
4	4978.500	49.89	74.0	24.11	Peak	269.00	200	Horizontal	Pass
4**	4978.500	40.42	54.0	13.58	AV	269.00	200	Horizontal	Pass
5	7944.000	55.52	74.0	18.48	Peak	52.00	100	Horizontal	Pass
5**	7944.000	47.15	54.0	6.85	AV	52.00	100	Horizontal	Pass
6	17461.350	52.04	74.0	21.96	Peak	163.00	150	Horizontal	Pass
6**	17461.350	41.91	54.0	12.09	AV	163.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	47.18	74.0	26.82	Peak	232.00	200	Vertical	Pass
1**	1439.800	37.29	54.0	16.71	AV	232.00	200	Vertical	Pass
2	2461.100	102.06	--	--	Peak	0.00	100	Vertical	N/A
2**	2461.100	92.95	--	--	AV	0.00	100	Vertical	N/A
3	2952.100	54.48	74.0	19.52	Peak	40.00	200	Vertical	Pass
3**	2952.100	44.70	54.0	9.30	AV	40.00	200	Vertical	Pass
4	5156.250	50.66	74.0	23.34	Peak	2.00	150	Vertical	Pass
4**	5156.250	40.86	54.0	13.14	AV	2.00	150	Vertical	Pass
5	7870.250	55.94	74.0	18.06	Peak	360.00	300	Vertical	Pass
5**	7870.250	46.11	54.0	7.89	AV	360.00	300	Vertical	Pass
6	17984.250	52.28	74.0	21.72	Peak	76.00	200	Vertical	Pass
6**	17984.250	43.35	54.0	10.65	AV	76.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	48.65	74.0	25.35	Peak	85.00	400	Horizontal	Pass
1**	1439.900	37.25	54.0	16.75	AV	85.00	400	Horizontal	Pass
2	2416.900	106.99	--	--	Peak	28.00	150	Horizontal	N/A
2**	2416.900	97.46	--	--	AV	28.00	150	Horizontal	N/A
3	2977.600	54.25	74.0	19.75	Peak	306.00	200	Horizontal	Pass
3**	2977.600	45.69	54.0	8.31	AV	306.00	200	Horizontal	Pass
4	5161.500	50.62	74.0	23.38	Peak	125.00	150	Horizontal	Pass
4**	5161.500	40.86	54.0	13.14	AV	125.00	150	Horizontal	Pass
5	7943.500	55.59	74.0	18.41	Peak	344.00	200	Horizontal	Pass
5**	7943.500	46.90	54.0	7.10	AV	344.00	200	Horizontal	Pass
6	14841.338	52.15	74.0	21.85	Peak	133.00	400	Horizontal	Pass
6**	14841.338	41.39	54.0	12.61	AV	133.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	48.49	74.0	25.51	Peak	274.00	100	Vertical	Pass
1**	1331.900	38.15	54.0	15.85	AV	274.00	100	Vertical	Pass
2	2415.200	100.47	--	--	Peak	187.00	200	Vertical	N/A
2**	2415.200	90.71	--	--	AV	187.00	200	Vertical	N/A
3	2954.700	55.11	74.0	18.89	Peak	110.00	200	Vertical	Pass
3**	2954.700	45.33	54.0	8.67	AV	110.00	200	Vertical	Pass
4	5129.500	50.96	74.0	23.04	Peak	328.00	150	Vertical	Pass
4**	5129.500	41.73	54.0	12.27	AV	328.00	150	Vertical	Pass
5	7923.250	55.60	74.0	18.40	Peak	134.00	100	Vertical	Pass
5**	7923.250	46.41	54.0	7.59	AV	134.00	100	Vertical	Pass
6	17975.849	51.22	74.0	22.78	Peak	359.00	100	Vertical	Pass
6**	17975.849	43.84	54.0	10.16	AV	359.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	47.95	74.0	26.05	Peak	174.00	100	Horizontal	Pass
1**	1440.100	37.09	54.0	16.91	AV	174.00	100	Horizontal	Pass
2	2435.800	106.86	--	--	Peak	30.00	100	Horizontal	N/A
2**	2435.800	96.54	--	--	AV	30.00	100	Horizontal	N/A
3	2985.600	54.23	74.0	19.77	Peak	294.00	200	Horizontal	Pass
3**	2985.600	45.94	54.0	8.06	AV	294.00	200	Horizontal	Pass
4	4980.000	50.04	74.0	23.96	Peak	260.00	200	Horizontal	Pass
4**	4980.000	40.32	54.0	13.68	AV	260.00	200	Horizontal	Pass
5	7938.000	56.35	74.0	17.65	Peak	16.00	200	Horizontal	Pass
5**	7938.000	47.33	54.0	6.67	AV	16.00	200	Horizontal	Pass
6	17978.499	51.72	74.0	22.28	Peak	277.00	100	Horizontal	Pass
6**	17978.499	44.15	54.0	9.85	AV	277.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	47.61	74.0	26.39	Peak	179.00	300	Vertical	Pass
1**	1440.100	37.80	54.0	16.20	AV	179.00	300	Vertical	Pass
2	2426.600	97.98	--	--	Peak	311.00	100	Vertical	N/A
2**	2426.600	89.20	--	--	AV	311.00	100	Vertical	N/A
3	2956.400	54.60	74.0	19.40	Peak	93.00	200	Vertical	Pass
3**	2956.400	45.65	54.0	8.35	AV	93.00	200	Vertical	Pass
4	4681.500	50.53	74.0	23.47	Peak	144.00	150	Vertical	Pass
4**	4681.500	39.63	54.0	14.37	AV	144.00	150	Vertical	Pass
5	7917.750	56.34	74.0	17.66	Peak	42.00	400	Vertical	Pass
5**	7917.750	46.79	54.0	7.21	AV	42.00	400	Vertical	Pass
6	17075.000	51.86	74.0	22.14	Peak	214.00	150	Vertical	Pass
6**	17075.000	42.58	54.0	11.42	AV	214.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	49.47	74.0	24.53	Peak	158.00	300	Horizontal	Pass
1**	1440.200	38.72	54.0	15.28	AV	158.00	300	Horizontal	Pass
2	2468.900	105.47	74.0	--	--	26.00	150	Horizontal	N/A
2**	2468.900	95.25	54.0	--	--	26.00	150	Horizontal	N/A
3	2888.300	55.54	74.0	18.46	Peak	81.00	150	Horizontal	Pass
3**	2888.300	44.70	54.0	9.30	AV	81.00	150	Horizontal	Pass
4	5286.500	50.62	74.0	23.38	Peak	83.00	150	Horizontal	Pass
4**	5286.500	40.72	54.0	13.28	AV	83.00	150	Horizontal	Pass
5	7874.500	55.68	74.0	18.32	Peak	284.00	300	Horizontal	Pass
5**	7874.500	46.86	54.0	7.14	AV	284.00	300	Horizontal	Pass
6	14213.500	51.56	74.0	22.44	Peak	2.00	150	Horizontal	Pass
6**	14213.500	40.73	54.0	13.27	AV	2.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	47.40	74.0	26.60	Peak	186.00	200	Vertical	Pass
1**	1439.700	37.61	54.0	16.39	AV	186.00	200	Vertical	Pass
2	2450.200	98.33	--	--	Peak	1.00	100	Vertical	N/A
2**	2450.200	89.31	--	--	AV	1.00	100	Vertical	N/A
3	2998.500	55.07	74.0	18.93	Peak	317.00	100	Vertical	Pass
3**	2998.500	44.93	54.0	9.07	AV	317.00	100	Vertical	Pass
4	5212.750	50.77	74.0	23.23	Peak	76.00	150	Vertical	Pass
4**	5212.750	40.76	54.0	13.24	AV	76.00	150	Vertical	Pass
5	7882.750	56.47	74.0	17.53	Peak	9.00	200	Vertical	Pass
5**	7882.750	46.41	54.0	7.59	AV	9.00	200	Vertical	Pass
6	17076.500	52.46	74.0	21.54	Peak	358.00	400	Vertical	Pass
6**	17076.500	42.87	54.0	11.13	AV	358.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11be20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.700	47.59	74.0	26.41	Peak	172.00	400	Horizontal	Pass
1**	1440.700	37.58	54.0	16.42	AV	172.00	400	Horizontal	Pass
2	2408.700	108.74	74.0	--	--	84.00	150	Horizontal	N/A
2**	2408.700	101.27	54.0	--	--	84.00	150	Horizontal	N/A
3	2935.000	54.20	74.0	19.80	Peak	117.00	100	Horizontal	Pass
3**	2935.000	44.94	54.0	9.06	AV	117.00	100	Horizontal	Pass
4	5242.000	50.57	74.0	23.43	Peak	40.00	150	Horizontal	Pass
4**	5242.000	40.89	54.0	13.11	AV	40.00	150	Horizontal	Pass
5	7916.250	55.49	74.0	18.51	Peak	258.00	100	Horizontal	Pass
5**	7916.250	46.72	54.0	7.28	AV	258.00	100	Horizontal	Pass
6	17972.500	53.19	74.0	20.81	Peak	288.00	300	Horizontal	Pass
6**	17972.500	42.65	54.0	11.35	AV	288.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11be20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	48.63	74.0	25.37	Peak	258.00	400	Vertical	Pass
1**	1329.200	35.28	54.0	18.72	AV	258.00	400	Vertical	Pass
2	2406.800	101.73	74.0	--	--	203.00	150	Vertical	N/A
2**	2406.800	93.19	54.0	--	--	203.00	150	Vertical	N/A
3	2957.200	54.65	74.0	19.35	Peak	72.00	150	Vertical	Pass
3**	2957.200	44.96	54.0	9.04	AV	72.00	150	Vertical	Pass
4	4945.250	49.67	74.0	24.33	Peak	276.00	200	Vertical	Pass
4**	4945.250	40.94	54.0	13.06	AV	276.00	200	Vertical	Pass
5	7952.000	55.80	74.0	18.20	Peak	93.00	200	Vertical	Pass
5**	7952.000	46.55	54.0	7.45	AV	93.00	200	Vertical	Pass
6	17540.499	52.31	74.0	21.69	Peak	360.00	200	Vertical	Pass
6**	17540.499	41.99	54.0	12.01	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11be20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	48.19	74.0	25.81	Peak	165.00	400	Horizontal	Pass
1**	1438.100	36.86	54.0	17.14	AV	165.00	400	Horizontal	Pass
2	2433.300	107.97	--	--	Peak	22.00	200	Horizontal	N/A
2**	2433.300	99.48	--	--	AV	22.00	200	Horizontal	N/A
3	2829.500	55.34	74.0	18.66	Peak	165.00	150	Horizontal	Pass
3**	2829.500	44.87	54.0	9.13	AV	165.00	150	Horizontal	Pass
4	4923.500	49.88	74.0	24.12	Peak	351.00	300	Horizontal	Pass
4**	4923.500	40.22	54.0	13.78	AV	351.00	300	Horizontal	Pass
5	7935.500	55.92	74.0	18.08	Peak	282.00	400	Horizontal	Pass
5**	7935.500	46.74	54.0	7.26	AV	282.00	400	Horizontal	Pass
6	17542.500	51.88	74.0	22.12	Peak	8.00	300	Horizontal	Pass
6**	17542.500	42.40	54.0	11.60	AV	8.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11be20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.100	47.00	74.0	27.00	Peak	195.00	400	Vertical	Pass
1**	1441.100	36.53	54.0	17.47	AV	195.00	400	Vertical	Pass
2	2439.000	101.97	--	--	Peak	350.00	100	Vertical	N/A
2**	2439.000	92.40	--	--	AV	350.00	100	Vertical	N/A
3	2970.500	54.32	74.0	19.68	Peak	355.00	150	Vertical	Pass
3**	2970.500	45.61	54.0	8.39	AV	355.00	150	Vertical	Pass
4	4974.250	49.97	74.0	24.03	Peak	168.00	100	Vertical	Pass
4**	4974.250	40.17	54.0	13.83	AV	168.00	100	Vertical	Pass
5	7961.500	55.98	74.0	18.02	Peak	251.00	200	Vertical	Pass
5**	7961.500	46.70	54.0	7.30	AV	251.00	200	Vertical	Pass
6	17979.501	52.10	74.0	21.90	Peak	38.00	300	Vertical	Pass
6**	17979.501	43.70	54.0	10.30	AV	38.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11be20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	49.45	74.0	24.55	Peak	162.00	100	Horizontal	Pass
1**	1440.300	38.04	54.0	15.96	AV	162.00	100	Horizontal	Pass
2	2459.900	108.38	--	--	Peak	31.00	200	Horizontal	N/A
2**	2459.900	98.34	--	--	AV	31.00	200	Horizontal	N/A
3	2992.900	54.40	74.0	19.60	Peak	105.00	100	Horizontal	Pass
3**	2992.900	45.38	54.0	8.62	AV	105.00	100	Horizontal	Pass
4	4944.750	49.81	74.0	24.19	Peak	277.00	400	Horizontal	Pass
4**	4944.750	40.81	54.0	13.19	AV	277.00	400	Horizontal	Pass
5	7566.750	55.86	74.0	18.14	Peak	110.00	100	Horizontal	Pass
5**	7566.750	46.17	54.0	7.83	AV	110.00	100	Horizontal	Pass
6	17980.500	53.51	74.0	20.49	Peak	73.00	300	Horizontal	Pass
6**	17980.500	43.27	54.0	10.73	AV	73.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11be20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	46.54	74.0	27.46	Peak	189.00	150	Vertical	Pass
1**	1440.400	36.61	54.0	17.39	AV	189.00	150	Vertical	Pass
2	2461.100	100.73	--	--	Peak	360.00	200	Vertical	N/A
2**	2461.100	93.39	--	--	AV	360.00	200	Vertical	N/A
3	2968.900	55.03	74.0	18.97	Peak	360.00	100	Vertical	Pass
3**	2968.900	45.37	54.0	8.63	AV	360.00	100	Vertical	Pass
4	5131.250	50.61	74.0	23.39	Peak	359.00	150	Vertical	Pass
4**	5131.250	41.06	54.0	12.94	AV	359.00	150	Vertical	Pass
5	7933.000	55.65	74.0	18.35	Peak	356.00	300	Vertical	Pass
5**	7933.000	46.51	54.0	7.49	AV	356.00	300	Vertical	Pass
6	17986.001	52.54	74.0	21.46	Peak	26.00	400	Vertical	Pass
6**	17986.001	43.06	54.0	10.94	AV	26.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11be40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	48.24	74.0	25.76	Peak	161.00	100	Horizontal	Pass
1**	1440.000	37.13	54.0	16.87	AV	161.00	100	Horizontal	Pass
2	2415.500	105.94	--	--	Peak	21.00	100	Horizontal	N/A
2**	2415.500	96.83	--	--	AV	21.00	100	Horizontal	N/A
3	2902.300	54.74	74.0	19.26	Peak	360.00	100	Horizontal	Pass
3**	2902.300	44.68	54.0	9.32	AV	360.00	100	Horizontal	Pass
4	4760.000	49.50	74.0	24.50	Peak	186.00	150	Horizontal	Pass
4**	4760.000	39.39	54.0	14.61	AV	186.00	150	Horizontal	Pass
5	7950.250	55.57	74.0	18.43	Peak	81.00	300	Horizontal	Pass
5**	7950.250	46.94	54.0	7.06	AV	81.00	300	Horizontal	Pass
6	17972.001	52.47	74.0	21.53	Peak	359.00	400	Horizontal	Pass
6**	17972.001	43.19	54.0	10.81	AV	359.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11be40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	47.40	74.0	26.60	Peak	265.00	400	Vertical	Pass
1**	1330.900	40.29	54.0	13.71	AV	265.00	400	Vertical	Pass
2	2415.200	100.70	--	--	Peak	211.00	100	Vertical	N/A
2**	2415.200	90.27	--	--	AV	211.00	100	Vertical	N/A
3	2971.800	55.30	74.0	18.70	Peak	0.00	150	Vertical	Pass
3**	2971.800	45.44	54.0	8.56	AV	0.00	150	Vertical	Pass
4	5031.000	50.36	74.0	23.64	Peak	245.00	150	Vertical	Pass
4**	5031.000	40.85	54.0	13.15	AV	245.00	150	Vertical	Pass
5	7947.500	55.37	74.0	18.63	Peak	155.00	300	Vertical	Pass
5**	7947.500	46.31	54.0	7.69	AV	155.00	300	Vertical	Pass
6	17745.000	52.18	74.0	21.82	Peak	19.00	300	Vertical	Pass
6**	17745.000	42.39	54.0	11.61	AV	19.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11be40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	47.63	74.0	26.37	Peak	352.00	300	Horizontal	Pass
1**	1437.900	36.92	54.0	17.08	AV	352.00	300	Horizontal	Pass
2	2431.400	106.30	--	--	Peak	61.00	150	Horizontal	N/A
2**	2431.400	96.04	--	--	AV	61.00	150	Horizontal	N/A
3	2978.200	54.90	74.0	19.10	Peak	265.00	100	Horizontal	Pass
3**	2978.200	45.20	54.0	8.80	AV	265.00	100	Horizontal	Pass
4	5136.000	51.58	74.0	22.42	Peak	175.00	150	Horizontal	Pass
4**	5136.000	41.20	54.0	12.80	AV	175.00	150	Horizontal	Pass
5	7941.750	55.57	74.0	18.43	Peak	240.00	400	Horizontal	Pass
5**	7941.750	46.81	54.0	7.19	AV	240.00	400	Horizontal	Pass
6	17985.499	52.46	74.0	21.54	Peak	148.00	200	Horizontal	Pass
6**	17985.499	43.79	54.0	10.21	AV	148.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11be40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.700	47.76	74.0	26.24	Peak	184.00	200	Vertical	Pass
1**	1440.700	38.42	54.0	15.58	AV	184.00	200	Vertical	Pass
2	2426.800	98.93	--	--	Peak	311.00	150	Vertical	N/A
2**	2426.800	90.57	--	--	AV	311.00	150	Vertical	N/A
3	2931.300	54.34	74.0	19.66	Peak	311.00	150	Vertical	Pass
3**	2931.300	44.02	54.0	9.98	AV	311.00	150	Vertical	Pass
4	5074.250	50.72	74.0	23.28	Peak	40.00	150	Vertical	Pass
4**	5074.250	40.33	54.0	13.67	AV	40.00	150	Vertical	Pass
5	7906.250	55.94	74.0	18.06	Peak	350.00	300	Vertical	Pass
5**	7906.250	46.44	54.0	7.56	AV	350.00	300	Vertical	Pass
6	17963.999	51.62	74.0	22.38	Peak	271.00	100	Vertical	Pass
6**	17963.999	42.80	54.0	11.20	AV	271.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11be40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.600	48.30	74.0	25.70	Peak	173.00	100	Horizontal	Pass
1**	1439.600	37.02	54.0	16.98	AV	173.00	100	Horizontal	Pass
2	2448.800	107.34	--	--	Peak	22.00	200	Horizontal	N/A
2**	2448.800	97.12	--	--	AV	22.00	200	Horizontal	N/A
3	2970.400	54.36	74.0	19.64	Peak	356.00	150	Horizontal	Pass
3**	2970.400	45.50	54.0	8.50	AV	356.00	150	Horizontal	Pass
4	4979.000	49.77	74.0	24.23	Peak	358.00	100	Horizontal	Pass
4**	4979.000	41.02	54.0	12.98	AV	358.00	100	Horizontal	Pass
5	7626.000	56.20	74.0	17.80	Peak	39.00	200	Horizontal	Pass
5**	7626.000	46.35	54.0	7.65	AV	39.00	200	Horizontal	Pass
6	17976.500	52.74	74.0	21.26	Peak	360.00	200	Horizontal	Pass
6**	17976.500	43.31	54.0	10.69	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11be40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	46.57	74.0	27.43	Peak	187.00	100	Vertical	Pass
1**	1439.900	36.47	54.0	17.53	AV	187.00	100	Vertical	Pass
2	2451.100	98.61	--	--	Peak	0.00	150	Vertical	N/A
2**	2451.100	89.50	--	--	AV	0.00	150	Vertical	N/A
3	2842.700	54.77	74.0	19.23	Peak	220.00	150	Vertical	Pass
3**	2842.700	44.06	54.0	9.94	AV	220.00	150	Vertical	Pass
4	5817.500	52.68	74.0	21.32	Peak	134.00	150	Vertical	Pass
4**	5817.500	41.82	54.0	12.18	AV	134.00	150	Vertical	Pass
5	7925.000	55.84	74.0	18.16	Peak	29.00	100	Vertical	Pass
5**	7925.000	47.02	54.0	6.98	AV	29.00	100	Vertical	Pass
6	17737.001	51.84	74.0	22.16	Peak	265.00	100	Vertical	Pass
6**	17737.001	43.77	54.0	10.23	AV	265.00	100	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ⁵: All antenna were pre tested, but only the worst case has been reported in this report.

Note ⁶: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	61.01	-2.07	74.0	12.99	Peak	187.00	300	Horizontal	Pass
1**	2389.667	50.43	-2.07	54.0	3.57	AV	187.00	300	Horizontal	Pass
2	2390.000	60.45	-2.16	74.0	13.55	Peak	131.00	100	Horizontal	Pass
2**	2390.000	50.63	-2.16	54.0	3.37	AV	131.00	100	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.48	-1.04	74.0	14.52	Peak	105.00	200	Horizontal	Pass
1**	2483.500	49.73	-1.04	54.0	4.27	AV	105.00	200	Horizontal	Pass
2	2483.800	59.91	-0.99	74.0	14.09	Peak	93.00	300	Horizontal	Pass
2**	2483.800	49.25	-0.99	54.0	4.75	AV	93.00	300	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.333	64.63	-2.00	74.0	9.37	Peak	138.00	100	Horizontal	Pass
1**	2389.333	50.37	-2.00	54.0	3.63	AV	138.00	100	Horizontal	Pass
2	2390.000	63.71	-2.16	74.0	10.29	Peak	85.00	100	Horizontal	Pass
2**	2390.000	50.60	-2.16	54.0	3.40	AV	85.00	100	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.63	-1.04	74.0	11.37	Peak	102.00	400	Horizontal	Pass
1**	2483.500	50.64	-1.04	54.0	3.36	AV	102.00	400	Horizontal	Pass
2	2483.750	63.39	-0.99	74.0	10.61	Peak	129.00	300	Horizontal	Pass
2**	2483.750	50.55	-0.99	54.0	3.45	AV	129.00	300	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.833	64.33	-1.98	74.0	9.67	Peak	180.00	100	Horizontal	Pass
1**	2388.833	50.18	-1.98	54.0	3.82	AV	180.00	100	Horizontal	Pass
2	2390.000	62.20	-2.16	74.0	11.80	Peak	128.00	400	Horizontal	Pass
2**	2390.000	50.86	-2.16	54.0	3.14	AV	128.00	400	Horizontal	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.20	-1.04	74.0	10.80	Peak	91.00	400	Horizontal	Pass
1**	2483.500	50.69	-1.04	54.0	3.31	AV	91.00	400	Horizontal	Pass
2	2483.850	63.58	-1.00	74.0	10.42	Peak	103.00	100	Horizontal	Pass
2**	2483.850	50.20	-1.00	54.0	3.80	AV	103.00	100	Horizontal	Pass

802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.333	60.80	-1.76	74.0	13.20	Peak	95.00	300	Horizontal	Pass
1**	2385.333	48.00	-1.76	54.0	6.00	AV	95.00	300	Horizontal	Pass
2	2390.000	59.15	-2.16	74.0	14.85	Peak	97.00	400	Horizontal	Pass
2**	2390.000	48.98	-2.16	54.0	5.02	AV	97.00	400	Horizontal	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.60	-1.04	74.0	11.40	Peak	99.00	400	Horizontal	Pass
1**	2483.500	50.64	-1.04	54.0	3.36	AV	99.00	400	Horizontal	Pass
2	2487.650	64.25	-0.96	74.0	9.75	Peak	99.00	300	Horizontal	Pass
2**	2487.650	50.51	-0.96	54.0	3.49	AV	99.00	300	Horizontal	Pass
3	2484.200	61.70	-1.05	74.0	12.30	Peak	99.00	100	Horizontal	Pass
3**	2484.200	50.82	-1.05	54.0	3.18	AV	99.00	100	Horizontal	Pass

VHT20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	65.30	-2.07	74.0	8.70	Peak	197.00	200	Horizontal	Pass
1**	2389.667	49.16	-2.07	54.0	4.84	AV	197.00	200	Horizontal	Pass
2	2390.000	62.88	-2.16	74.0	11.12	Peak	197.00	100	Horizontal	Pass
2**	2390.000	49.88	-2.16	54.0	4.12	AV	197.00	100	Horizontal	Pass

VHT20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.20	-1.04	74.0	10.80	Peak	92.00	400	Horizontal	Pass
1**	2483.500	50.48	-1.04	54.0	3.52	AV	92.00	400	Horizontal	Pass
2	2483.950	64.00	-1.01	74.0	10.00	Peak	100.00	400	Horizontal	Pass
2**	2483.950	49.77	-1.01	54.0	4.23	AV	100.00	400	Horizontal	Pass

VHT40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.667	63.41	-1.90	74.0	10.59	Peak	91.00	400	Horizontal	Pass
1**	2387.667	49.99	-1.90	54.0	4.01	AV	91.00	400	Horizontal	Pass
2	2390.000	62.47	-2.16	74.0	11.53	Peak	105.00	100	Horizontal	Pass
2**	2390.000	49.84	-2.16	54.0	4.16	AV	105.00	100	Horizontal	Pass
3	2387.000	61.68	-1.58	74.0	12.32	Peak	99.00	100	Horizontal	Pass
3**	2387.000	50.65	-1.58	54.0	3.35	AV	99.00	100	Horizontal	Pass

VHT40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.33	-1.04	74.0	12.67	Peak	100.00	400	Horizontal	Pass
1**	2483.500	50.71	-1.04	54.0	3.29	AV	100.00	400	Horizontal	Pass
2	2483.850	64.01	-1.00	74.0	9.99	Peak	100.00	200	Horizontal	Pass
2**	2483.850	50.33	-1.00	54.0	3.67	AV	100.00	200	Horizontal	Pass
3	2483.750	61.35	-0.99	74.0	12.65	Peak	97.00	100	Horizontal	Pass
3**	2483.750	50.60	-0.99	54.0	3.40	AV	97.00	100	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.167	56.96	-1.66	74.0	17.04	Peak	181.00	100	Horizontal	Pass
1**	2387.167	44.03	-1.66	54.0	9.97	AV	181.00	100	Horizontal	Pass
2	2390.000	54.70	-2.16	74.0	19.30	Peak	90.00	300	Horizontal	Pass
2**	2390.000	44.01	-2.16	54.0	9.99	AV	90.00	300	Horizontal	Pass

802.11ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.24	-1.04	74.0	15.76	Peak	97.00	100	Horizontal	Pass
1**	2483.500	46.57	-1.04	54.0	7.43	AV	97.00	100	Horizontal	Pass
2	2483.600	60.51	-1.02	74.0	13.49	Peak	136.00	100	Horizontal	Pass
2**	2483.600	46.29	-1.02	54.0	7.71	AV	136.00	100	Horizontal	Pass

802.11ax40(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.833	60.59	-1.52	74.0	13.41	Peak	93.00	100	Horizontal	Pass
1**	2386.833	49.88	-1.52	54.0	4.12	AV	93.00	100	Horizontal	Pass
2	2387.333	62.05	-1.74	74.0	11.95	Peak	93.00	100	Horizontal	Pass
2**	2387.333	49.54	-1.74	54.0	4.46	AV	93.00	100	Horizontal	Pass
3	2390.000	60.36	-2.16	74.0	13.64	Peak	93.00	400	Horizontal	Pass
3**	2390.000	48.79	-2.16	54.0	5.21	AV	93.00	400	Horizontal	Pass

802.11ax40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.98	-1.04	74.0	18.02	Peak	100.00	300	Horizontal	Pass
1**	2483.500	45.57	-1.04	54.0	8.43	AV	100.00	300	Horizontal	Pass
2	2484.650	55.92	-1.12	74.0	18.08	Peak	100.00	100	Horizontal	Pass
2**	2484.650	45.90	-1.12	54.0	8.10	AV	100.00	100	Horizontal	Pass
3	2486.200	58.80	-1.18	74.0	15.20	Peak	100.00	300	Horizontal	Pass
3**	2486.200	45.41	-1.18	54.0	8.59	AV	100.00	300	Horizontal	Pass

802.11be20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.500	58.44	-1.97	74.0	15.56	Peak	189.00	300	Horizontal	Pass
1**	2388.500	44.70	-1.97	54.0	9.30	AV	189.00	300	Horizontal	Pass
2	2390.000	56.72	-2.16	74.0	17.28	Peak	202.00	200	Horizontal	Pass
2**	2390.000	45.45	-2.16	54.0	8.55	AV	202.00	200	Horizontal	Pass

802.11be20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.93	-1.04	74.0	16.07	Peak	133.00	100	Horizontal	Pass
1**	2483.500	46.48	-1.04	54.0	7.52	AV	133.00	100	Horizontal	Pass
2	2483.750	59.87	-0.99	74.0	14.13	Peak	136.00	300	Horizontal	Pass
2**	2483.750	46.24	-0.99	54.0	7.76	AV	136.00	300	Horizontal	Pass

802.11be40(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.833	59.71	-1.52	74.0	14.29	Peak	93.00	100	Horizontal	Pass
1**	2386.833	49.31	-1.52	54.0	4.69	AV	93.00	100	Horizontal	Pass
2	2388.167	62.47	-1.95	74.0	11.53	Peak	135.00	200	Horizontal	Pass
2**	2388.167	48.79	-1.95	54.0	5.21	AV	135.00	200	Horizontal	Pass
3	2390.000	58.38	-2.16	74.0	15.62	Peak	143.00	300	Horizontal	Pass
3**	2390.000	48.09	-2.16	54.0	5.91	AV	143.00	300	Horizontal	Pass

802.11be40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.20	-1.04	74.0	17.80	Peak	95.00	200	Horizontal	Pass
1**	2483.500	45.53	-1.04	54.0	8.47	AV	95.00	200	Horizontal	Pass
2	2487.900	59.82	-0.77	74.0	14.18	Peak	137.00	300	Horizontal	Pass
2**	2487.900	45.38	-0.77	54.0	8.62	AV	137.00	300	Horizontal	Pass
3	2487.950	57.23	-0.73	74.0	16.77	Peak	143.00	100	Horizontal	Pass
3**	2487.950	46.30	-0.73	54.0	7.70	AV	143.00	100	Horizontal	Pass

802.11ax20(RU26) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.27	-2.16	74.0	12.73	Peak	128.00	300	Horizontal	Pass
1**	2390.000	46.29	-2.16	54.0	7.71	AV	128.00	300	Horizontal	Pass

802.11ax20(RU26) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.55	-1.04	74.0	12.45	Peak	93.00	400	Horizontal	Pass
1**	2483.500	49.65	-1.04	54.0	4.35	AV	93.00	400	Horizontal	Pass
2	2483.700	62.10	-1.00	74.0	11.90	Peak	142.00	100	Horizontal	Pass
2**	2483.700	49.26	-1.00	54.0	4.74	AV	142.00	100	Horizontal	Pass

802.11ax40(RU26) LOW CHANNEL




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.000	62.17	-1.58	74.0	11.83	Peak	145.00	100	Horizontal	Pass
1**	2387.000	50.57	-1.58	54.0	3.43	AV	145.00	100	Horizontal	Pass
2	2387.167	62.22	-1.66	74.0	11.78	Peak	182.00	400	Horizontal	Pass
2**	2387.167	50.13	-1.66	54.0	3.87	AV	182.00	400	Horizontal	Pass
3	2390.000	59.66	-2.16	74.0	14.34	Peak	98.00	200	Horizontal	Pass
3**	2390.000	49.03	-2.16	54.0	4.97	AV	98.00	200	Horizontal	Pass

802.11ax40(RU26) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.41	-1.04	74.0	15.59	Peak	99.00	300	Horizontal	Pass
1**	2483.500	48.28	-1.04	54.0	5.72	AV	99.00	300	Horizontal	Pass
2	2486.650	62.62	-1.23	74.0	11.38	Peak	102.00	200	Horizontal	Pass
2**	2486.650	47.70	-1.23	54.0	6.30	AV	102.00	200	Horizontal	Pass

802.11be20(RU26) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.833	60.19	-1.98	74.0	13.81	Peak	185.00	100	Horizontal	Pass
1**	2388.833	46.11	-1.98	54.0	7.89	AV	185.00	100	Horizontal	Pass
2	2390.000	59.24	-2.16	74.0	14.76	Peak	128.00	400	Horizontal	Pass
2**	2390.000	46.50	-2.16	54.0	7.50	AV	128.00	400	Horizontal	Pass

802.11be20(RU26) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.82	-1.04	74.0	12.18	Peak	95.00	300	Horizontal	Pass
1**	2483.500	49.74	-1.04	54.0	4.26	AV	95.00	300	Horizontal	Pass
2	2483.850	63.04	-1.00	74.0	10.96	Peak	195.00	100	Horizontal	Pass
2**	2483.850	49.58	-1.00	54.0	4.42	AV	195.00	100	Horizontal	Pass

802.11be40(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.500	59.97	-1.55	74.0	14.03	Peak	132.00	100	Horizontal	Pass
1**	2386.500	50.23	-1.55	54.0	3.77	AV	132.00	100	Horizontal	Pass
2	2387.167	62.09	-1.66	74.0	11.91	Peak	111.00	200	Horizontal	Pass
2**	2387.167	49.96	-1.66	54.0	4.04	AV	111.00	200	Horizontal	Pass
3	2390.000	59.82	-2.16	74.0	14.18	Peak	103.00	200	Horizontal	Pass
3**	2390.000	48.50	-2.16	54.0	5.50	AV	103.00	200	Horizontal	Pass

802.11be40(RU26) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.27	-1.04	74.0	13.73	Peak	101.00	100	Horizontal	Pass
1**	2483.500	48.28	-1.04	54.0	5.72	AV	101.00	100	Horizontal	Pass
2	2485.650	59.26	-1.24	74.0	14.74	Peak	93.00	100	Horizontal	Pass
2**	2485.650	49.20	-1.24	54.0	4.80	AV	93.00	100	Horizontal	Pass
3	2486.350	62.05	-1.18	74.0	11.95	Peak	134.00	200	Horizontal	Pass
3**	2486.350	47.94	-1.18	54.0	6.06	AV	134.00	200	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

W0BG

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-6.01	8	Pass
Middle	-6.68	8	Pass
High	-7.04	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-10.94	8	Pass
Middle	-9.92	8	Pass
High	-10.85	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-10.86	8	Pass
Middle	-11.18	8	Pass
High	-11.18	8	Pass

802.11n-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-12.98	8	Pass
Middle	-13.96	8	Pass
High	-13.73	8	Pass

VHT-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.73	8	Pass
Middle	-11.34	8	Pass
High	-11.77	8	Pass

VHT-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.22	8	Pass
Middle	-14.50	8	Pass
High	-14.00	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-15.03	8	Pass
Middle	-14.71	8	Pass
High	-15.77	8	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-17.30	8	Pass
Middle	-16.51	8	Pass
High	-16.36	8	Pass

802.11be-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.72	8	Pass
Middle	-14.97	8	Pass
High	-15.90	8	Pass

802.11be-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-16.78	8	Pass
Middle	-17.40	8	Pass
High	-17.98	8	Pass

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.173	8	Pass
Middle	-3.042	8	Pass
High	-3.695	8	Pass

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.119	8	Pass
Middle	-5.912	8	Pass
High	-7.607	8	Pass

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.522	8	Pass
Middle	-8.679	8	Pass
High	-8.992	8	Pass

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.565	8	Pass
Middle	-3.946	8	Pass
High	-2.855	8	Pass

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.018	8	Pass
Middle	-7.142	8	Pass
High	-6.711	8	Pass

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.579	8	Pass
Middle	-8.968	8	Pass
High	-8.694	8	Pass

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.479	8	Pass
Middle	-13.853	8	Pass
High	-14.037	8	Pass

802.11be-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-3.445	8	Pass
Middle	-3.189	8	Pass
High	-4.203	8	Pass

802.11be-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-6.071	8	Pass
Middle	-6.803	8	Pass
High	-4.546	8	Pass

802.11be-20 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.084	8	Pass
Middle	-9.762	8	Pass
High	-10.447	8	Pass

802.11be-20 MHz(RU52+26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.153	8	Pass
Middle	-8.906	8	Pass
High	-8.679	8	Pass

802.11be-20 MHz(RU106+26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-10.747	8	Pass
Middle	-10.087	8	Pass
High	-10.822	8	Pass

802.11be-40 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.954	8	Pass
Middle	-3.847	8	Pass
High	-5.39	8	Pass

802.11be-40 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.02	8	Pass
Middle	-7.102	8	Pass
High	-7.456	8	Pass

802.11be-40 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.849	8	Pass
Middle	-10.086	8	Pass
High	-9.28	8	Pass

802.11be-40 MHz(RU242) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-13.858	8	Pass
Middle	-11.989	8	Pass
High	-11.939	8	Pass

802.11be-40 MHz(RU52+26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.534	8	Pass
Middle	-9.489	8	Pass
High	-9.581	8	Pass

802.11be-40 MHz(RU106+26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.633	8	Pass
Middle	-10.677	8	Pass
High	-12.001	8	Pass

W1BG

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-6.082	8	Pass
Middle	-6.244	8	Pass
High	-6.756	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.903	8	Pass
Middle	-10.207	8	Pass
High	-10.569	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-12.407	8	Pass
Middle	-11.523	8	Pass
High	-11.182	8	Pass

802.11n-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-12.82	8	Pass
Middle	-13.856	8	Pass
High	-12.772	8	Pass

VHT-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-10.17	8	Pass
Middle	-11.109	8	Pass
High	-10.914	8	Pass

VHT-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-13.659	8	Pass
Middle	-13.033	8	Pass
High	-13.944	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.962	8	Pass
Middle	-15.215	8	Pass
High	-15.87	8	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-17.168	8	Pass
Middle	-18.106	8	Pass
High	-17.846	8	Pass

802.11be-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.937	8	Pass
Middle	-14.603	8	Pass
High	-15.717	8	Pass

802.11be-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-16.735	8	Pass
Middle	-17.941	8	Pass
High	-17.745	8	Pass

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-3.559	8	Pass
Middle	-3.317	8	Pass
High	-4.202	8	Pass

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.227	8	Pass
Middle	-6.869	8	Pass
High	-8.084	8	Pass

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.532	8	Pass
Middle	-9.104	8	Pass
High	-9.01	8	Pass

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.891	8	Pass
Middle	-4.465	8	Pass
High	-4.769	8	Pass

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-6.594	8	Pass
Middle	-7.022	8	Pass
High	-7.715	8	Pass

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.787	8	Pass
Middle	-8.865	8	Pass
High	-9.524	8	Pass

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.028	8	Pass
Middle	-11.247	8	Pass
High	-13.774	8	Pass

802.11be-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-3.624	8	Pass
Middle	-4.228	8	Pass
High	-3.4	8	Pass