



U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.67	-1.41	74.0	21.33	Peak	148.00	200	Horizontal	Pass
1**	5350.000	41.46	-1.41	54.0	12.54	AV	148.00	200	Horizontal	Pass
2	5376.400	54.26	0.82	74.0	19.74	Peak	187.00	100	Horizontal	Pass
2**	5376.400	43.48	0.82	54.0	10.52	AV	187.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4840.600	54.49	-0.26	74.0	19.51	Peak	51.00	300	Horizontal	Pass
1**	4840.600	43.39	-0.26	54.0	10.61	AV	51.00	300	Horizontal	Pass
2	4850.025	53.02	-0.14	74.0	20.98	Peak	46.00	100	Horizontal	Pass
2**	4850.025	43.70	-0.14	54.0	10.30	AV	46.00	100	Horizontal	Pass
3	5150.000	52.49	0.06	74.0	21.51	Peak	256.00	100	Horizontal	Pass
3**	5150.000	42.93	0.06	54.0	11.07	AV	256.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.34	-1.41	74.0	21.66	Peak	85.00	200	Horizontal	Pass
1**	5350.000	42.23	-1.41	54.0	11.77	AV	85.00	200	Horizontal	Pass
2	5375.483	54.38	0.78	74.0	19.62	Peak	11.00	300	Horizontal	Pass
2**	5375.483	43.56	0.78	54.0	10.44	AV	11.00	300	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4847.100	54.74	-0.47	74.0	19.26	Peak	22.00	400	Horizontal	Pass
1**	4847.100	43.00	-0.47	54.0	11.00	AV	22.00	400	Horizontal	Pass
2	4848.400	53.08	-0.04	74.0	20.92	Peak	243.00	100	Horizontal	Pass
2**	4848.400	43.46	-0.04	54.0	10.54	AV	243.00	100	Horizontal	Pass
3	5150.000	51.90	0.06	74.0	22.10	Peak	98.00	400	Horizontal	Pass
3**	5150.000	42.87	0.06	54.0	11.13	AV	98.00	400	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.49	-1.41	74.0	22.51	Peak	111.00	400	Horizontal	Pass
1**	5350.000	41.12	-1.41	54.0	12.88	AV	111.00	400	Horizontal	Pass
2	5374.933	54.30	0.60	74.0	19.70	Peak	345.00	400	Horizontal	Pass
2**	5374.933	43.02	0.60	54.0	10.98	AV	345.00	400	Horizontal	Pass
3	5375.850	54.01	0.82	74.0	19.99	Peak	3.00	100	Horizontal	Pass
3**	5375.850	43.30	0.82	54.0	10.70	AV	3.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4840.600	52.77	-0.26	74.0	21.23	Peak	92.00	100	Horizontal	Pass
1**	4840.600	43.55	-0.26	54.0	10.45	AV	92.00	100	Horizontal	Pass
2	4847.425	53.67	-0.43	74.0	20.33	Peak	148.00	100	Horizontal	Pass
2**	4847.425	42.98	-0.43	54.0	11.02	AV	148.00	100	Horizontal	Pass
3	5150.000	53.05	0.06	74.0	20.95	Peak	337.00	100	Horizontal	Pass
3**	5150.000	43.09	0.06	54.0	10.91	AV	337.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.02	-1.41	74.0	22.98	Peak	360.00	100	Horizontal	Pass
1**	5350.000	41.09	-1.41	54.0	12.91	AV	360.00	100	Horizontal	Pass
2	5376.217	53.57	0.86	74.0	20.43	Peak	28.00	100	Horizontal	Pass
2**	5376.217	43.48	0.86	54.0	10.52	AV	28.00	100	Horizontal	Pass
3	5381.717	54.82	0.74	74.0	19.18	Peak	107.00	100	Horizontal	Pass
3**	5381.717	43.08	0.74	54.0	10.92	AV	107.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4843.200	54.16	-0.44	74.0	19.84	Peak	108.00	400	Horizontal	Pass
1**	4843.200	43.15	-0.44	54.0	10.85	AV	108.00	400	Horizontal	Pass
2	4848.075	52.68	-0.19	74.0	21.32	Peak	169.00	100	Horizontal	Pass
2**	4848.075	43.51	-0.19	54.0	10.49	AV	169.00	100	Horizontal	Pass
3	5150.000	52.74	0.06	74.0	21.26	Peak	59.00	100	Horizontal	Pass
3**	5150.000	42.82	0.06	54.0	11.18	AV	59.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.22	-1.41	74.0	22.78	Peak	85.00	400	Horizontal	Pass
1**	5350.000	41.64	-1.41	54.0	12.36	AV	85.00	400	Horizontal	Pass
2	5376.217	53.83	0.86	74.0	20.17	Peak	308.00	100	Horizontal	Pass
2**	5376.217	43.33	0.86	54.0	10.67	AV	308.00	100	Horizontal	Pass
3	5379.150	54.38	0.45	74.0	19.62	Peak	155.00	100	Horizontal	Pass
3**	5379.150	42.79	0.45	54.0	11.21	AV	155.00	100	Horizontal	Pass

U-NII-2A 11be20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4849.375	53.99	-0.38	74.0	20.01	Peak	109.00	100	Horizontal	Pass
1**	4849.375	42.89	-0.38	54.0	11.11	AV	109.00	100	Horizontal	Pass
2	5143.500	52.60	0.19	74.0	21.40	Peak	291.00	100	Horizontal	Pass
2**	5143.500	43.40	0.19	54.0	10.60	AV	291.00	100	Horizontal	Pass
3	5150.000	52.26	0.06	74.0	21.74	Peak	56.00	200	Horizontal	Pass
3**	5150.000	42.83	0.06	54.0	11.17	AV	56.00	200	Horizontal	Pass

U-NII-2A 11be20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.69	-1.41	74.0	22.31	Peak	66.00	300	Horizontal	Pass
1**	5350.000	41.25	-1.41	54.0	12.75	AV	66.00	300	Horizontal	Pass
2	5375.667	53.34	0.80	74.0	20.66	Peak	97.00	100	Horizontal	Pass
2**	5375.667	43.34	0.80	54.0	10.66	AV	97.00	100	Horizontal	Pass
3	5378.783	54.89	0.46	74.0	19.11	Peak	60.00	400	Horizontal	Pass
3**	5378.783	42.79	0.46	54.0	11.21	AV	60.00	400	Horizontal	Pass

U-NII-2A 11be40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4845.150	53.76	-0.31	74.0	20.24	Peak	226.00	100	Horizontal	Pass
1**	4845.150	43.38	-0.31	54.0	10.62	AV	226.00	100	Horizontal	Pass
2	4862.050	54.81	-0.83	74.0	19.19	Peak	237.00	300	Horizontal	Pass
2**	4862.050	42.38	-0.83	54.0	11.62	AV	237.00	300	Horizontal	Pass
3	5150.000	53.16	0.06	74.0	20.84	Peak	101.00	100	Horizontal	Pass
3**	5150.000	42.75	0.06	54.0	11.25	AV	101.00	100	Horizontal	Pass

U-NII-2A 11be40(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.37	-1.41	74.0	22.63	Peak	184.00	300	Horizontal	Pass
1**	5350.000	41.03	-1.41	54.0	12.97	AV	184.00	300	Horizontal	Pass
2	5370.717	54.94	0.46	74.0	19.06	Peak	98.00	100	Horizontal	Pass
2**	5370.717	42.71	0.46	54.0	11.29	AV	98.00	100	Horizontal	Pass
3	5376.400	53.33	0.82	74.0	20.67	Peak	159.00	100	Horizontal	Pass
3**	5376.400	43.36	0.82	54.0	10.64	AV	159.00	100	Horizontal	Pass

U-NII-2A 11be80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4842.550	53.99	-0.57	74.0	20.01	Peak	313.00	300	Horizontal	Pass
1**	4842.550	42.94	-0.57	54.0	11.06	AV	313.00	300	Horizontal	Pass
2	4848.400	52.85	-0.04	74.0	21.15	Peak	354.00	100	Horizontal	Pass
2**	4848.400	43.29	-0.04	54.0	10.71	AV	354.00	100	Horizontal	Pass
3	5150.000	52.09	0.06	74.0	21.91	Peak	201.00	200	Horizontal	Pass
3**	5150.000	43.01	0.06	54.0	10.99	AV	201.00	200	Horizontal	Pass

U-NII-2A 11be80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.81	-1.41	74.0	23.19	Peak	231.00	100	Horizontal	Pass
1**	5350.000	40.98	-1.41	54.0	13.02	AV	231.00	100	Horizontal	Pass
2	5380.250	54.21	0.49	74.0	19.79	Peak	249.00	300	Horizontal	Pass
2**	5380.250	42.82	0.49	54.0	11.18	AV	249.00	300	Horizontal	Pass
3	5380.800	53.46	0.62	74.0	20.54	Peak	293.00	100	Horizontal	Pass
3**	5380.800	43.31	0.62	54.0	10.69	AV	293.00	100	Horizontal	Pass

U-NII-2A 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4840.600	52.88	-0.26	74.0	21.12	Peak	337.00	100	Horizontal	Pass
1**	4840.600	43.62	-0.26	54.0	10.38	AV	337.00	100	Horizontal	Pass
2	4844.175	54.36	-0.62	74.0	19.64	Peak	324.00	200	Horizontal	Pass
2**	4844.175	42.80	-0.62	54.0	11.20	AV	324.00	200	Horizontal	Pass
3	5150.000	51.77	0.06	74.0	22.23	Peak	107.00	300	Horizontal	Pass
3**	5150.000	42.98	0.06	54.0	11.02	AV	107.00	300	Horizontal	Pass

U-NII-2A 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.12	-1.41	74.0	22.88	Peak	360.00	200	Horizontal	Pass
1**	5350.000	40.93	-1.41	54.0	13.07	AV	360.00	200	Horizontal	Pass
2	5376.400	53.66	0.82	74.0	20.34	Peak	0.00	100	Horizontal	Pass
2**	5376.400	43.30	0.82	54.0	10.70	AV	0.00	100	Horizontal	Pass
3	5378.783	54.25	0.46	74.0	19.75	Peak	0.00	200	Horizontal	Pass
3**	5378.783	42.77	0.46	54.0	11.23	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4822.075	54.22	-1.15	74.0	19.78	Peak	334.00	200	Horizontal	Pass
1**	4822.075	42.72	-1.15	54.0	11.28	AV	334.00	200	Horizontal	Pass
2	4849.700	52.83	-0.26	74.0	21.17	Peak	145.00	100	Horizontal	Pass
2**	4849.700	43.36	-0.26	54.0	10.64	AV	145.00	100	Horizontal	Pass
3	5150.000	52.72	0.06	74.0	21.28	Peak	252.00	200	Horizontal	Pass
3**	5150.000	42.88	0.06	54.0	11.12	AV	252.00	200	Horizontal	Pass

U-NII-2A 11ax40(RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.51	-1.41	74.0	21.49	Peak	360.00	200	Horizontal	Pass
1**	5350.000	40.99	-1.41	54.0	13.01	AV	360.00	200	Horizontal	Pass
2	5375.667	55.11	0.80	74.0	18.89	Peak	95.00	100	Horizontal	Pass
2**	5375.667	43.15	0.80	54.0	10.85	AV	95.00	100	Horizontal	Pass
3	5380.983	52.88	0.69	74.0	21.12	Peak	47.00	100	Horizontal	Pass
3**	5380.983	43.34	0.69	54.0	10.66	AV	47.00	100	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4845.475	51.87	-0.46	74.0	22.13	Peak	0.00	100	Horizontal	Pass
1**	4845.475	43.39	-0.46	54.0	10.61	AV	0.00	100	Horizontal	Pass
2	5148.700	54.22	-0.01	74.0	19.78	Peak	229.00	100	Horizontal	Pass
2**	5148.700	42.99	-0.01	54.0	11.01	AV	229.00	100	Horizontal	Pass
3	5150.000	52.02	0.06	74.0	21.98	Peak	208.00	400	Horizontal	Pass
3**	5150.000	42.95	0.06	54.0	11.05	AV	208.00	400	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.45	-1.41	74.0	22.55	Peak	108.00	300	Horizontal	Pass
1**	5350.000	41.38	-1.41	54.0	12.62	AV	108.00	300	Horizontal	Pass
2	5370.350	55.56	0.39	74.0	18.44	Peak	360.00	200	Horizontal	Pass
2**	5370.350	42.73	0.39	54.0	11.27	AV	360.00	200	Horizontal	Pass
3	5375.483	53.54	0.78	74.0	20.46	Peak	230.00	100	Horizontal	Pass
3**	5375.483	43.45	0.78	54.0	10.55	AV	230.00	100	Horizontal	Pass

U-NII-2A 11be20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4837.025	52.88	-0.79	74.0	21.12	Peak	133.00	100	Horizontal	Pass
1**	4837.025	43.46	-0.79	54.0	10.54	AV	133.00	100	Horizontal	Pass
2	5146.750	54.11	0.21	74.0	19.89	Peak	359.00	300	Horizontal	Pass
2**	5146.750	43.16	0.21	54.0	10.84	AV	359.00	300	Horizontal	Pass
3	5150.000	52.36	0.06	74.0	21.64	Peak	206.00	200	Horizontal	Pass
3**	5150.000	42.83	0.06	54.0	11.17	AV	206.00	200	Horizontal	Pass

U-NII-2A 11be20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.25	-1.41	74.0	22.75	Peak	142.00	300	Horizontal	Pass
1**	5350.000	40.86	-1.41	54.0	13.14	AV	142.00	300	Horizontal	Pass
2	5376.217	53.39	0.86	74.0	20.61	Peak	149.00	100	Horizontal	Pass
2**	5376.217	43.25	0.86	54.0	10.75	AV	149.00	100	Horizontal	Pass
3	5381.900	54.79	0.68	74.0	19.21	Peak	213.00	300	Horizontal	Pass
3**	5381.900	43.11	0.68	54.0	10.89	AV	213.00	300	Horizontal	Pass

U-NII-2A 11be40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4807.450	54.24	-0.60	74.0	19.76	Peak	245.00	300	Horizontal	Pass
1**	4807.450	42.23	-0.60	54.0	11.77	AV	245.00	300	Horizontal	Pass
2	4845.150	52.94	-0.31	74.0	21.06	Peak	196.00	100	Horizontal	Pass
2**	4845.150	43.50	-0.31	54.0	10.50	AV	196.00	100	Horizontal	Pass
3	5150.000	52.27	0.06	74.0	21.73	Peak	245.00	200	Horizontal	Pass
3**	5150.000	43.01	0.06	54.0	10.99	AV	245.00	200	Horizontal	Pass

U-NII-2A 11be40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.79	-1.41	74.0	22.21	Peak	141.00	300	Horizontal	Pass
1**	5350.000	41.27	-1.41	54.0	12.73	AV	141.00	300	Horizontal	Pass
2	5376.217	54.37	0.86	74.0	19.63	Peak	92.00	100	Horizontal	Pass
2**	5376.217	43.58	0.86	54.0	10.42	AV	92.00	100	Horizontal	Pass
3	5380.983	54.39	0.69	74.0	19.61	Peak	0.00	400	Horizontal	Pass
3**	5380.983	43.03	0.69	54.0	10.97	AV	0.00	400	Horizontal	Pass

U-NII-2A 11be80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4848.400	52.22	-0.04	74.0	21.78	Peak	154.00	100	Horizontal	Pass
1**	4848.400	43.55	-0.04	54.0	10.45	AV	154.00	100	Horizontal	Pass
2	5124.650	54.82	-0.13	74.0	19.18	Peak	187.00	200	Horizontal	Pass
2**	5124.650	42.55	-0.13	54.0	11.45	AV	187.00	200	Horizontal	Pass
3	5150.000	52.98	0.06	74.0	21.02	Peak	100.00	200	Horizontal	Pass
3**	5150.000	42.90	0.06	54.0	11.10	AV	100.00	200	Horizontal	Pass

U-NII-2A 11be80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.13	-1.41	74.0	22.87	Peak	181.00	400	Horizontal	Pass
1**	5350.000	41.60	-1.41	54.0	12.40	AV	181.00	400	Horizontal	Pass
2	5376.033	53.72	0.84	74.0	20.28	Peak	202.00	100	Horizontal	Pass
2**	5376.033	43.36	0.84	54.0	10.64	AV	202.00	100	Horizontal	Pass
3	5383.183	54.83	0.20	74.0	19.17	Peak	334.00	400	Horizontal	Pass
3**	5383.183	42.48	0.20	54.0	11.52	AV	334.00	400	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5373.200	54.30	0.42	74.0	19.70	Peak	221.00	300	Horizontal	Pass
1**	5373.200	42.71	0.42	54.0	11.29	AV	221.00	300	Horizontal	Pass
2	5375.800	53.37	0.82	74.0	20.63	Peak	0.00	100	Horizontal	Pass
2**	5375.800	43.38	0.82	54.0	10.62	AV	0.00	100	Horizontal	Pass
3	5460.000	51.97	-0.92	74.0	22.03	Peak	259.00	100	Horizontal	Pass
3**	5460.000	41.58	-0.92	54.0	12.42	AV	259.00	100	Horizontal	Pass
4	5469.800	54.06	-0.18	68.2	14.14	Peak	286.00	300	Horizontal	Pass
4**	5469.800	42.63	-0.18	--	--	AV	286.00	300	Horizontal	N/A
5	5470.000	53.13	-0.10	68.2	15.07	Peak	162.00	300	Horizontal	Pass
5**	5470.000	42.76	-0.10	--	--	AV	162.00	300	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.50	-0.12	68.2	13.70	Peak	102.00	300	Horizontal	Pass
2	5840.625	55.63	1.25	68.2	12.57	Peak	49.00	400	Horizontal	Pass

U-NII-2C 11n20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.000	54.52	0.70	74.0	19.48	Peak	360.00	300	Horizontal	Pass
1**	5381.000	42.90	0.70	54.0	11.10	AV	360.00	300	Horizontal	Pass
2	5381.400	54.43	0.84	74.0	19.57	Peak	133.00	100	Horizontal	Pass
2**	5381.400	43.14	0.84	54.0	10.86	AV	133.00	100	Horizontal	Pass
3	5460.000	52.08	-0.92	74.0	21.92	Peak	245.00	200	Horizontal	Pass
3**	5460.000	41.48	-0.92	54.0	12.52	AV	245.00	200	Horizontal	Pass
4	5468.400	54.30	-0.18	68.2	13.90	Peak	167.00	300	Horizontal	Pass
4**	5468.400	42.28	-0.18	--	--	AV	167.00	300	Horizontal	N/A
5	5470.000	52.80	-0.10	68.2	15.40	Peak	164.00	100	Horizontal	Pass
5**	5470.000	42.67	-0.10	--	--	AV	164.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.96	-0.12	68.2	15.24	Peak	358.00	100	Horizontal	Pass
2	5828.334	55.13	1.03	68.2	13.07	Peak	86.00	300	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5376.000	53.36	0.84	74.0	20.64	Peak	85.00	100	Horizontal	Pass
1**	5376.000	43.49	0.84	54.0	10.51	AV	85.00	100	Horizontal	Pass
2	5377.400	54.87	0.42	74.0	19.13	Peak	90.00	300	Horizontal	Pass
2**	5377.400	42.86	0.42	54.0	11.14	AV	90.00	300	Horizontal	Pass
3	5460.000	52.27	-0.92	74.0	21.73	Peak	51.00	200	Horizontal	Pass
3**	5460.000	41.56	-0.92	54.0	12.44	AV	51.00	200	Horizontal	Pass
4	5466.200	53.87	-0.28	68.2	14.33	Peak	94.00	100	Horizontal	Pass
4**	5466.200	42.58	-0.28	--	--	AV	94.00	100	Horizontal	N/A
5	5470.000	52.71	-0.10	68.2	15.49	Peak	97.00	400	Horizontal	Pass
5**	5470.000	42.93	-0.10	--	--	AV	97.00	400	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.95	-0.12	68.2	14.25	Peak	108.00	300	Horizontal	Pass
2	5771.250	54.98	1.54	68.2	13.22	Peak	108.00	400	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5372.200	54.60	0.30	74.0	19.40	Peak	345.00	400	Horizontal	Pass
1**	5372.200	42.33	0.30	54.0	11.67	AV	345.00	400	Horizontal	Pass
2	5376.200	53.01	0.86	74.0	20.99	Peak	321.00	100	Horizontal	Pass
2**	5376.200	43.06	0.86	54.0	10.94	AV	321.00	100	Horizontal	Pass
3	5460.000	51.93	-0.92	74.0	22.07	Peak	111.00	200	Horizontal	Pass
3**	5460.000	41.29	-0.92	54.0	12.71	AV	111.00	200	Horizontal	Pass
4	5466.200	53.67	-0.28	68.2	14.53	Peak	345.00	300	Horizontal	Pass
4**	5466.200	42.09	-0.28	--	--	AV	345.00	300	Horizontal	N/A
5	5470.000	52.93	-0.10	68.2	15.27	Peak	165.00	100	Horizontal	Pass
5**	5470.000	42.24	-0.10	--	--	AV	165.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.94	-0.12	68.2	15.26	Peak	310.00	100	Horizontal	Pass
2	5774.375	55.10	1.20	68.2	13.10	Peak	83.00	400	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5376.000	54.66	0.84	74.0	19.34	Peak	104.00	100	Horizontal	Pass
1**	5376.000	43.49	0.84	54.0	10.51	AV	104.00	100	Horizontal	Pass
2	5385.800	54.95	0.01	74.0	19.05	Peak	113.00	300	Horizontal	Pass
2**	5385.800	42.75	0.01	54.0	11.25	AV	113.00	300	Horizontal	Pass
3	5460.000	51.19	-0.92	74.0	22.81	Peak	128.00	300	Horizontal	Pass
3**	5460.000	41.70	-0.92	54.0	12.30	AV	128.00	300	Horizontal	Pass
4	5469.800	53.63	-0.18	68.2	14.57	Peak	85.00	200	Horizontal	Pass
4**	5469.800	42.58	-0.18	--	--	AV	85.00	200	Horizontal	N/A
5	5470.000	52.98	-0.10	68.2	15.22	Peak	244.00	300	Horizontal	Pass
5**	5470.000	43.14	-0.10	--	--	AV	244.00	300	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.80	-0.12	68.2	15.40	Peak	232.00	300	Horizontal	Pass
2	5848.750	55.61	1.11	68.2	12.59	Peak	117.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.800	57.54	74.0	16.46	Peak	15.00	200	Horizontal	Pass
1**	5451.800	45.95	54.0	8.05	AV	15.00	200	Horizontal	Pass
2	5460.000	56.98	74.0	17.02	Peak	10.00	100	Horizontal	Pass
2**	5460.000	46.11	54.0	7.89	AV	10.00	100	Horizontal	Pass
3	5465.600	58.87	68.2	9.33	Peak	19.00	200	Horizontal	Pass
3**	5465.600	46.41	--	--	AV	19.00	200	Horizontal	N/A
4	5470.000	56.63	68.2	11.57	Peak	24.00	100	Horizontal	Pass
4**	5470.000	46.62	--	--	AV	24.00	100	Horizontal	N/A
5	5467.800	55.83	68.2	12.37	Peak	360.00	100	Horizontal	Pass
5**	5467.800	46.73	--	--	AV	360.00	100	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.44	68.2	11.76	Peak	18.00	150	Horizontal	Pass
2	5788.750	58.75	68.2	9.45	Peak	80.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.000	57.63	74.0	16.37	Peak	127.00	100	Horizontal	Pass
1**	5445.000	45.40	54.0	8.60	AV	127.00	100	Horizontal	Pass
2	5460.000	56.15	74.0	17.85	Peak	140.00	200	Horizontal	Pass
2**	5460.000	45.63	54.0	8.37	AV	140.00	200	Horizontal	Pass
3	5466.400	57.32	68.2	10.88	Peak	66.00	200	Horizontal	Pass
3**	5466.400	45.78	--	--	AV	66.00	200	Horizontal	N/A
4	5470.000	56.13	68.2	12.07	Peak	21.00	100	Horizontal	Pass
4**	5470.000	45.62	--	--	AV	21.00	100	Horizontal	N/A
5	5464.200	55.81	68.2	12.39	Peak	163.00	100	Horizontal	Pass
5**	5464.200	46.17	--	--	AV	163.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.80	68.2	11.40	Peak	12.00	100	Horizontal	Pass
2	5753.542	58.87	68.2	9.33	Peak	42.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.200	57.89	74.0	16.11	Peak	171.00	100	Horizontal	Pass
1**	5444.200	45.61	54.0	8.39	AV	171.00	100	Horizontal	Pass
2	5460.000	56.01	74.0	17.99	Peak	114.00	200	Horizontal	Pass
2**	5460.000	45.62	54.0	8.38	AV	114.00	200	Horizontal	Pass
3	5463.200	57.02	68.2	11.18	Peak	209.00	200	Horizontal	Pass
3**	5463.200	45.58	--	--	AV	209.00	200	Horizontal	N/A
4	5470.000	55.99	68.2	12.21	Peak	222.00	100	Horizontal	Pass
4**	5470.000	45.68	--	--	AV	222.00	100	Horizontal	N/A
5	5468.200	56.10	68.2	12.10	Peak	23.00	100	Horizontal	Pass
5**	5468.200	46.12	--	--	AV	23.00	100	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.44	68.2	11.76	Peak	241.00	100	Horizontal	Pass
2	5819.583	58.49	68.2	9.71	Peak	12.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5370.200	57.40	74.0	16.60	Peak	295.00	100	Horizontal	Pass
1**	5370.200	45.74	54.0	8.26	AV	295.00	100	Horizontal	Pass
2	5460.000	56.11	74.0	17.89	Peak	73.00	100	Horizontal	Pass
2**	5460.000	45.88	54.0	8.12	AV	73.00	100	Horizontal	Pass
3	5467.200	57.08	68.2	11.12	Peak	168.00	100	Horizontal	Pass
3**	5467.200	46.01	--	--	AV	168.00	100	Horizontal	N/A
4	5470.000	56.09	68.2	12.11	Peak	163.00	100	Horizontal	Pass
4**	5470.000	46.19	--	--	AV	163.00	100	Horizontal	N/A
5	5376.800	55.90	74.0	18.10	Peak	29.00	100	Horizontal	Pass
5**	5376.800	46.33	54.0	7.67	AV	29.00	100	Horizontal	Pass

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.54	68.2	11.66	Peak	44.00	200	Horizontal	Pass
2	5826.666	59.00	68.2	9.20	Peak	101.00	100	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.800	58.34	74.0	15.66	Peak	26.00	200	Horizontal	Pass
1**	5441.800	45.82	54.0	8.18	AV	26.00	200	Horizontal	Pass
2	5460.000	56.78	74.0	17.22	Peak	70.00	100	Horizontal	Pass
2**	5460.000	45.94	54.0	8.06	AV	70.00	100	Horizontal	Pass
3	5467.400	57.99	68.2	10.21	Peak	21.00	100	Horizontal	Pass
3**	5467.400	46.27	--	--	AV	21.00	100	Horizontal	N/A
4	5470.000	56.06	68.2	12.14	Peak	47.00	100	Horizontal	Pass
4**	5470.000	46.29	--	--	AV	47.00	100	Horizontal	N/A
5	5368.000	56.05	74.0	17.95	Peak	165.00	100	Horizontal	Pass
5**	5368.000	46.44	54.0	7.56	AV	165.00	100	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.19	68.2	11.01	Peak	112.00	100	Horizontal	Pass
2	5842.083	59.11	68.2	9.09	Peak	354.00	100	Horizontal	Pass

U-NII-2C 11be20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.800	57.36	74.0	16.64	Peak	90.00	200	Horizontal	Pass
1**	5351.800	45.49	54.0	8.51	AV	90.00	200	Horizontal	Pass
2	5460.000	55.84	74.0	18.16	Peak	360.00	100	Horizontal	Pass
2**	5460.000	45.72	54.0	8.28	AV	360.00	100	Horizontal	Pass
3	5466.200	57.27	68.2	10.93	Peak	358.00	100	Horizontal	Pass
3**	5466.200	46.05	--	--	AV	358.00	100	Horizontal	N/A
4	5470.000	57.01	68.2	11.19	Peak	360.00	100	Horizontal	Pass
4**	5470.000	45.73	--	--	AV	360.00	100	Horizontal	N/A

U-NII-2C 11be20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.38	68.2	11.82	Peak	0.00	100	Horizontal	Pass
2	5848.333	58.47	68.2	9.73	Peak	5.00	150	Horizontal	Pass

U-NII-2C 11be40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5369.000	58.20	74.0	15.80	Peak	21.00	100	Horizontal	Pass
1**	5369.000	45.53	54.0	8.47	AV	21.00	100	Horizontal	Pass
2	5460.000	56.20	74.0	17.80	Peak	0.00	100	Horizontal	Pass
2**	5460.000	45.63	54.0	8.37	AV	0.00	100	Horizontal	Pass
3	5463.000	57.25	68.2	10.95	Peak	21.00	100	Horizontal	Pass
3**	5463.000	45.68	--	--	AV	21.00	100	Horizontal	N/A
4	5470.000	55.86	68.2	12.34	Peak	305.00	100	Horizontal	Pass
4**	5470.000	45.79	--	--	AV	305.00	100	Horizontal	N/A
5	5464.400	56.30	68.2	11.90	Peak	171.00	100	Horizontal	Pass
5**	5464.400	46.12	--	--	AV	171.00	100	Horizontal	N/A

U-NII-2C 11be40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.16	68.2	11.04	Peak	279.00	200	Horizontal	Pass
2	5837.917	58.56	68.2	9.64	Peak	93.00	100	Horizontal	Pass

U-NII-2C 11be80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.200	57.65	74.0	16.35	Peak	356.00	200	Horizontal	Pass
1**	5443.200	45.52	54.0	8.48	AV	356.00	200	Horizontal	Pass
2	5460.000	56.27	74.0	17.73	Peak	273.00	100	Horizontal	Pass
2**	5460.000	45.75	54.0	8.25	AV	273.00	100	Horizontal	Pass
3	5468.800	57.12	68.2	11.08	Peak	44.00	200	Horizontal	Pass
3**	5468.800	45.91	--	--	AV	44.00	200	Horizontal	N/A
4	5470.000	56.61	68.2	11.59	Peak	19.00	100	Horizontal	Pass
4**	5470.000	46.04	--	--	AV	19.00	100	Horizontal	N/A

U-NII-2C 11be80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.90	68.2	11.30	Peak	75.00	100	Horizontal	Pass
2	5813.334	58.56	68.2	9.64	Peak	264.00	150	Horizontal	Pass

U-NII-2C 11be160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.800	58.36	74.0	15.64	Peak	10.00	200	Horizontal	Pass
1**	5351.800	45.88	54.0	8.12	AV	10.00	200	Horizontal	Pass
2	5460.000	56.00	74.0	18.00	Peak	0.00	200	Horizontal	Pass
2**	5460.000	46.06	54.0	7.94	AV	0.00	200	Horizontal	Pass
3	5464.000	57.32	68.2	10.88	Peak	24.00	100	Horizontal	Pass
3**	5464.000	46.33	--	--	AV	24.00	100	Horizontal	N/A
4	5470.000	56.99	68.2	11.21	Peak	161.00	100	Horizontal	Pass
4**	5470.000	46.25	--	--	AV	161.00	100	Horizontal	N/A
5	5370.800	56.23	74.0	17.77	Peak	280.00	100	Horizontal	Pass
5**	5370.800	46.56	54.0	7.44	AV	280.00	100	Horizontal	Pass

U-NII-2C 11be160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.96	68.2	11.24	Peak	32.00	150	Horizontal	Pass
2	5832.709	58.85	68.2	9.35	Peak	199.00	150	Horizontal	Pass

U-NII-2C 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.200	57.58	74.0	16.42	Peak	89.00	100	Horizontal	Pass
1**	5457.200	45.69	54.0	8.31	AV	89.00	100	Horizontal	Pass
2	5460.000	56.21	74.0	17.79	Peak	251.00	100	Horizontal	Pass
2**	5460.000	45.92	54.0	8.08	AV	251.00	100	Horizontal	Pass
3	5464.800	57.50	68.2	10.70	Peak	137.00	100	Horizontal	Pass
3**	5464.800	45.86	--	--	AV	137.00	100	Horizontal	N/A
4	5470.000	56.20	68.2	12.00	Peak	120.00	100	Horizontal	Pass
4**	5470.000	45.84	--	--	AV	120.00	100	Horizontal	N/A

U-NII-2C 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.48	68.2	10.72	Peak	84.00	150	Horizontal	Pass
2	5762.500	58.76	68.2	9.44	Peak	101.00	100	Horizontal	Pass

U-NII-2C 11ax40(RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5373.400	57.83	74.0	16.17	Peak	111.00	100	Horizontal	Pass
1**	5373.400	46.24	54.0	7.76	AV	111.00	100	Horizontal	Pass
2	5460.000	55.96	74.0	18.04	Peak	84.00	200	Horizontal	Pass
2**	5460.000	46.28	54.0	7.72	AV	84.00	200	Horizontal	Pass
3	5469.000	57.34	68.2	10.86	Peak	358.00	200	Horizontal	Pass
3**	5469.000	46.12	--	--	AV	358.00	200	Horizontal	N/A
4	5470.000	56.05	68.2	12.15	Peak	19.00	100	Horizontal	Pass
4**	5470.000	46.21	--	--	AV	19.00	100	Horizontal	N/A
5	5446.800	57.27	74.0	16.73	Peak	21.00	100	Horizontal	Pass
5**	5446.800	46.85	54.0	7.15	AV	21.00	100	Horizontal	Pass

U-NII-2C 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.49	68.2	11.71	Peak	9.00	100	Horizontal	Pass
2	5744.792	59.10	68.2	9.10	Peak	66.00	100	Horizontal	Pass

U-NII-2C 11ax80(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.400	58.56	74.0	15.44	Peak	50.00	100	Horizontal	Pass
1**	5453.400	46.81	54.0	7.19	AV	50.00	100	Horizontal	Pass
2	5460.000	56.61	74.0	17.39	Peak	208.00	100	Horizontal	Pass
2**	5460.000	45.87	54.0	8.13	AV	208.00	100	Horizontal	Pass
3	5469.000	58.21	68.2	9.99	Peak	20.00	100	Horizontal	Pass
3**	5469.000	45.84	--	--	AV	20.00	100	Horizontal	N/A
4	5470.000	57.64	68.2	10.56	Peak	42.00	100	Horizontal	Pass
4**	5470.000	46.05	--	--	AV	42.00	100	Horizontal	N/A
5	5454.400	56.40	74.0	17.60	Peak	36.00	100	Horizontal	Pass
5**	5454.400	47.09	54.0	6.91	AV	36.00	100	Horizontal	Pass

U-NII-2C 11ax80(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.39	68.2	11.81	Peak	192.00	100	Horizontal	Pass
2	5846.667	58.52	68.2	9.68	Peak	3.00	150	Horizontal	Pass

U-NII-2C 11ax160(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.000	58.65	74.0	15.35	Peak	32.00	200	Horizontal	Pass
1**	5384.000	45.61	54.0	8.39	AV	32.00	200	Horizontal	Pass
2	5460.000	56.77	74.0	17.23	Peak	24.00	200	Horizontal	Pass
2**	5460.000	45.59	54.0	8.41	AV	24.00	200	Horizontal	Pass
3	5468.800	62.92	68.2	5.28	Peak	23.00	100	Horizontal	Pass
3**	5468.800	45.82	--	--	AV	23.00	100	Horizontal	N/A
4	5470.000	61.63	68.2	6.57	Peak	10.00	100	Horizontal	Pass
4**	5470.000	46.62	--	--	AV	10.00	100	Horizontal	N/A
5	5414.400	57.12	74.0	16.88	Peak	24.00	100	Horizontal	Pass
5**	5414.400	47.96	54.0	6.04	AV	24.00	100	Horizontal	Pass

U-NII-2C 11ax160(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.66	68.2	11.54	Peak	65.00	150	Horizontal	Pass
2	5785.208	58.57	68.2	9.63	Peak	31.00	100	Horizontal	Pass

U-NII-2C 11be20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.000	58.55	74.0	15.45	Peak	70.00	100	Horizontal	Pass
1**	5453.000	45.74	54.0	8.26	AV	70.00	100	Horizontal	Pass
2	5460.000	56.09	74.0	17.91	Peak	330.00	200	Horizontal	Pass
2**	5460.000	46.00	54.0	8.00	AV	330.00	200	Horizontal	Pass
3	5467.400	57.34	68.2	10.86	Peak	68.00	200	Horizontal	Pass
3**	5467.400	45.93	--	--	AV	68.00	200	Horizontal	N/A
4	5470.000	55.94	68.2	12.26	Peak	124.00	100	Horizontal	Pass
4**	5470.000	45.75	--	--	AV	124.00	100	Horizontal	N/A

U-NII-2C 11be20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.31	68.2	10.89	Peak	101.00	150	Horizontal	Pass
2	5785.000	59.40	68.2	8.80	Peak	42.00	200	Horizontal	Pass

U-NII-2C 11be40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.000	58.06	74.0	15.94	Peak	17.00	200	Horizontal	Pass
1**	5387.000	46.15	54.0	7.85	AV	17.00	200	Horizontal	Pass
2	5460.000	56.31	74.0	17.69	Peak	19.00	100	Horizontal	Pass
2**	5460.000	46.27	54.0	7.73	AV	19.00	100	Horizontal	Pass
3	5467.400	57.50	68.2	10.70	Peak	153.00	200	Horizontal	Pass
3**	5467.400	46.43	--	--	AV	153.00	200	Horizontal	N/A
4	5470.000	56.37	68.2	11.83	Peak	19.00	100	Horizontal	Pass
4**	5470.000	46.57	--	--	AV	19.00	100	Horizontal	N/A
5	5442.400	56.87	74.0	17.13	Peak	73.00	100	Horizontal	Pass
5**	5442.400	46.72	54.0	7.28	AV	73.00	100	Horizontal	Pass

U-NII-2C 11be40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.13	68.2	11.07	Peak	16.00	200	Horizontal	Pass
2	5775.625	59.12	68.2	9.08	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11be80(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5418.800	58.17	74.0	15.83	Peak	251.00	200	Horizontal	Pass
1**	5418.800	45.39	54.0	8.61	AV	251.00	200	Horizontal	Pass
2	5460.000	56.12	74.0	17.88	Peak	1.00	100	Horizontal	Pass
2**	5460.000	45.85	54.0	8.15	AV	1.00	100	Horizontal	Pass
3	5470.000	60.18	68.2	8.02	Peak	17.00	100	Horizontal	Pass
3**	5470.000	46.06	--	--	AV	17.00	100	Horizontal	N/A
4	5453.800	56.06	74.0	17.94	Peak	17.00	100	Horizontal	Pass
4**	5453.800	47.18	54.0	6.82	AV	17.00	100	Horizontal	Pass

U-NII-2C 11be80(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.65	68.2	11.55	Peak	360.00	100	Horizontal	Pass
2	5835.417	58.40	68.2	9.80	Peak	8.00	200	Horizontal	Pass

U-NII-2C 11be160(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.200	59.01	74.0	14.99	Peak	15.00	100	Horizontal	Pass
1**	5456.200	45.51	54.0	8.49	AV	15.00	100	Horizontal	Pass
2	5460.000	56.49	74.0	17.51	Peak	20.00	100	Horizontal	Pass
2**	5460.000	45.76	54.0	8.24	AV	20.00	100	Horizontal	Pass
3	5469.600	62.97	68.2	5.23	Peak	15.00	100	Horizontal	Pass
3**	5469.600	46.00	--	--	AV	15.00	100	Horizontal	N/A
4	5470.000	62.94	68.2	5.26	Peak	15.00	100	Horizontal	Pass
4**	5470.000	46.39	--	--	AV	15.00	100	Horizontal	N/A
5	5413.800	57.65	74.0	16.35	Peak	14.00	100	Horizontal	Pass
5**	5413.800	48.02	54.0	5.98	AV	14.00	100	Horizontal	Pass

U-NII-2C 11be160(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.14	68.2	10.06	Peak	13.00	150	Horizontal	Pass
2	5835.833	59.34	68.2	8.86	Peak	18.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.292	58.42	68.2	9.78	Peak	344.00	200	Horizontal	Pass
2	5650.000	55.87	68.2	12.33	Peak	68.00	400	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.90	68.2	10.30	Peak	246.00	100	Horizontal	Pass
2	5940.000	59.07	68.2	9.13	Peak	360.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5611.250	57.90	68.2	10.30	Peak	360.00	300	Horizontal	Pass
2	5650.000	55.72	68.2	12.48	Peak	5.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.17	68.2	10.03	Peak	0.00	100	Horizontal	Pass
2	5937.000	59.36	68.2	8.84	Peak	184.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.625	58.26	68.2	9.94	Peak	145.00	300	Horizontal	Pass
2	5650.000	55.52	68.2	12.68	Peak	67.00	400	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.70	68.2	10.50	Peak	7.00	100	Horizontal	Pass
2	5929.750	59.38	68.2	8.82	Peak	178.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.791	58.05	68.2	10.15	Peak	42.00	200	Horizontal	Pass
2	5650.000	56.16	68.2	12.04	Peak	305.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.53	68.2	10.67	Peak	0.00	100	Horizontal	Pass
2	5934.750	59.20	68.2	9.00	Peak	176.00	300	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.375	58.09	68.2	10.11	Peak	82.00	300	Horizontal	Pass
2	5650.000	56.19	68.2	12.01	Peak	93.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.78	68.2	10.42	Peak	359.00	100	Horizontal	Pass
2	5954.750	59.37	68.2	8.83	Peak	236.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.250	58.31	68.2	9.89	Peak	103.00	200	Horizontal	Pass
2	5650.000	56.53	68.2	11.67	Peak	40.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.21	68.2	10.99	Peak	0.00	100	Horizontal	Pass
2	5938.000	59.16	68.2	9.04	Peak	17.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.209	58.46	68.2	9.74	Peak	99.00	400	Horizontal	Pass
2	5650.000	56.50	68.2	11.70	Peak	285.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.44	68.2	10.76	Peak	57.00	100	Horizontal	Pass
2	5929.000	58.97	68.2	9.23	Peak	360.00	400	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5612.708	58.19	68.2	10.01	Peak	47.00	400	Horizontal	Pass
2	5650.000	57.01	68.2	11.19	Peak	7.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.49	68.2	10.71	Peak	0.00	100	Horizontal	Pass
2	5935.750	58.71	68.2	9.49	Peak	181.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.834	58.11	68.2	10.09	Peak	94.00	100	Horizontal	Pass
2	5650.000	56.20	68.2	12.00	Peak	42.00	400	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.33	68.2	10.87	Peak	350.00	100	Horizontal	Pass
2	5932.750	59.67	68.2	8.53	Peak	320.00	300	Horizontal	Pass

U-NII-3 11be20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.417	57.84	68.2	10.36	Peak	227.00	200	Horizontal	Pass
2	5650.000	56.74	68.2	11.46	Peak	338.00	300	Horizontal	Pass

U-NII-3 11be20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.94	68.2	10.26	Peak	228.00	100	Horizontal	Pass
2	5934.250	59.31	68.2	8.89	Peak	21.00	100	Horizontal	Pass

U-NII-3 11be40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.958	57.64	68.2	10.56	Peak	257.00	300	Horizontal	Pass
2	5650.000	56.74	68.2	11.46	Peak	96.00	200	Horizontal	Pass

U-NII-3 11be40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.250	57.59	68.2	10.61	Peak	225.00	100	Horizontal	Pass
2	5957.750	59.12	68.2	9.08	Peak	132.00	100	Horizontal	Pass

U-NII-3 11be80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.375	58.06	68.2	10.14	Peak	75.00	100	Horizontal	Pass
2	5650.000	55.95	68.2	12.25	Peak	266.00	300	Horizontal	Pass

U-NII-3 11be80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.81	68.2	10.39	Peak	75.00	100	Horizontal	Pass
2	5937.000	59.24	68.2	8.96	Peak	37.00	300	Horizontal	Pass

U-NII-3 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.209	57.78	68.2	10.42	Peak	44.00	400	Horizontal	Pass
2	5650.000	56.54	68.2	11.66	Peak	203.00	200	Horizontal	Pass

U-NII-3 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.76	68.2	10.44	Peak	360.00	100	Horizontal	Pass
2	5931.000	59.14	68.2	9.06	Peak	168.00	200	Horizontal	Pass

U-NII-3 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.583	57.84	68.2	10.36	Peak	277.00	400	Horizontal	Pass
2	5650.000	56.54	68.2	11.66	Peak	4.00	200	Horizontal	Pass

U-NII-3 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.06	68.2	10.14	Peak	11.00	100	Horizontal	Pass
2	5928.500	59.21	68.2	8.99	Peak	46.00	400	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.333	57.60	68.2	10.60	Peak	11.00	100	Horizontal	Pass
2	5650.000	56.15	68.2	12.05	Peak	308.00	200	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.69	68.2	10.51	Peak	101.00	100	Horizontal	Pass
2	5936.750	59.13	68.2	9.07	Peak	13.00	400	Horizontal	Pass

U-NII-3 11be20(RU26) Low Channel




U-NII-3 11be20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.65	68.2	10.55	Peak	112.00	100	Horizontal	Pass
2	5932.750	59.06	68.2	9.14	Peak	298.00	400	Horizontal	Pass

U-NII-3 11be40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.666	58.00	68.2	10.20	Peak	174.00	100	Horizontal	Pass
2	5650.000	56.42	68.2	11.78	Peak	248.00	300	Horizontal	Pass

U-NII-3 11be40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.43	68.2	9.77	Peak	38.00	100	Horizontal	Pass
2	5942.250	59.41	68.2	8.79	Peak	312.00	400	Horizontal	Pass

U-NII-3 11be80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.667	57.84	68.2	10.36	Peak	348.00	400	Horizontal	Pass
2	5650.000	56.64	68.2	11.56	Peak	323.00	200	Horizontal	Pass

U-NII-3 11be80(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.26	68.2	10.94	Peak	49.00	100	Horizontal	Pass
2	5930.250	58.85	68.2	9.35	Peak	16.00	400	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060557-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060557-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060557-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--