







n12 10M DFT-s-OFDM BPSK Outer\_Full High




n12 10M DFT-s-OFDM QPSK Outer\_Full High




n12 10M DFT-s-OFDM 16QAM Outer\_Full High




n12 10M DFT-s-OFDM 64QAM Outer\_Full High




n12 10M DFT-s-OFDM 256QAM Outer\_Full High




n12 10M CP-OFDM QPSK Outer\_Full High




n13 5M DFT-s-OFDM BPSK Outer\_Full Low




n13 5M DFT-s-OFDM QPSK Outer\_Full Low




n13 5M DFT-s-OFDM 16QAM Outer\_Full Low




n13 5M DFT-s-OFDM 64QAM Outer\_Full Low




n13 5M DFT-s-OFDM 256QAM Outer\_Full Low




n13 5M CP-OFDM QPSK Outer\_Full Low




n13 5M DFT-s-OFDM BPSK Outer\_Full Mid




n13 5M DFT-s-OFDM QPSK Outer\_Full Mid




n13 5M DFT-s-OFDM 16QAM Outer\_Full Mid




n13 5M DFT-s-OFDM 64QAM Outer\_Full Mid




n13 5M DFT-s-OFDM 256QAM Outer\_Full Mid




n13 5M CP-OFDM QPSK Outer\_Full Mid




n13 5M DFT-s-OFDM BPSK Outer\_Full High




n13 5M DFT-s-OFDM QPSK Outer\_Full High




n13 5M DFT-s-OFDM 16QAM Outer\_Full High




n13 5M DFT-s-OFDM 64QAM Outer\_Full High




n13 5M DFT-s-OFDM 256QAM Outer\_Full High




n13 5M CP-OFDM QPSK Outer\_Full High




n13 10M DFT-s-OFDM BPSK Outer\_Full Mid




n13 10M DFT-s-OFDM QPSK Outer\_Full Mid




n13 10M DFT-s-OFDM 16QAM Outer\_Full Mid



n13 10M DFT-s-OFDM 64QAM Outer\_Full Mid



n13 10M DFT-s-OFDM 256QAM Outer\_Full Mid



n13 10M CP-OFDM QPSK Outer\_Full Mid



| Band | SCS (kHz) | BW (MHz) | ARFCN  | Modulation              | RB   | OBW (MHz) | 26dB BW (MHz) | Verdict |
|------|-----------|----------|--------|-------------------------|------|-----------|---------------|---------|
| n25  | 15        | 5        | 370500 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.4932    | 5.167         | PASS    |
| n25  | 15        | 5        | 370500 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.5187    | 5.246         | PASS    |
| n25  | 15        | 5        | 370500 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.5053    | 5.115         | PASS    |
| n25  | 15        | 5        | 370500 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4905    | 5.086         | PASS    |
| n25  | 15        | 5        | 370500 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4953    | 5.205         | PASS    |
| n25  | 15        | 5        | 370500 | CP-OFDM<br>QPSK         | 25/0 | 4.4780    | 5.173         | PASS    |
| n25  | 15        | 5        | 376500 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.5081    | 5.205         | PASS    |
| n25  | 15        | 5        | 376500 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.5057    | 5.158         | PASS    |
| n25  | 15        | 5        | 376500 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.5079    | 5.010         | PASS    |
| n25  | 15        | 5        | 376500 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4934    | 5.123         | PASS    |
| n25  | 15        | 5        | 376500 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4814    | 5.057         | PASS    |
| n25  | 15        | 5        | 376500 | CP-OFDM<br>QPSK         | 25/0 | 4.4949    | 5.169         | PASS    |
| n25  | 15        | 5        | 382500 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.4796    | 5.027         | PASS    |
| n25  | 15        | 5        | 382500 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.4824    | 5.017         | PASS    |
| n25  | 15        | 5        | 382500 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.4941    | 5.102         | PASS    |
| n25  | 15        | 5        | 382500 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4751    | 4.997         | PASS    |
| n25  | 15        | 5        | 382500 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4877    | 5.088         | PASS    |
| n25  | 15        | 5        | 382500 | CP-OFDM<br>QPSK         | 25/0 | 4.4711    | 5.124         | PASS    |



REPORT No.: SZ25040205W10

|     |    |    |        |                         |      |        |        |      |
|-----|----|----|--------|-------------------------|------|--------|--------|------|
| n25 | 15 | 10 | 371000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9596 | 9.717  | PASS |
| n25 | 15 | 10 | 371000 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9784 | 11.394 | PASS |
| n25 | 15 | 10 | 371000 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9791 | 9.738  | PASS |
| n25 | 15 | 10 | 371000 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9595 | 10.169 | PASS |
| n25 | 15 | 10 | 371000 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9649 | 9.642  | PASS |
| n25 | 15 | 10 | 371000 | CP-OFDM<br>QPSK         | 52/0 | 9.3150 | 10.166 | PASS |
| n25 | 15 | 10 | 376500 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9591 | 9.734  | PASS |
| n25 | 15 | 10 | 376500 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9726 | 11.170 | PASS |
| n25 | 15 | 10 | 376500 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9696 | 9.755  | PASS |
| n25 | 15 | 10 | 376500 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9620 | 10.296 | PASS |
| n25 | 15 | 10 | 376500 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9783 | 9.785  | PASS |
| n25 | 15 | 10 | 376500 | CP-OFDM<br>QPSK         | 52/0 | 9.3162 | 10.244 | PASS |
| n25 | 15 | 10 | 382000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9595 | 9.749  | PASS |
| n25 | 15 | 10 | 382000 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9579 | 10.799 | PASS |
| n25 | 15 | 10 | 382000 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9647 | 9.744  | PASS |
| n25 | 15 | 10 | 382000 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9496 | 9.719  | PASS |
| n25 | 15 | 10 | 382000 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9603 | 9.794  | PASS |
| n25 | 15 | 10 | 382000 | CP-OFDM<br>QPSK         | 52/0 | 9.3069 | 10.158 | PASS |
| n25 | 15 | 15 | 371500 | DFT-s-OFDM<br>PI/2 BPSK | 75/0 | 13.460 | 14.421 | PASS |



REPORT No.: SZ25040205W10

|     |    |    |        |                         |       |        |        |      |
|-----|----|----|--------|-------------------------|-------|--------|--------|------|
| n25 | 15 | 15 | 371500 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.467 | 14.463 | PASS |
| n25 | 15 | 15 | 371500 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.472 | 14.372 | PASS |
| n25 | 15 | 15 | 371500 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.431 | 14.373 | PASS |
| n25 | 15 | 15 | 371500 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.465 | 14.514 | PASS |
| n25 | 15 | 15 | 371500 | CP-OFDM<br>QPSK         | 79/0  | 14.137 | 17.286 | PASS |
| n25 | 15 | 15 | 376500 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.471 | 14.468 | PASS |
| n25 | 15 | 15 | 376500 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.491 | 14.565 | PASS |
| n25 | 15 | 15 | 376500 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.494 | 14.411 | PASS |
| n25 | 15 | 15 | 376500 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.462 | 14.407 | PASS |
| n25 | 15 | 15 | 376500 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.487 | 14.539 | PASS |
| n25 | 15 | 15 | 376500 | CP-OFDM<br>QPSK         | 79/0  | 14.168 | 17.980 | PASS |
| n25 | 15 | 15 | 381500 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.476 | 14.458 | PASS |
| n25 | 15 | 15 | 381500 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.499 | 14.540 | PASS |
| n25 | 15 | 15 | 381500 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.502 | 14.681 | PASS |
| n25 | 15 | 15 | 381500 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.465 | 14.454 | PASS |
| n25 | 15 | 15 | 381500 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.500 | 14.425 | PASS |
| n25 | 15 | 15 | 381500 | CP-OFDM<br>QPSK         | 79/0  | 14.179 | 16.936 | PASS |
| n25 | 15 | 20 | 372000 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.900 | 20.112 | PASS |
| n25 | 15 | 20 | 372000 | DFT-s-OFDM<br>QPSK      | 100/0 | 17.912 | 19.140 | PASS |



REPORT No.: SZ25040205W10

|                     |    |    |        |                         |       |        |        |      |
|---------------------|----|----|--------|-------------------------|-------|--------|--------|------|
| n25                 | 15 | 20 | 372000 | DFT-s-OFDM<br>16QAM     | 100/0 | 17.899 | 20.016 | PASS |
| n25                 | 15 | 20 | 372000 | DFT-s-OFDM<br>64QAM     | 100/0 | 17.895 | 20.055 | PASS |
| n25                 | 15 | 20 | 372000 | DFT-s-OFDM<br>256QAM    | 100/0 | 17.890 | 18.951 | PASS |
| n25                 | 15 | 20 | 372000 | CP-OFDM<br>QPSK         | 106/0 | 18.940 | 21.294 | PASS |
| n25                 | 15 | 20 | 376500 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.949 | 19.051 | PASS |
| n25                 | 15 | 20 | 376500 | DFT-s-OFDM<br>QPSK      | 100/0 | 17.945 | 19.748 | PASS |
| n25                 | 15 | 20 | 376500 | DFT-s-OFDM<br>16QAM     | 100/0 | 17.997 | 19.398 | PASS |
| n25                 | 15 | 20 | 376500 | DFT-s-OFDM<br>64QAM     | 100/0 | 17.965 | 20.285 | PASS |
| n25                 | 15 | 20 | 376500 | DFT-s-OFDM<br>256QAM    | 100/0 | 17.951 | 19.576 | PASS |
| n25                 | 15 | 20 | 376500 | CP-OFDM<br>QPSK         | 106/0 | 18.995 | 21.931 | PASS |
| n25                 | 15 | 20 | 381000 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.949 | 21.650 | PASS |
| n25                 | 15 | 20 | 381000 | DFT-s-OFDM<br>QPSK      | 100/0 | 17.983 | 20.520 | PASS |
| n25                 | 15 | 20 | 381000 | DFT-s-OFDM<br>16QAM     | 100/0 | 17.975 | 20.036 | PASS |
| n25                 | 15 | 20 | 381000 | DFT-s-OFDM<br>64QAM     | 100/0 | 17.984 | 20.310 | PASS |
| n25                 | 15 | 20 | 381000 | DFT-s-OFDM<br>256QAM    | 100/0 | 17.942 | 19.705 | PASS |
| n25                 | 15 | 20 | 381000 | CP-OFDM<br>QPSK         | 106/0 | 18.983 | 20.185 | PASS |
| n26(814-<br>824MHz) | 15 | 5  | 163300 | DFT-s-OFDM<br>PI/2 BPSK | 25/0  | 4.4803 | 5.035  | PASS |
| n26(814-<br>824MHz) | 15 | 5  | 163300 | DFT-s-OFDM<br>QPSK      | 25/0  | 4.4969 | 5.079  | PASS |
| n26(814-<br>824MHz) | 15 | 5  | 163300 | DFT-s-OFDM<br>16QAM     | 25/0  | 4.4956 | 5.031  | PASS |



REPORT No.: SZ25040205W10

|                 |    |    |        |                         |      |        |       |      |
|-----------------|----|----|--------|-------------------------|------|--------|-------|------|
| n26(814-824MHz) | 15 | 5  | 163300 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4861 | 5.081 | PASS |
| n26(814-824MHz) | 15 | 5  | 163300 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4971 | 5.155 | PASS |
| n26(814-824MHz) | 15 | 5  | 163300 | CP-OFDM<br>QPSK         | 25/0 | 4.4829 | 5.179 | PASS |
| n26(814-824MHz) | 15 | 5  | 163800 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.5018 | 5.184 | PASS |
| n26(814-824MHz) | 15 | 5  | 163800 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.4965 | 5.096 | PASS |
| n26(814-824MHz) | 15 | 5  | 163800 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.5091 | 5.091 | PASS |
| n26(814-824MHz) | 15 | 5  | 163800 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4941 | 5.115 | PASS |
| n26(814-824MHz) | 15 | 5  | 163800 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4834 | 5.083 | PASS |
| n26(814-824MHz) | 15 | 5  | 163800 | CP-OFDM<br>QPSK         | 25/0 | 4.4809 | 5.216 | PASS |
| n26(814-824MHz) | 15 | 5  | 164300 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.4969 | 5.156 | PASS |
| n26(814-824MHz) | 15 | 5  | 164300 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.5340 | 5.340 | PASS |
| n26(814-824MHz) | 15 | 5  | 164300 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.5073 | 5.096 | PASS |
| n26(814-824MHz) | 15 | 5  | 164300 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4725 | 5.079 | PASS |
| n26(814-824MHz) | 15 | 5  | 164300 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4872 | 5.152 | PASS |
| n26(814-824MHz) | 15 | 5  | 164300 | CP-OFDM<br>QPSK         | 25/0 | 4.4846 | 5.095 | PASS |
| n26(814-824MHz) | 15 | 10 | 163800 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9394 | 9.673 | PASS |
| n26(814-824MHz) | 15 | 10 | 163800 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9483 | 9.687 | PASS |
| n26(814-824MHz) | 15 | 10 | 163800 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9518 | 9.674 | PASS |
| n26(814-824MHz) | 15 | 10 | 163800 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9301 | 9.660 | PASS |



|                 |    |    |        |                         |      |        |        |      |
|-----------------|----|----|--------|-------------------------|------|--------|--------|------|
| n26(814-824MHz) | 15 | 10 | 163800 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9417 | 9.645  | PASS |
| n26(814-824MHz) | 15 | 10 | 163800 | CP-OFDM<br>QPSK         | 52/0 | 9.2883 | 10.129 | PASS |
| n26(824-849MHz) | 15 | 5  | 165300 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.5038 | 5.195  | PASS |
| n26(824-849MHz) | 15 | 5  | 165300 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.4995 | 5.147  | PASS |
| n26(824-849MHz) | 15 | 5  | 165300 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.5012 | 5.023  | PASS |
| n26(824-849MHz) | 15 | 5  | 165300 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4973 | 5.135  | PASS |
| n26(824-849MHz) | 15 | 5  | 165300 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4766 | 5.077  | PASS |
| n26(824-849MHz) | 15 | 5  | 165300 | CP-OFDM<br>QPSK         | 25/0 | 4.4953 | 5.252  | PASS |
| n26(824-849MHz) | 15 | 5  | 167300 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.4947 | 5.122  | PASS |
| n26(824-849MHz) | 15 | 5  | 167300 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.4950 | 5.164  | PASS |
| n26(824-849MHz) | 15 | 5  | 167300 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.5036 | 5.176  | PASS |
| n26(824-849MHz) | 15 | 5  | 167300 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4843 | 5.100  | PASS |
| n26(824-849MHz) | 15 | 5  | 167300 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4982 | 5.131  | PASS |
| n26(824-849MHz) | 15 | 5  | 167300 | CP-OFDM<br>QPSK         | 25/0 | 4.4767 | 5.174  | PASS |
| n26(824-849MHz) | 15 | 5  | 169300 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.4947 | 5.219  | PASS |
| n26(824-849MHz) | 15 | 5  | 169300 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.5338 | 5.345  | PASS |
| n26(824-849MHz) | 15 | 5  | 169300 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.5019 | 5.130  | PASS |
| n26(824-849MHz) | 15 | 5  | 169300 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4721 | 5.071  | PASS |
| n26(824-849MHz) | 15 | 5  | 169300 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4857 | 5.136  | PASS |



|                 |    |    |        |                      |      |        |        |      |
|-----------------|----|----|--------|----------------------|------|--------|--------|------|
| n26(824-849MHz) | 15 | 5  | 169300 | CP-OFDM QPSK         | 25/0 | 4.5002 | 5.180  | PASS |
| n26(824-849MHz) | 15 | 10 | 165800 | DFT-s-OFDM PI/2 BPSK | 50/0 | 8.9533 | 9.744  | PASS |
| n26(824-849MHz) | 15 | 10 | 165800 | DFT-s-OFDM QPSK      | 50/0 | 8.9611 | 9.834  | PASS |
| n26(824-849MHz) | 15 | 10 | 165800 | DFT-s-OFDM 16QAM     | 50/0 | 8.9654 | 9.750  | PASS |
| n26(824-849MHz) | 15 | 10 | 165800 | DFT-s-OFDM 64QAM     | 50/0 | 8.9553 | 9.718  | PASS |
| n26(824-849MHz) | 15 | 10 | 165800 | DFT-s-OFDM 256QAM    | 50/0 | 8.9523 | 9.819  | PASS |
| n26(824-849MHz) | 15 | 10 | 165800 | CP-OFDM QPSK         | 52/0 | 9.3126 | 10.296 | PASS |
| n26(824-849MHz) | 15 | 10 | 167300 | DFT-s-OFDM PI/2 BPSK | 50/0 | 8.9419 | 9.699  | PASS |
| n26(824-849MHz) | 15 | 10 | 167300 | DFT-s-OFDM QPSK      | 50/0 | 8.9538 | 9.785  | PASS |
| n26(824-849MHz) | 15 | 10 | 167300 | DFT-s-OFDM 16QAM     | 50/0 | 8.9456 | 9.696  | PASS |
| n26(824-849MHz) | 15 | 10 | 167300 | DFT-s-OFDM 64QAM     | 50/0 | 8.9352 | 9.753  | PASS |
| n26(824-849MHz) | 15 | 10 | 167300 | DFT-s-OFDM 256QAM    | 50/0 | 8.9365 | 9.716  | PASS |
| n26(824-849MHz) | 15 | 10 | 167300 | CP-OFDM QPSK         | 52/0 | 9.3043 | 10.240 | PASS |
| n26(824-849MHz) | 15 | 10 | 168800 | DFT-s-OFDM PI/2 BPSK | 50/0 | 8.9535 | 9.706  | PASS |
| n26(824-849MHz) | 15 | 10 | 168800 | DFT-s-OFDM QPSK      | 50/0 | 8.9533 | 9.768  | PASS |
| n26(824-849MHz) | 15 | 10 | 168800 | DFT-s-OFDM 16QAM     | 50/0 | 8.9616 | 9.692  | PASS |
| n26(824-849MHz) | 15 | 10 | 168800 | DFT-s-OFDM 64QAM     | 50/0 | 8.9400 | 9.712  | PASS |
| n26(824-849MHz) | 15 | 10 | 168800 | DFT-s-OFDM 256QAM    | 50/0 | 8.9408 | 9.680  | PASS |
| n26(824-849MHz) | 15 | 10 | 168800 | CP-OFDM QPSK         | 52/0 | 9.3096 | 10.200 | PASS |




|                 |    |    |        |                         |       |        |        |      |
|-----------------|----|----|--------|-------------------------|-------|--------|--------|------|
| n26(824-849MHz) | 15 | 15 | 166300 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.459 | 14.386 | PASS |
| n26(824-849MHz) | 15 | 15 | 166300 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.465 | 14.525 | PASS |
| n26(824-849MHz) | 15 | 15 | 166300 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.483 | 14.472 | PASS |
| n26(824-849MHz) | 15 | 15 | 166300 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.428 | 14.431 | PASS |
| n26(824-849MHz) | 15 | 15 | 166300 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.459 | 14.374 | PASS |
| n26(824-849MHz) | 15 | 15 | 166300 | CP-OFDM<br>QPSK         | 79/0  | 14.146 | 15.110 | PASS |
| n26(824-849MHz) | 15 | 15 | 167300 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.419 | 14.275 | PASS |
| n26(824-849MHz) | 15 | 15 | 167300 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.440 | 14.345 | PASS |
| n26(824-849MHz) | 15 | 15 | 167300 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.449 | 14.453 | PASS |
| n26(824-849MHz) | 15 | 15 | 167300 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.392 | 14.415 | PASS |
| n26(824-849MHz) | 15 | 15 | 167300 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.429 | 14.296 | PASS |
| n26(824-849MHz) | 15 | 15 | 167300 | CP-OFDM<br>QPSK         | 79/0  | 14.109 | 15.074 | PASS |
| n26(824-849MHz) | 15 | 15 | 168300 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.416 | 14.264 | PASS |
| n26(824-849MHz) | 15 | 15 | 168300 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.430 | 14.414 | PASS |
| n26(824-849MHz) | 15 | 15 | 168300 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.443 | 14.376 | PASS |
| n26(824-849MHz) | 15 | 15 | 168300 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.396 | 14.335 | PASS |
| n26(824-849MHz) | 15 | 15 | 168300 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.447 | 14.448 | PASS |
| n26(824-849MHz) | 15 | 15 | 168300 | CP-OFDM<br>QPSK         | 79/0  | 14.105 | 15.153 | PASS |
| n26(824-849MHz) | 15 | 20 | 166800 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.879 | 19.031 | PASS |




REPORT No.: SZ25040205W10


|                 |    |    |        |                      |       |        |        |      |
|-----------------|----|----|--------|----------------------|-------|--------|--------|------|
| n26(824-849MHz) | 15 | 20 | 166800 | DFT-s-OFDM QPSK      | 100/0 | 17.870 | 18.988 | PASS |
| n26(824-849MHz) | 15 | 20 | 166800 | DFT-s-OFDM 16QAM     | 100/0 | 17.918 | 19.117 | PASS |
| n26(824-849MHz) | 15 | 20 | 166800 | DFT-s-OFDM 64QAM     | 100/0 | 17.924 | 19.112 | PASS |
| n26(824-849MHz) | 15 | 20 | 166800 | DFT-s-OFDM 256QAM    | 100/0 | 17.890 | 19.129 | PASS |
| n26(824-849MHz) | 15 | 20 | 166800 | CP-OFDM QPSK         | 106/0 | 18.913 | 20.055 | PASS |
| n26(824-849MHz) | 15 | 20 | 167300 | DFT-s-OFDM PI/2 BPSK | 100/0 | 17.847 | 19.061 | PASS |
| n26(824-849MHz) | 15 | 20 | 167300 | DFT-s-OFDM QPSK      | 100/0 | 17.842 | 18.956 | PASS |
| n26(824-849MHz) | 15 | 20 | 167300 | DFT-s-OFDM 16QAM     | 100/0 | 17.868 | 18.964 | PASS |
| n26(824-849MHz) | 15 | 20 | 167300 | DFT-s-OFDM 64QAM     | 100/0 | 17.885 | 18.978 | PASS |
| n26(824-849MHz) | 15 | 20 | 167300 | DFT-s-OFDM 256QAM    | 100/0 | 17.855 | 18.952 | PASS |
| n26(824-849MHz) | 15 | 20 | 167300 | CP-OFDM QPSK         | 106/0 | 18.904 | 20.082 | PASS |
| n26(824-849MHz) | 15 | 20 | 167800 | DFT-s-OFDM PI/2 BPSK | 100/0 | 17.840 | 19.006 | PASS |
| n26(824-849MHz) | 15 | 20 | 167800 | DFT-s-OFDM QPSK      | 100/0 | 17.835 | 19.035 | PASS |
| n26(824-849MHz) | 15 | 20 | 167800 | DFT-s-OFDM 16QAM     | 100/0 | 17.881 | 19.046 | PASS |
| n26(824-849MHz) | 15 | 20 | 167800 | DFT-s-OFDM 64QAM     | 100/0 | 17.865 | 19.040 | PASS |
| n26(824-849MHz) | 15 | 20 | 167800 | DFT-s-OFDM 256QAM    | 100/0 | 17.843 | 18.890 | PASS |
| n26(824-849MHz) | 15 | 20 | 167800 | CP-OFDM QPSK         | 106/0 | 18.882 | 20.077 | PASS |




n25 5M DFT-s-OFDM BPSK Outer\_Full Low




n25 5M DFT-s-OFDM QPSK Outer\_Full Low




n25 5M DFT-s-OFDM 16QAM Outer\_Full Low




n25 5M DFT-s-OFDM 64QAM Outer\_Full Low




n25 5M DFT-s-OFDM 256QAM Outer\_Full Low




n25 5M CP-OFDM QPSK Outer\_Full Low




n25 5M DFT-s-OFDM BPSK Outer\_Full Mid




n25 5M DFT-s-OFDM QPSK Outer\_Full Mid




n25 5M DFT-s-OFDM 16QAM Outer\_Full Mid




n25 5M DFT-s-OFDM 64QAM Outer\_Full Mid




n25 5M DFT-s-OFDM 256QAM Outer\_Full Mid




n25 5M CP-OFDM QPSK Outer\_Full Mid




n25 5M DFT-s-OFDM BPSK Outer\_Full High




n25 5M DFT-s-OFDM QPSK Outer\_Full High




n25 5M DFT-s-OFDM 16QAM Outer\_Full High




n25 5M DFT-s-OFDM 64QAM Outer\_Full High




n25 5M DFT-s-OFDM 256QAM Outer\_Full High




n25 5M CP-OFDM QPSK Outer\_Full High




n25 10M DFT-s-OFDM BPSK Outer\_Full Low




n25 10M DFT-s-OFDM QPSK Outer\_Full Low




n25 10M DFT-s-OFDM 16QAM Outer\_Full Low




n25 10M DFT-s-OFDM 64QAM Outer\_Full Low




n25 10M DFT-s-OFDM 256QAM Outer\_Full Low




n25 10M CP-OFDM QPSK Outer\_Full Low




n25 10M DFT-s-OFDM BPSK Outer\_Full Mid




n25 10M DFT-s-OFDM QPSK Outer\_Full Mid




n25 10M DFT-s-OFDM 16QAM Outer\_Full Mid




n25 10M DFT-s-OFDM 64QAM Outer\_Full Mid




n25 10M DFT-s-OFDM 256QAM Outer\_Full Mid




n25 10M CP-OFDM QPSK Outer\_Full Mid




n25 10M DFT-s-OFDM BPSK Outer\_Full High




n25 10M DFT-s-OFDM QPSK Outer\_Full High




n25 10M DFT-s-OFDM 16QAM Outer\_Full High




n25 10M DFT-s-OFDM 64QAM Outer\_Full High




n25 10M DFT-s-OFDM 256QAM Outer\_Full High




n25 10M CP-OFDM QPSK Outer\_Full High




n25 15M DFT-s-OFDM BPSK Outer\_Full Low




n25 15M DFT-s-OFDM QPSK Outer\_Full Low




n25 15M DFT-s-OFDM 16QAM Outer\_Full Low




n25 15M DFT-s-OFDM 64QAM Outer\_Full Low




n25 15M DFT-s-OFDM 256QAM Outer\_Full Low




n25 15M CP-OFDM QPSK Outer\_Full Low




n25 15M DFT-s-OFDM BPSK Outer\_Full Mid




n25 15M DFT-s-OFDM QPSK Outer\_Full Mid




n25 15M DFT-s-OFDM 16QAM Outer\_Full Mid




n25 15M DFT-s-OFDM 64QAM Outer\_Full Mid




n25 15M DFT-s-OFDM 256QAM Outer\_Full Mid




n25 15M CP-OFDM QPSK Outer\_Full Mid




n25 15M DFT-s-OFDM BPSK Outer\_Full High




n25 15M DFT-s-OFDM QPSK Outer\_Full High




n25 15M DFT-s-OFDM 16QAM Outer\_Full High




n25 15M DFT-s-OFDM 64QAM Outer\_Full High




n25 15M DFT-s-OFDM 256QAM Outer\_Full High




n25 15M CP-OFDM QPSK Outer\_Full High




n25 20M DFT-s-OFDM BPSK Outer\_Full Low




n25 20M DFT-s-OFDM QPSK Outer\_Full Low




n25 20M DFT-s-OFDM 16QAM Outer\_Full Low




n25 20M DFT-s-OFDM 64QAM Outer\_Full Low




n25 20M DFT-s-OFDM 256QAM Outer\_Full Low




n25 20M CP-OFDM QPSK Outer\_Full Low




n25 20M DFT-s-OFDM BPSK Outer\_Full Mid




n25 20M DFT-s-OFDM QPSK Outer\_Full Mid




n25 20M DFT-s-OFDM 16QAM Outer\_Full Mid




n25 20M DFT-s-OFDM 64QAM Outer\_Full Mid




n25 20M DFT-s-OFDM 256QAM Outer\_Full Mid




n25 20M CP-OFDM QPSK Outer\_Full Mid




n25 20M DFT-s-OFDM BPSK Outer\_Full High




n25 20M DFT-s-OFDM QPSK Outer\_Full High




n25 20M DFT-s-OFDM 16QAM Outer\_Full High









n25 20M DFT-s-OFDM 64QAM Outer\_Full High










n25 20M DFT-s-OFDM 256QAM Outer\_Full High




n25 20M CP-OFDM QPSK Outer\_Full High

n26(814-824MHz) 5M DFT-s-OFDM BPSK  
Outer\_Full Lown26(814-824MHz) 5M DFT-s-OFDM QPSK  
Outer\_Full Lown26(814-824MHz) 5M DFT-s-OFDM 16QAM  
Outer\_Full Lown26(814-824MHz) 5M DFT-s-OFDM 64QAM  
Outer\_Full Lown26(814-824MHz) 5M DFT-s-OFDM 256QAM  
Outer\_Full Lown26(814-824MHz) 5M CP-OFDM QPSK  
Outer\_Full Low


n26(814-824MHz) 5M DFT-s-OFDM BPSK  
Outer\_Full Midn26(814-824MHz) 5M DFT-s-OFDM QPSK  
Outer\_Full Midn26(814-824MHz) 5M DFT-s-OFDM 16QAM  
Outer\_Full Midn26(814-824MHz) 5M DFT-s-OFDM 64QAM  
Outer\_Full Midn26(814-824MHz) 5M DFT-s-OFDM 256QAM  
Outer\_Full Midn26(814-824MHz) 5M CP-OFDM QPSK  
Outer\_Full Mid




n26(814-824MHz) 5M DFT-s-OFDM BPSK  
Outer\_Full High




n26(814-824MHz) 5M DFT-s-OFDM QPSK  
Outer\_Full High




n26(814-824MHz) 5M DFT-s-OFDM 16QAM  
Outer\_Full High









n26(814-824MHz) 5M DFT-s-OFDM 64QAM  
Outer\_Full High




n26(814-824MHz) 5M DFT-s-OFDM 256QAM  
Outer\_Full High




n26(814-824MHz) 5M CP-OFDM QPSK  
Outer\_Full High


n26(814-824MHz) 10M DFT-s-OFDM BPSK  
Outer\_Full Midn26(814-824MHz) 10M DFT-s-OFDM QPSK  
Outer\_Full Midn26(814-824MHz) 10M DFT-s-OFDM 16QAM  
Outer\_Full Midn26(814-824MHz) 10M DFT-s-OFDM 64QAM  
Outer\_Full Midn26(814-824MHz) 10M DFT-s-OFDM 256QAM  
Outer\_Full Midn26(814-824MHz) 10M CP-OFDM QPSK  
Outer\_Full Mid




n26(824-849MHz) 5M DFT-s-OFDM BPSK  
Outer\_Full Low




n26(824-849MHz) 5M DFT-s-OFDM QPSK  
Outer\_Full Low




n26(824-849MHz) 5M DFT-s-OFDM 16QAM  
Outer\_Full Low









n26(824-849MHz) 5M DFT-s-OFDM 64QAM  
Outer\_Full Low



n26(824-849MHz) 5M DFT-s-OFDM 256QAM  
Outer\_Full Low



n26(824-849MHz) 5M CP-OFDM QPSK  
Outer\_Full Low

n26(824-849MHz) 5M DFT-s-OFDM BPSK  
Outer\_Full Midn26(824-849MHz) 5M DFT-s-OFDM QPSK  
Outer\_Full Midn26(824-849MHz) 5M DFT-s-OFDM 16QAM  
Outer\_Full Midn26(824-849MHz) 5M DFT-s-OFDM 64QAM  
Outer\_Full Midn26(824-849MHz) 5M DFT-s-OFDM 256QAM  
Outer\_Full Midn26(824-849MHz) 5M CP-OFDM QPSK  
Outer\_Full Mid