

ANNEX A: Test Result

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in lie-down position (Y axis) and the loop antenna is coplanar, the others are vertical and horizontal. and the worst case was recorded.


1. Unwanted Emission

1.1. Zigbee


The following graphs display the maximum values of horizontal and vertical by software. Blue trace uses the peak detection, Green trace uses the average detection.

A symbol ($\text{dB}_{\text{dBm}}/\text{m}$) in the test plot below means ($\text{dB}_{\mu\text{V}}/\text{m}$)


The signal beyond the limit is carrier.



Zigbee Channel 11 Peak+ Average



Zigbee Channel 26 Peak



Zigbee Channel 26 Average

Result of RE

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier.
The Radiates Emission from 18GHz to 26.5GHz are more than 20dB below the limit are not reported.

Remark:

1. **Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)**
2. **Margin = Limit – Quasi-Peak/ MAX Peak/ Average**
3. **A symbol ($\text{dB}\mu\text{V/m}$) in the test plot below means ($\text{dB}\mu\text{V/m}$)**
4. **The following graphs display the maximum values of coaxial and coplanar for 9k-30MHz; horizontal and vertical for above 30MHz by software.**
5. **For below 1GHz**


 QP Level @Spectrum Overview H
  QP Level @Spectrum Overview V
  QP Level @Final Results
  QP Limit

For above 1GHz

 PK Level @Spectrum Overview H
  PK Level @Spectrum Overview V
  PK Level @Final Results
  PK Limit
 AVG Level @Spectrum Overview H
  AVG Level @Spectrum Overview V
  AVG Level @Final Results
  AVG Limit


Continuous TX mode:

During the test, the Radiates Emission from 9kHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition (**Zigbee-Channel 19**) was recorded in this report.




Radiates Emission from 9kHz to 30MHz

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Azimuth (deg)	Correct Factor (dB)
0.03	57.19	117.87	60.68	500.00	0.00	17
0.13	46.93	105.22	58.28	150.00	195.00	17
0.52	45.88	73.35	27.47	150.00	16.00	17
1.49	47.21	64.11	16.90	150.00	169.00	17
3.00	38.77	69.50	30.73	150.00	169.00	17
14.37	30.95	69.50	38.55	150.00	280.00	17



Frequency (MHz)	Quasi-Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
58.98	28.00	40.00	12.00	1000.00	100.0	V	72.00	19
168.95	32.27	43.50	11.23	1000.00	197.0	H	0.00	16
192.96	38.18	43.50	5.32	1000.00	176.0	H	0.00	18
223.15	35.76	46.00	10.24	1000.00	176.0	H	234.00	19
474.38	31.61	46.00	14.39	1000.00	198.0	H	97.00	25
664.38	37.09	46.00	8.91	1000.00	100.0	V	141.00	28


Zigbee-Channel 11



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.50	47.38	---	74.00	26.62	500.00	200.0	V	244.00	-5
1197.00	---	35.98	54.00	18.02	500.00	200.0	H	49.00	-5
1332.00	---	35.71	54.00	18.29	500.00	200.0	V	172.00	-4
1412.50	47.61	---	74.00	26.39	500.00	100.0	H	0.00	-4
1546.00	47.16	---	74.00	26.84	500.00	200.0	H	106.00	-4
1704.50	---	35.88	54.00	18.12	500.00	200.0	H	355.00	-3
2062.75	49.26	---	74.00	24.74	500.00	200.0	H	164.00	-2
2079.75	---	39.74	54.00	14.26	500.00	100.0	H	152.00	-2
2552.75	---	44.51	54.00	9.49	500.00	100.0	H	48.00	1
2564.50	55.59	---	74.00	18.41	500.00	100.0	H	58.00	1
2828.50	---	38.92	54.00	15.08	500.00	200.0	H	237.00	1
2839.00	49.57	---	74.00	24.43	500.00	200.0	H	0.00	1



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3322.50	42.24	---	74.00	31.76	500.00	200.0	V	134.00	-7
3331.88	---	29.72	54.00	24.28	500.00	100.0	V	249.00	-7
3982.50	---	30.66	54.00	23.34	500.00	200.0	V	8.00	-4
3997.50	41.86	---	74.00	32.14	500.00	200.0	V	8.00	-5
5861.25	44.28	---	74.00	29.72	500.00	200.0	V	39.00	-1
6039.38	41.48	---	74.00	32.52	500.00	100.0	H	22.00	-1
7215.00	---	37.14	54.00	16.86	500.00	100.0	H	347.00	1
9294.38	49.38	---	74.00	24.62	500.00	200.0	H	306.00	6
9298.13	---	38.49	54.00	15.51	500.00	200.0	V	0.00	6
10745.63	---	40.19	54.00	13.81	500.00	200.0	H	187.00	7
11341.88	51.32	---	74.00	22.68	500.00	200.0	H	334.00	7
15056.25	---	41.21	54.00	12.79	500.00	100.0	H	38.00	8
15200.63	51.17	---	74.00	22.83	500.00	200.0	H	346.00	7


Zigbee-Channel 19



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1176.75	46.55	---	74.00	27.45	500.00	100.0	H	312.00	-5
1179.75	---	34.71	54.00	19.29	500.00	200.0	V	26.00	-5
1332.00	47.78	---	74.00	26.22	500.00	200.0	V	171.00	-4
1399.00	---	35.93	54.00	18.07	500.00	100.0	H	2.00	-4
1494.50	48.28	---	74.00	25.72	500.00	200.0	H	349.00	-4
1553.00	---	35.74	54.00	18.26	500.00	200.0	H	346.00	-4
1720.50	---	35.46	54.00	18.54	500.00	200.0	H	353.00	-3
1752.00	46.27	---	74.00	27.73	500.00	200.0	H	204.00	-3
1997.00	49.76	---	74.00	24.24	500.00	100.0	H	0.00	-2
2080.00	---	39.12	54.00	14.88	500.00	100.0	H	0.00	-2
2546.25	54.97	---	74.00	19.03	500.00	100.0	H	57.00	1
2567.75	---	44.58	54.00	9.42	500.00	100.0	H	47.00	1



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3984.38	42.54	---	74.00	31.46	500.00	200.0	V	0.00	-4
3984.38	---	30.64	54.00	23.36	500.00	200.0	V	0.00	-4
4888.13	56.42	---	74.00	17.58	500.00	200.0	H	14.00	-3
4890.00	---	49.64	54.00	4.36	500.00	100.0	H	14.00	-3
7177.50	49.65	---	74.00	24.35	500.00	100.0	V	326.00	1
7335.00	---	39.03	54.00	14.97	500.00	100.0	H	354.00	2
9301.88	49.61	---	74.00	24.39	500.00	200.0	H	176.00	6
9900.00	---	38.32	54.00	15.68	500.00	100.0	H	26.00	5
13333.13	51.65	---	74.00	22.35	500.00	100.0	H	19.00	8
13338.75	---	40.28	54.00	13.72	500.00	100.0	H	34.00	8
16381.88	48.95	---	74.00	25.05	500.00	100.0	H	7.00	5
16451.25	---	37.94	54.00	16.06	500.00	100.0	V	0.00	6


Zigbee-Channel 26



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1147.75	46.08	---	74.00	27.92	500.00	200.0	V	20.00	-6
1162.50	---	35.24	54.00	18.76	500.00	200.0	V	0.00	-6
1331.00	---	35.47	54.00	18.53	500.00	200.0	H	132.00	-4
1331.75	47.08	---	74.00	26.92	500.00	200.0	H	132.00	-4
1472.75	---	35.75	54.00	18.25	500.00	100.0	H	4.00	-4
1592.50	47.29	---	74.00	26.71	500.00	100.0	H	0.00	-4
2014.50	49.08	---	74.00	24.92	500.00	100.0	H	136.00	-2
2080.00	---	38.32	54.00	15.68	500.00	200.0	H	160.00	-2
2506.25	55.68	---	74.00	18.32	500.00	100.0	H	44.00	0
2528.25	---	45.99	54.00	8.01	500.00	100.0	H	55.00	0
2846.25	50.78	---	74.00	23.22	500.00	200.0	H	345.00	1
2847.75	---	38.84	54.00	15.16	500.00	100.0	H	121.00	1




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3980.63	---	30.68	54.00	23.32	500.00	100.0	V	6.00	-4
3984.38	42.23	---	74.00	31.77	500.00	100.0	V	307.00	-4
4959.38	---	47.92	54.00	6.08	500.00	100.0	H	8.00	-3
4959.38	54.50	---	74.00	19.50	500.00	200.0	H	13.00	-3
7269.38	---	36.54	54.00	17.46	500.00	100.0	V	342.00	2
7301.25	47.91	---	74.00	26.09	500.00	200.0	V	14.00	2
7440.00	---	39.26	54.00	14.74	500.00	100.0	H	354.00	2
8683.13	49.47	---	74.00	24.53	500.00	200.0	V	109.00	5
11139.38	51.99	---	74.00	22.01	500.00	200.0	V	42.00	7
13299.38	---	40.59	54.00	13.41	500.00	200.0	H	23.00	8
15331.88	50.99	---	74.00	23.01	500.00	200.0	V	7.00	7
15727.50	---	39.91	54.00	14.09	500.00	100.0	V	307.00	6

2. Conducted Emission

2.1. Zigbee


During the test, the Conducted Emission was performed in all modes with all channel. The test data of the worst-case condition (**Zigbee-Channel 19**) was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.170	46.51	64.95	18.44	27.60	54.95	27.35	20.89	L1	9.000	1.000
0.305	30.63	60.10	29.47	19.26	50.10	30.84	20.94	L1	9.000	1.000
1.052	24.95	56.00	31.05	18.32	46.00	27.68	20.12	L1	9.000	1.000
3.336	21.29	56.00	34.71	15.08	46.00	30.92	19.46	L1	9.000	1.000
7.098	19.48	60.00	40.52	14.37	50.00	35.63	19.41	L1	9.000	1.000
20.519	33.48	60.00	26.52	25.32	50.00	24.68	19.68	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.161	46.28	65.40	19.12	27.47	55.40	27.93	20.90	N	9.000	1.000
0.366	27.23	58.59	31.36	18.91	48.59	29.68	20.92	N	9.000	1.000
1.295	24.04	56.00	31.96	18.88	46.00	27.12	19.97	N	9.000	1.000
3.138	21.09	56.00	34.91	15.40	46.00	30.60	19.48	N	9.000	1.000
13.495	28.72	60.00	31.28	22.80	50.00	27.20	19.49	N	9.000	1.000
20.562	33.64	60.00	26.36	25.50	50.00	24.50	19.73	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz