








Test Graphs






















Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B	Ant1	2412	30~1000	4.43	-56.21	≤-15.57	PASS
			1000~26500	4.43	-51.2	≤-15.57	PASS
		2437	30~1000	4.94	-56.39	≤-15.06	PASS
			1000~26500	4.94	-51.65	≤-15.06	PASS
		2462	30~1000	4.31	-56.28	≤-15.69	PASS
			1000~26500	4.31	-50.91	≤-15.69	PASS
11G	Ant1	2412	30~1000	-0.70	-56.63	≤-20.7	PASS
			1000~26500	-0.70	-51.37	≤-20.7	PASS
		2437	30~1000	3.34	-56.37	≤-16.66	PASS
			1000~26500	3.34	-50.87	≤-16.66	PASS
		2457	30~1000	4.22	-55.42	≤-15.78	PASS
			1000~26500	4.22	-50.54	≤-15.78	PASS
		2462	30~1000	-2.59	-56.43	≤-22.59	PASS
			1000~26500	-2.59	-50.44	≤-22.59	PASS
11N20SISO	Ant1	2412	30~1000	-1.35	-56.58	≤-21.35	PASS
			1000~26500	-1.35	-50.56	≤-21.35	PASS
		2417	30~1000	4.68	-55.99	≤-15.32	PASS
			1000~26500	4.68	-46.18	≤-15.32	PASS
		2437	30~1000	3.11	-55.79	≤-16.89	PASS
			1000~26500	3.11	-51.55	≤-16.89	PASS
		2457	30~1000	3.73	-55.89	≤-16.27	PASS
			1000~26500	3.73	-47.75	≤-16.27	PASS
11N40SISO	Ant1	2422	30~1000	-5.06	-55.78	≤-25.06	PASS
			1000~26500	-5.06	-51.38	≤-25.06	PASS
		2437	30~1000	-4.67	-56.58	≤-24.67	PASS
			1000~26500	-4.67	-50.64	≤-24.67	PASS
		2442	30~1000	-3.18	-56.26	≤-23.18	PASS
			1000~26500	-3.18	-50.94	≤-23.18	PASS
		2447	30~1000	-5.10	-56.17	≤-25.1	PASS
			1000~26500	-5.10	-51.11	≤-25.1	PASS
11AX20SISO	Ant1	2412	30~1000	2.17	-56.77	≤-17.83	PASS
			1000~26500	2.17	-50.48	≤-17.83	PASS
		2437	30~1000	4.94	-56.16	≤-15.06	PASS
			1000~26500	4.94	-56.16	≤-15.06	PASS





		2457	1000~26500	4.94	-45.42	≤ -15.06	PASS
			30~1000	3.65	-56.25	≤ -16.35	PASS
			1000~26500	3.65	-50.1	≤ -16.35	PASS
		2462	30~1000	-0.93	-56.65	≤ -20.93	PASS
			1000~26500	-0.93	-51.58	≤ -20.93	PASS





Test Graphs






























































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.184	50.70	-13.58	64.28	40.20	0.09	10.41	QP
2	0.184	38.00	-16.28	54.28	27.50	0.09	10.41	Average
3	0.276	45.34	-15.60	60.94	34.90	0.09	10.35	QP
4	0.276	27.34	-23.60	50.94	16.90	0.09	10.35	Average
5	0.305	43.01	-17.09	60.10	32.60	0.08	10.33	QP
6	0.305	29.01	-21.09	50.10	18.60	0.08	10.33	Average
7 *	0.546	44.28	-11.72	56.00	34.20	-0.12	10.20	QP
8	0.546	25.38	-20.62	46.00	15.30	-0.12	10.20	Average
9	2.707	38.50	-17.50	56.00	28.61	-0.18	10.07	QP
10	2.707	22.20	-23.80	46.00	12.31	-0.18	10.07	Average
11	3.328	40.10	-15.90	56.00	30.20	-0.17	10.07	QP
12	3.328	22.20	-23.80	46.00	12.30	-0.17	10.07	Average
13	16.140	37.69	-22.41	60.00	26.60	-0.25	11.24	QP
14	16.140	29.29	-20.71	50.00	18.30	-0.25	11.24	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.188	54.04	-10.07	64.11	43.50	0.13	10.41	QP
2	0.188	38.14	-15.97	54.11	27.60	0.13	10.41	Average
3	0.199	51.44	-12.23	63.67	40.90	0.13	10.41	QP
4	0.199	33.74	-19.93	53.67	23.20	0.13	10.41	Average
5	0.361	47.07	-11.62	58.69	36.90	-0.13	10.30	QP
6	0.361	29.07	-19.62	48.69	18.90	-0.13	10.30	Average
7 *	0.486	49.38	-6.85	56.23	39.30	-0.15	10.23	QP
8	0.486	30.38	-15.85	46.23	20.30	-0.15	10.23	Average
9	0.624	44.61	-11.39	56.00	34.60	-0.16	10.17	QP
10	0.624	26.91	-19.09	46.00	16.90	-0.16	10.17	Average
11	2.839	40.16	-15.84	56.00	30.30	-0.21	10.07	QP
12	2.839	23.46	-22.54	46.00	13.60	-0.21	10.07	Average
13	16.573	33.62	-26.38	60.00	22.60	-0.24	11.26	QP
14	16.573	27.32	-22.68	50.00	16.30	-0.24	11.26	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	21.2~22.5°C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	802.11ax HE20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	802.11ax HE20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	802.11ax HE20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	802.11n HT40	03	2422	MCS0	-	-
Mode 11	2400-2483.5	802.11n HT40	06	2437	MCS0	-	-
Mode 12	2400-2483.5	802.11n HT40	09	2452	MCS0	-	-
Mode 13	2400-2483.5	802.11n HT20	01	2412	MCS0	-	-
Mode 14	2400-2483.5	802.11n HT20	06	2437	MCS0	-	-
Mode 15	2400-2483.5	802.11n HT20	11	2462	MCS0	-	-
Mode 16	2400-2483.5	802.11g	10	2457	6Mbps	-	-
Mode 17	2400-2483.5	802.11n HT20	02	2417	MCS0	-	-
Mode 18	2400-2483.5	802.11n HT20	10	2457	MCS0	-	-
Mode 19	2400-2483.5	802.11n HT40	08	2447	MCS0	-	-
Mode 20	2400-2483.5	802.11n HT40	07	2442	MCS0	-	-
Mode 21	2400-2483.5	802.11ax HE20	10	2457	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2386.31	48.07	54.00	-5.93	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	48.63	54.00	-5.37	H	AVERAGE	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	49.34	54.00	-4.66	H	AVERAGE	Pass	Harmonic
3	802.11b	11	2499.94	49.25	54.00	-4.75	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	50.34	54.00	-3.66	H	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	52.57	54.00	-1.43	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	42.55	74.00	-31.45	H	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	45.76	74.00	-28.24	H	PEAK	Pass	Harmonic
6	802.11g	11	2483.50	52.22	54.00	-1.78	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	44.29	74.00	-29.71	H	PEAK	Pass	Harmonic
7	802.11ax HE20	01	2389.95	52.94	54.00	-1.06	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	4824.00	40.01	74.00	-33.99	V	PEAK	Pass	Harmonic
8	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	06	4874.00	41.57	74.00	-32.43	V	PEAK	Pass	Harmonic
9	802.11ax HE20	11	2483.50	52.94	54.00	-1.06	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	4924.00	39.65	74.00	-34.35	H	PEAK	Pass	Harmonic
10	802.11n HT40	03	2389.95	52.76	54.00	-1.24	H	AVERAGE	Pass	Band Edge
10	802.11n HT40	03	7266.00	44.67	74.00	-29.33	V	PEAK	Pass	Harmonic
11	802.11n HT40	06	2483.50	52.61	54.00	-1.39	H	AVERAGE	Pass	Band Edge
11	802.11n HT40	06	7311.00	45.04	74.00	-28.96	H	PEAK	Pass	Harmonic
12	802.11n HT40	09	2483.50	52.13	54.00	-1.87	H	AVERAGE	Pass	Band Edge
12	802.11n HT40	09	7356.00	44.78	74.00	-29.22	V	PEAK	Pass	Harmonic
13	802.11n HT20	01	2389.95	52.62	54.00	-1.38	H	AVERAGE	Pass	Band Edge
13	802.11n HT20	01	4824.00	42.98	74.00	-31.02	H	PEAK	Pass	Harmonic
14	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	06	7311.00	45.00	74.00	-29.00	H	PEAK	Pass	Harmonic
15	802.11n HT20	11	2483.50	52.20	54.00	-1.80	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	11	7386.00	44.47	74.00	-29.53	H	PEAK	Pass	Harmonic
16	802.11g	10	2483.68	52.19	54.00	-1.81	H	AVERAGE	Pass	Band Edge
16	802.11g	10	4914.00	42.65	74.00	-31.35	H	PEAK	Pass	Harmonic
17	802.11n HT20	02	2389.30	73.51	74.00	-0.49	H	PEAK	Pass	Band Edge
17	802.11n HT20	02	4834.00	40.31	54.00	-13.69	H	AVERAGE	Pass	Harmonic
18	802.11n HT20	10	2483.56	52.63	54.00	-1.37	H	AVERAGE	Pass	Band Edge
18	802.11n HT20	10	4914.00	43.40	74.00	-30.60	H	PEAK	Pass	Harmonic
19	802.11n HT40	08	2484.37	52.47	54.00	-1.53	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	08	4894.00	41.70	74.00	-32.30	V	PEAK	Pass	Harmonic
20	802.11n HT40	07	2483.53	52.30	54.00	-1.70	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	07	4884.00	41.46	74.00	-32.54	V	PEAK	Pass	Harmonic
21	802.11ax HE20	10	2483.50	52.01	54.00	-1.99	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	10	4914.00	42.22	74.00	-31.78	H	PEAK	Pass	Harmonic



Mode	1																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.57</td><td>58.56</td><td>74.00</td><td>-15.44</td><td>43.08</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>300</td><td>150</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	58.56	74.00	-15.44	43.08	32.12	8.05	30.69	6.00	300	150	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>116.99</td><td>-----</td><td>-----</td><td>101.36</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>300</td><td>150</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	116.99	-----	-----	101.36	32.22	8.09	30.68	6.00	300	150
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.57	58.56	74.00	-15.44	43.08	32.12	8.05	30.69	6.00	300	150	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	116.99	-----	-----	101.36	32.22	8.09	30.68	6.00	300	150	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.31</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>32.59</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>300</td><td>150</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	48.07	54.00	-5.93	32.59	32.12	8.05	30.69	6.00	300	150	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.24</td><td>-----</td><td>-----</td><td>92.61</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>300</td><td>150</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.24	-----	-----	92.61	32.22	8.09	30.68	6.00	300	150
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.31	48.07	54.00	-5.93	32.59	32.12	8.05	30.69	6.00	300	150	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	108.24	-----	-----	92.61	32.22	8.09	30.68	6.00	300	150	AVERAGE																																																																																																			





Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.93</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>40.93</td><td>32.10</td><td>8.04</td><td>30.69</td><td>6.00</td><td>324</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.93	56.38	74.00	-17.62	40.93	32.10	8.04	30.69	6.00	324	267	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.13</td><td>-----</td><td>-----</td><td>95.50</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>324</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.13	-----	-----	95.50	32.22	8.09	30.68	6.00	324	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2382.93	56.38	74.00	-17.62	40.93	32.10	8.04	30.69	6.00	324	267	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	111.13	-----	-----	95.50	32.22	8.09	30.68	6.00	324	267	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>30.35</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>324</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	45.83	54.00	-8.17	30.35	32.12	8.05	30.69	6.00	324	267	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.32</td><td>-----</td><td>-----</td><td>86.69</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>324</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.32	-----	-----	86.69	32.22	8.09	30.68	6.00	324	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.22	45.83	54.00	-8.17	30.35	32.12	8.05	30.69	6.00	324	267	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	102.32	-----	-----	86.69	32.22	8.09	30.68	6.00	324	267	AVERAGE																																																																																							



Mode	1																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																			
Pol.	Horizontal																																																																			
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>68.29</td><td>34.15</td><td>11.58</td><td>61.27</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>64.17</td><td>34.15</td><td>11.58</td><td>61.27</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	52.75	74.00	-21.25	68.29	34.15	11.58	61.27	0.00	100	121	PEAK	2	4824.00	48.63	54.00	-5.37	64.17	34.15	11.58	61.27	0.00	100	121	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4824.00	52.75	74.00	-21.25	68.29	34.15	11.58	61.27	0.00	100	121	PEAK																																																								
2	4824.00	48.63	54.00	-5.37	64.17	34.15	11.58	61.27	0.00	100	121	AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.22</td><td>74.00</td><td>-31.78</td><td>57.76</td><td>34.15</td><td>11.58</td><td>61.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.22	74.00	-31.78	57.76	34.15	11.58	61.27	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4824.00	42.22	74.00	-31.78	57.76	34.15	11.58	61.27	0.00	--	--	PEAK																																																								



Mode	2																																																																																																																																																											
	Harmonic																																																																																																																																																											
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																											
Pol.	Horizontal										Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>54.55</td><td>74.00</td><td>-19.45</td><td>69.95</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>100</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>64.74</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>100</td><td>65</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>55.03</td><td>35.78</td><td>14.48</td><td>60.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	54.55	74.00	-19.45	69.95	34.15	11.68	61.23	0.00	100	65	PEAK	2	4874.00	49.34	54.00	-4.66	64.74	34.15	11.68	61.23	0.00	100	65	AVERAGE	3	7311.00	44.56	74.00	-29.44	55.03	35.78	14.48	60.73	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>67.51</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>367</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>62.64</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>367</td><td>173</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>55.44</td><td>35.78</td><td>14.48</td><td>60.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	52.11	74.00	-21.89	67.51	34.15	11.68	61.23	0.00	367	173	PEAK	2	4874.00	47.24	54.00	-6.76	62.64	34.15	11.68	61.23	0.00	367	173	AVERAGE	3	7311.00	44.97	74.00	-29.03	55.44	35.78	14.48	60.73	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4874.00	54.55	74.00	-19.45	69.95	34.15	11.68	61.23	0.00	100	65	PEAK																																																																																																																																																
2	4874.00	49.34	54.00	-4.66	64.74	34.15	11.68	61.23	0.00	100	65	AVERAGE																																																																																																																																																
3	7311.00	44.56	74.00	-29.44	55.03	35.78	14.48	60.73	0.00	--	--	PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4874.00	52.11	74.00	-21.89	67.51	34.15	11.68	61.23	0.00	367	173	PEAK																																																																																																																																																
2	4874.00	47.24	54.00	-6.76	62.64	34.15	11.68	61.23	0.00	367	173	AVERAGE																																																																																																																																																
3	7311.00	44.97	74.00	-29.03	55.44	35.78	14.48	60.73	0.00	--	--	PEAK																																																																																																																																																



3

Mode

Band Edge


2400-2483.5_802.11b_CH11_2462MHz

Pol.


Horizontal

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2499.40	60.05	74.00	-13.95	44.04	32.40	8.26	30.65
							6.00	137
								0 PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	114.85	-----	-----	99.00	32.32	8.19	30.66
							6.00	137
								0 PEAK

Avg



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2499.94	49.25	54.00	-4.75	33.24	32.40	8.26	30.65
							6.00	137
								0 AVERAGE



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	106.17	-----	-----	90.32	32.32	8.19	30.66
							6.00	137
								0 AVERAGE



3

Mode

Band Edge


2400-2483.5_802.11b_CH11_2462MHz

Pol.


Vertical

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2484.64	57.73	74.00	-16.27	41.77	32.37	8.24	30.65
							6.00	363
								269
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	111.25	-----	-----	95.40	32.32	8.19	30.66
							6.00	363
								269
								PEAK

Avg





Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2489.02	45.92	54.00	-8.08	29.95	32.38	8.24	30.65
							6.00	363
								269
								AVERAGE



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	102.60	-----	-----	86.75	32.32	8.19	30.66
							6.00	363
								269
								AVERAGE



Mode	3																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>70.07</td><td>34.00</td><td>11.78</td><td>61.19</td><td>0.00</td><td>100</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>65.75</td><td>34.00</td><td>11.78</td><td>61.19</td><td>0.00</td><td>100</td><td>65</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>54.76</td><td>35.77</td><td>14.58</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	54.66	74.00	-19.34	70.07	34.00	11.78	61.19	0.00	100	65	PEAK	2	4924.00	50.34	54.00	-3.66	65.75	34.00	11.78	61.19	0.00	100	65	AVERAGE	3	7386.00	44.22	74.00	-29.78	54.76	35.77	14.58	60.89	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>68.87</td><td>34.00</td><td>11.78</td><td>61.19</td><td>0.00</td><td>379</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>64.27</td><td>34.00</td><td>11.78</td><td>61.19</td><td>0.00</td><td>379</td><td>175</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>54.19</td><td>35.77</td><td>14.58</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	53.46	74.00	-20.54	68.87	34.00	11.78	61.19	0.00	379	175	PEAK	2	4924.00	48.86	54.00	-5.14	64.27	34.00	11.78	61.19	0.00	379	175	AVERAGE	3	7386.00	43.65	74.00	-30.35	54.19	35.77	14.58	60.89	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4924.00	54.66	74.00	-19.34	70.07	34.00	11.78	61.19	0.00	100	65	PEAK																																																																																																																																		
2	4924.00	50.34	54.00	-3.66	65.75	34.00	11.78	61.19	0.00	100	65	AVERAGE																																																																																																																																		
3	7386.00	44.22	74.00	-29.78	54.76	35.77	14.58	60.89	0.00	--	--	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4924.00	53.46	74.00	-20.54	68.87	34.00	11.78	61.19	0.00	379	175	PEAK																																																																																																																																		
2	4924.00	48.86	54.00	-5.14	64.27	34.00	11.78	61.19	0.00	379	175	AVERAGE																																																																																																																																		
3	7386.00	43.65	74.00	-30.35	54.19	35.77	14.58	60.89	0.00	--	--	PEAK																																																																																																																																		



4

Mode

Band Edge


2400-2483.5_802.11g_CH01_2412MHz

Pol.


Horizontal

Fundamental

Peak




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2389.95	69.79	74.00	-4.21	54.29	32.14	8.05	30.69	6.00	142 325 PEAK




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2412.00	110.99	-----	-----	95.36	32.22	8.09	30.68	6.00	142 325 PEAK

Avg



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2389.95	52.57	54.00	-1.43	37.07	32.14	8.05	30.69	6.00	142 325 AVERAGE



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2412.00	101.77	-----	-----	86.12	32.23	8.10	30.68	6.00	142 325 AVERAGE



4

Mode

Band Edge


2400-2483.5_802.11g_CH01_2412MHz

Pol.


Vertical

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	2389.43	68.71	74.00	-5.29	53.21	32.14	8.05	30.69
								6.00
								327
								273
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	2412.00	109.48	-----	-----	93.83	32.23	8.10	30.68
								6.00
								327
								273
								PEAK

Avg





Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	2389.95	51.79	54.00	-2.21	36.29	32.14	8.05	30.69
								6.00
								327
								273
								AVERAGE




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1	2412.00	100.01	-----	-----	84.33	32.24	8.11	30.67
								6.00
								327
								273
								AVERAGE



Mode	4																																																					
	Harmonic																																																					
	2400-2483.5_802.11g_CH01_2412MHz																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>58.09</td><td>34.15</td><td>11.58</td><td>61.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.55	74.00	-31.45	58.09	34.15	11.58	61.27	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	4824.00	42.55	74.00	-31.45	58.09	34.15	11.58	61.27	0.00	--	PEAK																																											
	Vertical																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.84</td><td>74.00</td><td>-32.16</td><td>57.38</td><td>34.15</td><td>11.58</td><td>61.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	41.84	74.00	-32.16	57.38	34.15	11.58	61.27	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	4824.00	41.84	74.00	-32.16	57.38	34.15	11.58	61.27	0.00	--	PEAK																																											



Mode	5																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>57.94</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>56.23</td><td>35.78</td><td>14.48</td><td>60.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.54	74.00	-31.46	57.94	34.15	11.68	61.23	0.00	--	PEAK	2	7311.00	45.76	74.00	-28.24	56.23	35.78	14.48	60.73	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4874.00	42.54	74.00	-31.46	57.94	34.15	11.68	61.23	0.00	--	PEAK																																																							
2	7311.00	45.76	74.00	-28.24	56.23	35.78	14.48	60.73	0.00	--	PEAK																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>59.60</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>55.06</td><td>35.78</td><td>14.48</td><td>60.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.20	74.00	-29.80	59.60	34.15	11.68	61.23	0.00	--	PEAK	2	7311.00	44.59	74.00	-29.41	55.06	35.78	14.48	60.73	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4874.00	44.20	74.00	-29.80	59.60	34.15	11.68	61.23	0.00	--	PEAK																																																							
2	7311.00	44.59	74.00	-29.41	55.06	35.78	14.48	60.73	0.00	--	PEAK																																																							



6

Mode

Band Edge


2400-2483.5_802.11g_CH11_2462MHz

Pol.


Horizontal

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2483.68	68.36	74.00	-5.64	52.41	32.37	8.23	30.65
							6.00	131
								328
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	107.16	-----	-----	91.31	32.32	8.19	30.66
							6.00	131
								328
								PEAK

Avg



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2483.50	52.22	54.00	-1.78	36.27	32.37	8.23	30.65
							6.00	131
								328
								AVERAGE



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	97.85	-----	-----	82.00	32.32	8.19	30.66
							6.00	131
								328
								AVERAGE



6

Mode

Band Edge


2400-2483.5_802.11g_CH11_2462MHz

Pol.


Vertical

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 2462.04	66.11	74.00	-7.89	50.16	32.37	8.23	30.65	6.00
								363
								277 PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 2462.00	106.36	-----	-----	90.51	32.32	8.19	30.66	6.00
								363
								277 PEAK

Avg





Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 2462.50	50.49	54.00	-3.51	34.54	32.37	8.23	30.65	6.00
								363
								277 AVERAGE



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 2462.00	97.00	-----	-----	81.24	32.32	8.18	30.66	6.00
								363
								277 AVERAGE



Mode	6																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>58.17</td><td>34.00</td><td>11.78</td><td>61.19</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>54.83</td><td>35.77</td><td>14.58</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.76	74.00	-31.24	58.17	34.00	11.78	61.19	0.00	--	PEAK	2	7386.00	44.29	74.00	-29.71	54.83	35.77	14.58	60.89	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4924.00	42.76	74.00	-31.24	58.17	34.00	11.78	61.19	0.00	--	PEAK																																																							
2	7386.00	44.29	74.00	-29.71	54.83	35.77	14.58	60.89	0.00	--	PEAK																																																							



7

Mode

Band Edge



2400-2483.5_802.11ax HE20_CH01_2412MHz

Pol.



Horizontal

Fundamental

Peak



Avg





7

Mode

Band Edge


2400-2483.5_802.11ax HE20_CH01_2412MHz

Pol.


Vertical

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1 2389.95	64.36	74.00	-9.64	48.86	32.14	8.05	30.69	6.00
								293
								264
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1 2412.00	109.19	-----	-----	93.51	32.24	8.11	30.67	6.00
								293
								264
								PEAK

Avg





Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1 2389.95	48.13	54.00	-5.87	32.63	32.14	8.05	30.69	6.00
								293
								264
								AVERAGE





Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1 2412.00	96.34	-----	-----	80.66	32.24	8.11	30.67	6.00
								293
								264
								AVERAGE



Mode	7																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>59.98</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	4824.00	39.77	74.00	-34.23	59.98	34.15	11.58	65.94	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>60.22</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	4824.00	40.01	74.00	-33.99	60.22	34.15	11.58	65.94	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	39.77	74.00	-34.23	59.98	34.15	11.58	65.94	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	40.01	74.00	-33.99	60.22	34.15	11.58	65.94	0.00	--	PEAK																																																																																						



Mode	8																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>61.51</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.47	74.00	-32.53	61.51	34.15	11.68	65.87	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.57</td><td>74.00</td><td>-32.43</td><td>61.61</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.57	74.00	-32.43	61.61	34.15	11.68	65.87	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4874.00	41.47	74.00	-32.53	61.51	34.15	11.68	65.87	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4874.00	41.57	74.00	-32.43	61.61	34.15	11.68	65.87	0.00	--	PEAK																																																																																						



9

Mode

Band Edge


2400-2483.5_802.11ax HE20_CH11_2462MHz

Pol.


Horizontal

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2483.56	72.61	74.00	-1.39	56.66	32.37	8.23	30.65
							6.00	200
								154
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	108.00	-----	-----	92.14	32.33	8.19	30.66
							6.00	200
								154
								PEAK

Avg



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2483.50	52.94	54.00	-1.06	36.99	32.37	8.23	30.65
							6.00	200
								154
								AVERAGE



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	97.61	-----	-----	81.75	32.33	8.19	30.66
							6.00	200
								154
								AVERAGE



9

Mode

Band Edge


2400-2483.5_802.11ax HE20_CH11_2462MHz

Pol.


Vertical

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2483.00	65.05	74.00	-8.95	49.10	32.37	8.23	30.65
							6.00	352
								245
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	105.79	-----	-----	89.95	32.32	8.18	30.66
							6.00	352
								245
								PEAK

Avg



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2483.50	47.43	54.00	-6.57	31.48	32.37	8.23	30.65
							6.00	352
								245
								AVERAGE







Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	2462.00	92.90	-----	-----	77.06	32.32	8.18	30.66
							6.00	352
								245
								AVERAGE



		9																																																						
Mode		Harmonic																																																						
		2400-2483.5_802.11ax HE20_CH11_2462MHz																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>39.65</td><td>74.00</td><td>-34.35</td><td>59.67</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	39.65	74.00	-34.35	59.67	34.00	11.78	65.80	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	4924.00	39.65	74.00	-34.35	59.67	34.00	11.78	65.80	0.00	--	--	PEAK																																												
		Vertical																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>59.19</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	39.17	74.00	-34.83	59.19	34.00	11.78	65.80	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	4924.00	39.17	74.00	-34.83	59.19	34.00	11.78	65.80	0.00	--	--	PEAK																																												







Mode	10																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>69.60</td><td>74.00</td><td>-4.40</td><td>54.12</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>376</td><td>168</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	69.60	74.00	-4.40	54.12	32.12	8.05	30.69	6.00	376	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2386.31	69.60	74.00	-4.40	54.12	32.12	8.05	30.69	6.00	376	168	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>106.71</td><td>-----</td><td>-----</td><td>90.97</td><td>32.27</td><td>8.14</td><td>30.67</td><td>6.00</td><td>376</td><td>168</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	106.71	-----	-----	90.97	32.27	8.14	30.67	6.00	376	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2422.00	106.71	-----	-----	90.97	32.27	8.14	30.67	6.00	376	168	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.76</td><td>54.00</td><td>-1.24</td><td>37.26</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>376</td><td>168</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.76	54.00	-1.24	37.26	32.14	8.05	30.69	6.00	376	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	52.76	54.00	-1.24	37.26	32.14	8.05	30.69	6.00	376	168	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>97.38</td><td>-----</td><td>-----</td><td>81.64</td><td>32.27</td><td>8.14</td><td>30.67</td><td>6.00</td><td>376</td><td>168</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	97.38	-----	-----	81.64	32.27	8.14	30.67	6.00	376	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2422.00	97.38	-----	-----	81.64	32.27	8.14	30.67	6.00	376	168	AVERAGE																																											





Mode	10																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																					
Pol.	Horizontal					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>59.51</td><td>74.00</td><td>-14.49</td><td>43.56</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>376</td><td>168</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	59.51	74.00	-14.49	43.56	32.37	8.23	30.65	6.00	376	168	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.80	59.51	74.00	-14.49	43.56	32.37	8.23	30.65	6.00	376	168	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.24</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>29.91</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>376</td><td>168</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.24	45.87	54.00	-8.13	29.91	32.37	8.24	30.65	6.00	376	168	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.24	45.87	54.00	-8.13	29.91	32.37	8.24	30.65	6.00	376	168	AVERAGE																																										





Mode	10																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.18</td><td>69.89</td><td>74.00</td><td>-4.11</td><td>54.41</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>328</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.18	69.89	74.00	-4.11	54.41	32.12	8.05	30.69	6.00	328	271	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>102.72</td><td>-----</td><td>-----</td><td>87.07</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>328</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	102.72	-----	-----	87.07	32.23	8.10	30.68	6.00	328	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.18	69.89	74.00	-4.11	54.41	32.12	8.05	30.69	6.00	328	271	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	102.72	-----	-----	87.07	32.23	8.10	30.68	6.00	328	271	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.65</td><td>54.00</td><td>-1.35</td><td>37.15</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>328</td><td>271</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.65	54.00	-1.35	37.15	32.14	8.05	30.69	6.00	328	271	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>93.10</td><td>-----</td><td>-----</td><td>77.42</td><td>32.24</td><td>8.11</td><td>30.67</td><td>6.00</td><td>328</td><td>271</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.10	-----	-----	77.42	32.24	8.11	30.67	6.00	328	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	52.65	54.00	-1.35	37.15	32.14	8.05	30.69	6.00	328	271	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	93.10	-----	-----	77.42	32.24	8.11	30.67	6.00	328	271	AVERAGE																																																																																							



Mode	10																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																					
Pol.	Vertical					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.60</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>42.55</td><td>32.38</td><td>8.24</td><td>30.65</td><td>6.00</td><td>328</td><td>271</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.60	58.52	74.00	-15.48	42.55	32.38	8.24	30.65	6.00	328	271	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2488.60	58.52	74.00	-15.48	42.55	32.38	8.24	30.65	6.00	328	271	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>28.89</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>328</td><td>271</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	44.85	54.00	-9.15	28.89	32.37	8.24	30.65	6.00	328	271	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.00	44.85	54.00	-9.15	28.89	32.37	8.24	30.65	6.00	328	271	AVERAGE																																										





Mode	10																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																																																															
Pol.	Horizontal											Vertical																																																																																																																																				
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>57.57</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>55.03</td><td>35.66</td><td>14.42</td><td>60.63</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	42.13	74.00	-31.87	57.57	34.19	11.62	61.25	0.00	--	-- PEAK	2	7266.00	44.48	74.00	-29.52	55.03	35.66	14.42	60.63	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>42.82</td><td>74.00</td><td>-31.18</td><td>58.26</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>55.22</td><td>35.66</td><td>14.42</td><td>60.63</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	42.82	74.00	-31.18	58.26	34.19	11.62	61.25	0.00	--	-- PEAK	2	7266.00	44.67	74.00	-29.33	55.22	35.66	14.42	60.63	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	4844.00	42.13	74.00	-31.87	57.57	34.19	11.62	61.25	0.00	--	-- PEAK																																																																																																																																					
2	7266.00	44.48	74.00	-29.52	55.03	35.66	14.42	60.63	0.00	--	-- PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	4844.00	42.82	74.00	-31.18	58.26	34.19	11.62	61.25	0.00	--	-- PEAK																																																																																																																																					
2	7266.00	44.67	74.00	-29.33	55.22	35.66	14.42	60.63	0.00	--	-- PEAK																																																																																																																																					







Mode	11																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.17</td><td>64.07</td><td>74.00</td><td>-9.93</td><td>48.57</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>100</td><td>167 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.17	64.07	74.00	-9.93	48.57	32.14	8.05	30.69	6.00	100	167 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2437.00</td><td>106.17</td><td>-----</td><td>-----</td><td>90.41</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>100</td><td>167 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2437.00	106.17	-----	-----	90.41	32.28	8.15	30.67	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2389.17	64.07	74.00	-9.93	48.57	32.14	8.05	30.69	6.00	100	167 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2437.00	106.17	-----	-----	90.41	32.28	8.15	30.67	6.00	100	167 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.43</td><td>48.32</td><td>54.00</td><td>-5.68</td><td>32.82</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>100</td><td>167 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.43	48.32	54.00	-5.68	32.82	32.14	8.05	30.69	6.00	100	167 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2437.00</td><td>96.87</td><td>-----</td><td>-----</td><td>81.11</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>100</td><td>167 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2437.00	96.87	-----	-----	81.11	32.28	8.15	30.67	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2389.43	48.32	54.00	-5.68	32.82	32.14	8.05	30.69	6.00	100	167 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2437.00	96.87	-----	-----	81.11	32.28	8.15	30.67	6.00	100	167 AVERAGE																																																																																																												



Mode	11																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT40_CH06_2437MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>67.10</td><td>74.00</td><td>-6.90</td><td>51.14</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>100</td><td>167</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	2485.54	67.10	74.00	-6.90	51.14	32.37	8.24	30.65	6.00	100	167	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																				
1	2485.54	67.10	74.00	-6.90	51.14	32.37	8.24	30.65	6.00	100	167	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.61</td><td>54.00</td><td>-1.39</td><td>36.66</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>100</td><td>167</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	2483.50	52.61	54.00	-1.39	36.66	32.37	8.23	30.65	6.00	100	167	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																				
1	2483.50	52.61	54.00	-1.39	36.66	32.37	8.23	30.65	6.00	100	167	AVERAGE																																		





Mode	11																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>58.87</td><td>74.00</td><td>-15.13</td><td>43.37</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>360</td><td>269</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	58.87	74.00	-15.13	43.37	32.14	8.05	30.69	6.00	360	269	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>102.62</td><td>-----</td><td>-----</td><td>86.81</td><td>32.30</td><td>8.17</td><td>30.66</td><td>6.00</td><td>360</td><td>269</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	102.62	-----	-----	86.81	32.30	8.17	30.66	6.00	360	269
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.43	58.87	74.00	-15.13	43.37	32.14	8.05	30.69	6.00	360	269	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	102.62	-----	-----	86.81	32.30	8.17	30.66	6.00	360	269	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>30.11</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>360</td><td>269</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	45.61	54.00	-8.39	30.11	32.14	8.05	30.69	6.00	360	269	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>92.70</td><td>-----</td><td>-----</td><td>76.90</td><td>32.30</td><td>8.17</td><td>30.67</td><td>6.00</td><td>360</td><td>269</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	92.70	-----	-----	76.90	32.30	8.17	30.67	6.00	360	269
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	45.61	54.00	-8.39	30.11	32.14	8.05	30.69	6.00	360	269	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	92.70	-----	-----	76.90	32.30	8.17	30.67	6.00	360	269	AVERAGE																																																																																							







Mode	11																																																																	
	Band Edge - R																																																																	
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																	
Pol.	Vertical											Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>61.60</td><td>74.00</td><td>-12.40</td><td>45.65</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>360</td><td>269</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	61.60	74.00	-12.40	45.65	32.37	8.23	30.65	6.00	360	269	PEAK	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2483.68	61.60	74.00	-12.40	45.65	32.37	8.23	30.65	6.00	360	269	PEAK																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>31.84</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>360</td><td>269</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.79	54.00	-6.21	31.84	32.37	8.23	30.65	6.00	360	269	AVERAGE	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2483.50	47.79	54.00	-6.21	31.84	32.37	8.23	30.65	6.00	360	269	AVERAGE																																																						



		11																																																																																																																																							
Mode		Harmonic																																																																																																																																							
		2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																																																							
Pol.		Horizontal											Vertical																																																																																																																												
Peak Avg																																																																																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.32</td><td>74.00</td><td>-31.68</td><td>57.72</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>55.51</td><td>35.78</td><td>14.48</td><td>60.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	42.32	74.00	-31.68	57.72	34.15	11.68	61.23	0.00	--	--	PEAK	2	7311.00	45.04	74.00	-28.96	55.51	35.78	14.48	60.73	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>58.05</td><td>34.15</td><td>11.68</td><td>61.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>54.88</td><td>35.78</td><td>14.48</td><td>60.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	42.65	74.00	-31.35	58.05	34.15	11.68	61.23	0.00	--	--	PEAK	2	7311.00	44.41	74.00	-29.59	54.88	35.78	14.48	60.73	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4874.00	42.32	74.00	-31.68	57.72	34.15	11.68	61.23	0.00	--	--	PEAK																																																																																																																													
2	7311.00	45.04	74.00	-28.96	55.51	35.78	14.48	60.73	0.00	--	--	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4874.00	42.65	74.00	-31.35	58.05	34.15	11.68	61.23	0.00	--	--	PEAK																																																																																																																													
2	7311.00	44.41	74.00	-29.59	54.88	35.78	14.48	60.73	0.00	--	--	PEAK																																																																																																																													







Mode	12																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.50</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>40.34</td><td>32.09</td><td>8.04</td><td>30.69</td><td>6.00</td><td>112</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.50	55.78	74.00	-18.22	40.34	32.09	8.04	30.69	6.00	112	167	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>101.58</td><td>-----</td><td>-----</td><td>85.72</td><td>32.33</td><td>8.19</td><td>30.66</td><td>6.00</td><td>112</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	101.58	-----	-----	85.72	32.33	8.19	30.66	6.00	112	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2381.50	55.78	74.00	-18.22	40.34	32.09	8.04	30.69	6.00	112	167	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	101.58	-----	-----	85.72	32.33	8.19	30.66	6.00	112	167	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>28.52</td><td>32.13</td><td>8.05</td><td>30.69</td><td>6.00</td><td>112</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	44.01	54.00	-9.99	28.52	32.13	8.05	30.69	6.00	112	167	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>92.18</td><td>-----</td><td>-----</td><td>76.32</td><td>32.33</td><td>8.19</td><td>30.66</td><td>6.00</td><td>112</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	92.18	-----	-----	76.32	32.33	8.19	30.66	6.00	112	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.78	44.01	54.00	-9.99	28.52	32.13	8.05	30.69	6.00	112	167	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	92.18	-----	-----	76.32	32.33	8.19	30.66	6.00	112	167	AVERAGE																																																																																																			



Mode	12																																															
	Band Edge - R																																															
	2400-2483.5_802.11n HT40_CH09_2452MHz																																															
Pol.	Horizontal	Fundamental																																														
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>65.57</td><td>74.00</td><td>-8.43</td><td>49.61</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>112</td><td>167</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.00	65.57	74.00	-8.43	49.61	32.37	8.24	30.65	6.00	112	167	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	2485.00	65.57	74.00	-8.43	49.61	32.37	8.24	30.65	6.00	112	167	PEAK																																				
Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.13</td><td>54.00</td><td>-1.87</td><td>36.18</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>112</td><td>167</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	52.13	54.00	-1.87	36.18	32.37	8.23	30.65	6.00	112	167	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	2483.50	52.13	54.00	-1.87	36.18	32.37	8.23	30.65	6.00	112	167	AVERAGE																																				





Mode	12																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.03</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>39.72</td><td>32.07</td><td>8.04</td><td>30.69</td><td>6.00</td><td>361</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.03	55.14	74.00	-18.86	39.72	32.07	8.04	30.69	6.00	361	271	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>98.20</td><td>-----</td><td>-----</td><td>82.37</td><td>32.31</td><td>8.18</td><td>30.66</td><td>6.00</td><td>361</td><td>271</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	98.20	-----	-----	82.37	32.31	8.18	30.66	6.00	361	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2379.03	55.14	74.00	-18.86	39.72	32.07	8.04	30.69	6.00	361	271	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	98.20	-----	-----	82.37	32.31	8.18	30.66	6.00	361	271	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>27.91</td><td>32.13</td><td>8.05</td><td>30.69</td><td>6.00</td><td>361</td><td>271</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	43.40	54.00	-10.60	27.91	32.13	8.05	30.69	6.00	361	271	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>88.92</td><td>-----</td><td>-----</td><td>73.09</td><td>32.31</td><td>8.18</td><td>30.66</td><td>6.00</td><td>361</td><td>271</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	88.92	-----	-----	73.09	32.31	8.18	30.66	6.00	361	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.52	43.40	54.00	-10.60	27.91	32.13	8.05	30.69	6.00	361	271	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	88.92	-----	-----	73.09	32.31	8.18	30.66	6.00	361	271	AVERAGE																																																																																							



Mode	12																																												
	Band Edge - R																																												
	2400-2483.5_802.11n HT40_CH09_2452MHz																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.36</td><td>60.65</td><td>74.00</td><td>-13.35</td><td>44.69</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>361</td><td>271 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.36	60.65	74.00	-13.35	44.69	32.37	8.24	30.65	6.00	361	271 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2485.36	60.65	74.00	-13.35	44.69	32.37	8.24	30.65	6.00	361	271 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>31.84</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>361</td><td>271 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	47.79	54.00	-6.21	31.84	32.37	8.23	30.65	6.00	361	271 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2484.40	47.79	54.00	-6.21	31.84	32.37	8.23	30.65	6.00	361	271 AVERAGE																																		



Mode	12																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>41.60</td><td>74.00</td><td>-32.40</td><td>56.98</td><td>34.08</td><td>11.74</td><td>61.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>54.57</td><td>35.71</td><td>14.54</td><td>60.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	41.60	74.00	-32.40	56.98	34.08	11.74	61.20	0.00	--	--	PEAK	2	7356.00	43.99	74.00	-30.01	54.57	35.71	14.54	60.83	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>58.26</td><td>34.08</td><td>11.74</td><td>61.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>55.36</td><td>35.71</td><td>14.54</td><td>60.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.88	74.00	-31.12	58.26	34.08	11.74	61.20	0.00	--	--	PEAK	2	7356.00	44.78	74.00	-29.22	55.36	35.71	14.54	60.83	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4904.00	41.60	74.00	-32.40	56.98	34.08	11.74	61.20	0.00	--	--	PEAK																																																																																																																		
2	7356.00	43.99	74.00	-30.01	54.57	35.71	14.54	60.83	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4904.00	42.88	74.00	-31.12	58.26	34.08	11.74	61.20	0.00	--	--	PEAK																																																																																																																		
2	7356.00	44.78	74.00	-29.22	55.36	35.71	14.54	60.83	0.00	--	--	PEAK																																																																																																																		