











Mode	9																																																																																												
	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5726.48</td><td>64.08</td><td>68.20</td><td>-4.12</td><td>46.68</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>112</td><td>294 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.48	64.08	68.20	-4.12	46.68	34.65	12.68	29.93	0.00	112	294 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.65</td><td>-----</td><td>-----</td><td>94.40</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>112</td><td>294 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	111.65	-----	-----	94.40	34.60	12.64	29.99	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5726.48	64.08	68.20	-4.12	46.68	34.65	12.68	29.93	0.00	112	294 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	111.65	-----	-----	94.40	34.60	12.64	29.99	0.00	112	294 PEAK																																																																																			
Avg	Blank																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.82</td><td>-----</td><td>-----</td><td>85.56</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>112</td><td>294 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	102.82	-----	-----	85.56	34.60	12.63	29.97	0.00	112	294 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	102.82	-----	-----	85.56	34.60	12.63	29.97	0.00	112	294 AVERAGE																																																																																			







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.44</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>40.46</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>393</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.44	57.86	68.20	-10.34	40.46	34.65	12.68	29.93	0.00	393	20	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.31</td><td>-----</td><td>-----</td><td>88.06</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>393</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.31	-----	-----	88.06	34.60	12.64	29.99	0.00	393	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5727.44	57.86	68.20	-10.34	40.46	34.65	12.68	29.93	0.00	393	20	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	105.31	-----	-----	88.06	34.60	12.64	29.99	0.00	393	20	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.44</td><td>-----</td><td>-----</td><td>79.18</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>393</td><td>20</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.44	-----	-----	79.18	34.60	12.63	29.97	0.00	393	20	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	96.44	-----	-----	79.18	34.60	12.63	29.97	0.00	393	20	AVERAGE																																																																																							







Mode	9																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>63.09</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>64.28</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>54.61</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>100</td><td>107</td><td>AVERAGE</td></tr><tr><td>4</td><td>17100.00</td><td>64.27</td><td>68.20</td><td>-3.93</td><td>69.32</td><td>41.00</td><td>18.28</td><td>64.33</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7599.81	44.82	74.00	-29.18	63.09	35.70	11.95	65.92	0.00	---	---	PEAK	2	11400.00	53.00	74.00	-21.00	64.28	38.10	14.85	64.23	0.00	100	107	PEAK	3	11400.00	43.33	54.00	-10.67	54.61	38.10	14.85	64.23	0.00	100	107	AVERAGE	4	17100.00	64.27	68.20	-3.93	69.32	41.00	18.28	64.33	0.00	100	105	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7599.81	44.82	74.00	-29.18	63.09	35.70	11.95	65.92	0.00	---	---	PEAK																																																																																				
2	11400.00	53.00	74.00	-21.00	64.28	38.10	14.85	64.23	0.00	100	107	PEAK																																																																																				
3	11400.00	43.33	54.00	-10.67	54.61	38.10	14.85	64.23	0.00	100	107	AVERAGE																																																																																				
4	17100.00	64.27	68.20	-3.93	69.32	41.00	18.28	64.33	0.00	100	105	PEAK																																																																																				
																																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>60.25</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>70.05</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>58.08</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>AVERAGE</td></tr><tr><td>4</td><td>17100.00</td><td>63.28</td><td>68.20</td><td>-4.92</td><td>68.33</td><td>41.01</td><td>18.27</td><td>64.33</td><td>0.00</td><td>100</td><td>32</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK	2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK	3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE	4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK																																																																																				
2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK																																																																																				
3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE																																																																																				
4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK																																																																																				





Mode	10																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>64.66</td><td>74.00</td><td>-9.34</td><td>48.40</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>106</td><td>292</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	64.66	74.00	-9.34	48.40	34.10	12.03	29.87	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.85	64.66	74.00	-9.34	48.40	34.10	12.03	29.87	0.00	106	292	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.06</td><td>-----</td><td>-----</td><td>95.64</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>106</td><td>292</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.06	-----	-----	95.64	34.24	12.06	29.88	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	112.06	-----	-----	95.64	34.24	12.06	29.88	0.00	106	292	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>36.22</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>106</td><td>292</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	52.48	54.00	-1.52	36.22	34.10	12.03	29.87	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.99	52.48	54.00	-1.52	36.22	34.10	12.03	29.87	0.00	106	292	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.85</td><td>-----</td><td>-----</td><td>85.43</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>106</td><td>292</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.85	-----	-----	85.43	34.24	12.06	29.88	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	101.85	-----	-----	85.43	34.24	12.06	29.88	0.00	106	292	AVERAGE																																											



Mode	10																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.45</td><td>58.61</td><td>74.00</td><td>-15.39</td><td>42.24</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>385</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.45	58.61	74.00	-15.39	42.24	34.21	12.02	29.86	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5122.45	58.61	74.00	-15.39	42.24	34.21	12.02	29.86	0.00	385	15	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.47</td><td>-----</td><td>-----</td><td>86.05</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>385</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.47	-----	-----	86.05	34.24	12.06	29.88	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	102.47	-----	-----	86.05	34.24	12.06	29.88	0.00	385	15	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.75</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>30.71</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>385</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.75	46.97	54.00	-7.03	30.71	34.10	12.03	29.87	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.75	46.97	54.00	-7.03	30.71	34.10	12.03	29.87	0.00	385	15	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.32</td><td>-----</td><td>-----</td><td>76.90</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>385</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.32	-----	-----	76.90	34.24	12.06	29.88	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	93.32	-----	-----	76.90	34.24	12.06	29.88	0.00	385	15	AVERAGE																																											





Mode	10																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																																																																																									
Pol.	Horizontal											Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>69.82</td><td>37.42</td><td>14.13</td><td>65.45</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>60.71</td><td>40.08</td><td>17.52</td><td>64.30</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>50.29</td><td>40.08</td><td>17.51</td><td>64.30</td><td>0.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	55.92	68.20	-12.28	69.82	37.42	14.13	65.45	0.00	100	168	PEAK	2	15540.00	54.01	74.00	-19.99	60.71	40.08	17.52	64.30	0.00	100	148	PEAK	3	15540.00	43.58	54.00	-10.42	50.29	40.08	17.51	64.30	0.00	100	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>59.63</td><td>68.20</td><td>-8.57</td><td>73.53</td><td>37.42</td><td>14.13</td><td>65.45</td><td>0.00</td><td>109</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>60.67</td><td>40.08</td><td>17.52</td><td>64.30</td><td>0.00</td><td>104</td><td>251</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>50.51</td><td>40.08</td><td>17.51</td><td>64.30</td><td>0.00</td><td>104</td><td>251</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	59.63	68.20	-8.57	73.53	37.42	14.13	65.45	0.00	109	88	PEAK	2	15540.00	53.97	74.00	-20.03	60.67	40.08	17.52	64.30	0.00	104	251	PEAK	3	15540.00	43.80	54.00	-10.20	50.51	40.08	17.51	64.30	0.00	104	251	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	10360.00	55.92	68.20	-12.28	69.82	37.42	14.13	65.45	0.00	100	168	PEAK																																																																																																																																																														
2	15540.00	54.01	74.00	-19.99	60.71	40.08	17.52	64.30	0.00	100	148	PEAK																																																																																																																																																														
3	15540.00	43.58	54.00	-10.42	50.29	40.08	17.51	64.30	0.00	100	148	AVERAGE																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	10360.00	59.63	68.20	-8.57	73.53	37.42	14.13	65.45	0.00	109	88	PEAK																																																																																																																																																														
2	15540.00	53.97	74.00	-20.03	60.67	40.08	17.52	64.30	0.00	104	251	PEAK																																																																																																																																																														
3	15540.00	43.80	54.00	-10.20	50.51	40.08	17.51	64.30	0.00	104	251	AVERAGE																																																																																																																																																														





		11																																																																																																																																													
Mode		Harmonic																																																																																																																																													
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																																																													
Pol.		Horizontal										Vertical																																																																																																																																			
Peak Avg																																																																																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10441.53</td><td>50.95</td><td>68.20</td><td>-17.25</td><td>59.46</td><td>37.54</td><td>17.61</td><td>63.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15660.00</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>56.27</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>3 15660.00</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>45.68</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10441.53	50.95	68.20	-17.25	59.46	37.54	17.61	63.66	0.00	--	--	PEAK	2 15660.00	54.16	74.00	-19.84	56.27	40.16	21.74	64.01	0.00	100	244	PEAK	3 15660.00	43.57	54.00	-10.43	45.68	40.16	21.74	64.01	0.00	100	244	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10443.73</td><td>47.07</td><td>68.20</td><td>-21.13</td><td>55.57</td><td>37.54</td><td>17.62</td><td>63.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15660.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>48.07</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10443.73	47.07	68.20	-21.13	55.57	37.54	17.62	63.66	0.00	--	--	PEAK	2 15660.00	45.96	74.00	-28.04	48.07	40.16	21.74	64.01	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 10441.53	50.95	68.20	-17.25	59.46	37.54	17.61	63.66	0.00	--	--	PEAK																																																																																																																																				
2 15660.00	54.16	74.00	-19.84	56.27	40.16	21.74	64.01	0.00	100	244	PEAK																																																																																																																																				
3 15660.00	43.57	54.00	-10.43	45.68	40.16	21.74	64.01	0.00	100	244	AVERAGE																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 10443.73	47.07	68.20	-21.13	55.57	37.54	17.62	63.66	0.00	--	--	PEAK																																																																																																																																				
2 15660.00	45.96	74.00	-28.04	48.07	40.16	21.74	64.01	0.00	--	--	PEAK																																																																																																																																				



		12																																																																																																																																																									
Mode		Harmonic																																																																																																																																																									
		U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																																																																									
Pol.		Horizontal										Vertical																																																																																																																																															
Peak Avg																																																																																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10401.13</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>58.41</td><td>37.58</td><td>17.65</td><td>63.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>56.15</td><td>74.00</td><td>-17.85</td><td>58.15</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>101</td><td>243 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>46.98</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>101</td><td>243 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10401.13	49.91	68.20	-18.29	58.41	37.58	17.65	63.73	0.00	--	PEAK	2	15720.00	56.15	74.00	-17.85	58.15	40.26	21.79	64.05	0.00	101	243 PEAK	3	15720.00	44.98	54.00	-9.02	46.98	40.26	21.79	64.05	0.00	101	243 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10402.60</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>56.40</td><td>37.58</td><td>17.65</td><td>63.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>54.41</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>347</td><td>248 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>41.44</td><td>54.00</td><td>-12.56</td><td>43.43</td><td>40.27</td><td>21.80</td><td>64.06</td><td>0.00</td><td>347</td><td>248 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10402.60	47.90	68.20	-20.30	56.40	37.58	17.65	63.73	0.00	--	PEAK	2	15720.00	52.41	74.00	-21.59	54.41	40.26	21.79	64.05	0.00	347	248 PEAK	3	15720.00	41.44	54.00	-12.56	43.43	40.27	21.80	64.06	0.00	347	248 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	10401.13	49.91	68.20	-18.29	58.41	37.58	17.65	63.73	0.00	--	PEAK																																																																																																																																																
2	15720.00	56.15	74.00	-17.85	58.15	40.26	21.79	64.05	0.00	101	243 PEAK																																																																																																																																																
3	15720.00	44.98	54.00	-9.02	46.98	40.26	21.79	64.05	0.00	101	243 AVERAGE																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	10402.60	47.90	68.20	-20.30	56.40	37.58	17.65	63.73	0.00	--	PEAK																																																																																																																																																
2	15720.00	52.41	74.00	-21.59	54.41	40.26	21.79	64.05	0.00	347	248 PEAK																																																																																																																																																
3	15720.00	41.44	54.00	-12.56	43.43	40.27	21.80	64.06	0.00	347	248 AVERAGE																																																																																																																																																







Mode	13																																																																													
	Harmonic																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10522.93</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>57.47</td><td>37.60</td><td>17.69</td><td>63.66</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>58.04</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>47.05</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	--	PEAK	2	15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100	244 PEAK	3	15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100	244 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	--	PEAK																																																																			
2	15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100	244 PEAK																																																																			
3	15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100	244 AVERAGE																																																																			
Vertical																																																																														
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>56.96</td><td>37.60</td><td>17.69</td><td>63.67</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>55.42</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>334</td><td>255 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>45.08</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>334</td><td>255 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	48.58	68.20	-19.62	56.96	37.60	17.69	63.67	0.00	--	PEAK	2	15780.00	53.60	74.00	-20.40	55.42	40.44	21.84	64.10	0.00	334	255 PEAK	3	15780.00	43.26	54.00	-10.74	45.08	40.44	21.84	64.10	0.00	334	255 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	10520.00	48.58	68.20	-19.62	56.96	37.60	17.69	63.67	0.00	--	PEAK																																																																			
2	15780.00	53.60	74.00	-20.40	55.42	40.44	21.84	64.10	0.00	334	255 PEAK																																																																			
3	15780.00	43.26	54.00	-10.74	45.08	40.44	21.84	64.10	0.00	334	255 AVERAGE																																																																			







Mode	14																																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																																																																																																																																																																				
Pol.	Horizontal											Vertical																																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7066.49</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>60.83</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>69.53</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>10600.00</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>58.54</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr><tr><td>4</td><td>15900.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>59.83</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>5</td><td>15900.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>49.67</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7066.49	43.55	68.20	-24.65	60.83	35.60	11.54	64.42	0.00	--	--	PEAK	2	10600.00	56.55	74.00	-17.45	69.53	37.90	14.29	65.17	0.00	100	172	PEAK	3	10600.00	45.56	54.00	-8.44	58.54	37.90	14.29	65.17	0.00	100	172	AVERAGE	4	15900.00	54.01	74.00	-19.99	59.83	40.90	17.70	64.42	0.00	100	109	PEAK	5	15900.00	43.86	54.00	-10.14	49.67	40.91	17.70	64.42	0.00	100	109	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7066.49</td><td>44.12</td><td>68.20</td><td>-24.08</td><td>61.40</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>71.05</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>116</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>10600.00</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>59.07</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>116</td><td>89</td><td>AVERAGE</td></tr><tr><td>4</td><td>15900.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>58.53</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>5</td><td>15900.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>47.88</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>253</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7066.49	44.12	68.20	-24.08	61.40	35.60	11.54	64.42	0.00	--	--	PEAK	2	10600.00	58.07	74.00	-15.93	71.05	37.90	14.29	65.17	0.00	116	89	PEAK	3	10600.00	46.09	54.00	-7.91	59.07	37.90	14.29	65.17	0.00	116	89	AVERAGE	4	15900.00	52.71	74.00	-21.29	58.53	40.90	17.70	64.42	0.00	100	253	PEAK	5	15900.00	42.07	54.00	-11.93	47.88	40.91	17.70	64.42	0.00	100	253
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																											
1	7066.49	43.55	68.20	-24.65	60.83	35.60	11.54	64.42	0.00	--	--	PEAK																																																																																																																																																																																																																									
2	10600.00	56.55	74.00	-17.45	69.53	37.90	14.29	65.17	0.00	100	172	PEAK																																																																																																																																																																																																																									
3	10600.00	45.56	54.00	-8.44	58.54	37.90	14.29	65.17	0.00	100	172	AVERAGE																																																																																																																																																																																																																									
4	15900.00	54.01	74.00	-19.99	59.83	40.90	17.70	64.42	0.00	100	109	PEAK																																																																																																																																																																																																																									
5	15900.00	43.86	54.00	-10.14	49.67	40.91	17.70	64.42	0.00	100	109	AVERAGE																																																																																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																											
1	7066.49	44.12	68.20	-24.08	61.40	35.60	11.54	64.42	0.00	--	--	PEAK																																																																																																																																																																																																																									
2	10600.00	58.07	74.00	-15.93	71.05	37.90	14.29	65.17	0.00	116	89	PEAK																																																																																																																																																																																																																									
3	10600.00	46.09	54.00	-7.91	59.07	37.90	14.29	65.17	0.00	116	89	AVERAGE																																																																																																																																																																																																																									
4	15900.00	52.71	74.00	-21.29	58.53	40.90	17.70	64.42	0.00	100	253	PEAK																																																																																																																																																																																																																									
5	15900.00	42.07	54.00	-11.93	47.88	40.91	17.70	64.42	0.00	100	253	AVERAGE																																																																																																																																																																																																																									





		15																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																													
Pol.	Horizontal												Fundamental																																																																																																		
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.55</td><td>64.24</td><td>74.00</td><td>-9.76</td><td>47.47</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.55	64.24	74.00	-9.76	47.47	34.40	12.21	29.84	0.00	100	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>113.25</td><td>-----</td><td>-----</td><td>96.58</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.25	-----	-----	96.58	34.40	12.17	29.90	0.00	100	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.55	64.24	74.00	-9.76	47.47	34.40	12.21	29.84	0.00	100	294	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	113.25	-----	-----	96.58	34.40	12.17	29.90	0.00	100	294	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.05</td><td>52.06</td><td>54.00</td><td>-1.94</td><td>35.29</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	52.06	54.00	-1.94	35.29	34.40	12.21	29.84	0.00	100	294	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.96</td><td>-----</td><td>-----</td><td>87.29</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.96	-----	-----	87.29	34.40	12.17	29.90	0.00	100	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.05	52.06	54.00	-1.94	35.29	34.40	12.21	29.84	0.00	100	294	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	103.96	-----	-----	87.29	34.40	12.17	29.90	0.00	100	294	AVERAGE																																																																																																			



Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.55</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>38.92</td><td>34.58</td><td>12.25</td><td>29.79</td><td>0.00</td><td>366</td><td>14</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.55	55.96	74.00	-18.04	38.92	34.58	12.25	29.79	0.00	366	14	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>104.96</td><td>-----</td><td>-----</td><td>88.27</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>366</td><td>14</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.96	-----	-----	88.27	34.40	12.18	29.89	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5394.55	55.96	74.00	-18.04	38.92	34.58	12.25	29.79	0.00	366	14	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	104.96	-----	-----	88.27	34.40	12.18	29.89	0.00	366	14	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.25</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>29.02</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>366</td><td>14</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	45.79	54.00	-8.21	29.02	34.40	12.21	29.84	0.00	366	14	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>96.33</td><td>-----</td><td>-----</td><td>79.66</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>366</td><td>14</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.33	-----	-----	79.66	34.40	12.17	29.90	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.25	45.79	54.00	-8.21	29.02	34.40	12.21	29.84	0.00	366	14	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	96.33	-----	-----	79.66	34.40	12.17	29.90	0.00	366	14	AVERAGE																																																																																							



Mode	15																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																																																																																																																		
Pol.	Horizontal											Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>7093.16</td><td>44.30</td><td>68.20</td><td>-23.90</td><td>61.65</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>65.91</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>300</td><td>165</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>55.56</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>300</td><td>165</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>56.92</td><td>74.00</td><td>-17.08</td><td>62.61</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>51.19</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7093.16	44.30	68.20	-23.90	61.65	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	52.97	74.00	-21.03	65.91	37.86	14.32	65.12	0.00	300	165	PEAK	3	10640.00	42.62	54.00	-11.38	55.56	37.86	14.32	65.12	0.00	300	165	AVERAGE	4	15960.00	56.92	74.00	-17.08	62.61	41.02	17.73	64.44	0.00	100	100	PEAK	5	15960.00	45.50	54.00	-8.50	51.19	41.02	17.73	64.44	0.00	100	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>7093.16</td><td>43.11</td><td>68.20</td><td>-25.09</td><td>60.46</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>68.51</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>57.66</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>60.17</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>50.26</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7093.16	43.11	68.20	-25.09	60.46	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	55.57	74.00	-18.43	68.51	37.86	14.32	65.12	0.00	100	88	PEAK	3	10640.00	44.72	54.00	-9.28	57.66	37.86	14.32	65.12	0.00	100	88	AVERAGE	4	15960.00	54.48	74.00	-19.52	60.17	41.02	17.73	64.44	0.00	100	252	PEAK	5	15960.00	44.57	54.00	-9.43	50.26	41.02	17.73	64.44	0.00	100	252
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																									
1	7093.16	44.30	68.20	-23.90	61.65	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																																																																																																							
2	10640.00	52.97	74.00	-21.03	65.91	37.86	14.32	65.12	0.00	300	165	PEAK																																																																																																																																																																																							
3	10640.00	42.62	54.00	-11.38	55.56	37.86	14.32	65.12	0.00	300	165	AVERAGE																																																																																																																																																																																							
4	15960.00	56.92	74.00	-17.08	62.61	41.02	17.73	64.44	0.00	100	100	PEAK																																																																																																																																																																																							
5	15960.00	45.50	54.00	-8.50	51.19	41.02	17.73	64.44	0.00	100	100	AVERAGE																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																									
1	7093.16	43.11	68.20	-25.09	60.46	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																																																																																																							
2	10640.00	55.57	74.00	-18.43	68.51	37.86	14.32	65.12	0.00	100	88	PEAK																																																																																																																																																																																							
3	10640.00	44.72	54.00	-9.28	57.66	37.86	14.32	65.12	0.00	100	88	AVERAGE																																																																																																																																																																																							
4	15960.00	54.48	74.00	-19.52	60.17	41.02	17.73	64.44	0.00	100	252	PEAK																																																																																																																																																																																							
5	15960.00	44.57	54.00	-9.43	50.26	41.02	17.73	64.44	0.00	100	252	AVERAGE																																																																																																																																																																																							





		16																																																																	
Mode	Band Edge																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																		
Pol.	Fundamental																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.17</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>40.34</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>102</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>5469.45</td><td>65.47</td><td>68.20</td><td>-2.73</td><td>48.46</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102</td><td>293</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	57.39	74.00	-16.61	40.34	34.59	12.33	29.87	0.00	102	293	PEAK	2	5469.45	65.47	68.20	-2.73	48.46	34.56	12.34	29.89	0.00	102	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5456.17	57.39	74.00	-16.61	40.34	34.59	12.33	29.87	0.00	102	293	PEAK																																																							
2	5469.45	65.47	68.20	-2.73	48.46	34.56	12.34	29.89	0.00	102	293	PEAK																																																							
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>32.51</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>102</td><td>293</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	49.54	54.00	-4.46	32.51	34.58	12.33	29.88	0.00	102	293	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.85	49.54	54.00	-4.46	32.51	34.58	12.33	29.88	0.00	102	293	AVERAGE																																																							







		16																																																																			
Mode	Band Edge																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																				
Pol.	Fundamental																																																																				
Peak	Vertical																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.65</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>38.59</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr><tr><td>2</td><td>5467.21</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>42.10</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK	2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK																																																									
2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19	PEAK																																																									
Avg	Fundamental																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.96</td><td>-----</td><td>-----</td><td>90.00</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19	PEAK																																																									
Peak	Vertical																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.65</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>38.59</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr><tr><td>2</td><td>5467.21</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>42.10</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK	2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK																																																									
2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19	PEAK																																																									
Avg	Fundamental																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.96</td><td>-----</td><td>-----</td><td>90.00</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19	PEAK																																																									






Mode	16																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td></td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70																																																																																								







Mode	18																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.20</td><td>66.56</td><td>68.20</td><td>-1.64</td><td>49.17</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>111</td><td>296</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	66.56	68.20	-1.64	49.17	34.65	12.68	29.94	0.00	111	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.20	66.56	68.20	-1.64	49.17	34.65	12.68	29.94	0.00	111	296	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.53</td><td>-----</td><td>-----</td><td>94.28</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>111</td><td>296</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.53	-----	-----	94.28	34.60	12.64	29.99	0.00	111	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	111.53	-----	-----	94.28	34.60	12.64	29.99	0.00	111	296	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.20</td><td>48.80</td><td>48.80</td><td>0.00</td><td>48.80</td><td>48.80</td><td>0.00</td><td>0.00</td><td>0.00</td><td>111</td><td>296</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	48.80	48.80	0.00	48.80	48.80	0.00	0.00	0.00	111	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.20	48.80	48.80	0.00	48.80	48.80	0.00	0.00	0.00	111	296	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.87</td><td>-----</td><td>-----</td><td>84.61</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>111</td><td>296</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.87	-----	-----	84.61	34.60	12.63	29.97	0.00	111	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	101.87	-----	-----	84.61	34.60	12.63	29.97	0.00	111	296	AVERAGE																																											







Mode	18																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.44</td><td>58.21</td><td>68.20</td><td>-9.99</td><td>40.82</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>391</td><td>19</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.44	58.21	68.20	-9.99	40.82	34.65	12.68	29.94	0.00	391	19	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.55</td><td>-----</td><td>-----</td><td>86.30</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>391</td><td>19</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.55	-----	-----	86.30	34.60	12.64	29.99	0.00	391	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.44	58.21	68.20	-9.99	40.82	34.65	12.68	29.94	0.00	391	19	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	103.55	-----	-----	86.30	34.60	12.64	29.99	0.00	391	19	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.52</td><td>-----</td><td>-----</td><td>77.26</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>391</td><td>19</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	94.52	-----	-----	77.26	34.60	12.63	29.97	0.00	391	19	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	94.52	-----	-----	77.26	34.60	12.63	29.97	0.00	391	19	AVERAGE																																																																																								





Mode	18																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>56.99</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>46.45</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>63.39</td><td>68.20</td><td>-4.81</td><td>63.40</td><td>41.42</td><td>22.73</td><td>64.16</td><td>0.00</td><td>100</td><td>247</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>56.20</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>45.99</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>62.05</td><td>68.20</td><td>-6.15</td><td>62.07</td><td>41.40</td><td>22.74</td><td>64.16</td><td>0.00</td><td>316</td><td>261</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	52.18	74.00	-21.82	56.99	38.00	18.50	61.31	0.00	100	160	PEAK	2	11400.00	41.64	54.00	-12.36	46.45	38.00	18.50	61.31	0.00	100	160	AVERAGE	3	17100.00	63.39	68.20	-4.81	63.40	41.42	22.73	64.16	0.00	100	247	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	51.39	74.00	-22.61	56.20	38.00	18.50	61.31	0.00	100	125	PEAK	2	11400.00	41.18	54.00	-12.82	45.99	38.00	18.50	61.31	0.00	100	125	AVERAGE	3	17100.00	62.05	68.20	-6.15	62.07	41.40	22.74	64.16	0.00	316	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11400.00	52.18	74.00	-21.82	56.99	38.00	18.50	61.31	0.00	100	160	PEAK																																																																																																																																											
2	11400.00	41.64	54.00	-12.36	46.45	38.00	18.50	61.31	0.00	100	160	AVERAGE																																																																																																																																											
3	17100.00	63.39	68.20	-4.81	63.40	41.42	22.73	64.16	0.00	100	247	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11400.00	51.39	74.00	-22.61	56.20	38.00	18.50	61.31	0.00	100	125	PEAK																																																																																																																																											
2	11400.00	41.18	54.00	-12.82	45.99	38.00	18.50	61.31	0.00	100	125	AVERAGE																																																																																																																																											
3	17100.00	62.05	68.20	-6.15	62.07	41.40	22.74	64.16	0.00	316	261	PEAK																																																																																																																																											



		19																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.53</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>47.60</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.53	63.86	74.00	-10.14	47.60	34.10	12.03	29.87	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.53	63.86	74.00	-10.14	47.60	34.10	12.03	29.87	0.00	105	287	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.87</td><td>-----</td><td>-----</td><td>85.47</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.87	-----	-----	85.47	34.22	12.06	29.88	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	101.87	-----	-----	85.47	34.22	12.06	29.88	0.00	105	287	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>52.42</td><td>54.00</td><td>-1.58</td><td>36.16</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	52.42	54.00	-1.58	36.16	34.10	12.03	29.87	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.98	52.42	54.00	-1.58	36.16	34.10	12.03	29.87	0.00	105	287	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.10</td><td>-----</td><td>-----</td><td>76.67</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.10	-----	-----	76.67	34.26	12.06	29.89	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	93.10	-----	-----	76.67	34.26	12.06	29.89	0.00	105	287	AVERAGE																																											



Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.15</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>38.96</td><td>34.60</td><td>12.28</td><td>29.82</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.15	56.02	74.00	-17.98	38.96	34.60	12.28	29.82	0.00	105	287	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5423.15	56.02	74.00	-17.98	38.96	34.60	12.28	29.82	0.00	105	287	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.52</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>27.79</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.52	44.83	54.00	-9.17	27.79	34.58	12.33	29.87	0.00	105	287	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5458.52	44.83	54.00	-9.17	27.79	34.58	12.33	29.87	0.00	105	287	AVERAGE																																											



Mode	19																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.61</td><td>57.78</td><td>74.00</td><td>-16.22</td><td>41.35</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>342</td><td>13</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.61	57.78	74.00	-16.22	41.35	34.27	12.01	29.85	0.00	342	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5107.61	57.78	74.00	-16.22	41.35	34.27	12.01	29.85	0.00	342	13	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.26</td><td>-----</td><td>-----</td><td>76.83</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>342</td><td>13</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.26	-----	-----	76.83	34.26	12.06	29.89	0.00	342	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	93.26	-----	-----	76.83	34.26	12.06	29.89	0.00	342	13	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.93</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>30.75</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>342</td><td>13</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.93	47.02	54.00	-6.98	30.75	34.11	12.03	29.87	0.00	342	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.93	47.02	54.00	-6.98	30.75	34.11	12.03	29.87	0.00	342	13	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>84.26</td><td>-----</td><td>-----</td><td>67.84</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>342</td><td>13</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	84.26	-----	-----	67.84	34.24	12.06	29.88	0.00	342	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	84.26	-----	-----	67.84	34.24	12.06	29.88	0.00	342	13	AVERAGE																																											







Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.33</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>39.22</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>342</td><td>13</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.33	56.28	74.00	-17.72	39.22	34.60	12.29	29.83	0.00	342	13	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5432.33	56.28	74.00	-17.72	39.22	34.60	12.29	29.83	0.00	342	13	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.69</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>28.59</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>342</td><td>13</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.69	45.65	54.00	-8.35	28.59	34.60	12.32	29.86	0.00	342	13	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5450.69	45.65	54.00	-8.35	28.59	34.60	12.32	29.86	0.00	342	13	AVERAGE																																											





		19																																																																	
Mode		Harmonic																																																																	
		U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																	
Pol.		Horizontal						Vertical																																																											
Peak Avg																																																																			
			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15570.00</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>55.08</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2 15570.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>43.88</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 15570.00	52.88	74.00	-21.12	55.08	40.07	21.67	63.94	0.00	100	241	PEAK	2 15570.00	41.68	54.00	-12.32	43.88	40.07	21.67	63.94	0.00	100	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1 15570.00	52.88	74.00	-21.12	55.08	40.07	21.67	63.94	0.00	100	241	PEAK																																																								
2 15570.00	41.68	54.00	-12.32	43.88	40.07	21.67	63.94	0.00	100	241	AVERAGE																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15570.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>48.56</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 15570.00</td><td>36.38</td><td>54.00</td><td>-17.62</td><td>38.57</td><td>40.07</td><td>21.68</td><td>63.94</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 15570.00	46.36	74.00	-27.64	48.56	40.07	21.67	63.94	0.00	300	360	PEAK	2 15570.00	36.38	54.00	-17.62	38.57	40.07	21.68	63.94	0.00	300	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1 15570.00	46.36	74.00	-27.64	48.56	40.07	21.67	63.94	0.00	300	360	PEAK																																																								
2 15570.00	36.38	54.00	-17.62	38.57	40.07	21.68	63.94	0.00	300	360	AVERAGE																																																								







		20																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.29</td><td>60.13</td><td>74.00</td><td>-13.87</td><td>43.86</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.29	60.13	74.00	-13.87	43.86	34.11	12.03	29.87	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.29	60.13	74.00	-13.87	43.86	34.11	12.03	29.87	0.00	110	293	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>32.37</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	48.63	54.00	-5.37	32.37	34.10	12.03	29.87	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.98	48.63	54.00	-5.37	32.37	34.10	12.03	29.87	0.00	110	293	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.83</td><td>-----</td><td>-----</td><td>92.29</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.83	-----	-----	92.29	34.34	12.09	29.89	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	108.83	-----	-----	92.29	34.34	12.09	29.89	0.00	110	293	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>100.02</td><td>-----</td><td>-----</td><td>83.46</td><td>34.36</td><td>12.10</td><td>29.90</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	100.02	-----	-----	83.46	34.36	12.10	29.90	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	100.02	-----	-----	83.46	34.36	12.10	29.90	0.00	110	293	AVERAGE																																											



Mode	20																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.64</td><td>56.47</td><td>74.00</td><td>-17.53</td><td>39.56</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.64	56.47	74.00	-17.53	39.56	34.49	12.23	29.81	0.00	110	293	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5373.64	56.47	74.00	-17.53	39.56	34.49	12.23	29.81	0.00	110	293	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.80</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>29.11</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.80	46.03	54.00	-7.97	29.11	34.50	12.23	29.81	0.00	110	293	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5375.80	46.03	54.00	-7.97	29.11	34.50	12.23	29.81	0.00	110	293	AVERAGE																																											





Mode	20																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.53</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>40.30</td><td>34.20</td><td>12.02</td><td>29.86</td><td>0.00</td><td>357</td><td>15 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5125.53	56.66	74.00	-17.34	40.30	34.20	12.02	29.86	0.00	357	15 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>102.09</td><td>-----</td><td>-----</td><td>85.57</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>357</td><td>15 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	102.09	-----	-----	85.57	34.33	12.08	29.89	0.00	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5125.53	56.66	74.00	-17.34	40.30	34.20	12.02	29.86	0.00	357	15 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5230.00	102.09	-----	-----	85.57	34.33	12.08	29.89	0.00	357	15 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.65</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>30.43</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>357</td><td>15 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5102.65	46.87	54.00	-7.13	30.43	34.29	12.00	29.85	0.00	357	15 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>93.14</td><td>-----</td><td>-----</td><td>76.62</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>357</td><td>15 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	93.14	-----	-----	76.62	34.33	12.08	29.89	0.00	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5102.65	46.87	54.00	-7.13	30.43	34.29	12.00	29.85	0.00	357	15 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5230.00	93.14	-----	-----	76.62	34.33	12.08	29.89	0.00	357	15 AVERAGE																																																																																																												







Mode	20																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.64</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>37.75</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>357</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.64	54.66	74.00	-19.34	37.75	34.49	12.23	29.81	0.00	357	15	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5373.64	54.66	74.00	-19.34	37.75	34.49	12.23	29.81	0.00	357	15	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.92</td><td>45.40</td><td>54.00</td><td>-8.60</td><td>28.33</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>357</td><td>15</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.92	45.40	54.00	-8.60	28.33	34.60	12.25	29.78	0.00	357	15	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5399.92	45.40	54.00	-8.60	28.33	34.60	12.25	29.78	0.00	357	15	AVERAGE																																											





Mode	20																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>15690.00</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>54.39</td><td>40.19</td><td>21.77</td><td>64.03</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>44.28</td><td>40.20</td><td>21.77</td><td>64.04</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	15690.00	52.32	74.00	-21.68	54.39	40.19	21.77	64.03	0.00	100	246	PEAK	2	15690.00	42.21	54.00	-11.79	44.28	40.20	21.77	64.04	0.00	100	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>15690.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>48.27</td><td>40.19</td><td>21.77</td><td>64.03</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>36.19</td><td>54.00</td><td>-17.81</td><td>38.25</td><td>40.20</td><td>21.77</td><td>64.03</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	15690.00	46.20	74.00	-27.80	48.27	40.19	21.77	64.03	0.00	300	360	PEAK	2	15690.00	36.19	54.00	-17.81	38.25	40.20	21.77	64.03	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	15690.00	52.32	74.00	-21.68	54.39	40.19	21.77	64.03	0.00	100	246	PEAK																																																																																																																		
2	15690.00	42.21	54.00	-11.79	44.28	40.20	21.77	64.04	0.00	100	246	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	15690.00	46.20	74.00	-27.80	48.27	40.19	21.77	64.03	0.00	300	360	PEAK																																																																																																																		
2	15690.00	36.19	54.00	-17.81	38.25	40.20	21.77	64.03	0.00	300	360	AVERAGE																																																																																																																		







Mode	21																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.05</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>42.24</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.05	58.52	74.00	-15.48	42.24	34.12	12.03	29.87	0.00	100	295	PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>109.99</td><td>-----</td><td>-----</td><td>93.36</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	109.99	-----	-----	93.36	34.40	12.14	29.91	0.00	100	295	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5144.05	58.52	74.00	-15.48	42.24	34.12	12.03	29.87	0.00	100	295	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5270.00	109.99	-----	-----	93.36	34.40	12.14	29.91	0.00	100	295	PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5087.62</td><td>47.80</td><td>54.00</td><td>-6.20</td><td>31.38</td><td>34.28</td><td>11.99</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5087.62	47.80	54.00	-6.20	31.38	34.28	11.99	29.85	0.00	100	295	AVERAGE	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>100.59</td><td>-----</td><td>-----</td><td>83.96</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	100.59	-----	-----	83.96	34.40	12.14	29.91	0.00	100	295	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5087.62	47.80	54.00	-6.20	31.38	34.28	11.99	29.85	0.00	100	295	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5270.00	100.59	-----	-----	83.96	34.40	12.14	29.91	0.00	100	295	AVERAGE																																																																																								



Mode	21																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.75</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>40.02</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.75	56.80	74.00	-17.20	40.02	34.41	12.21	29.84	0.00	100	295	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.75	56.80	74.00	-17.20	40.02	34.41	12.21	29.84	0.00	100	295	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.23</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>29.61</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.23	46.38	54.00	-7.62	29.61	34.40	12.21	29.84	0.00	100	295	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.23	46.38	54.00	-7.62	29.61	34.40	12.21	29.84	0.00	100	295	AVERAGE																																												





		21																																																																																																
Mode	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.17</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>40.60</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>373</td><td>16</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.17	57.03	74.00	-16.97	40.60	34.28	12.00	29.85	0.00	373	16	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>102.82</td><td>-----</td><td>-----</td><td>86.19</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>373</td><td>16</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	102.82	-----	-----	86.19	34.40	12.14	29.91	0.00	373	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5105.17	57.03	74.00	-16.97	40.60	34.28	12.00	29.85	0.00	373	16	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5270.00	102.82	-----	-----	86.19	34.40	12.14	29.91	0.00	373	16	PEAK																																																																																						
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5093.83</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>30.58</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>373</td><td>16</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.83	47.02	54.00	-6.98	30.58	34.29	12.00	29.85	0.00	373	16	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>94.27</td><td>-----</td><td>-----</td><td>77.64</td><td>34.40</td><td>12.13</td><td>29.90</td><td>0.00</td><td>373</td><td>16</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	94.27	-----	-----	77.64	34.40	12.13	29.90	0.00	373	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5093.83	47.02	54.00	-6.98	30.58	34.29	12.00	29.85	0.00	373	16	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5270.00	94.27	-----	-----	77.64	34.40	12.13	29.90	0.00	373	16	AVERAGE																																																																																						







Mode	21																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.55</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>39.46</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>373</td><td>16</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.55	56.52	74.00	-17.48	39.46	34.60	12.32	29.86	0.00	373	16	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5451.55	56.52	74.00	-17.48	39.46	34.60	12.32	29.86	0.00	373	16	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.19</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>28.65</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>373</td><td>16</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.19	45.69	54.00	-8.31	28.65	34.58	12.33	29.87	0.00	373	16	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5458.19	45.69	54.00	-8.31	28.65	34.58	12.33	29.87	0.00	373	16	AVERAGE																																											





Mode	21																																																																																																							
	Harmonic																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>15810.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>54.81</td><td>40.49</td><td>21.87</td><td>64.12</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>44.17</td><td>40.48</td><td>21.87</td><td>64.13</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	15810.00	53.05	74.00	-20.95	54.81	40.49	21.87	64.12	0.00	100	246	PEAK	2	15810.00	42.39	54.00	-11.61	44.17	40.48	21.87	64.13	0.00	100	246	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>15810.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>47.27</td><td>40.49</td><td>21.87</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	15810.00	45.51	74.00	-28.49	47.27	40.49	21.87	64.12	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	15810.00	53.05	74.00	-20.95	54.81	40.49	21.87	64.12	0.00	100	246	PEAK																																																																																												
2	15810.00	42.39	54.00	-11.61	44.17	40.48	21.87	64.13	0.00	100	246	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	15810.00	45.51	74.00	-28.49	47.27	40.49	21.87	64.12	0.00	--	--	PEAK																																																																																												







Mode	22																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5102.81</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>40.55</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5102.81	56.99	74.00	-17.01	40.55	34.29	12.00	29.85	0.00	100	295 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>105.07</td><td>-----</td><td>-----</td><td>88.40</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	105.07	-----	-----	88.40	34.40	12.17	29.90	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5102.81	56.99	74.00	-17.01	40.55	34.29	12.00	29.85	0.00	100	295 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5310.00	105.07	-----	-----	88.40	34.40	12.17	29.90	0.00	100	295 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5100.00</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>29.50</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>295 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5100.00	45.95	54.00	-8.05	29.50	34.30	12.00	29.85	0.00	100	295 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>95.63</td><td>-----</td><td>-----</td><td>78.96</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>295 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	95.63	-----	-----	78.96	34.40	12.17	29.90	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5100.00	45.95	54.00	-8.05	29.50	34.30	12.00	29.85	0.00	100	295 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5310.00	95.63	-----	-----	78.96	34.40	12.17	29.90	0.00	100	295 AVERAGE																																																																																																												





Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.25</td><td>65.58</td><td>74.00</td><td>-8.42</td><td>48.80</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.25	65.58	74.00	-8.42	48.80	34.41	12.21	29.84	0.00	100	295	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.25	65.58	74.00	-8.42	48.80	34.41	12.21	29.84	0.00	100	295	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.24</td><td>54.00</td><td>-1.76</td><td>35.48</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.24	54.00	-1.76	35.48	34.40	12.20	29.84	0.00	100	295	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	52.24	54.00	-1.76	35.48	34.40	12.20	29.84	0.00	100	295	AVERAGE																																											





Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.25</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>40.95</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.25	57.40	74.00	-16.60	40.95	34.30	12.00	29.85	0.00	368	15	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>95.11</td><td>-----</td><td>-----</td><td>78.47</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.11	-----	-----	78.47	34.40	12.15	29.91	0.00	368	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.25	57.40	74.00	-16.60	40.95	34.30	12.00	29.85	0.00	368	15	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	95.11	-----	-----	78.47	34.40	12.15	29.91	0.00	368	15	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.21</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>30.37</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.21	46.80	54.00	-7.20	30.37	34.28	12.00	29.85	0.00	368	15	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>86.81</td><td>-----</td><td>-----</td><td>70.17</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	86.81	-----	-----	70.17	34.40	12.15	29.91	0.00	368	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5105.21	46.80	54.00	-7.20	30.37	34.28	12.00	29.85	0.00	368	15	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	86.81	-----	-----	70.17	34.40	12.15	29.91	0.00	368	15	AVERAGE																																																																																							



Mode	22																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																				
Pol.	Vertical										Fundamental																																										
Peak											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.95</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>38.42</td><td>34.44</td><td>12.21</td><td>29.83</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	5359.95	55.24	74.00	-18.76	38.42	34.44	12.21	29.83	0.00	368
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																											
1	5359.95	55.24	74.00	-18.76	38.42	34.44	12.21	29.83	0.00	368	15	PEAK																																									
Avg											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.05</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>28.94</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	5351.05	45.71	54.00	-8.29	28.94	34.40	12.21	29.84	0.00	368
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																											
1	5351.05	45.71	54.00	-8.29	28.94	34.40	12.21	29.84	0.00	368	15	AVERAGE																																									




Mode	22																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>57.70</td><td>37.62</td><td>17.79</td><td>63.25</td><td>0.00</td><td>100</td><td>156</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>39.84</td><td>54.00</td><td>-14.16</td><td>47.68</td><td>37.62</td><td>17.79</td><td>63.25</td><td>0.00</td><td>100</td><td>156</td><td>AVERAGE</td></tr><tr><td>3</td><td>15930.00</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>54.21</td><td>40.46</td><td>21.96</td><td>64.21</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>15930.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>44.43</td><td>40.46</td><td>21.97</td><td>64.22</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	49.86	74.00	-24.14	57.70	37.62	17.79	63.25	0.00	100	156	PEAK	2	10620.00	39.84	54.00	-14.16	47.68	37.62	17.79	63.25	0.00	100	156	AVERAGE	3	15930.00	52.42	74.00	-21.58	54.21	40.46	21.96	64.21	0.00	100	244	PEAK	4	15930.00	42.66	54.00	-11.34	44.43	40.46	21.97	64.22	0.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10620.00	49.86	74.00	-24.14	57.70	37.62	17.79	63.25	0.00	100	156	PEAK																																																																																	
2	10620.00	39.84	54.00	-14.16	47.68	37.62	17.79	63.25	0.00	100	156	AVERAGE																																																																																	
3	15930.00	52.42	74.00	-21.58	54.21	40.46	21.96	64.21	0.00	100	244	PEAK																																																																																	
4	15930.00	42.66	54.00	-11.34	44.43	40.46	21.97	64.22	0.00	100	244	AVERAGE																																																																																	
	Vertical																																																																																												
																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>52.00</td><td>37.62</td><td>17.79</td><td>63.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>52.55</td><td>40.46</td><td>21.96</td><td>64.21</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>40.40</td><td>54.00</td><td>-13.60</td><td>42.17</td><td>40.46</td><td>21.97</td><td>64.22</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	44.16	74.00	-29.84	52.00	37.62	17.79	63.25	0.00	--	--	PEAK	2	15930.00	50.76	74.00	-23.24	52.55	40.46	21.96	64.21	0.00	100	272	PEAK	3	15930.00	40.40	54.00	-13.60	42.17	40.46	21.97	64.22	0.00	100	272	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10620.00	44.16	74.00	-29.84	52.00	37.62	17.79	63.25	0.00	--	--	PEAK																																																																																	
2	15930.00	50.76	74.00	-23.24	52.55	40.46	21.96	64.21	0.00	100	272	PEAK																																																																																	
3	15930.00	40.40	54.00	-13.60	42.17	40.46	21.97	64.22	0.00	100	272	AVERAGE																																																																																	



		23																																																																				
Mode	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																					
Pol.	Horizontal																																																																					
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.17</td><td>62.01</td><td>74.00</td><td>-11.99</td><td>44.96</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>66.32</td><td>68.20</td><td>-1.88</td><td>49.31</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.17	62.01	74.00	-11.99	44.96	34.59	12.33	29.87	0.00	100	291	PEAK	2	5469.13	66.32	68.20	-1.88	49.31	34.56	12.34	29.89	0.00	100	291	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5456.17	62.01	74.00	-11.99	44.96	34.59	12.33	29.87	0.00	100	291	PEAK																																																										
2	5469.13	66.32	68.20	-1.88	49.31	34.56	12.34	29.89	0.00	100	291	PEAK																																																										
Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.44</td><td>-----</td><td>-----</td><td>87.46</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	104.44	-----	-----	87.46	34.50	12.40	29.92	0.00	100	291	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5510.00	104.44	-----	-----	87.46	34.50	12.40	29.92	0.00	100	291	PEAK																																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.97</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>31.98</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.97	49.01	54.00	-4.99	31.98	34.58	12.33	29.88	0.00	100	291	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5459.97	49.01	54.00	-4.99	31.98	34.58	12.33	29.88	0.00	100	291	AVERAGE																																																										
Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>95.10</td><td>-----</td><td>-----</td><td>78.12</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	95.10	-----	-----	78.12	34.50	12.40	29.92	0.00	100	291	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5510.00	95.10	-----	-----	78.12	34.50	12.40	29.92	0.00	100	291	AVERAGE																																																										




Mode	23																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.28</td><td>56.50</td><td>68.20</td><td>-11.70</td><td>38.94</td><td>34.71</td><td>12.71</td><td>29.86</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.28	56.50	68.20	-11.70	38.94	34.71	12.71	29.86	0.00	100	291	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5755.28	56.50	68.20	-11.70	38.94	34.71	12.71	29.86	0.00	100	291	PEAK																																		




Mode	23																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																																									
Pol.	Vertical											Fundamental																																																																																																																														
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5459.05</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>39.31</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td><td colspan="3"></td></tr><tr><td>2</td><td>5469.29</td><td>58.72</td><td>68.20</td><td>-9.48</td><td>41.71</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td><td colspan="3"></td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5459.05	56.35	74.00	-17.65	39.31	34.58	12.33	29.87	0.00	400	18	PEAK				2	5469.29	58.72	68.20	-9.48	41.71	34.56	12.34	29.89	0.00	400	18	PEAK				<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5512.41</td><td>92.08</td><td>-----</td><td>-----</td><td>75.09</td><td>34.50</td><td>12.40</td><td>29.91</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td><td colspan="3"></td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5512.41	92.08	-----	-----	75.09	34.50	12.40	29.91	0.00	400	18	PEAK		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5459.05	56.35	74.00	-17.65	39.31	34.58	12.33	29.87	0.00	400	18	PEAK																																																																																																																														
2	5469.29	58.72	68.20	-9.48	41.71	34.56	12.34	29.89	0.00	400	18	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5512.41	92.08	-----	-----	75.09	34.50	12.40	29.91	0.00	400	18	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5459.05</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>29.38</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>400</td><td>18</td><td>AVERAGE</td><td colspan="3"></td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5459.05	46.42	54.00	-7.58	29.38	34.58	12.33	29.87	0.00	400	18	AVERAGE				<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5510.00</td><td>90.16</td><td>-----</td><td>-----</td><td>73.18</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>400</td><td>18</td><td>AVERAGE</td><td colspan="3"></td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5510.00	90.16	-----	-----	73.18	34.50	12.40	29.92	0.00	400	18	AVERAGE																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5459.05	46.42	54.00	-7.58	29.38	34.58	12.33	29.87	0.00	400	18	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5510.00	90.16	-----	-----	73.18	34.50	12.40	29.92	0.00	400	18	AVERAGE																																																																																																																														





Mode	23																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.64</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>38.81</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.64	56.22	68.20	-11.98	38.81	34.66	12.68	29.93	0.00	400	18	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5728.64	56.22	68.20	-11.98	38.81	34.66	12.68	29.93	0.00	400	18	PEAK																																		







Mode	23																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>51.05</td><td>37.82</td><td>18.17</td><td>61.60</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>56.07</td><td>68.20</td><td>-12.13</td><td>56.32</td><td>41.64</td><td>22.36</td><td>64.25</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.44	74.00	-28.56	51.05	37.82	18.17	61.60	0.00	--	-- PEAK	2	16530.00	56.07	68.20	-12.13	56.32	41.64	22.36	64.25	0.00	100	245 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11020.00	45.44	74.00	-28.56	51.05	37.82	18.17	61.60	0.00	--	-- PEAK																																																													
2	16530.00	56.07	68.20	-12.13	56.32	41.64	22.36	64.25	0.00	100	245 PEAK																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.66</td><td>37.82</td><td>18.17</td><td>61.60</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>47.48</td><td>41.62</td><td>22.34</td><td>64.26</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.05	74.00	-28.95	50.66	37.82	18.17	61.60	0.00	--	-- PEAK	2	16530.00	47.18	68.20	-21.02	47.48	41.62	22.34	64.26	0.00	--	-- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11020.00	45.05	74.00	-28.95	50.66	37.82	18.17	61.60	0.00	--	-- PEAK																																																													
2	16530.00	47.18	68.20	-21.02	47.48	41.62	22.34	64.26	0.00	--	-- PEAK																																																													




		24																																																																				
Mode		Harmonic																																																																				
		U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																				
Pol.		Horizontal																																																																				
Peak																																																																						
Avg																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>50.31</td><td>37.90</td><td>18.24</td><td>61.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>57.70</td><td>41.81</td><td>22.43</td><td>64.22</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	44.91	74.00	-29.09	50.31	37.90	18.24	61.54	0.00	--	--	PEAK	2	16650.00	57.72	68.20	-10.48	57.70	41.81	22.43	64.22	0.00	100	244	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11100.00	44.91	74.00	-29.09	50.31	37.90	18.24	61.54	0.00	--	--	PEAK																																																										
2	16650.00	57.72	68.20	-10.48	57.70	41.81	22.43	64.22	0.00	100	244	PEAK																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>51.14</td><td>37.90</td><td>18.24</td><td>61.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>56.13</td><td>41.81</td><td>22.43</td><td>64.22</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.74	74.00	-28.26	51.14	37.90	18.24	61.54	0.00	--	--	PEAK	2	16650.00	56.15	68.20	-12.05	56.13	41.81	22.43	64.22	0.00	100	107	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11100.00	45.74	74.00	-28.26	51.14	37.90	18.24	61.54	0.00	--	--	PEAK																																																										
2	16650.00	56.15	68.20	-12.05	56.13	41.81	22.43	64.22	0.00	100	107	PEAK																																																										



Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.45</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>39.42</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5462.25</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>38.83</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.45	56.46	74.00	-17.54	39.42	34.59	12.32	29.87	0.00	100	295	PEAK	2	5462.25	55.86	68.20	-12.34	38.83	34.58	12.33	29.88	0.00	100	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>109.43</td><td>-----</td><td>-----</td><td>92.13</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.43	-----	-----	92.13	34.60	12.59	29.89	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5453.45	56.46	74.00	-17.54	39.42	34.59	12.32	29.87	0.00	100	295	PEAK																																																																																																				
2	5462.25	55.86	68.20	-12.34	38.83	34.58	12.33	29.88	0.00	100	295	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	109.43	-----	-----	92.13	34.60	12.59	29.89	0.00	100	295	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.21</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>29.11</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	46.15	54.00	-7.85	29.11	34.58	12.33	29.87	0.00	100	295	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.62</td><td>-----</td><td>-----</td><td>83.30</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.62	-----	-----	83.30	34.60	12.59	29.87	0.00	100	295	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.21	46.15	54.00	-7.85	29.11	34.58	12.33	29.87	0.00	100	295	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	100.62	-----	-----	83.30	34.60	12.59	29.87	0.00	100	295	AVERAGE																																																																																																				




Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>/MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.04</td><td>64.96</td><td>68.20</td><td>-3.24</td><td>47.57</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		/MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.04	64.96	68.20	-3.24	47.57	34.65	12.68	29.94	0.00	100	295	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	/MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.04	64.96	68.20	-3.24	47.57	34.65	12.68	29.94	0.00	100	295	PEAK																																												





Mode	25																																																																					
	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																					
Pol.	Vertical																																																																					
Peak																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.49</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>39.29</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr><tr><td>2</td><td>5460.17</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>39.26</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.49	56.35	74.00	-17.65	39.29	34.60	12.29	29.83	0.00	399	20	PEAK	2	5460.17	56.29	68.20	-11.91	39.26	34.58	12.33	29.88	0.00	399	20	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5428.49	56.35	74.00	-17.65	39.29	34.60	12.29	29.83	0.00	399	20	PEAK																																																										
2	5460.17	56.29	68.20	-11.91	39.26	34.58	12.33	29.88	0.00	399	20	PEAK																																																										
Fundamental																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.53</td><td>-----</td><td>-----</td><td>86.21</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.53	-----	-----	86.21	34.60	12.59	29.87	0.00	399	20	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5670.00	103.53	-----	-----	86.21	34.60	12.59	29.87	0.00	399	20	PEAK																																																										
Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.18</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>27.82</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>399</td><td>20</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.18	44.86	54.00	-9.14	27.82	34.58	12.33	29.87	0.00	399	20	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5459.18	44.86	54.00	-9.14	27.82	34.58	12.33	29.87	0.00	399	20	AVERAGE																																																										
Fundamental																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>94.52</td><td>-----</td><td>-----</td><td>77.20</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>399</td><td>20</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.52	-----	-----	77.20	34.60	12.59	29.87	0.00	399	20	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5670.00	94.52	-----	-----	77.20	34.60	12.59	29.87	0.00	399	20	AVERAGE																																																										






Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.52</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>41.40</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.52	58.81	68.20	-9.39	41.40	34.66	12.68	29.93	0.00	399	20	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5729.52	58.81	68.20	-9.39	41.40	34.66	12.68	29.93	0.00	399	20	PEAK																																		






		25																																																																																																																																														
Mode		Harmonic																																																																																																																																														
		U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																																														
Pol.		Horizontal											Vertical																																																																																																																																			
Peak Avg																																																																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11340.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>50.95</td><td>37.94</td><td>18.45</td><td>61.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 17010.00</td><td>59.98</td><td>68.20</td><td>-8.22</td><td>59.86</td><td>41.58</td><td>22.66</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	45.99	74.00	-28.01	50.95	37.94	18.45	61.35	0.00	--	--	PEAK	2 17010.00	59.98	68.20	-8.22	59.86	41.58	22.66	64.12	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11340.00</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>54.75</td><td>37.94</td><td>18.45</td><td>61.35</td><td>0.00</td><td>317</td><td>81</td><td>PEAK</td></tr><tr><td>2 11340.00</td><td>39.29</td><td>54.00</td><td>-14.71</td><td>44.25</td><td>37.94</td><td>18.45</td><td>61.35</td><td>0.00</td><td>317</td><td>81</td><td>AVERAGE</td></tr><tr><td>3 17010.00</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>57.28</td><td>41.58</td><td>22.66</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	49.79	74.00	-24.21	54.75	37.94	18.45	61.35	0.00	317	81	PEAK	2 11340.00	39.29	54.00	-14.71	44.25	37.94	18.45	61.35	0.00	317	81	AVERAGE	3 17010.00	57.40	68.20	-10.80	57.28	41.58	22.66	64.12	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11340.00	45.99	74.00	-28.01	50.95	37.94	18.45	61.35	0.00	--	--	PEAK																																																																																																																																					
2 17010.00	59.98	68.20	-8.22	59.86	41.58	22.66	64.12	0.00	--	--	PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11340.00	49.79	74.00	-24.21	54.75	37.94	18.45	61.35	0.00	317	81	PEAK																																																																																																																																					
2 11340.00	39.29	54.00	-14.71	44.25	37.94	18.45	61.35	0.00	317	81	AVERAGE																																																																																																																																					
3 17010.00	57.40	68.20	-10.80	57.28	41.58	22.66	64.12	0.00	--	--	PEAK																																																																																																																																					




Mode	26																																																																																																																																																				
	Band Edge																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																				
Pol.	Horizontal																																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. A peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.00</td><td>57.06</td><td>68.20</td><td>-11.14</td><td>39.76</td><td>34.57</td><td>12.56</td><td>29.83</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>57.49</td><td>69.39</td><td>-11.90</td><td>40.18</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5716.80</td><td>70.44</td><td>110.01</td><td>-39.57</td><td>53.10</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>70.78</td><td>112.72</td><td>-41.94</td><td>53.42</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.00	57.06	68.20	-11.14	39.76	34.57	12.56	29.83	0.00	106	295	PEAK	2	5651.60	57.49	69.39	-11.90	40.18	34.60	12.58	29.87	0.00	106	295	PEAK	3	5716.80	70.44	110.01	-39.57	53.10	34.63	12.67	29.96	0.00	106	295	PEAK	4	5720.80	70.78	112.72	-41.94	53.42	34.64	12.67	29.95	0.00	106	295	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.71</td><td>-----</td><td>-----</td><td>96.17</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.71	-----	-----	96.17	34.70	12.71	29.87	0.00	106	295	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5636.00	57.06	68.20	-11.14	39.76	34.57	12.56	29.83	0.00	106	295	PEAK																																																																																																																																									
2	5651.60	57.49	69.39	-11.90	40.18	34.60	12.58	29.87	0.00	106	295	PEAK																																																																																																																																									
3	5716.80	70.44	110.01	-39.57	53.10	34.63	12.67	29.96	0.00	106	295	PEAK																																																																																																																																									
4	5720.80	70.78	112.72	-41.94	53.42	34.64	12.67	29.95	0.00	106	295	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5745.00	113.71	-----	-----	96.17	34.70	12.71	29.87	0.00	106	295	PEAK																																																																																																																																									
Avg	Blank											 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.65</td><td>-----</td><td>-----</td><td>87.18</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>106</td><td>295</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.65	-----	-----	87.18	34.68	12.69	29.90	0.00	106	295	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5745.00	104.65	-----	-----	87.18	34.68	12.69	29.90	0.00	106	295	AVERAGE																																																																																																																																									





		26																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.20</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>39.78</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.34</td><td>68.50</td><td>-15.16</td><td>36.03</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>60.90</td><td>110.01</td><td>-49.11</td><td>43.56</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.41</td><td>112.72</td><td>-52.31</td><td>43.05</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.20	57.09	68.20	-11.11	39.78	34.58	12.57	29.84	0.00	313	16	PEAK	2	5650.40	53.34	68.50	-15.16	36.03	34.60	12.58	29.87	0.00	313	16	PEAK	3	5716.00	60.90	110.01	-49.11	43.56	34.63	12.67	29.96	0.00	313	16	PEAK	4	5720.00	60.41	112.72	-52.31	43.05	34.64	12.67	29.95	0.00	313	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5639.20	57.09	68.20	-11.11	39.78	34.58	12.57	29.84	0.00	313	16	PEAK																																																																																			
2	5650.40	53.34	68.50	-15.16	36.03	34.60	12.58	29.87	0.00	313	16	PEAK																																																																																			
3	5716.00	60.90	110.01	-49.11	43.56	34.63	12.67	29.96	0.00	313	16	PEAK																																																																																			
4	5720.00	60.41	112.72	-52.31	43.05	34.64	12.67	29.95	0.00	313	16	PEAK																																																																																			
																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.75</td><td>-----</td><td>-----</td><td>87.28</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.75	-----	-----	87.28	34.68	12.69	29.90	0.00	313	16	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	104.75	-----	-----	87.28	34.68	12.69	29.90	0.00	313	16	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.83</td><td>-----</td><td>-----</td><td>78.33</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>313</td><td>16</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.83	-----	-----	78.33	34.69	12.70	29.89	0.00	313	16	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	95.83	-----	-----	78.33	34.69	12.70	29.89	0.00	313	16	AVERAGE																																																																																			






Mode	26																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>63.53</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>62.20</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>339</td><td>44</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>52.09</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>339</td><td>44</td><td>AVERAGE</td></tr><tr><td>4</td><td>17235.00</td><td>62.89</td><td>68.20</td><td>-5.31</td><td>67.84</td><td>40.90</td><td>18.36</td><td>64.21</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	45.34	74.00	-28.66	63.53	35.82	12.01	66.02	0.00	---	---	PEAK	2	11490.00	51.18	74.00	-22.82	62.20	38.19	14.91	64.12	0.00	339	44	PEAK	3	11490.00	41.07	54.00	-12.93	52.09	38.19	14.91	64.12	0.00	339	44	AVERAGE	4	17235.00	62.89	68.20	-5.31	67.84	40.90	18.36	64.21	0.00	100	107	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7659.81	45.34	74.00	-28.66	63.53	35.82	12.01	66.02	0.00	---	---	PEAK																																																																																				
2	11490.00	51.18	74.00	-22.82	62.20	38.19	14.91	64.12	0.00	339	44	PEAK																																																																																				
3	11490.00	41.07	54.00	-12.93	52.09	38.19	14.91	64.12	0.00	339	44	AVERAGE																																																																																				
4	17235.00	62.89	68.20	-5.31	67.84	40.90	18.36	64.21	0.00	100	107	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>60.48</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>67.43</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>56.18</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92</td><td>AVERAGE</td></tr><tr><td>4</td><td>17235.00</td><td>62.99</td><td>68.20</td><td>-5.21</td><td>67.95</td><td>40.90</td><td>18.36</td><td>64.22</td><td>0.00</td><td>105</td><td>30</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	---	PEAK	2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92	PEAK	3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92	AVERAGE	4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	---	PEAK																																																																																				
2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92	PEAK																																																																																				
3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92	AVERAGE																																																																																				
4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>60.48</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>67.43</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>56.18</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92</td><td>AVERAGE</td></tr><tr><td>4</td><td>17235.00</td><td>62.99</td><td>68.20</td><td>-5.21</td><td>67.95</td><td>40.90</td><td>18.36</td><td>64.22</td><td>0.00</td><td>105</td><td>30</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	---	PEAK	2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92	PEAK	3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92	AVERAGE	4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	---	PEAK																																																																																				
2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92	PEAK																																																																																				
3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92	AVERAGE																																																																																				
4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30	PEAK																																																																																				






Mode	27																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>62.98</td><td>35.90</td><td>12.06</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>64.18</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>115</td><td>143</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>53.15</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>115</td><td>143</td><td>AVERAGE</td></tr><tr><td>4</td><td>17355.00</td><td>63.13</td><td>68.20</td><td>-5.07</td><td>67.90</td><td>40.90</td><td>18.44</td><td>64.11</td><td>0.00</td><td>103</td><td>160</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	44.84	74.00	-29.16	62.98	35.90	12.06	66.10	0.00	---	---	PEAK	2	11570.00	53.19	74.00	-20.81	64.18	38.27	14.97	64.23	0.00	115	143	PEAK	3	11570.00	42.16	54.00	-11.84	53.15	38.27	14.97	64.23	0.00	115	143	AVERAGE	4	17355.00	63.13	68.20	-5.07	67.90	40.90	18.44	64.11	0.00	103	160	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7713.14	44.84	74.00	-29.16	62.98	35.90	12.06	66.10	0.00	---	---	PEAK																																																																																				
2	11570.00	53.19	74.00	-20.81	64.18	38.27	14.97	64.23	0.00	115	143	PEAK																																																																																				
3	11570.00	42.16	54.00	-11.84	53.15	38.27	14.97	64.23	0.00	115	143	AVERAGE																																																																																				
4	17355.00	63.13	68.20	-5.07	67.90	40.90	18.44	64.11	0.00	103	160	PEAK																																																																																				
Vertical																																																																																																
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>61.28</td><td>35.90</td><td>12.06</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>63.51</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>53.36</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>100</td><td>83</td><td>AVERAGE</td></tr><tr><td>4</td><td>17355.00</td><td>62.28</td><td>68.20</td><td>-5.92</td><td>67.05</td><td>40.90</td><td>18.44</td><td>64.11</td><td>0.00</td><td>338</td><td>225</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	43.14	74.00	-30.86	61.28	35.90	12.06	66.10	0.00	---	---	PEAK	2	11570.00	52.52	74.00	-21.48	63.51	38.27	14.97	64.23	0.00	100	83	PEAK	3	11570.00	42.37	54.00	-11.63	53.36	38.27	14.97	64.23	0.00	100	83	AVERAGE	4	17355.00	62.28	68.20	-5.92	67.05	40.90	18.44	64.11	0.00	338	225	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7713.14	43.14	74.00	-30.86	61.28	35.90	12.06	66.10	0.00	---	---	PEAK																																																																																				
2	11570.00	52.52	74.00	-21.48	63.51	38.27	14.97	64.23	0.00	100	83	PEAK																																																																																				
3	11570.00	42.37	54.00	-11.63	53.36	38.27	14.97	64.23	0.00	100	83	AVERAGE																																																																																				
4	17355.00	62.28	68.20	-5.92	67.05	40.90	18.44	64.11	0.00	338	225	PEAK																																																																																				



		28																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>64.72</td><td>111.36</td><td>-46.64</td><td>46.85</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>62.47</td><td>110.28</td><td>-47.81</td><td>44.58</td><td>34.04</td><td>12.87</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.26</td><td>68.64</td><td>-13.38</td><td>37.03</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5956.00</td><td>60.00</td><td>68.20</td><td>-8.20</td><td>41.68</td><td>35.10</td><td>13.04</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	64.72	111.36	-46.64	46.85	34.83	12.86	29.82	0.00	101	296	PEAK	2	5857.20	62.47	110.28	-47.81	44.58	34.04	12.87	29.82	0.00	101	296	PEAK	3	5924.40	55.26	68.64	-13.38	37.03	35.10	12.98	29.85	0.00	101	296	PEAK	4	5956.00	60.00	68.20	-8.20	41.68	35.10	13.04	29.82	0.00	101	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.00	64.72	111.36	-46.64	46.85	34.83	12.86	29.82	0.00	101	296	PEAK																																																																																	
2	5857.20	62.47	110.28	-47.81	44.58	34.04	12.87	29.82	0.00	101	296	PEAK																																																																																	
3	5924.40	55.26	68.64	-13.38	37.03	35.10	12.98	29.85	0.00	101	296	PEAK																																																																																	
4	5956.00	60.00	68.20	-8.20	41.68	35.10	13.04	29.82	0.00	101	296	PEAK																																																																																	
Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.49</td><td>-----</td><td>-----</td><td>96.66</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	114.49	-----	-----	96.66	34.80	12.82	29.79	0.00	101	296	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	114.49	-----	-----	96.66	34.80	12.82	29.79	0.00	101	296	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.66</td><td>-----</td><td>-----</td><td>87.83</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>101</td><td>296</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.66	-----	-----	87.83	34.80	12.82	29.79	0.00	101	296	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	105.66	-----	-----	87.83	34.80	12.82	29.79	0.00	101	296	AVERAGE																																																																																	






		28																																																																														
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																															
Pol.	Vertical																																																																															
Peak																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.79</td><td>113.18</td><td>-54.39</td><td>40.92</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.24</td><td>105.58</td><td>-50.34</td><td>37.24</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.09</td><td>68.35</td><td>-14.26</td><td>35.86</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr><tr><td>4</td><td>5964.00</td><td>57.90</td><td>68.20</td><td>-10.30</td><td>39.57</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	58.79	113.18	-54.39	40.92	34.82	12.86	29.81	0.00	392	24 PEAK	2	5874.00	55.24	105.58	-50.34	37.24	34.94	12.90	29.84	0.00	392	24 PEAK	3	5924.00	54.09	68.35	-14.26	35.86	35.10	12.98	29.85	0.00	392	24 PEAK	4	5964.00	57.90	68.20	-10.30	39.57	35.10	13.05	29.82	0.00	392
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5854.00	58.79	113.18	-54.39	40.92	34.82	12.86	29.81	0.00	392	24 PEAK																																																																					
2	5874.00	55.24	105.58	-50.34	37.24	34.94	12.90	29.84	0.00	392	24 PEAK																																																																					
3	5924.00	54.09	68.35	-14.26	35.86	35.10	12.98	29.85	0.00	392	24 PEAK																																																																					
4	5964.00	57.90	68.20	-10.30	39.57	35.10	13.05	29.82	0.00	392	24 PEAK																																																																					
Fundamental																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.41</td><td>-----</td><td>-----</td><td>89.58</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	107.41	-----	-----	89.58	34.80	12.80	29.77	0.00	392	24 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5825.00	107.41	-----	-----	89.58	34.80	12.80	29.77	0.00	392	24 PEAK																																																																					
Avg	Blank																																																																															
																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.38</td><td>-----</td><td>-----</td><td>80.55</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>392</td><td>24 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	98.38	-----	-----	80.55	34.80	12.82	29.79	0.00	392	24 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5825.00	98.38	-----	-----	80.55	34.80	12.82	29.79	0.00	392	24 AVERAGE																																																																					






		28																																																																																																																																																															
Mode		Harmonic																																																																																																																																																															
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																															
Pol.		Horizontal										Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.33</td><td>46.89</td><td>68.20</td><td>-21.31</td><td>60.22</td><td>35.83</td><td>14.93</td><td>64.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>57.87</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>47.34</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr><tr><td>4</td><td>17475.00</td><td>60.77</td><td>68.20</td><td>-7.43</td><td>60.76</td><td>41.28</td><td>23.06</td><td>64.33</td><td>0.00</td><td>100</td><td>282</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.33	46.89	68.20	-21.31	60.22	35.83	14.93	64.09	0.00	--	--	PEAK	2	11650.00	53.64	74.00	-20.36	57.87	38.20	18.72	61.15	0.00	100	159	PEAK	3	11650.00	43.11	54.00	-10.89	47.34	38.20	18.72	61.15	0.00	100	159	AVERAGE	4	17475.00	60.77	68.20	-7.43	60.76	41.28	23.06	64.33	0.00	100	282	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>49.76</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17475.00</td><td>60.02</td><td>68.20</td><td>-8.18</td><td>60.02</td><td>41.28</td><td>23.05</td><td>64.33</td><td>0.00</td><td>337</td><td>257</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.53	74.00	-28.47	49.76	38.20	18.72	61.15	0.00	--	--	PEAK	2	17475.00	60.02	68.20	-8.18	60.02	41.28	23.05	64.33	0.00	337	257	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	7766.33	46.89	68.20	-21.31	60.22	35.83	14.93	64.09	0.00	--	--	PEAK																																																																																																																																																					
2	11650.00	53.64	74.00	-20.36	57.87	38.20	18.72	61.15	0.00	100	159	PEAK																																																																																																																																																					
3	11650.00	43.11	54.00	-10.89	47.34	38.20	18.72	61.15	0.00	100	159	AVERAGE																																																																																																																																																					
4	17475.00	60.77	68.20	-7.43	60.76	41.28	23.06	64.33	0.00	100	282	PEAK																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	11650.00	45.53	74.00	-28.47	49.76	38.20	18.72	61.15	0.00	--	--	PEAK																																																																																																																																																					
2	17475.00	60.02	68.20	-8.18	60.02	41.28	23.05	64.33	0.00	337	257	PEAK																																																																																																																																																					



		29																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																														
Pol.	Horizontal																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.60</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>40.57</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.21</td><td>68.20</td><td>-13.99</td><td>36.89</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>72.35</td><td>110.68</td><td>-38.33</td><td>54.99</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>81.63</td><td>121.84</td><td>-40.21</td><td>64.24</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5609.60	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	104	294	PEAK	2	5650.00	54.21	68.20	-13.99	36.89	34.60	12.58	29.86	0.00	104	294	PEAK	3	5719.20	72.35	110.68	-38.33	54.99	34.64	12.67	29.95	0.00	104	294	PEAK	4	5724.00	81.63	121.84	-40.21	64.24	34.65	12.68	29.94	0.00	104	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5609.60	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	104	294	PEAK																																																																																			
2	5650.00	54.21	68.20	-13.99	36.89	34.60	12.58	29.86	0.00	104	294	PEAK																																																																																			
3	5719.20	72.35	110.68	-38.33	54.99	34.64	12.67	29.95	0.00	104	294	PEAK																																																																																			
4	5724.00	81.63	121.84	-40.21	64.24	34.65	12.68	29.94	0.00	104	294	PEAK																																																																																			
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.52</td><td>-----</td><td>-----</td><td>96.05</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.52	-----	-----	96.05	34.68	12.69	29.90	0.00	104	294	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	113.52	-----	-----	96.05	34.68	12.69	29.90	0.00	104	294	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.91</td><td>-----</td><td>-----</td><td>86.44</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>104</td><td>294</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.91	-----	-----	86.44	34.68	12.69	29.90	0.00	104	294	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	103.91	-----	-----	86.44	34.68	12.69	29.90	0.00	104	294	AVERAGE																																																																																			



		29																																																																																																																																																				
Mode	Band Edge																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																																					
Pol.	Vertical																																																																																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5619.20</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>38.97</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.60</td><td>68.50</td><td>-14.90</td><td>36.29</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>62.96</td><td>110.90</td><td>-47.94</td><td>45.60</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>72.96</td><td>117.28</td><td>-44.32</td><td>55.58</td><td>34.65</td><td>12.67</td><td>29.94</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5619.20	56.27	68.20	-11.93	38.97	34.54	12.54	29.78	0.00	367	17	PEAK	2	5650.40	53.60	68.50	-14.90	36.29	34.60	12.58	29.87	0.00	367	17	PEAK	3	5720.00	62.96	110.90	-47.94	45.60	34.64	12.67	29.95	0.00	367	17	PEAK	4	5722.80	72.96	117.28	-44.32	55.58	34.65	12.67	29.94	0.00	367	17	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.05</td><td>-----</td><td>-----</td><td>87.55</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.05	-----	-----	87.55	34.69	12.70	29.89	0.00	367	17	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	5619.20	56.27	68.20	-11.93	38.97	34.54	12.54	29.78	0.00	367	17	PEAK																																																																																																																																										
2	5650.40	53.60	68.50	-14.90	36.29	34.60	12.58	29.87	0.00	367	17	PEAK																																																																																																																																										
3	5720.00	62.96	110.90	-47.94	45.60	34.64	12.67	29.95	0.00	367	17	PEAK																																																																																																																																										
4	5722.80	72.96	117.28	-44.32	55.58	34.65	12.67	29.94	0.00	367	17	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5745.00	105.05	-----	-----	87.55	34.69	12.70	29.89	0.00	367	17	PEAK																																																																																																																																										
Avg	Blank											<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.15</td><td>-----</td><td>-----</td><td>78.68</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>367</td><td>17</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.15	-----	-----	78.68	34.68	12.69	29.90	0.00	367	17	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5745.00	96.15	-----	-----	78.68	34.68	12.69	29.90	0.00	367	17	AVERAGE																																																																																																																																										



		29																																																																																
Mode		Harmonic																																																																																
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																
Pol.		Horizontal																																																																																
Peak Avg																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>59.45</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>47.42</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>60.79</td><td>68.20</td><td>-7.41</td><td>60.77</td><td>41.40</td><td>22.84</td><td>64.22</td><td>0.00</td><td>100</td><td>282</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.79	74.00	-19.21	59.45	38.00	18.58	61.24	0.00	100	159	PEAK	2	11490.00	42.76	54.00	-11.24	47.42	38.00	18.58	61.24	0.00	100	159	AVERAGE	3	17235.00	60.79	68.20	-7.41	60.77	41.40	22.84	64.22	0.00	100	282	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11490.00	54.79	74.00	-19.21	59.45	38.00	18.58	61.24	0.00	100	159	PEAK																																																																						
2	11490.00	42.76	54.00	-11.24	47.42	38.00	18.58	61.24	0.00	100	159	AVERAGE																																																																						
3	17235.00	60.79	68.20	-7.41	60.77	41.40	22.84	64.22	0.00	100	282	PEAK																																																																						
		Vertical																																																																																
Peak Avg																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>52.17</td><td>74.00</td><td>-21.83</td><td>56.83</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>41.90</td><td>54.00</td><td>-12.10</td><td>46.56</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>60.27</td><td>68.20</td><td>-7.93</td><td>60.23</td><td>41.42</td><td>22.84</td><td>64.22</td><td>0.00</td><td>300</td><td>257</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	52.17	74.00	-21.83	56.83	38.00	18.58	61.24	0.00	100	123	PEAK	2	11490.00	41.90	54.00	-12.10	46.56	38.00	18.58	61.24	0.00	100	123	AVERAGE	3	17235.00	60.27	68.20	-7.93	60.23	41.42	22.84	64.22	0.00	300	257	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11490.00	52.17	74.00	-21.83	56.83	38.00	18.58	61.24	0.00	100	123	PEAK																																																																						
2	11490.00	41.90	54.00	-12.10	46.56	38.00	18.58	61.24	0.00	100	123	AVERAGE																																																																						
3	17235.00	60.27	68.20	-7.93	60.23	41.42	22.84	64.22	0.00	300	257	PEAK																																																																						



Mode

30

Harmonic

U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz

Pol.

Horizontal

Vertical




Peak

Avg

		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11570.00	53.42	74.00	-20.58	57.89	38.07	18.65	61.19	0.00	100	159	PEAK
2	11570.00	42.86	54.00	-11.14	47.33	38.07	18.65	61.19	0.00	100	159	AVERAGE
3	17355.00	60.89	68.20	-7.31	61.02	41.20	22.95	64.28	0.00	100	154	PEAK

		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11570.00	51.80	74.00	-22.20	56.27	38.07	18.65	61.19	0.00	303	76	PEAK
2	11570.00	41.06	54.00	-12.94	45.53	38.07	18.65	61.19	0.00	303	76	AVERAGE
3	17355.00	59.05	68.20	-9.15	59.18	41.20	22.94	64.27	0.00	100	101	PEAK



		31																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																														
Pol.	Horizontal																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>65.78</td><td>111.36</td><td>-45.58</td><td>47.91</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>62.03</td><td>109.05</td><td>-47.02</td><td>44.11</td><td>34.87</td><td>12.87</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5920.80</td><td>58.18</td><td>71.30</td><td>-13.12</td><td>39.95</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5937.20</td><td>57.71</td><td>68.20</td><td>-10.49</td><td>39.45</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	65.78	111.36	-45.58	47.91	34.83	12.86	29.82	0.00	101	296	PEAK	2	5861.60	62.03	109.05	-47.02	44.11	34.87	12.87	29.82	0.00	101	296	PEAK	3	5920.80	58.18	71.30	-13.12	39.95	35.10	12.98	29.85	0.00	101	296	PEAK	4	5937.20	57.71	68.20	-10.49	39.45	35.10	13.00	29.84	0.00	101	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	65.78	111.36	-45.58	47.91	34.83	12.86	29.82	0.00	101	296	PEAK																																																																																			
2	5861.60	62.03	109.05	-47.02	44.11	34.87	12.87	29.82	0.00	101	296	PEAK																																																																																			
3	5920.80	58.18	71.30	-13.12	39.95	35.10	12.98	29.85	0.00	101	296	PEAK																																																																																			
4	5937.20	57.71	68.20	-10.49	39.45	35.10	13.00	29.84	0.00	101	296	PEAK																																																																																			
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.32</td><td>-----</td><td>-----</td><td>96.49</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.32	-----	-----	96.49	34.80	12.80	29.77	0.00	101	296	PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	114.32	-----	-----	96.49	34.80	12.80	29.77	0.00	101	296	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.00</td><td>-----</td><td>-----</td><td>87.25</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>101</td><td>296</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.00	-----	-----	87.25	34.80	12.82	29.79	0.00	101	296	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	105.00	-----	-----	87.25	34.80	12.82	29.79	0.00	101	296	AVERAGE																																																																																			






		31																																																																																		
Mode		Band Edge																																																																																		
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																		
Pol.		Fundamental																																																																																		
Peak	Vertical																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>58.75</td><td>111.36</td><td>-52.61</td><td>40.88</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>392</td><td>22</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.67</td><td>105.36</td><td>-49.69</td><td>37.66</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>392</td><td>22</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.05</td><td>68.94</td><td>-14.89</td><td>35.82</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>392</td><td>22</td><td>PEAK</td></tr><tr><td>4</td><td>5980.00</td><td>57.64</td><td>68.20</td><td>-10.56</td><td>39.27</td><td>35.10</td><td>13.08</td><td>29.81</td><td>0.00</td><td>392</td><td>22</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	58.75	111.36	-52.61	40.88	34.83	12.86	29.82	0.00	392	22	PEAK	2	5874.00	55.67	105.36	-49.69	37.66	34.95	12.90	29.84	0.00	392	22	PEAK	3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	392	22	PEAK	4	5980.00	57.64	68.20	-10.56	39.27	35.10	13.08	29.81	0.00	392	22
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5854.00	58.75	111.36	-52.61	40.88	34.83	12.86	29.82	0.00	392	22	PEAK																																																																								
2	5874.00	55.67	105.36	-49.69	37.66	34.95	12.90	29.84	0.00	392	22	PEAK																																																																								
3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	392	22	PEAK																																																																								
4	5980.00	57.64	68.20	-10.56	39.27	35.10	13.08	29.81	0.00	392	22	PEAK																																																																								
Avg	Blank																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.14</td><td>-----</td><td>-----</td><td>79.31</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>392</td><td>22</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.14	-----	-----	79.31	34.80	12.82	29.79	0.00	392	22	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5825.00	97.14	-----	-----	79.31	34.80	12.82	29.79	0.00	392	22	AVERAGE																																																																								




		31																																																																																																																																																																													
Mode		Harmonic																																																																																																																																																																													
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																																																													
Pol.		Horizontal											Vertical																																																																																																																																																																		
Peak Avg																																																																																																																																																																															
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>56.77</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>46.72</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>60.46</td><td>68.20</td><td>-7.74</td><td>60.48</td><td>41.27</td><td>23.04</td><td>64.33</td><td>0.00</td><td>100</td><td>145</td><td>PEAK</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	52.54	74.00	-21.46	56.77	38.20	18.72	61.15	0.00	100	160	PEAK	2	11650.00	42.49	54.00	-11.51	46.72	38.20	18.72	61.15	0.00	100	160	AVERAGE	3	17475.00	60.46	68.20	-7.74	60.48	41.27	23.04	64.33	0.00	100	145	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>50.43</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>35.51</td><td>54.00</td><td>-18.49</td><td>39.70</td><td>38.22</td><td>18.73</td><td>61.14</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>58.44</td><td>68.20</td><td>-9.76</td><td>58.44</td><td>41.28</td><td>23.05</td><td>64.33</td><td>0.00</td><td>300</td><td>254</td><td>PEAK</td></tr></tbody></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	46.20	74.00	-27.80	50.43	38.20	18.72	61.15	0.00	300	0	PEAK	2	11650.00	35.51	54.00	-18.49	39.70	38.22	18.73	61.14	0.00	300	0	AVERAGE	3	17475.00	58.44	68.20	-9.76	58.44	41.28	23.05	64.33	0.00	300	254	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	11650.00	52.54	74.00	-21.46	56.77	38.20	18.72	61.15	0.00	100	160	PEAK																																																																																																																																																																			
2	11650.00	42.49	54.00	-11.51	46.72	38.20	18.72	61.15	0.00	100	160	AVERAGE																																																																																																																																																																			
3	17475.00	60.46	68.20	-7.74	60.48	41.27	23.04	64.33	0.00	100	145	PEAK																																																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																					
1	11650.00	46.20	74.00	-27.80	50.43	38.20	18.72	61.15	0.00	300	0	PEAK																																																																																																																																																																			
2	11650.00	35.51	54.00	-18.49	39.70	38.22	18.73	61.14	0.00	300	0	AVERAGE																																																																																																																																																																			
3	17475.00	58.44	68.20	-9.76	58.44	41.28	23.05	64.33	0.00	300	254	PEAK																																																																																																																																																																			






		32																																																																																													
Mode	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																														
Pol.	Horizontal																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.60</td><td>58.89</td><td>68.20</td><td>-9.31</td><td>41.57</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>56.34</td><td>68.36</td><td>-12.02</td><td>39.03</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5717.34</td><td>81.37</td><td>110.15</td><td>-28.78</td><td>64.03</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5721.68</td><td>84.08</td><td>114.72</td><td>-30.64</td><td>66.72</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.60	58.89	68.20	-9.31	41.57	34.58	12.57	29.83	0.00	107	294	PEAK	2	5650.22	56.34	68.36	-12.02	39.03	34.60	12.58	29.87	0.00	107	294	PEAK	3	5717.34	81.37	110.15	-28.78	64.03	34.63	12.67	29.96	0.00	107	294	PEAK	4	5721.68	84.08	114.72	-30.64	66.72	34.64	12.67	29.95	0.00	107	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5638.60	58.89	68.20	-9.31	41.57	34.58	12.57	29.83	0.00	107	294	PEAK																																																																																			
2	5650.22	56.34	68.36	-12.02	39.03	34.60	12.58	29.87	0.00	107	294	PEAK																																																																																			
3	5717.34	81.37	110.15	-28.78	64.03	34.63	12.67	29.96	0.00	107	294	PEAK																																																																																			
4	5721.68	84.08	114.72	-30.64	66.72	34.64	12.67	29.95	0.00	107	294	PEAK																																																																																			
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.69</td><td>-----</td><td>-----</td><td>92.15</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.69	-----	-----	92.15	34.70	12.71	29.87	0.00	107	294	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5755.00	109.69	-----	-----	92.15	34.70	12.71	29.87	0.00	107	294	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.40</td><td>-----</td><td>-----</td><td>82.90</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>107</td><td>294</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.40	-----	-----	82.90	34.69	12.70	29.89	0.00	107	294	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5755.00	100.40	-----	-----	82.90	34.69	12.70	29.89	0.00	107	294	AVERAGE																																																																																			



Mode	32																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>55.81</td><td>112.60</td><td>-56.79</td><td>37.94</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>56.41</td><td>105.48</td><td>-49.07</td><td>38.40</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>57.03</td><td>68.75</td><td>-11.72</td><td>38.80</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5933.04</td><td>57.16</td><td>68.20</td><td>-11.04</td><td>38.90</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	55.81	112.60	-56.79	37.94	34.83	12.86	29.82	0.00	107	294	PEAK	2	5874.34	56.41	105.48	-49.07	38.40	34.95	12.90	29.84	0.00	107	294	PEAK	3	5924.26	57.03	68.75	-11.72	38.80	35.10	12.98	29.85	0.00	107	294	PEAK	4	5933.04	57.16	68.20	-11.04	38.90	35.10	13.00	29.84	0.00	107	294	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.26	55.81	112.60	-56.79	37.94	34.83	12.86	29.82	0.00	107	294	PEAK																																																																																		
2	5874.34	56.41	105.48	-49.07	38.40	34.95	12.90	29.84	0.00	107	294	PEAK																																																																																		
3	5924.26	57.03	68.75	-11.72	38.80	35.10	12.98	29.85	0.00	107	294	PEAK																																																																																		
4	5933.04	57.16	68.20	-11.04	38.90	35.10	13.00	29.84	0.00	107	294	PEAK																																																																																		





Mode	32																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.04</td><td>57.31</td><td>68.20</td><td>-10.89</td><td>40.01</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>55.26</td><td>68.59</td><td>-13.33</td><td>37.95</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>3</td><td>5716.56</td><td>68.25</td><td>109.94</td><td>-41.69</td><td>50.91</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>68.30</td><td>111.54</td><td>-43.24</td><td>50.94</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5615.04	57.31	68.20	-10.89	40.01	34.53	12.54	29.77	0.00	300	101	PEAK	2	5650.53	55.26	68.59	-13.33	37.95	34.60	12.58	29.87	0.00	300	101	PEAK	3	5716.56	68.25	109.94	-41.69	50.91	34.63	12.67	29.96	0.00	300	101	PEAK	4	5720.28	68.30	111.54	-43.24	50.94	34.64	12.67	29.95	0.00	300	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5615.04	57.31	68.20	-10.89	40.01	34.53	12.54	29.77	0.00	300	101	PEAK																																																																																		
2	5650.53	55.26	68.59	-13.33	37.95	34.60	12.58	29.87	0.00	300	101	PEAK																																																																																		
3	5716.56	68.25	109.94	-41.69	50.91	34.63	12.67	29.96	0.00	300	101	PEAK																																																																																		
4	5720.28	68.30	111.54	-43.24	50.94	34.64	12.67	29.95	0.00	300	101	PEAK																																																																																		
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>99.18</td><td>-----</td><td>-----</td><td>81.71</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.18	-----	-----	81.71	34.68	12.69	29.90	0.00	300	101	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5755.00	99.18	-----	-----	81.71	34.68	12.69	29.90	0.00	300	101	PEAK																																																																																		
Blank																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>90.62</td><td>-----</td><td>-----</td><td>73.03</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>101</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	90.62	-----	-----	73.03	34.72	12.72	29.85	0.00	300	101	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5755.00	90.62	-----	-----	73.03	34.72	12.72	29.85	0.00	300	101	AVERAGE																																																																																		






Mode	32																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.65</td><td>111.26</td><td>-56.61</td><td>36.78</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>56.36</td><td>106.08</td><td>-49.72</td><td>38.38</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>54.59</td><td>68.75</td><td>-14.16</td><td>36.36</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5930.70</td><td>58.10</td><td>68.20</td><td>-10.10</td><td>39.86</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	54.65	111.26	-56.61	36.78	34.83	12.86	29.82	0.00	300	101	PEAK	2	5872.20	56.36	106.08	-49.72	38.38	34.93	12.89	29.84	0.00	300	101	PEAK	3	5924.26	54.59	68.75	-14.16	36.36	35.10	12.98	29.85	0.00	300	101	PEAK	4	5930.70	58.10	68.20	-10.10	39.86	35.10	12.99	29.85	0.00	300	101	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	54.65	111.26	-56.61	36.78	34.83	12.86	29.82	0.00	300	101	PEAK																																																																									
2	5872.20	56.36	106.08	-49.72	38.38	34.93	12.89	29.84	0.00	300	101	PEAK																																																																									
3	5924.26	54.59	68.75	-14.16	36.36	35.10	12.98	29.85	0.00	300	101	PEAK																																																																									
4	5930.70	58.10	68.20	-10.10	39.86	35.10	12.99	29.85	0.00	300	101	PEAK																																																																									




		32																																																																							
Mode		Harmonic																																																																							
		U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																							
Pol.		Horizontal					Vertical																																																																		
Peak Avg																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>51.15</td><td>38.01</td><td>18.60</td><td>61.22</td><td>0.00</td><td>100 360 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>36.13</td><td>54.00</td><td>-17.87</td><td>40.77</td><td>38.00</td><td>18.59</td><td>61.23</td><td>0.00</td><td>100 360 AVERAGE</td></tr><tr><td>3</td><td>17265.00</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>55.94</td><td>41.30</td><td>22.87</td><td>64.24</td><td>0.00</td><td>100 149 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.54	74.00	-27.46	51.15	38.01	18.60	61.22	0.00	100 360 PEAK	2	11510.00	36.13	54.00	-17.87	40.77	38.00	18.59	61.23	0.00	100 360 AVERAGE	3	17265.00	55.87	68.20	-12.33	55.94	41.30	22.87	64.24	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	11510.00	46.54	74.00	-27.46	51.15	38.01	18.60	61.22	0.00	100 360 PEAK																																																															
2	11510.00	36.13	54.00	-17.87	40.77	38.00	18.59	61.23	0.00	100 360 AVERAGE																																																															
3	17265.00	55.87	68.20	-12.33	55.94	41.30	22.87	64.24	0.00	100 149 PEAK																																																															
																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>50.57</td><td>38.01</td><td>18.60</td><td>61.22</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>17265.00</td><td>54.06</td><td>68.20</td><td>-14.14</td><td>54.09</td><td>41.34</td><td>22.86</td><td>64.23</td><td>0.00</td><td>328 260 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.96	74.00	-28.04	50.57	38.01	18.60	61.22	0.00	-- -- PEAK	2	17265.00	54.06	68.20	-14.14	54.09	41.34	22.86	64.23	0.00	328 260 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	11510.00	45.96	74.00	-28.04	50.57	38.01	18.60	61.22	0.00	-- -- PEAK																																																															
2	17265.00	54.06	68.20	-14.14	54.09	41.34	22.86	64.23	0.00	328 260 PEAK																																																															







Mode	33																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.60</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>39.79</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>57.26</td><td>70.29</td><td>-13.03</td><td>39.94</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>57.27</td><td>106.09</td><td>-48.82</td><td>40.00</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.68</td><td>110.90</td><td>-53.22</td><td>40.32</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5615.60	57.09	68.20	-11.11	39.79	34.53	12.54	29.77	0.00	100	295	PEAK	2	5652.80	57.26	70.29	-13.03	39.94	34.60	12.59	29.87	0.00	100	295	PEAK	3	5702.80	57.27	106.09	-48.82	40.00	34.61	12.65	29.99	0.00	100	295	PEAK	4	5720.00	57.68	110.90	-53.22	40.32	34.64	12.67	29.95	0.00	100	295	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5615.60	57.09	68.20	-11.11	39.79	34.53	12.54	29.77	0.00	100	295	PEAK																																																																																				
2	5652.80	57.26	70.29	-13.03	39.94	34.60	12.59	29.87	0.00	100	295	PEAK																																																																																				
3	5702.80	57.27	106.09	-48.82	40.00	34.61	12.65	29.99	0.00	100	295	PEAK																																																																																				
4	5720.00	57.68	110.90	-53.22	40.32	34.64	12.67	29.95	0.00	100	295	PEAK																																																																																				
Fundamental																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>109.57</td><td>-----</td><td>-----</td><td>91.75</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	109.57	-----	-----	91.75	34.80	12.77	29.75	0.00	100	295	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5795.00	109.57	-----	-----	91.75	34.80	12.77	29.75	0.00	100	295	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>101.25</td><td>-----</td><td>-----</td><td>83.46</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.25	-----	-----	83.46	34.79	12.76	29.76	0.00	100	295	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5795.00	101.25	-----	-----	83.46	34.79	12.76	29.76	0.00	100	295	AVERAGE																																																																																				



Mode	33																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>57.53</td><td>111.36</td><td>-53.83</td><td>39.66</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>58.48</td><td>105.92</td><td>-47.44</td><td>40.49</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.66</td><td>69.53</td><td>-12.87</td><td>38.43</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5967.20</td><td>57.64</td><td>68.20</td><td>-10.56</td><td>39.31</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	57.53	111.36	-53.83	39.66	34.83	12.86	29.82	0.00	100	295	PEAK	2	5872.80	58.48	105.92	-47.44	40.49	34.94	12.89	29.84	0.00	100	295	PEAK	3	5923.20	56.66	69.53	-12.87	38.43	35.10	12.98	29.85	0.00	100	295	PEAK	4	5967.20	57.64	68.20	-10.56	39.31	35.10	13.05	29.82	0.00	100	295	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.80	57.53	111.36	-53.83	39.66	34.83	12.86	29.82	0.00	100	295	PEAK																																																																																		
2	5872.80	58.48	105.92	-47.44	40.49	34.94	12.89	29.84	0.00	100	295	PEAK																																																																																		
3	5923.20	56.66	69.53	-12.87	38.43	35.10	12.98	29.85	0.00	100	295	PEAK																																																																																		
4	5967.20	57.64	68.20	-10.56	39.31	35.10	13.05	29.82	0.00	100	295	PEAK																																																																																		




		33																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																											
Pol.		Vertical																																																																																											
Peak																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.40</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>40.19</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.18</td><td>68.20</td><td>-14.02</td><td>36.86</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>56.57</td><td>106.20</td><td>-49.63</td><td>39.30</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.74</td><td>110.90</td><td>-55.16</td><td>38.38</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.40	57.49	68.20	-10.71	40.19	34.53	12.54	29.77	0.00	322	109	PEAK	2	5650.00	54.18	68.20	-14.02	36.86	34.60	12.58	29.86	0.00	322	109	PEAK	3	5703.20	56.57	106.20	-49.63	39.30	34.61	12.65	29.99	0.00	322	109	PEAK	4	5720.00	55.74	110.90	-55.16	38.38	34.64	12.67	29.95	0.00	322	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5616.40	57.49	68.20	-10.71	40.19	34.53	12.54	29.77	0.00	322	109	PEAK																																																																																	
2	5650.00	54.18	68.20	-14.02	36.86	34.60	12.58	29.86	0.00	322	109	PEAK																																																																																	
3	5703.20	56.57	106.20	-49.63	39.30	34.61	12.65	29.99	0.00	322	109	PEAK																																																																																	
4	5720.00	55.74	110.90	-55.16	38.38	34.64	12.67	29.95	0.00	322	109	PEAK																																																																																	
																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.36</td><td>-----</td><td>-----</td><td>81.65</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.36	-----	-----	81.65	34.76	12.75	29.80	0.00	322	109	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	99.36	-----	-----	81.65	34.76	12.75	29.80	0.00	322	109	PEAK																																																																																	
Avg																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.56</td><td>-----</td><td>-----</td><td>72.85</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																																																																	
																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.56</td><td>-----</td><td>-----</td><td>72.85</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																																																																	




Mode	33																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>53.04</td><td>112.27</td><td>-59.23</td><td>35.17</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>55.02</td><td>106.36</td><td>-51.34</td><td>37.04</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>57.11</td><td>69.83</td><td>-12.72</td><td>38.88</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5992.40</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>39.02</td><td>35.10</td><td>13.10</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.04	112.27	-59.23	35.17	34.83	12.86	29.82	0.00	322	109	PEAK	2	5871.20	55.02	106.36	-51.34	37.04	34.93	12.89	29.84	0.00	322	109	PEAK	3	5922.80	57.11	69.83	-12.72	38.88	35.10	12.98	29.85	0.00	322	109	PEAK	4	5992.40	57.42	68.20	-10.78	39.02	35.10	13.10	29.80	0.00	322	109	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	53.04	112.27	-59.23	35.17	34.83	12.86	29.82	0.00	322	109	PEAK																																																																									
2	5871.20	55.02	106.36	-51.34	37.04	34.93	12.89	29.84	0.00	322	109	PEAK																																																																									
3	5922.80	57.11	69.83	-12.72	38.88	35.10	12.98	29.85	0.00	322	109	PEAK																																																																									
4	5992.40	57.42	68.20	-10.78	39.02	35.10	13.10	29.80	0.00	322	109	PEAK																																																																									



Mode	33																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																			
3 17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><</tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																			
2 11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360																																																																				



Mode	34																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>58.54</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>163</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>47.72</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>163</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>62.90</td><td>68.20</td><td>-5.30</td><td>62.85</td><td>41.46</td><td>22.78</td><td>64.19</td><td>0.00</td><td>104</td><td>249</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	53.80	74.00	-20.20	58.54	38.00	18.54	61.28	0.00	100	163	PEAK	2	11440.00	42.98	54.00	-11.02	47.72	38.00	18.54	61.28	0.00	100	163	AVERAGE	3	17160.00	62.90	68.20	-5.30	62.85	41.46	22.78	64.19	0.00	104	249	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11440.00	53.80	74.00	-20.20	58.54	38.00	18.54	61.28	0.00	100	163	PEAK																																																																					
2	11440.00	42.98	54.00	-11.02	47.72	38.00	18.54	61.28	0.00	100	163	AVERAGE																																																																					
3	17160.00	62.90	68.20	-5.30	62.85	41.46	22.78	64.19	0.00	104	249	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>52.72</td><td>74.00</td><td>-21.28</td><td>57.46</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>46.73</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>60.36</td><td>68.20</td><td>-7.84</td><td>60.31</td><td>41.46</td><td>22.78</td><td>64.19</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	52.72	74.00	-21.28	57.46	38.00	18.54	61.28	0.00	100	125	PEAK	2	11440.00	41.99	54.00	-12.01	46.73	38.00	18.54	61.28	0.00	100	125	AVERAGE	3	17160.00	60.36	68.20	-7.84	60.31	41.46	22.78	64.19	0.00	100	89	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11440.00	52.72	74.00	-21.28	57.46	38.00	18.54	61.28	0.00	100	125	PEAK																																																																					
2	11440.00	41.99	54.00	-12.01	46.73	38.00	18.54	61.28	0.00	100	125	AVERAGE																																																																					
3	17160.00	60.36	68.20	-7.84	60.31	41.46	22.78	64.19	0.00	100	89	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>52.72</td><td>74.00</td><td>-21.28</td><td>57.46</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>46.73</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>60.36</td><td>68.20</td><td>-7.84</td><td>60.31</td><td>41.46</td><td>22.78</td><td>64.19</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	52.72	74.00	-21.28	57.46	38.00	18.54	61.28	0.00	100	125	PEAK	2	11440.00	41.99	54.00	-12.01	46.73	38.00	18.54	61.28	0.00	100	125	AVERAGE	3	17160.00	60.36	68.20	-7.84	60.31	41.46	22.78	64.19	0.00	100	89	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11440.00	52.72	74.00	-21.28	57.46	38.00	18.54	61.28	0.00	100	125	PEAK																																																																					
2	11440.00	41.99	54.00	-12.01	46.73	38.00	18.54	61.28	0.00	100	125	AVERAGE																																																																					
3	17160.00	60.36	68.20	-7.84	60.31	41.46	22.78	64.19	0.00	100	89	PEAK																																																																					







Mode	35																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																
Pol.	Horizontal																																																																																																
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																				
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.																																																																																												







Mode	36																																																													
	Harmonic																																																													
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																													
Pol.	Horizontal					Vertical																																																								
Peak Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>50.75</td><td>38.00</td><td>18.52</td><td>61.29</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>57.02</td><td>41.44</td><td>22.76</td><td>64.18</td><td>0.00</td><td>100 246 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.98	74.00	-28.02	50.75	38.00	18.52	61.29	0.00	-- -- PEAK	2	17130.00	57.04	68.20	-11.16	57.02	41.44	22.76	64.18	0.00	100 246 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	11420.00	45.98	74.00	-28.02	50.75	38.00	18.52	61.29	0.00	-- -- PEAK																																																				
2	17130.00	57.04	68.20	-11.16	57.02	41.44	22.76	64.18	0.00	100 246 PEAK																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>50.57</td><td>38.00</td><td>18.52</td><td>61.29</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>57.57</td><td>41.43</td><td>22.76</td><td>64.18</td><td>0.00</td><td>338 263 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.80	74.00	-28.20	50.57	38.00	18.52	61.29	0.00	-- -- PEAK	2	17130.00	57.58	68.20	-10.62	57.57	41.43	22.76	64.18	0.00	338 263 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	11420.00	45.80	74.00	-28.20	50.57	38.00	18.52	61.29	0.00	-- -- PEAK																																																				
2	17130.00	57.58	68.20	-10.62	57.57	41.43	22.76	64.18	0.00	338 263 PEAK																																																				





Mode	37																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.85</td><td>65.27</td><td>74.00</td><td>-8.73</td><td>49.01</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.85	65.27	74.00	-8.73	49.01	34.10	12.03	29.87	0.00	100	287	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.12</td><td>-----</td><td>-----</td><td>94.76</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.12	-----	-----	94.76	34.19	12.05	29.88	0.00	100	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.85	65.27	74.00	-8.73	49.01	34.10	12.03	29.87	0.00	100	287	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	111.12	-----	-----	94.76	34.19	12.05	29.88	0.00	100	287	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>52.65</td><td>54.00</td><td>-1.35</td><td>36.39</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	52.65	54.00	-1.35	36.39	34.10	12.03	29.87	0.00	100	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.67</td><td>-----</td><td>-----</td><td>86.25</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.67	-----	-----	86.25	34.24	12.06	29.88	0.00	100	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	52.65	54.00	-1.35	36.39	34.10	12.03	29.87	0.00	100	287	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	102.67	-----	-----	86.25	34.24	12.06	29.88	0.00	100	287	AVERAGE																																																																																																			





Mode	37																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5181.55</td><td>57.84</td><td>74.00</td><td>-16.16</td><td>41.40</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>383</td><td>154</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5181.55	57.84	74.00	-16.16	41.40	34.29	12.00	29.85	0.00	383	154	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.85</td><td>-----</td><td>-----</td><td>85.49</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>383</td><td>154</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.85	-----	-----	85.49	34.19	12.05	29.88	0.00	383	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5181.55	57.84	74.00	-16.16	41.40	34.29	12.00	29.85	0.00	383	154	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	101.85	-----	-----	85.49	34.19	12.05	29.88	0.00	383	154	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.97</td><td>46.58</td><td>54.00</td><td>-7.42</td><td>30.32</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>383</td><td>154</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.97	46.58	54.00	-7.42	30.32	34.10	12.03	29.87	0.00	383	154	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.21</td><td>-----</td><td>-----</td><td>76.85</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>383</td><td>154</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.21	-----	-----	76.85	34.19	12.05	29.88	0.00	383	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.97	46.58	54.00	-7.42	30.32	34.10	12.03	29.87	0.00	383	154	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	93.21	-----	-----	76.85	34.19	12.05	29.88	0.00	383	154	AVERAGE																																																																																							





		37																																																																																																																																								
Mode		Harmonic																																																																																																																																								
		U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																								
Pol.		Horizontal										Vertical																																																																																																																														
Peak Avg																																																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>54.19</td><td>68.20</td><td>-14.01</td><td>65.73</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>100</td><td>152 PEAK</td></tr><tr><td>2 15540.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>57.41</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr><tr><td>3 15540.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>47.78</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	54.19	68.20	-14.01	65.73	37.46	17.54	66.54	0.00	100	152 PEAK	2 15540.00	52.36	74.00	-21.64	57.41	40.04	21.65	66.74	0.00	100	124 PEAK	3 15540.00	42.73	54.00	-11.27	47.78	40.04	21.65	66.74	0.00	100	124 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>54.20</td><td>68.20</td><td>-14.00</td><td>65.74</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>101</td><td>241 PEAK</td></tr><tr><td>2 15540.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>51.85</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	54.20	68.20	-14.00	65.74	37.46	17.54	66.54	0.00	101	241 PEAK	2 15540.00	46.80	74.00	-27.20	51.85	40.04	21.65	66.74	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1 10360.00	54.19	68.20	-14.01	65.73	37.46	17.54	66.54	0.00	100	152 PEAK																																																																																																																																
2 15540.00	52.36	74.00	-21.64	57.41	40.04	21.65	66.74	0.00	100	124 PEAK																																																																																																																																
3 15540.00	42.73	54.00	-11.27	47.78	40.04	21.65	66.74	0.00	100	124 AVERAGE																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1 10360.00	54.20	68.20	-14.00	65.74	37.46	17.54	66.54	0.00	101	241 PEAK																																																																																																																																
2 15540.00	46.80	74.00	-27.20	51.85	40.04	21.65	66.74	0.00	--	-- PEAK																																																																																																																																





		38																																																																																																																																																															
Mode		Harmonic																																																																																																																																																															
		U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																																															
Pol.		Horizontal										Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>66.43</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>58.87</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>49.05</td><td>40.16</td><td>21.75</td><td>66.41</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	55.03	68.20	-13.17	66.43	37.54	17.61	66.55	0.00	100	149	PEAK	2	15660.00	54.36	74.00	-19.64	58.87	40.16	21.74	66.41	0.00	100	125	PEAK	3	15660.00	44.55	54.00	-9.45	49.05	40.16	21.75	66.41	0.00	100	125	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>53.82</td><td>68.20</td><td>-14.38</td><td>65.22</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>54.46</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>44.31</td><td>40.16</td><td>21.75</td><td>66.41</td><td>0.00</td><td>100</td><td>253</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	53.82	68.20	-14.38	65.22	37.54	17.61	66.55	0.00	100	253	PEAK	2	15660.00	49.95	74.00	-24.05	54.46	40.16	21.74	66.41	0.00	100	253	PEAK	3	15660.00	39.81	54.00	-14.19	44.31	40.16	21.75	66.41	0.00	100	253	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	10440.00	55.03	68.20	-13.17	66.43	37.54	17.61	66.55	0.00	100	149	PEAK																																																																																																																																																					
2	15660.00	54.36	74.00	-19.64	58.87	40.16	21.74	66.41	0.00	100	125	PEAK																																																																																																																																																					
3	15660.00	44.55	54.00	-9.45	49.05	40.16	21.75	66.41	0.00	100	125	AVERAGE																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	10440.00	53.82	68.20	-14.38	65.22	37.54	17.61	66.55	0.00	100	253	PEAK																																																																																																																																																					
2	15660.00	49.95	74.00	-24.05	54.46	40.16	21.74	66.41	0.00	100	253	PEAK																																																																																																																																																					
3	15660.00	39.81	54.00	-14.19	44.31	40.16	21.75	66.41	0.00	100	253	AVERAGE																																																																																																																																																					



Mode	39																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11n_HT20_CH48_5240MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>66.36</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>61.56</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>46.95</td><td>54.00</td><td>-7.05</td><td>51.14</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	55.03	68.20	-13.17	66.36	37.58	17.65	66.56	0.00	100	148	PEAK	2	15720.00	57.37	74.00	-16.63	61.56	40.26	21.79	66.24	0.00	100	124	PEAK	3	15720.00	46.95	54.00	-7.05	51.14	40.26	21.79	66.24	0.00	100	124	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>47.04</td><td>68.20</td><td>-21.16</td><td>58.37</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>55.83</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>268</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>46.66</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>268</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	47.04	68.20	-21.16	58.37	37.58	17.65	66.56	0.00	--	--	PEAK	2	15720.00	51.64	74.00	-22.36	55.83	40.26	21.79	66.24	0.00	100	268	PEAK	3	15720.00	42.47	54.00	-11.53	46.66	40.26	21.79	66.24	0.00	100	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10400.00	55.03	68.20	-13.17	66.36	37.58	17.65	66.56	0.00	100	148	PEAK																																																																																																																																											
2	15720.00	57.37	74.00	-16.63	61.56	40.26	21.79	66.24	0.00	100	124	PEAK																																																																																																																																											
3	15720.00	46.95	54.00	-7.05	51.14	40.26	21.79	66.24	0.00	100	124	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10400.00	47.04	68.20	-21.16	58.37	37.58	17.65	66.56	0.00	--	--	PEAK																																																																																																																																											
2	15720.00	51.64	74.00	-22.36	55.83	40.26	21.79	66.24	0.00	100	268	PEAK																																																																																																																																											
3	15720.00	42.47	54.00	-11.53	46.66	40.26	21.79	66.24	0.00	100	268	AVERAGE																																																																																																																																											







Mode	40																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>56.28</td><td>68.20</td><td>-11.92</td><td>67.53</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>100</td><td>140</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>61.07</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>101</td><td>123</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>47.47</td><td>54.00</td><td>-6.53</td><td>51.26</td><td>40.44</td><td>21.84</td><td>66.07</td><td>0.00</td><td>101</td><td>123</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	56.28	68.20	-11.92	67.53	37.60	17.69	66.54	0.00	100	140	PEAK	2	15780.00	57.27	74.00	-16.73	61.07	40.44	21.84	66.08	0.00	101	123	PEAK	3	15780.00	47.47	54.00	-6.53	51.26	40.44	21.84	66.07	0.00	101	123	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>46.99</td><td>68.20</td><td>-21.21</td><td>58.24</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>57.03</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>47.34</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>261</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.99	68.20	-21.21	58.24	37.60	17.69	66.54	0.00	--	--	PEAK	2	15780.00	53.23	74.00	-20.77	57.03	40.44	21.84	66.08	0.00	100	261	PEAK	3	15780.00	43.54	54.00	-10.46	47.34	40.44	21.84	66.08	0.00	100	261	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	10520.00	56.28	68.20	-11.92	67.53	37.60	17.69	66.54	0.00	100	140	PEAK																																																																																																																																		
2	15780.00	57.27	74.00	-16.73	61.07	40.44	21.84	66.08	0.00	101	123	PEAK																																																																																																																																		
3	15780.00	47.47	54.00	-6.53	51.26	40.44	21.84	66.07	0.00	101	123	AVERAGE																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	10520.00	46.99	68.20	-21.21	58.24	37.60	17.69	66.54	0.00	--	--	PEAK																																																																																																																																		
2	15780.00	53.23	74.00	-20.77	57.03	40.44	21.84	66.08	0.00	100	261	PEAK																																																																																																																																		
3	15780.00	43.54	54.00	-10.46	47.34	40.44	21.84	66.08	0.00	100	261	AVERAGE																																																																																																																																		







Mode	41																																																																																													
	Harmonic																																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																													
Pol.	Horizontal																																																																																													
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>65.07</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>145</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>55.37</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>145</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>60.88</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>51.85</td><td>40.40</td><td>21.94</td><td>65.74</td><td>0.00</td><td>100</td><td>126</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	53.99	74.00	-20.01	65.07	37.60	17.77	66.45	0.00	100	145	PEAK	2	10600.00	44.29	54.00	-9.71	55.37	37.60	17.77	66.45	0.00	100	145	AVERAGE	3	15900.00	57.47	74.00	-16.53	60.88	40.40	21.94	65.75	0.00	100	126	PEAK	4	15900.00	48.45	54.00	-5.55	51.85	40.40	21.94	65.74	0.00	100	126	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	10600.00	53.99	74.00	-20.01	65.07	37.60	17.77	66.45	0.00	100	145	PEAK																																																																																		
2	10600.00	44.29	54.00	-9.71	55.37	37.60	17.77	66.45	0.00	100	145	AVERAGE																																																																																		
3	15900.00	57.47	74.00	-16.53	60.88	40.40	21.94	65.75	0.00	100	126	PEAK																																																																																		
4	15900.00	48.45	54.00	-5.55	51.85	40.40	21.94	65.74	0.00	100	126	AVERAGE																																																																																		
	Vertical																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>64.46</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>54.35</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>242</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>57.52</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>48.41</td><td>40.40</td><td>21.94</td><td>65.74</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	53.38	74.00	-20.62	64.46	37.60	17.77	66.45	0.00	100	242	PEAK	2	10600.00	43.27	54.00	-10.73	54.35	37.60	17.77	66.45	0.00	100	242	AVERAGE	3	15900.00	54.11	74.00	-19.89	57.52	40.40	21.94	65.75	0.00	100	272	PEAK	4	15900.00	45.01	54.00	-8.99	48.41	40.40	21.94	65.74	0.00	100	272	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	10600.00	53.38	74.00	-20.62	64.46	37.60	17.77	66.45	0.00	100	242	PEAK																																																																																		
2	10600.00	43.27	54.00	-10.73	54.35	37.60	17.77	66.45	0.00	100	242	AVERAGE																																																																																		
3	15900.00	54.11	74.00	-19.89	57.52	40.40	21.94	65.75	0.00	100	272	PEAK																																																																																		
4	15900.00	45.01	54.00	-8.99	48.41	40.40	21.94	65.74	0.00	100	272	AVERAGE																																																																																		





Mode	42																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.55</td><td>68.12</td><td>74.00</td><td>-5.88</td><td>51.33</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.55	68.12	74.00	-5.88	51.33	34.42	12.21	29.84	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.55	68.12	74.00	-5.88	51.33	34.42	12.21	29.84	0.00	100	291	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.89</td><td>-----</td><td>-----</td><td>96.20</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.89	-----	-----	96.20	34.40	12.18	29.89	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	112.89	-----	-----	96.20	34.40	12.18	29.89	0.00	100	291	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>35.44</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.20	54.00	-1.80	35.44	34.40	12.20	29.84	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	52.20	54.00	-1.80	35.44	34.40	12.20	29.84	0.00	100	291	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.40</td><td>-----</td><td>-----</td><td>87.73</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.40	-----	-----	87.73	34.40	12.17	29.90	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	104.40	-----	-----	87.73	34.40	12.17	29.90	0.00	100	291	AVERAGE																																											



Mode	42																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.55</td><td>56.54</td><td>74.00</td><td>-17.46</td><td>39.69</td><td>34.46</td><td>12.22</td><td>29.83</td><td>0.00</td><td>326</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.55	56.54	74.00	-17.46	39.69	34.46	12.22	29.83	0.00	326	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.74</td><td>-----</td><td>-----</td><td>85.04</td><td>34.40</td><td>12.18</td><td>29.88</td><td>0.00</td><td>326</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.74	-----	-----	85.04	34.40	12.18	29.88	0.00	326	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5364.55	56.54	74.00	-17.46	39.69	34.46	12.22	29.83	0.00	326	0	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	101.74	-----	-----	85.04	34.40	12.18	29.88	0.00	326	0	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>28.35</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>326</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.11	54.00	-8.89	28.35	34.40	12.20	29.84	0.00	326	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.02</td><td>-----</td><td>-----</td><td>76.33</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>326</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.02	-----	-----	76.33	34.40	12.18	29.89	0.00	326	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.00	45.11	54.00	-8.89	28.35	34.40	12.20	29.84	0.00	326	0	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	93.02	-----	-----	76.33	34.40	12.18	29.89	0.00	326	0	AVERAGE																																																																																																			



Mode	42																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>64.48</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>54.99</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>154</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>59.66</td><td>74.00</td><td>-14.34</td><td>62.73</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>49.35</td><td>54.00</td><td>-4.65</td><td>52.42</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	53.52	74.00	-20.48	64.48	37.64	17.80	66.40	0.00	100	154	PEAK	2	10640.00	44.03	54.00	-9.97	54.99	37.64	17.80	66.40	0.00	100	154	AVERAGE	3	15960.00	59.66	74.00	-14.34	62.73	40.52	21.99	65.58	0.00	100	123	PEAK	4	15960.00	49.35	54.00	-4.65	52.42	40.52	21.99	65.58	0.00	100	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10640.00	53.52	74.00	-20.48	64.48	37.64	17.80	66.40	0.00	100	154	PEAK																																																																																	
2	10640.00	44.03	54.00	-9.97	54.99	37.64	17.80	66.40	0.00	100	154	AVERAGE																																																																																	
3	15960.00	59.66	74.00	-14.34	62.73	40.52	21.99	65.58	0.00	100	123	PEAK																																																																																	
4	15960.00	49.35	54.00	-4.65	52.42	40.52	21.99	65.58	0.00	100	123	AVERAGE																																																																																	
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>63.70</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>53.94</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>58.43</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>48.99</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>270</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	52.74	74.00	-21.26	63.70	37.64	17.80	66.40	0.00	100	241	PEAK	2	10640.00	42.98	54.00	-11.02	53.94	37.64	17.80	66.40	0.00	100	241	AVERAGE	3	15960.00	55.36	74.00	-18.64	58.43	40.52	21.99	65.58	0.00	100	270	PEAK	4	15960.00	45.92	54.00	-8.08	48.99	40.52	21.99	65.58	0.00	100	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10640.00	52.74	74.00	-21.26	63.70	37.64	17.80	66.40	0.00	100	241	PEAK																																																																																	
2	10640.00	42.98	54.00	-11.02	53.94	37.64	17.80	66.40	0.00	100	241	AVERAGE																																																																																	
3	15960.00	55.36	74.00	-18.64	58.43	40.52	21.99	65.58	0.00	100	270	PEAK																																																																																	
4	15960.00	45.92	54.00	-8.08	48.99	40.52	21.99	65.58	0.00	100	270	AVERAGE																																																																																	



		43									
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Horizontal										
	Fundamental										
Avg	Horizontal										
	Fundamental										





Horizontal											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5456.49	60.06	74.00	-13.94	43.01	34.59	12.33	29.87	0.00	110	294 PEAK
2	5466.89	65.08	68.20	-3.12	48.06	34.57	12.34	29.89	0.00	110	294 PEAK

Fundamental											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5500.00	111.13	-----	-----	94.17	34.52	12.37	29.93	0.00	110	294 PEAK



Horizontal											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5460.00	47.95	54.00	-6.05	30.92	34.58	12.33	29.88	0.00	110	294 AVERAGE

Fundamental											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5500.00	102.75	-----	-----	85.79	34.52	12.37	29.93	0.00	110	294 AVERAGE





Mode	43																																																																
	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.85</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>39.53</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>353</td><td>57 PEAK</td></tr><tr><td>2</td><td>5469.93</td><td>57.63</td><td>68.20</td><td>-10.57</td><td>40.62</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>353</td><td>57 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.85	56.59	74.00	-17.41	39.53	34.60	12.31	29.85	0.00	353	57 PEAK	2	5469.93	57.63	68.20	-10.57	40.62	34.56	12.34	29.89	0.00	353
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5443.85	56.59	74.00	-17.41	39.53	34.60	12.31	29.85	0.00	353	57 PEAK																																																						
2	5469.93	57.63	68.20	-10.57	40.62	34.56	12.34	29.89	0.00	353	57 PEAK																																																						
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.61</td><td>-----</td><td>-----</td><td>83.65</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>353</td><td>57 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.61	-----	-----	83.65	34.52	12.37	29.93	0.00	353	57 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	100.61	-----	-----	83.65	34.52	12.37	29.93	0.00	353	57 PEAK																																																						
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.21</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>27.89</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>353</td><td>57 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	44.93	54.00	-9.07	27.89	34.58	12.33	29.87	0.00	353	57 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.21	44.93	54.00	-9.07	27.89	34.58	12.33	29.87	0.00	353	57 AVERAGE																																																						
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>91.92</td><td>-----</td><td>-----</td><td>74.96</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>353</td><td>57 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	91.92	-----	-----	74.96	34.52	12.37	29.93	0.00	353	57 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	91.92	-----	-----	74.96	34.52	12.37	29.93	0.00	353	57 AVERAGE																																																						






		43																																																																																
Mode		Harmonic																																																																																
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																
Pol.		Horizontal																																																																																
Peak																																																																																		
Avg																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>62.62</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>101</td><td>285</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>52.77</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>101</td><td>285</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>62.09</td><td>68.20</td><td>-6.11</td><td>63.71</td><td>41.57</td><td>22.33</td><td>65.52</td><td>0.00</td><td>100</td><td>131</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	52.58	74.00	-21.42	62.62	37.00	18.15	65.99	0.00	101	285	PEAK	2	11000.00	42.73	54.00	-11.27	52.77	37.00	18.15	65.99	0.00	101	285	AVERAGE	3	16500.00	62.09	68.20	-6.11	63.71	41.57	22.33	65.52	0.00	100	131	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11000.00	52.58	74.00	-21.42	62.62	37.00	18.15	65.99	0.00	101	285	PEAK																																																																						
2	11000.00	42.73	54.00	-11.27	52.77	37.00	18.15	65.99	0.00	101	285	AVERAGE																																																																						
3	16500.00	62.09	68.20	-6.11	63.71	41.57	22.33	65.52	0.00	100	131	PEAK																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>56.68</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>56.96</td><td>68.20</td><td>-11.24</td><td>58.54</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>100</td><td>53</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.64	74.00	-27.36	56.68	37.00	18.15	65.99	0.00	--	--	PEAK	2	16500.00	56.96	68.20	-11.24	58.54	41.60	22.34	65.52	0.00	100	53	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11000.00	46.64	74.00	-27.36	56.68	37.00	18.15	65.99	0.00	--	--	PEAK																																																																						
2	16500.00	56.96	68.20	-11.24	58.54	41.60	22.34	65.52	0.00	100	53	PEAK																																																																						






		44																																																																															
Mode		Harmonic																																																																															
		U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																															
Pol.		Horizontal																																																																															
Peak Avg																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>53.00</td><td>74.00</td><td>-20.92</td><td>62.20</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>51.96</td><td>37.96</td><td>18.29</td><td>65.36</td><td>0.00</td><td>100</td><td>309</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>63.60</td><td>68.20</td><td>-4.60</td><td>64.59</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>100</td><td>135</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	53.00	74.00	-20.92	62.20	37.96	18.29	65.37	0.00	100	309	PEAK	2	11160.00	42.85	54.00	-11.15	51.96	37.96	18.29	65.36	0.00	100	309	AVERAGE	3	16740.00	63.60	68.20	-4.60	64.59	41.94	22.49	65.42	0.00	100	135	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	11160.00	53.00	74.00	-20.92	62.20	37.96	18.29	65.37	0.00	100	309	PEAK																																																																					
2	11160.00	42.85	54.00	-11.15	51.96	37.96	18.29	65.36	0.00	100	309	AVERAGE																																																																					
3	16740.00	63.60	68.20	-4.60	64.59	41.94	22.49	65.42	0.00	100	135	PEAK																																																																					
		Vertical																																																																															
Peak Avg																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>51.54</td><td>74.00</td><td>-22.46</td><td>60.66</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>348</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>51.24</td><td>37.96</td><td>18.29</td><td>65.36</td><td>0.00</td><td>100</td><td>348</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>62.61</td><td>68.20</td><td>-5.59</td><td>63.60</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>100</td><td>181</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	51.54	74.00	-22.46	60.66	37.96	18.29	65.37	0.00	100	348	PEAK	2	11160.00	42.13	54.00	-11.87	51.24	37.96	18.29	65.36	0.00	100	348	AVERAGE	3	16740.00	62.61	68.20	-5.59	63.60	41.94	22.49	65.42	0.00	100	181	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	11160.00	51.54	74.00	-22.46	60.66	37.96	18.29	65.37	0.00	100	348	PEAK																																																																					
2	11160.00	42.13	54.00	-11.87	51.24	37.96	18.29	65.36	0.00	100	348	AVERAGE																																																																					
3	16740.00	62.61	68.20	-5.59	63.60	41.94	22.49	65.42	0.00	100	181	PEAK																																																																					




Mode	45																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.44</td><td>65.38</td><td>68.20</td><td>-2.82</td><td>47.99</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.44	65.38	68.20	-2.82	47.99	34.65	12.68	29.94	0.00	100	270	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.81</td><td>-----</td><td>-----</td><td>92.56</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	100	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.44	65.38	68.20	-2.82	47.99	34.65	12.68	29.94	0.00	100	270	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	100	270	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.65</td><td>-----</td><td>-----</td><td>84.40</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>100</td><td>270</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.65	-----	-----	84.40	34.60	12.64	29.99	0.00	100	270	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	101.65	-----	-----	84.40	34.60	12.64	29.99	0.00	100	270	AVERAGE																																																																																							



Mode	45																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.20</td><td>57.36</td><td>68.20</td><td>-10.84</td><td>39.97</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>343</td><td>53</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.20	57.36	68.20	-10.84	39.97	34.65	12.68	29.94	0.00	343	53	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.87</td><td>-----</td><td>-----</td><td>85.62</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>343</td><td>53</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.87	-----	-----	85.62	34.60	12.65	30.00	0.00	343	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5725.20	57.36	68.20	-10.84	39.97	34.65	12.68	29.94	0.00	343	53	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	102.87	-----	-----	85.62	34.60	12.65	30.00	0.00	343	53	PEAK																																																																																						
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.89</td><td>-----</td><td>-----</td><td>76.64</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>343</td><td>53</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	93.89	-----	-----	76.64	34.60	12.65	30.00	0.00	343	53	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	93.89	-----	-----	76.64	34.60	12.65	30.00	0.00	343	53	AVERAGE																																																																																						






Mode	45																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>62.14</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>100</td><td>315</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>52.01</td><td>38.00</td><td>18.50</td><td>64.44</td><td>0.00</td><td>100</td><td>315</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>63.30</td><td>68.20</td><td>-4.90</td><td>64.45</td><td>41.40</td><td>22.73</td><td>65.28</td><td>0.00</td><td>100</td><td>135</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	54.19	74.00	-19.81	62.14	38.00	18.50	64.45	0.00	100	315	PEAK	2	11400.00	44.07	54.00	-9.93	52.01	38.00	18.50	64.44	0.00	100	315	AVERAGE	3	17100.00	63.30	68.20	-4.90	64.45	41.40	22.73	65.28	0.00	100	135	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11400.00	54.19	74.00	-19.81	62.14	38.00	18.50	64.45	0.00	100	315	PEAK																																																																					
2	11400.00	44.07	54.00	-9.93	52.01	38.00	18.50	64.44	0.00	100	315	AVERAGE																																																																					
3	17100.00	63.30	68.20	-4.90	64.45	41.40	22.73	65.28	0.00	100	135	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>59.82</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>41.96</td><td>54.00</td><td>-12.04</td><td>49.90</td><td>38.00</td><td>18.50</td><td>64.44</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>63.00</td><td>68.20</td><td>-5.20</td><td>64.14</td><td>41.41</td><td>22.73</td><td>65.28</td><td>0.00</td><td>338</td><td>265</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	51.87	74.00	-22.13	59.82	38.00	18.50	64.45	0.00	100	246	PEAK	2	11400.00	41.96	54.00	-12.04	49.90	38.00	18.50	64.44	0.00	100	246	AVERAGE	3	17100.00	63.00	68.20	-5.20	64.14	41.41	22.73	65.28	0.00	338	265	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11400.00	51.87	74.00	-22.13	59.82	38.00	18.50	64.45	0.00	100	246	PEAK																																																																					
2	11400.00	41.96	54.00	-12.04	49.90	38.00	18.50	64.44	0.00	100	246	AVERAGE																																																																					
3	17100.00	63.00	68.20	-5.20	64.14	41.41	22.73	65.28	0.00	338	265	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>59.82</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>41.96</td><td>54.00</td><td>-12.04</td><td>49.90</td><td>38.00</td><td>18.50</td><td>64.44</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>63.00</td><td>68.20</td><td>-5.20</td><td>64.14</td><td>41.41</td><td>22.73</td><td>65.28</td><td>0.00</td><td>338</td><td>265</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	51.87	74.00	-22.13	59.82	38.00	18.50	64.45	0.00	100	246	PEAK	2	11400.00	41.96	54.00	-12.04	49.90	38.00	18.50	64.44	0.00	100	246	AVERAGE	3	17100.00	63.00	68.20	-5.20	64.14	41.41	22.73	65.28	0.00	338	265	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	11400.00	51.87	74.00	-22.13	59.82	38.00	18.50	64.45	0.00	100	246	PEAK																																																																					
2	11400.00	41.96	54.00	-12.04	49.90	38.00	18.50	64.44	0.00	100	246	AVERAGE																																																																					
3	17100.00	63.00	68.20	-5.20	64.14	41.41	22.73	65.28	0.00	338	265	PEAK																																																																					





		46									
Mode	Band Edge										
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz										
Pol.	Horizontal										
Peak	</										





Mode	46																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																															
Pol.	Vertical																																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.60</td><td>56.36</td><td>68.20</td><td>-11.84</td><td>39.06</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.98</td><td>68.50</td><td>-13.52</td><td>37.67</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>55.49</td><td>106.31</td><td>-50.82</td><td>38.22</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>63.55</td><td>111.81</td><td>-48.26</td><td>46.19</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5613.60	56.36	68.20	-11.84	39.06	34.53	12.54	29.77	0.00	337	54 PEAK	2	5650.40	54.98	68.50	-13.52	37.67	34.60	12.58	29.87	0.00	337	54 PEAK	3	5703.60	55.49	106.31	-50.82	38.22	34.61	12.65	29.99	0.00	337	54 PEAK	4	5720.40	63.55	111.81	-48.26	46.19	34.64	12.67	29.95	0.00	337	54 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.52</td><td>-----</td><td>-----</td><td>85.05</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.52	-----	-----	85.05	34.68	12.69	29.90	0.00	337	54 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5613.60	56.36	68.20	-11.84	39.06	34.53	12.54	29.77	0.00	337	54 PEAK																																																																																																																																					
2	5650.40	54.98	68.50	-13.52	37.67	34.60	12.58	29.87	0.00	337	54 PEAK																																																																																																																																					
3	5703.60	55.49	106.31	-50.82	38.22	34.61	12.65	29.99	0.00	337	54 PEAK																																																																																																																																					
4	5720.40	63.55	111.81	-48.26	46.19	34.64	12.67	29.95	0.00	337	54 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5745.00	102.52	-----	-----	85.05	34.68	12.69	29.90	0.00	337	54 PEAK																																																																																																																																					
Avg	Blank											<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.28</td><td>-----</td><td>-----</td><td>76.81</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>337</td><td>54 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.28	-----	-----	76.81	34.68	12.69	29.90	0.00	337	54 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5745.00	94.28	-----	-----	76.81	34.68	12.69	29.90	0.00	337	54 AVERAGE																																																																																																																																					






Mode		46																																																																																																																																																																				
		Harmonic																																																																																																																																																																				
		U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																																																				
Pol.	Horizontal											Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>62.75</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>52.97</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>314</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>64.28</td><td>68.20</td><td>-3.92</td><td>65.28</td><td>41.38</td><td>22.85</td><td>65.23</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	55.23	74.00	-18.77	62.75	38.00	18.58	64.10	0.00	100	314	PEAK	2	11490.00	45.45	54.00	-8.55	52.97	38.00	18.58	64.10	0.00	100	314	AVERAGE	3	17235.00	64.28	68.20	-3.92	65.28	41.38	22.85	65.23	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>61.53</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>396</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>51.90</td><td>38.00</td><td>18.58</td><td>64.09</td><td>0.00</td><td>396</td><td>47</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>62.39</td><td>68.20</td><td>-5.81</td><td>63.36</td><td>41.42</td><td>22.84</td><td>65.23</td><td>0.00</td><td>100</td><td>53</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	54.01	74.00	-19.99	61.53	38.00	18.58	64.10	0.00	396	47	PEAK	2	11490.00	44.39	54.00	-9.61	51.90	38.00	18.58	64.09	0.00	396	47	AVERAGE	3	17235.00	62.39	68.20	-5.81	63.36	41.42	22.84	65.23	0.00	100	53	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	11490.00	55.23	74.00	-18.77	62.75	38.00	18.58	64.10	0.00	100	314	PEAK																																																																																																																																																										
2	11490.00	45.45	54.00	-8.55	52.97	38.00	18.58	64.10	0.00	100	314	AVERAGE																																																																																																																																																										
3	17235.00	64.28	68.20	-3.92	65.28	41.38	22.85	65.23	0.00	100	118	PEAK																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	11490.00	54.01	74.00	-19.99	61.53	38.00	18.58	64.10	0.00	396	47	PEAK																																																																																																																																																										
2	11490.00	44.39	54.00	-9.61	51.90	38.00	18.58	64.09	0.00	396	47	AVERAGE																																																																																																																																																										
3	17235.00	62.39	68.20	-5.81	63.36	41.42	22.84	65.23	0.00	100	53	PEAK																																																																																																																																																										








Mode	47																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>60.52</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>50.67</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>64.22</td><td>68.20</td><td>-3.98</td><td>65.26</td><td>41.20</td><td>22.95</td><td>65.19</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	53.14	74.00	-20.86	60.52	38.07	18.65	64.10	0.00	100	128	PEAK	2	11570.00	43.29	54.00	-10.71	50.67	38.07	18.65	64.10	0.00	100	128	AVERAGE	3	17355.00	64.22	68.20	-3.98	65.26	41.20	22.95	65.19	0.00	100	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>59.31</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>49.07</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>61.14</td><td>68.20</td><td>-7.06</td><td>62.18</td><td>41.20</td><td>22.95</td><td>65.19</td><td>0.00</td><td>100</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	51.93	74.00	-22.07	59.31	38.07	18.65	64.10	0.00	100	239	PEAK	2	11570.00	41.69	54.00	-12.31	49.07	38.07	18.65	64.10	0.00	100	239	AVERAGE	3	17355.00	61.14	68.20	-7.06	62.18	41.20	22.95	65.19	0.00	100	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11570.00	53.14	74.00	-20.86	60.52	38.07	18.65	64.10	0.00	100	128	PEAK																																																																																																																																											
2	11570.00	43.29	54.00	-10.71	50.67	38.07	18.65	64.10	0.00	100	128	AVERAGE																																																																																																																																											
3	17355.00	64.22	68.20	-3.98	65.26	41.20	22.95	65.19	0.00	100	119	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11570.00	51.93	74.00	-22.07	59.31	38.07	18.65	64.10	0.00	100	239	PEAK																																																																																																																																											
2	11570.00	41.69	54.00	-12.31	49.07	38.07	18.65	64.10	0.00	100	239	AVERAGE																																																																																																																																											
3	17355.00	61.14	68.20	-7.06	62.18	41.20	22.95	65.19	0.00	100	58	PEAK																																																																																																																																											





Mode	48																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																																																
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5854.61</td><td>64.82</td><td>111.78</td><td>-46.96</td><td>46.95</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5855.41</td><td>68.37</td><td>110.78</td><td>-42.41</td><td>50.50</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>56.61</td><td>68.78</td><td>-12.17</td><td>38.38</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>4</td><td>5951.01</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>39.13</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.61	64.82	111.78	-46.96	46.95	34.83	12.86	29.82	0.00	100	298	PEAK	2	5855.41	68.37	110.78	-42.41	50.50	34.83	12.86	29.82	0.00	100	298	PEAK	3	5924.21	56.61	68.78	-12.17	38.38	35.10	12.98	29.85	0.00	100	298	PEAK	4	5951.01	57.43	68.20	-10.77	39.13	35.10	13.03	29.83	0.00	100	298	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.58</td><td>-----</td><td>-----</td><td>96.74</td><td>34.80</td><td>12.82</td><td>29.78</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	114.58	-----	-----	96.74	34.80	12.82	29.78	0.00	100	298
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																													
1	5854.61	64.82	111.78	-46.96	46.95	34.83	12.86	29.82	0.00	100	298	PEAK																																																																																																																										
2	5855.41	68.37	110.78	-42.41	50.50	34.83	12.86	29.82	0.00	100	298	PEAK																																																																																																																										
3	5924.21	56.61	68.78	-12.17	38.38	35.10	12.98	29.85	0.00	100	298	PEAK																																																																																																																										
4	5951.01	57.43	68.20	-10.77	39.13	35.10	13.03	29.83	0.00	100	298	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	5825.00	114.58	-----	-----	96.74	34.80	12.82	29.78	0.00	100	298	PEAK																																																																																																																										
Avg	Blank																																																																																																																																					
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.17</td><td>-----</td><td>-----</td><td>88.34</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	106.17	-----	-----	88.34	34.80	12.80	29.77	0.00	100	298	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	5825.00	106.17	-----	-----	88.34	34.80	12.80	29.77	0.00	100	298	AVERAGE																																																																																																																										





Mode	48																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.61</td><td>58.17</td><td>111.78</td><td>-53.61</td><td>40.30</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>357 78 PEAK</td></tr><tr><td>2</td><td>5867.41</td><td>56.86</td><td>107.42</td><td>-50.56</td><td>38.91</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>357 78 PEAK</td></tr><tr><td>3</td><td>5924.61</td><td>55.14</td><td>68.49</td><td>-13.35</td><td>36.91</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>357 78 PEAK</td></tr><tr><td>4</td><td>5954.61</td><td>58.15</td><td>68.20</td><td>-10.05</td><td>39.85</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>357 78 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.61	58.17	111.78	-53.61	40.30	34.83	12.86	29.82	0.00	357 78 PEAK	2	5867.41	56.86	107.42	-50.56	38.91	34.90	12.88	29.83	0.00	357 78 PEAK	3	5924.61	55.14	68.49	-13.35	36.91	35.10	12.98	29.85	0.00	357 78 PEAK	4	5954.61	58.15	68.20	-10.05	39.85	35.10	13.03	29.83	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.61	58.17	111.78	-53.61	40.30	34.83	12.86	29.82	0.00	357 78 PEAK																																																																													
2	5867.41	56.86	107.42	-50.56	38.91	34.90	12.88	29.83	0.00	357 78 PEAK																																																																													
3	5924.61	55.14	68.49	-13.35	36.91	35.10	12.98	29.85	0.00	357 78 PEAK																																																																													
4	5954.61	58.15	68.20	-10.05	39.85	35.10	13.03	29.83	0.00	357 78 PEAK																																																																													
Fundamental																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.85</td><td>-----</td><td>-----</td><td>89.02</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>357 78 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.85	-----	-----	89.02	34.80	12.81	29.78	0.00	357 78 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5825.00	106.85	-----	-----	89.02	34.80	12.81	29.78	0.00	357 78 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.44</td><td>-----</td><td>-----</td><td>79.60</td><td>34.80</td><td>12.82</td><td>29.78</td><td>0.00</td><td>357 78 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.44	-----	-----	79.60	34.80	12.82	29.78	0.00	357 78 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5825.00	97.44	-----	-----	79.60	34.80	12.82	29.78	0.00	357 78 AVERAGE																																																																													



		48																																																																																																																																																																	
Mode		Harmonic																																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																																																	
Pol.		Horizontal										Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>54.00</td><td>74.00</td><td>-19.20</td><td>62.02</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.81</td><td>54.00</td><td>-9.19</td><td>52.03</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>64.10</td><td>68.20</td><td>-4.10</td><td>64.92</td><td>41.28</td><td>23.05</td><td>65.15</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	54.00	74.00	-19.20	62.02	38.20	18.72	64.14	0.00	100	124	PEAK	2	11650.00	44.81	54.00	-9.19	52.03	38.20	18.72	64.14	0.00	100	124	AVERAGE	3	17475.00	64.10	68.20	-4.10	64.92	41.28	23.05	65.15	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>58.67</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>48.05</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>81</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>60.52</td><td>68.20</td><td>-7.68</td><td>61.34</td><td>41.28</td><td>23.05</td><td>65.15</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	51.45	74.00	-22.55	58.67	38.20	18.72	64.14	0.00	100	81	PEAK	2	11650.00	41.63	54.00	-12.37	48.05	38.20	18.72	64.14	0.00	100	81	AVERAGE	3	17475.00	60.52	68.20	-7.68	61.34	41.28	23.05	65.15	0.00	100	59	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	11650.00	54.00	74.00	-19.20	62.02	38.20	18.72	64.14	0.00	100	124	PEAK																																																																																																																																																							
2	11650.00	44.81	54.00	-9.19	52.03	38.20	18.72	64.14	0.00	100	124	AVERAGE																																																																																																																																																							
3	17475.00	64.10	68.20	-4.10	64.92	41.28	23.05	65.15	0.00	100	118	PEAK																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	11650.00	51.45	74.00	-22.55	58.67	38.20	18.72	64.14	0.00	100	81	PEAK																																																																																																																																																							
2	11650.00	41.63	54.00	-12.37	48.05	38.20	18.72	64.14	0.00	100	81	AVERAGE																																																																																																																																																							
3	17475.00	60.52	68.20	-7.68	61.34	41.28	23.05	65.15	0.00	100	59	PEAK																																																																																																																																																							




		49																																																																																																																																																									
Mode		Harmonic																																																																																																																																																									
		U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																																									
Pol.		Horizontal										Vertical																																																																																																																																															
Peak Avg																																																																																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>62.18</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2 11440.00</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>52.37</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr><tr><td>3 17160.00</td><td>64.20</td><td>68.20</td><td>-4.00</td><td>65.20</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>100</td><td>133</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	54.43	74.00	-19.57	62.18	38.00	18.54	64.29	0.00	100	123	PEAK	2 11440.00	44.62	54.00	-9.38	52.37	38.00	18.54	64.29	0.00	100	123	AVERAGE	3 17160.00	64.20	68.20	-4.00	65.20	41.46	22.79	65.25	0.00	100	133	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>62.36</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>369</td><td>44</td><td>PEAK</td></tr><tr><td>2 11440.00</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>52.41</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>369</td><td>44</td><td>AVERAGE</td></tr><tr><td>3 17160.00</td><td>63.32</td><td>68.20</td><td>-4.88</td><td>64.32</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>100</td><td>56</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	54.61	74.00	-19.39	62.36	38.00	18.54	64.29	0.00	369	44	PEAK	2 11440.00	44.66	54.00	-9.34	52.41	38.00	18.54	64.29	0.00	369	44	AVERAGE	3 17160.00	63.32	68.20	-4.88	64.32	41.46	22.79	65.25	0.00	100	56	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1 11440.00	54.43	74.00	-19.57	62.18	38.00	18.54	64.29	0.00	100	123	PEAK																																																																																																																																																
2 11440.00	44.62	54.00	-9.38	52.37	38.00	18.54	64.29	0.00	100	123	AVERAGE																																																																																																																																																
3 17160.00	64.20	68.20	-4.00	65.20	41.46	22.79	65.25	0.00	100	133	PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1 11440.00	54.61	74.00	-19.39	62.36	38.00	18.54	64.29	0.00	369	44	PEAK																																																																																																																																																
2 11440.00	44.66	54.00	-9.34	52.41	38.00	18.54	64.29	0.00	369	44	AVERAGE																																																																																																																																																
3 17160.00	63.32	68.20	-4.88	64.32	41.46	22.79	65.25	0.00	100	56	PEAK																																																																																																																																																


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	100	-	-	10Hz
802.11ax HE20	99.26	-	-	10Hz


802.11a



802.11n HT20



802.11n HT40





802.11ax HE20

