









		13																																																																															
Mode		Harmonic																																																																															
		2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																															
ANT		1																																																																															
Pol.		Horizontal																																																																															
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3216.00</td><td>47.14</td><td>78.68</td><td>-31.54</td><td>72.16</td><td>32.90</td><td>7.80</td><td>65.72</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>39.30</td><td>74.00</td><td>-34.70</td><td>61.72</td><td>34.10</td><td>9.64</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7239.00</td><td>44.81</td><td>78.68</td><td>-33.87</td><td>63.99</td><td>35.62</td><td>11.89</td><td>66.69</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3216.00	47.14	78.68	-31.54	72.16	32.90	7.80	65.72	0.00	---	Peak	2	4824.00	39.30	74.00	-34.70	61.72	34.10	9.64	66.16	0.00	---	PEAK	3	7239.00	44.81	78.68	-33.87	63.99	35.62	11.89	66.69	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	3216.00	47.14	78.68	-31.54	72.16	32.90	7.80	65.72	0.00	---	Peak																																																																						
2	4824.00	39.30	74.00	-34.70	61.72	34.10	9.64	66.16	0.00	---	PEAK																																																																						
3	7239.00	44.81	78.68	-33.87	63.99	35.62	11.89	66.69	0.00	---	Peak																																																																						
		Vertical																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3216.00</td><td>45.81</td><td>79.51</td><td>-33.70</td><td>70.83</td><td>32.90</td><td>7.80</td><td>65.72</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4821.00</td><td>41.90</td><td>74.00</td><td>-32.10</td><td>64.32</td><td>34.10</td><td>9.64</td><td>66.16</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3216.00	45.81	79.51	-33.70	70.83	32.90	7.80	65.72	0.00	---	Peak	2	4821.00	41.90	74.00	-32.10	64.32	34.10	9.64	66.16	0.00	---	Peak												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	3216.00	45.81	79.51	-33.70	70.83	32.90	7.80	65.72	0.00	---	Peak																																																																						
2	4821.00	41.90	74.00	-32.10	64.32	34.10	9.64	66.16	0.00	---	Peak																																																																						



Mode	14																																																																																																																																																																
	Harmonic																																																																																																																																																																
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																																																																																																
ANT	1																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>47.61</td><td>82.25</td><td>-34.64</td><td>72.58</td><td>32.90</td><td>7.84</td><td>65.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>64.92</td><td>34.10</td><td>9.68</td><td>66.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>54.51</td><td>74.00</td><td>-19.49</td><td>73.64</td><td>35.62</td><td>11.94</td><td>66.69</td><td>0.00</td><td>254</td><td>6 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>61.33</td><td>35.62</td><td>11.94</td><td>66.69</td><td>0.00</td><td>254</td><td>6 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3249.00	47.61	82.25	-34.64	72.58	32.90	7.84	65.71	0.00	---	Peak	2	4874.00	42.53	74.00	-31.47	64.92	34.10	9.68	66.17	0.00	---	PEAK	3	7311.00	54.51	74.00	-19.49	73.64	35.62	11.94	66.69	0.00	254	6 PEAK	4	7311.00	42.20	54.00	-11.80	61.33	35.62	11.94	66.69	0.00	254	6 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>47.52</td><td>79.43</td><td>-31.91</td><td>72.49</td><td>32.90</td><td>7.84</td><td>65.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>40.22</td><td>74.00</td><td>-33.78</td><td>62.61</td><td>34.10</td><td>9.68</td><td>66.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>63.69</td><td>35.62</td><td>11.94</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3249.00	47.52	79.43	-31.91	72.49	32.90	7.84	65.71	0.00	---	Peak	2	4874.00	40.22	74.00	-33.78	62.61	34.10	9.68	66.17	0.00	---	PEAK	3	7311.00	44.56	74.00	-29.44	63.69	35.62	11.94	66.69	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	3249.00	47.61	82.25	-34.64	72.58	32.90	7.84	65.71	0.00	---	Peak																																																																																																																																																						
2	4874.00	42.53	74.00	-31.47	64.92	34.10	9.68	66.17	0.00	---	PEAK																																																																																																																																																						
3	7311.00	54.51	74.00	-19.49	73.64	35.62	11.94	66.69	0.00	254	6 PEAK																																																																																																																																																						
4	7311.00	42.20	54.00	-11.80	61.33	35.62	11.94	66.69	0.00	254	6 AVERAGE																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	3249.00	47.52	79.43	-31.91	72.49	32.90	7.84	65.71	0.00	---	Peak																																																																																																																																																						
2	4874.00	40.22	74.00	-33.78	62.61	34.10	9.68	66.17	0.00	---	PEAK																																																																																																																																																						
3	7311.00	44.56	74.00	-29.44	63.69	35.62	11.94	66.69	0.00	---	PEAK																																																																																																																																																						





Mode	15																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.40</td><td>72.17</td><td>74.00</td><td>-1.83</td><td>59.25</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>106</td><td>257 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	72.17	74.00	-1.83	59.25	32.50	6.83	32.41	6.00	106	257 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.71</td><td>-----</td><td>-----</td><td>98.82</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>106</td><td>257 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.71	-----	-----	98.82	32.50	6.80	32.41	6.00	106	257 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2484.40	72.17	74.00	-1.83	59.25	32.50	6.83	32.41	6.00	106	257 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2462.00	111.71	-----	-----	98.82	32.50	6.80	32.41	6.00	106	257 PEAK																																																																																											
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>51.99</td><td>54.00</td><td>-2.01</td><td>39.07</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>106</td><td>257 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	51.99	54.00	-2.01	39.07	32.50	6.83	32.41	6.00	106	257 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.64</td><td>-----</td><td>-----</td><td>87.75</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>106</td><td>257 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.64	-----	-----	87.75	32.50	6.80	32.41	6.00	106	257 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.50	51.99	54.00	-2.01	39.07	32.50	6.83	32.41	6.00	106	257 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2462.00	100.64	-----	-----	87.75	32.50	6.80	32.41	6.00	106	257 AVERAGE																																																																																											







Mode	15																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>68.89</td><td>74.00</td><td>-5.11</td><td>55.96</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>367 323 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	68.89	74.00	-5.11	55.96	32.50	6.84	32.41	6.00	367 323 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>108.31</td><td>-----</td><td>-----</td><td>95.42</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>367 323 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.31	-----	-----	95.42	32.50	6.80	32.41	6.00	367 323 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	68.89	74.00	-5.11	55.96	32.50	6.84	32.41	6.00	367 323 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	108.31	-----	-----	95.42	32.50	6.80	32.41	6.00	367 323 PEAK																																																																																									
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>49.36</td><td>54.00</td><td>-4.64</td><td>36.44</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>367 323 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.36	54.00	-4.64	36.44	32.50	6.83	32.41	6.00	367 323 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>97.57</td><td>-----</td><td>-----</td><td>84.68</td><td>32.50</td><td>6.80</td><td>32.41</td><td>6.00</td><td>367 323 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.57	-----	-----	84.68	32.50	6.80	32.41	6.00	367 323 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	49.36	54.00	-4.64	36.44	32.50	6.83	32.41	6.00	367 323 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	97.57	-----	-----	84.68	32.50	6.80	32.41	6.00	367 323 AVERAGE																																																																																									





Mode	15																																																																																																																																														
	Harmonic																																																																																																																																														
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3283.50</td><td>46.81</td><td>77.91</td><td>-31.10</td><td>71.84</td><td>32.77</td><td>7.89</td><td>65.69</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>4924.00</td><td>41.61</td><td>74.00</td><td>-32.39</td><td>64.01</td><td>34.05</td><td>9.73</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>41.06</td><td>74.00</td><td>-32.94</td><td>60.06</td><td>35.70</td><td>12.00</td><td>66.70</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3283.50	46.81	77.91	-31.10	71.84	32.77	7.89	65.69	0.00	--- Peak	2	4924.00	41.61	74.00	-32.39	64.01	34.05	9.73	66.18	0.00	--- PEAK	3	7386.00	41.06	74.00	-32.94	60.06	35.70	12.00	66.70	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3283.50</td><td>45.90</td><td>73.36</td><td>-27.46</td><td>70.93</td><td>32.77</td><td>7.89</td><td>65.69</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>4924.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>61.94</td><td>34.05</td><td>9.73</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>41.45</td><td>74.00</td><td>-32.55</td><td>60.45</td><td>35.70</td><td>12.00</td><td>66.70</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3283.50	45.90	73.36	-27.46	70.93	32.77	7.89	65.69	0.00	--- Peak	2	4924.00	39.54	74.00	-34.46	61.94	34.05	9.73	66.18	0.00	--- PEAK	3	7386.00	41.45	74.00	-32.55	60.45	35.70	12.00	66.70	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	3283.50	46.81	77.91	-31.10	71.84	32.77	7.89	65.69	0.00	--- Peak																																																																																																																																					
2	4924.00	41.61	74.00	-32.39	64.01	34.05	9.73	66.18	0.00	--- PEAK																																																																																																																																					
3	7386.00	41.06	74.00	-32.94	60.06	35.70	12.00	66.70	0.00	--- PEAK																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	3283.50	45.90	73.36	-27.46	70.93	32.77	7.89	65.69	0.00	--- Peak																																																																																																																																					
2	4924.00	39.54	74.00	-34.46	61.94	34.05	9.73	66.18	0.00	--- PEAK																																																																																																																																					
3	7386.00	41.45	74.00	-32.55	60.45	35.70	12.00	66.70	0.00	--- PEAK																																																																																																																																					







Mode	16																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11n HT40_CH3_Full RU_2422MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>64.77</td><td>74.00</td><td>-9.23</td><td>52.23</td><td>32.26</td><td>6.70</td><td>32.42</td><td>6.00</td><td>100 273 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	64.77	74.00	-9.23	52.23	32.26	6.70	32.42	6.00	100 273 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.56	64.77	74.00	-9.23	52.23	32.26	6.70	32.42	6.00	100 273 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>106.07</td><td>-----</td><td>-----</td><td>93.36</td><td>32.38</td><td>6.75</td><td>32.42</td><td>6.00</td><td>100 273 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	106.07	-----	-----	93.36	32.38	6.75	32.42	6.00	100 273 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2422.00	106.07	-----	-----	93.36	32.38	6.75	32.42	6.00	100 273 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.36</td><td>54.00</td><td>-1.64</td><td>39.81</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>100 273 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.36	54.00	-1.64	39.81	32.26	6.71	32.42	6.00	100 273 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	52.36	54.00	-1.64	39.81	32.26	6.71	32.42	6.00	100 273 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>96.83</td><td>-----</td><td>-----</td><td>84.12</td><td>32.38</td><td>6.75</td><td>32.42</td><td>6.00</td><td>100 273 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	96.83	-----	-----	84.12	32.38	6.75	32.42	6.00	100 273 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2422.00	96.83	-----	-----	84.12	32.38	6.75	32.42	6.00	100 273 AVERAGE																																													





Mode	16																																																								
	Band Edge - R																																																								
	2400-2483.5_802.11n HT40_CH3_Full RU_2422MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.02</td><td>57.87</td><td>74.00</td><td>-16.13</td><td>44.94</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>100</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.02	57.87	74.00	-16.13	44.94	32.50	6.84	32.41	6.00	100	273	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2486.02	57.87	74.00	-16.13	44.94	32.50	6.84	32.41	6.00	100	273	PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2493.46</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>31.76</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>100</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.46	44.70	54.00	-9.30	31.76	32.50	6.85	32.41	6.00	100	273	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2493.46	44.70	54.00	-9.30	31.76	32.50	6.85	32.41	6.00	100	273	AVERAGE																																													





Mode	16																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11n HT40_CH3_Full RU_2422MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.70</td><td>60.77</td><td>74.00</td><td>-13.23</td><td>48.25</td><td>32.25</td><td>6.70</td><td>32.43</td><td>6.00</td><td>381 288 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	60.77	74.00	-13.23	48.25	32.25	6.70	32.43	6.00	381 288 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>102.64</td><td>-----</td><td>-----</td><td>89.96</td><td>32.36</td><td>6.74</td><td>32.42</td><td>6.00</td><td>381 288 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	102.64	-----	-----	89.96	32.36	6.74	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.70	60.77	74.00	-13.23	48.25	32.25	6.70	32.43	6.00	381 288 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	102.64	-----	-----	89.96	32.36	6.74	32.42	6.00	381 288 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.75</td><td>54.00</td><td>-5.25</td><td>36.20</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>381 288 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.75	54.00	-5.25	36.20	32.26	6.71	32.42	6.00	381 288 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>93.00</td><td>-----</td><td>-----</td><td>80.32</td><td>32.36</td><td>6.74</td><td>32.42</td><td>6.00</td><td>381 288 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	93.00	-----	-----	80.32	32.36	6.74	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	48.75	54.00	-5.25	36.20	32.26	6.71	32.42	6.00	381 288 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	93.00	-----	-----	80.32	32.36	6.74	32.42	6.00	381 288 AVERAGE																																																																																								







Mode	16																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11n HT40_CH3_Full RU_2422MHz																																																					
ANT	1																																																					
Pol.	Vertical					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.04</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>43.64</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>381 288 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.04	56.58	74.00	-17.42	43.64	32.50	6.85	32.41	6.00	381 288 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2493.04	56.58	74.00	-17.42	43.64	32.50	6.85	32.41	6.00	381 288 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>38.69</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>381 288 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	43.61	54.00	-10.39	38.69	32.50	6.83	32.41	6.00	381 288 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.98	43.61	54.00	-10.39	38.69	32.50	6.83	32.41	6.00	381 288 AVERAGE																																												



Mode	16																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11n HT40_CH3_Full RU_2422MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal																																																																																	
Peak Avg																																																																																		
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th></th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3229.50</td><td>46.68</td><td>76.25</td><td>-29.57</td><td>71.68</td><td>32.90</td><td>7.82</td><td>65.72</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>4844.00</td><td>41.82</td><td>74.00</td><td>-32.18</td><td>64.23</td><td>34.10</td><td>9.66</td><td>66.17</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>40.27</td><td>74.00</td><td>-33.73</td><td>59.45</td><td>35.60</td><td>11.91</td><td>66.69</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3229.50	46.68	76.25	-29.57	71.68	32.90	7.82	65.72	0.00	---	--- Peak	2	4844.00	41.82	74.00	-32.18	64.23	34.10	9.66	66.17	0.00	---	--- PEAK	3	7266.00	40.27	74.00	-33.73	59.45	35.60	11.91	66.69	0.00	---	--- PEAK
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
		Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	3229.50	46.68	76.25	-29.57	71.68	32.90	7.82	65.72	0.00	---	--- Peak																																																																							
2	4844.00	41.82	74.00	-32.18	64.23	34.10	9.66	66.17	0.00	---	--- PEAK																																																																							
3	7266.00	40.27	74.00	-33.73	59.45	35.60	11.91	66.69	0.00	---	--- PEAK																																																																							
																																																																																		
<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th></th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3229.50</td><td>46.98</td><td>71.49</td><td>-24.51</td><td>71.98</td><td>32.90</td><td>7.82</td><td>65.72</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>4844.00</td><td>40.09</td><td>74.00</td><td>-33.91</td><td>62.50</td><td>34.10</td><td>9.66</td><td>66.17</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>59.67</td><td>35.60</td><td>11.91</td><td>66.69</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3229.50	46.98	71.49	-24.51	71.98	32.90	7.82	65.72	0.00	---	--- Peak	2	4844.00	40.09	74.00	-33.91	62.50	34.10	9.66	66.17	0.00	---	--- PEAK	3	7266.00	40.49	74.00	-33.51	59.67	35.60	11.91	66.69	0.00	---	--- PEAK	
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	3229.50	46.98	71.49	-24.51	71.98	32.90	7.82	65.72	0.00	---	--- Peak																																																																							
2	4844.00	40.09	74.00	-33.91	62.50	34.10	9.66	66.17	0.00	---	--- PEAK																																																																							
3	7266.00	40.49	74.00	-33.51	59.67	35.60	11.91	66.69	0.00	---	--- PEAK																																																																							







Mode	17																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11n HT40_CH6_Full RU_2437MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>62.57</td><td>74.00</td><td>-11.43</td><td>50.03</td><td>32.26</td><td>6.70</td><td>32.42</td><td>6.00</td><td>108</td><td>253 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	62.57	74.00	-11.43	50.03	32.26	6.70	32.42	6.00	108	253 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>111.33</td><td>-----</td><td>-----</td><td>98.54</td><td>32.44</td><td>6.77</td><td>32.42</td><td>6.00</td><td>108</td><td>253 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	111.33	-----	-----	98.54	32.44	6.77	32.42	6.00	108	253 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2388.91	62.57	74.00	-11.43	50.03	32.26	6.70	32.42	6.00	108	253 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	111.33	-----	-----	98.54	32.44	6.77	32.42	6.00	108	253 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>51.45</td><td>54.00</td><td>-2.55</td><td>38.90</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>108</td><td>253 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.45	54.00	-2.55	38.90	32.26	6.71	32.42	6.00	108	253 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>101.77</td><td>-----</td><td>-----</td><td>89.01</td><td>32.42</td><td>6.76</td><td>32.42</td><td>6.00</td><td>108</td><td>253 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	101.77	-----	-----	89.01	32.42	6.76	32.42	6.00	108	253 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.95	51.45	54.00	-2.55	38.90	32.26	6.71	32.42	6.00	108	253 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	101.77	-----	-----	89.01	32.42	6.76	32.42	6.00	108	253 AVERAGE																																																																																										





Mode	17																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT40_CH6_Full RU_2437MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>63.40</td><td>74.00</td><td>-10.60</td><td>50.48</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>108</td><td>253</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	63.40	74.00	-10.60	50.48	32.50	6.83	32.41	6.00	108	253	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	63.40	74.00	-10.60	50.48	32.50	6.83	32.41	6.00	108	253	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.25</td><td>54.00</td><td>-4.75</td><td>36.33</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>108</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.25	54.00	-4.75	36.33	32.50	6.83	32.41	6.00	108	253	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	49.25	54.00	-4.75	36.33	32.50	6.83	32.41	6.00	108	253	AVERAGE																																												



Mode	17																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11n HT40_CH6_Full RU_2437MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>44.66</td><td>32.26</td><td>6.70</td><td>32.42</td><td>6.00</td><td>375 333 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	57.20	74.00	-16.80	44.66	32.26	6.70	32.42	6.00	375 333 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>106.96</td><td>-----</td><td>-----</td><td>94.17</td><td>32.44</td><td>6.77</td><td>32.42</td><td>6.00</td><td>375 333 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.96	-----	-----	94.17	32.44	6.77	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.30	57.20	74.00	-16.80	44.66	32.26	6.70	32.42	6.00	375 333 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	106.96	-----	-----	94.17	32.44	6.77	32.42	6.00	375 333 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>44.97</td><td>54.00</td><td>-9.03</td><td>32.42</td><td>32.26</td><td>6.71</td><td>32.42</td><td>6.00</td><td>375 333 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	44.97	54.00	-9.03	32.42	32.26	6.71	32.42	6.00	375 333 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>97.88</td><td>-----</td><td>-----</td><td>85.09</td><td>32.44</td><td>6.77</td><td>32.42</td><td>6.00</td><td>375 333 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	97.88	-----	-----	85.09	32.44	6.77	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.82	44.97	54.00	-9.03	32.42	32.26	6.71	32.42	6.00	375 333 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	97.88	-----	-----	85.09	32.44	6.77	32.42	6.00	375 333 AVERAGE																																																																																								







Mode	17																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11n HT40_CH6_Full RU_2437MHz																																																						
ANT	1																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.28</td><td>56.32</td><td>74.00</td><td>-17.68</td><td>43.38</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>375</td><td>333</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.28	56.32	74.00	-17.68	43.38	32.50	6.85	32.41	6.00	375	333	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2499.28	56.32	74.00	-17.68	43.38	32.50	6.85	32.41	6.00	375	333	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>31.75</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>375</td><td>333</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.67	54.00	-9.33	31.75	32.50	6.83	32.41	6.00	375	333	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	44.67	54.00	-9.33	31.75	32.50	6.83	32.41	6.00	375	333	AVERAGE																																											



Mode	17																																																																															
	Harmonic																																																																															
	2400-2483.5_802.11n HT40_CH6_Full RU_2437MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>47.44</td><td>74.53</td><td>-27.09</td><td>72.41</td><td>32.90</td><td>7.84</td><td>65.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>64.63</td><td>34.10</td><td>9.68</td><td>66.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>63.05</td><td>35.62</td><td>11.94</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3249.00	47.44	74.53	-27.09	72.41	32.90	7.84	65.71	0.00	---	Peak	2	4874.00	42.24	74.00	-31.76	64.63	34.10	9.68	66.17	0.00	---	PEAK	3	7311.00	43.92	74.00	-30.08	63.05	35.62	11.94	66.69	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	3249.00	47.44	74.53	-27.09	72.41	32.90	7.84	65.71	0.00	---	Peak																																																																					
2	4874.00	42.24	74.00	-31.76	64.63	34.10	9.68	66.17	0.00	---	PEAK																																																																					
3	7311.00	43.92	74.00	-30.08	63.05	35.62	11.94	66.69	0.00	---	PEAK																																																																					
Vertical																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3249.00</td><td>47.98</td><td>75.13</td><td>-27.15</td><td>72.95</td><td>32.90</td><td>7.84</td><td>65.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>61.00</td><td>34.10</td><td>9.68</td><td>66.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>60.96</td><td>35.62</td><td>11.94</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3249.00	47.98	75.13	-27.15	72.95	32.90	7.84	65.71	0.00	---	Peak	2	4874.00	39.41	74.00	-34.59	61.00	34.10	9.68	66.17	0.00	---	PEAK	3	7311.00	41.83	74.00	-32.17	60.96	35.62	11.94	66.69	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	3249.00	47.98	75.13	-27.15	72.95	32.90	7.84	65.71	0.00	---	Peak																																																																					
2	4874.00	39.41	74.00	-34.59	61.00	34.10	9.68	66.17	0.00	---	PEAK																																																																					
3	7311.00	41.83	74.00	-32.17	60.96	35.62	11.94	66.69	0.00	---	PEAK																																																																					







Mode	18																																																								
	Band Edge - L																																																								
	2400-2483.5_802.11n HT40_CH9_Full RU_2452MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.38</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>44.88</td><td>32.21</td><td>6.69</td><td>32.43</td><td>6.00</td><td>100</td><td>255 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.38	57.35	74.00	-16.65	44.88	32.21	6.69	32.43	6.00	100	255 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2378.38	57.35	74.00	-16.65	44.88	32.21	6.69	32.43	6.00	100	255 PEAK																																														
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>105.95</td><td>-----</td><td>-----</td><td>93.08</td><td>32.50</td><td>6.79</td><td>32.42</td><td>6.00</td><td>100</td><td>255 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	105.95	-----	-----	93.08	32.50	6.79	32.42	6.00	100	255 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2452.00	105.95	-----	-----	93.08	32.50	6.79	32.42	6.00	100	255 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>32.21</td><td>32.25</td><td>6.70</td><td>32.43</td><td>6.00</td><td>100</td><td>255 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	44.73	54.00	-9.27	32.21	32.25	6.70	32.43	6.00	100	255 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2386.96	44.73	54.00	-9.27	32.21	32.25	6.70	32.43	6.00	100	255 AVERAGE																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>96.74</td><td>-----</td><td>-----</td><td>83.87</td><td>32.50</td><td>6.79</td><td>32.42</td><td>6.00</td><td>100</td><td>255 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	96.74	-----	-----	83.87	32.50	6.79	32.42	6.00	100	255 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2452.00	96.74	-----	-----	83.87	32.50	6.79	32.42	6.00	100	255 AVERAGE																																														





Mode	18																																																										
	Band Edge - R																																																										
	2400-2483.5_802.11n HT40_CH9_Full RU_2452MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>65.37</td><td>74.00</td><td>-8.63</td><td>52.45</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>255</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.58	65.37	74.00	-8.63	52.45	32.50	6.83	32.41	6.00	100	255	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2484.58	65.37	74.00	-8.63	52.45	32.50	6.83	32.41	6.00	100	255	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.30</td><td>54.00</td><td>-1.70</td><td>39.38</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>255</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	52.30	54.00	-1.70	39.38	32.50	6.83	32.41	6.00	100	255	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2483.50	52.30	54.00	-1.70	39.38	32.50	6.83	32.41	6.00	100	255	AVERAGE																																															





Mode	18																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11n HT40_CH9_Full RU_2452MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2353.68</td><td>55.74</td><td>74.00</td><td>-18.26</td><td>43.42</td><td>32.11</td><td>6.65</td><td>32.44</td><td>6.00</td><td>363 289 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2353.68	55.74	74.00	-18.26	43.42	32.11	6.65	32.44	6.00	363 289 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>102.54</td><td>-----</td><td>-----</td><td>89.67</td><td>32.50</td><td>6.79</td><td>32.42</td><td>6.00</td><td>363 289 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.54	-----	-----	89.67	32.50	6.79	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2353.68	55.74	74.00	-18.26	43.42	32.11	6.65	32.44	6.00	363 289 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	102.54	-----	-----	89.67	32.50	6.79	32.42	6.00	363 289 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.41</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>30.74</td><td>32.23</td><td>6.69</td><td>32.43</td><td>6.00</td><td>363 289 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.41	43.23	54.00	-10.77	30.74	32.23	6.69	32.43	6.00	363 289 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>93.30</td><td>-----</td><td>-----</td><td>80.43</td><td>32.50</td><td>6.79</td><td>32.42</td><td>6.00</td><td>363 289 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	93.30	-----	-----	80.43	32.50	6.79	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2382.41	43.23	54.00	-10.77	30.74	32.23	6.69	32.43	6.00	363 289 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	93.30	-----	-----	80.43	32.50	6.79	32.42	6.00	363 289 AVERAGE																																																																																								





Mode	18																																																			
	Band Edge - R																																																			
	2400-2483.5_802.11n HT40_CH9_Full RU_2452MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>62.82</td><td>74.00</td><td>-11.18</td><td>49.90</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>363</td><td>289</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.04	62.82	74.00	-11.18	49.90	32.50
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2484.04	62.82	74.00	-11.18	49.90	32.50	6.83	32.41	6.00	363	289	PEAK																																								
Avg							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.13</td><td>54.00</td><td>-4.87</td><td>36.21</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>363</td><td>289</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	49.13	54.00	-4.87	36.21	32.50
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2483.50	49.13	54.00	-4.87	36.21	32.50	6.83	32.41	6.00	363	289	AVERAGE																																								





Mode	18																																																																																
	Harmonic																																																																																
	2400-2483.5_802.11n HT40_CH9_Full RU_2452MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3270.00</td><td>47.51</td><td>74.53</td><td>-27.02</td><td>72.51</td><td>32.82</td><td>7.87</td><td>65.69</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4904.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>62.15</td><td>34.09</td><td>9.71</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7356.00</td><td>41.25</td><td>74.00</td><td>-32.75</td><td>60.26</td><td>35.70</td><td>11.98</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3270.00	47.51	74.53	-27.02	72.51	32.82	7.87	65.69	0.00	---	Peak	2	4904.00	39.77	74.00	-34.23	62.15	34.09	9.71	66.18	0.00	---	PEAK	3	7356.00	41.25	74.00	-32.75	60.26	35.70	11.98	66.69	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	3270.00	47.51	74.53	-27.02	72.51	32.82	7.87	65.69	0.00	---	Peak																																																																						
2	4904.00	39.77	74.00	-34.23	62.15	34.09	9.71	66.18	0.00	---	PEAK																																																																						
3	7356.00	41.25	74.00	-32.75	60.26	35.70	11.98	66.69	0.00	---	PEAK																																																																						
Vertical																																																																																	
																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3270.00</td><td>46.27</td><td>69.80</td><td>-23.53</td><td>71.27</td><td>32.82</td><td>7.87</td><td>65.69</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4904.00</td><td>39.66</td><td>74.00</td><td>-34.34</td><td>62.04</td><td>34.09</td><td>9.71</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7356.00</td><td>41.38</td><td>74.00</td><td>-32.62</td><td>60.39</td><td>35.70</td><td>11.98</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3270.00	46.27	69.80	-23.53	71.27	32.82	7.87	65.69	0.00	---	Peak	2	4904.00	39.66	74.00	-34.34	62.04	34.09	9.71	66.18	0.00	---	PEAK	3	7356.00	41.38	74.00	-32.62	60.39	35.70	11.98	66.69	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	3270.00	46.27	69.80	-23.53	71.27	32.82	7.87	65.69	0.00	---	Peak																																																																						
2	4904.00	39.66	74.00	-34.34	62.04	34.09	9.71	66.18	0.00	---	PEAK																																																																						
3	7356.00	41.38	74.00	-32.62	60.39	35.70	11.98	66.69	0.00	---	PEAK																																																																						



Mode	16	
	18G-25G	
	2400-2483.5_802.11n HT40_CH3_Full RU_2422MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	16										
	30-1G										
	2400-2483.5_802.11n HT40_CH3_Full RU_2422MHz										
ANT	1										
Pol.	Horizontal										
Peak											
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
	1	30.00	22.37	40.00	-17.63	29.46	25.36	0.36	32.81	0.00	--- Peak
	2	95.96	32.85	43.50	-10.65	49.01	15.51	1.00	32.67	0.00	--- Peak
	3	345.49	34.36	46.00	-11.64	45.08	20.19	1.94	32.85	0.00	--- Peak
	4	560.35	28.23	46.00	-17.77	32.44	26.58	2.45	33.24	0.00	--- Peak
	5	786.12	30.68	46.00	-15.32	32.15	28.67	2.93	33.07	0.00	--- Peak
	6	959.99	31.80	46.00	-14.20	28.89	31.21	3.26	31.56	0.00	--- Peak
	Peak										
Freq		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1		36.31	36.57	40.00	-3.43	46.88	21.89	0.60	32.80	0.00	--- Peak
2		95.72	29.82	43.50	-13.68	46.01	15.48	1.00	32.67	0.00	--- Peak
3		374.84	26.08	46.00	-19.92	36.07	20.90	2.05	32.94	0.00	--- Peak
4		561.56	34.45	46.00	-11.55	38.64	26.59	2.46	33.24	0.00	--- Peak
5		804.79	27.98	46.00	-18.02	29.60	28.39	2.96	32.97	0.00	--- Peak
6		974.05	31.14	54.00	-22.86	28.14	31.13	3.28	31.41	0.00	--- Peak


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11ax HE20	99.21	-	-	10Hz
802.11n HT40	99.18	-	-	10Hz

802.11b




802.11g





802.11ax HE20



802.11n HT40

