




Appendix B for SHEM200500389602


1.6dB Bandwidth

Test Mode	Test Channel	EBW[MHz]		Limit	Verdict
		1M	2M		
BLE	2402	0.72	1.29	0.5	PASS
BLE	2440	0.72	1.31	0.5	PASS
BLE	2480	0.73	1.28	0.5	PASS


6dB Bandwidth_BLE_2402_1M




6dB Bandwidth_BLE_2440_1M




6dB Bandwidth_BLE_2480_1M




6dB Bandwidth_BLE_2402_2M



6dB Bandwidth_BLE_2440_2M



6dB Bandwidth_BLE_2480_2M







2.Occupied Bandwidth

Test Mode	Test Channel	OBW[MHz]		Limit[MHz]	Verdict
		1M	2M		
BLE	2402	1.07	2.11	---	PASS
BLE	2440	1.07	2.11	---	PASS
BLE	2480	1.07	2.11	---	PASS


Occupied Bandwidth_BLE_2402_1M




Occupied Bandwidth_BLE_2440_1M




Occupied Bandwidth_BLE_2480_1M




Occupied Bandwidth_BLE_2402_2M



Occupied Bandwidth_BLE_2440_2M



Occupied Bandwidth_BLE_2480_2M







3.Maximum peak conducted output power

Test Mode	Test Channel	Power[dBm]		Limit[dBm]	Verdict
		1M	2M		
BLE	2402	-2.17	-2.71	30	PASS
BLE	2440	-1.27	-1.24	30	PASS
BLE	2480	-3.2	-3.15	30	PASS


Maximum peak conducted output power_BLE_2402_1M




Maximum peak conducted output power_BLE_2440_1M




Maximum peak conducted output power_BLE_2480_1M




Maximum peak conducted output power_BLE_2402_2M



Maximum peak conducted output power_BLE_2440_2M



Maximum peak conducted output power_BLE_2480_2M







4.Maximum Peak power spectral density

Test Mode	Test Channel	PSD[dBm/3kHz]		Limit[dBm/3kHz]	Verdict
		1M	2M		
BLE	2402	-16.86	-20.79	8.00	PASS
BLE	2440	-16.04	-19.44	8.00	PASS
BLE	2480	-18.07	-21.56	8.00	PASS


Maximum Peak power spectral density_BLE_2402_1M




Maximum Peak power spectral density_BLE_2440_1M




Maximum Peak power spectral density_BLE_2480_1M




Maximum Peak power spectral density_BLE_2402_2M



Maximum Peak power spectral density_BLE_2440_2M



Maximum Peak power spectral density_BLE_2480_2M






5.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Carrier Power[dBm]		Max. Spurious Level [dBm]		Limit [dBm]		Verdict
		1M	2M	1M	2M	1M	2M	
BLE	2402	-3.01	-4.69	-63.06	-36.59	-23.01	-24.69	PASS
BLE	2480	-4.35	-5.38	-69.44	-68.40	-24.35	-25.38	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Hopping Off_1M




Band-edge for RF Conducted Emissions_BLE_2480_Hopping Off_1M



Band-edge for RF Conducted Emissions_BLE_2402_Hopping Off_2M




Band-edge for RF Conducted Emissions_BLE_2480_Hopping Off_2M




6.RF Conducted Spurious Emissions


Test Mode	Test Channel	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]		Max. Level [dBm]		Limit [dBm]		Verdict
						1M	2M	1M	2M	1M	2M	
BLE	2402	30	10000	100	300	-3.17	-4.73	-54.33	-54.25	<-23.17	<-24.73	PASS
BLE	2402	10000	26000	100	300	-3.171	-4.725	-43.693	-44.452	<-23.171	<-24.725	PASS
BLE	2440	30	10000	100	300	-2.35	-3.45	-53.30	-53.81	<-22.35	<-23.45	PASS
BLE	2440	10000	26000	100	300	-2.349	-3.45	-44.333	-43.714	<-22.349	<-23.45	PASS
BLE	2480	30	10000	100	300	-4.34	-5.40	-54.09	-53.51	<-24.34	<-25.40	PASS
BLE	2480	10000	26000	100	300	-4.338	-5.395	-44.307	-43.812	<-24.338	<-25.395	PASS

RF Conducted Spurious Emissions_BLE_2402_1M







RF Conducted Spurious Emissions_BLE_2440_1M







RF Conducted Spurious Emissions_BLE_2480_1M







RF Conducted Spurious Emissions_BLE_2402_2M





RF Conducted Spurious Emissions_BLE_2440





RF Conducted Spurious Emissions_BLE_2480_2M

