

			1	215	22.64	0.294	1.000	Pass
			217	0	22.65	0.295	1.000	Pass
			108	54	22.61	0.293	1.000	Pass
			1	1	22.3	0.271	1.000	Pass
			1	215	22.51	0.284	1.000	Pass
			217	0	22.61	0.292	1.000	Pass
	MCH		108	54	22.62	0.292	1.000	Pass
			1	1	22.75	0.301	1.000	Pass
			1	215	22.62	0.293	1.000	Pass
			217	0	21.56	0.229	1.000	Pass
			108	54	21.9	0.248	1.000	Pass
			1	1	20.14	0.166	1.000	Pass
	HCH		1	215	22.67	0.296	1.000	Pass
			217	0	22.41	0.278	1.000	Pass
			108	54	22.65	0.293	1.000	Pass
			1	1	22.66	0.295	1.000	Pass
			1	215	22.64	0.295	1.000	Pass
			217	0	22.32	0.272	1.000	Pass
	16QAM		108	54	22.5	0.283	1.000	Pass
			1	1	22.64	0.294	1.000	Pass
			1	215	22.57	0.289	1.000	Pass
			217	0	22.59	0.289	1.000	Pass
			108	54	22.67	0.296	1.000	Pass
			1	1	21.51	0.227	1.000	Pass
	64QAM		1	215	21.68	0.235	1.000	Pass
			108	54	20.15	0.166	1.000	Pass
			1	1	22.68	0.297	1.000	Pass
			1	215	22.34	0.274	1.000	Pass
			108	54	22.42	0.278	1.000	Pass
			1	1	22.6	0.291	1.000	Pass
	256QAM		1	215	22.74	0.300	1.000	Pass
			108	54	22.29	0.270	1.000	Pass
			1	1	22.32	0.271	1.000	Pass
			1	215	22.64	0.294	1.000	Pass
			108	54	22.58	0.289	1.000	Pass
			1	1	22.58	0.288	1.000	Pass
	HCH		1	215	22.64	0.294	1.000	Pass
			108	54	21.42	0.222	1.000	Pass
			1	1	21.54	0.227	1.000	Pass
			1	215	20.19	0.167	1.000	Pass
90	LCH	QPSK	120	60	22.51	0.286	1.000	Pass
			1	1	22.4	0.278	1.000	Pass
			1	243	22.79	0.303	1.000	Pass

			245	0	22.52	0.286	1.000	Pass
	MCH		120	60	22.51	0.286	1.000	Pass
			1	1	22.2	0.265	1.000	Pass
			1	243	22.59	0.289	1.000	Pass
			245	0	22.51	0.286	1.000	Pass
	HCH		120	60	22.49	0.283	1.000	Pass
			1	1	22.84	0.306	1.000	Pass
			1	243	22.53	0.287	1.000	Pass
			245	0	21.46	0.224	1.000	Pass
	LCH	16QAM	120	60	21.82	0.243	1.000	Pass
			1	1	20.03	0.162	1.000	Pass
			1	243	22.66	0.295	1.000	Pass
			245	0	22.41	0.278	1.000	Pass
	MCH		120	60	22.59	0.289	1.000	Pass
			1	1	22.61	0.292	1.000	Pass
			1	243	22.66	0.296	1.000	Pass
			245	0	22.31	0.272	1.000	Pass
	HCH		120	60	22.47	0.281	1.000	Pass
			1	1	22.6	0.292	1.000	Pass
			1	243	22.42	0.279	1.000	Pass
			245	0	22.65	0.293	1.000	Pass
	LCH	64QAM	120	60	22.68	0.297	1.000	Pass
			1	1	21.54	0.228	1.000	Pass
			1	243	21.64	0.232	1.000	Pass
	MCH		120	60	20.18	0.167	1.000	Pass
			1	1	22.81	0.306	1.000	Pass
			1	243	22.44	0.280	1.000	Pass
	HCH		120	60	22.48	0.282	1.000	Pass
			1	1	22.71	0.299	1.000	Pass
			1	243	22.81	0.306	1.000	Pass
	LCH	256QAM	120	60	22.29	0.270	1.000	Pass
			1	1	22.24	0.266	1.000	Pass
			1	243	22.7	0.298	1.000	Pass
	MCH		120	60	22.49	0.283	1.000	Pass
			1	1	22.52	0.285	1.000	Pass
			1	243	22.72	0.299	1.000	Pass
	HCH		120	60	21.58	0.230	1.000	Pass
			1	1	21.5	0.226	1.000	Pass
			1	243	20.21	0.168	1.000	Pass
100	LCH	QPSK	135	67	22.69	0.297	1.000	Pass
			1	1	22.48	0.283	1.000	Pass
			1	271	22.52	0.285	1.000	Pass
			273	0	22.63	0.294	1.000	Pass

	MCH		135	67	22.68	0.297	1.000	Pass		
			1	1	22.41	0.277	1.000	Pass		
			1	271	22.39	0.276	1.000	Pass		
			273	0	22.62	0.293	1.000	Pass		
	HCH		135	67	22.47	0.282	1.000	Pass		
			1	1	22.56	0.287	1.000	Pass		
			1	271	22.61	0.292	1.000	Pass		
			273	0	21.52	0.227	1.000	Pass		
	LCH		16QAM	135	67	21.68	0.235	1.000	Pass	
				1	1	20.18	0.167	1.000	Pass	
				1	271	22.69	0.297	1.000	Pass	
				273	0	22.45	0.280	1.000	Pass	
	MCH	135		67	22.53	0.286	1.000	Pass		
		1		1	22.61	0.292	1.000	Pass		
		1		271	22.72	0.299	1.000	Pass		
		273		0	22.38	0.276	1.000	Pass		
	HCH	135		67	22.37	0.274	1.000	Pass		
		1		1	22.61	0.292	1.000	Pass		
		1		271	22.5	0.285	1.000	Pass		
		273		0	22.64	0.292	1.000	Pass		
	LCH	64QAM	135	67	22.6	0.291	1.000	Pass		
			1	1	21.59	0.231	1.000	Pass		
			1	271	21.63	0.232	1.000	Pass		
			135	67	20.15	0.166	1.000	Pass		
	MCH		1	1	22.67	0.297	1.000	Pass		
			1	271	22.45	0.281	1.000	Pass		
			135	67	22.57	0.288	1.000	Pass		
			1	1	22.6	0.291	1.000	Pass		
	HCH		1	271	22.64	0.295	1.000	Pass		
			LCH	256QAM	135	67	22.32	0.272	1.000	Pass
					1	1	22.36	0.273	1.000	Pass
					1	271	22.67	0.296	1.000	Pass
	135	67			22.49	0.284	1.000	Pass		
	MCH	1	1		22.67	0.294	1.000	Pass		
		1	271		22.61	0.293	1.000	Pass		
		135	67		21.55	0.229	1.000	Pass		
		1	1		21.6	0.231	1.000	Pass		
	HCH	1	271		20.16	0.166	1.000	Pass		

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Total Conducted Output Power (dBm)	Total EIRP (W)	Limit (W)	Verdict	
NR Band n77 UL MIMO (3700-3980MHz)									
10	LCH	QPSK	12	6	22.73	0.299	1.000	Pass	
			1	1	22.63	0.292	1.000	Pass	
			1	22	22.83	0.306	1.000	Pass	
			24	0	22.76	0.301	1.000	Pass	
	MCH		12	6	22.79	0.303	1.000	Pass	
			1	1	22.52	0.284	1.000	Pass	
			1	22	22.69	0.296	1.000	Pass	
			24	0	22.75	0.300	1.000	Pass	
	HCH		12	6	22.75	0.300	1.000	Pass	
			1	1	22.86	0.308	1.000	Pass	
			1	22	22.75	0.300	1.000	Pass	
			24	0	21.72	0.237	1.000	Pass	
	LCH	16QAM	12	6	21.91	0.248	1.000	Pass	
			1	1	20.26	0.169	1.000	Pass	
			1	22	21.75	0.238	1.000	Pass	
			24	0	21.76	0.239	1.000	Pass	
	MCH		12	6	21.66	0.233	1.000	Pass	
			1	1	21.72	0.237	1.000	Pass	
			1	22	21.73	0.237	1.000	Pass	
			24	0	21.58	0.229	1.000	Pass	
	HCH		12	6	21.49	0.224	1.000	Pass	
			1	1	21.76	0.238	1.000	Pass	
			1	22	21.79	0.240	1.000	Pass	
			24	0	21.71	0.236	1.000	Pass	
	LCH	64QAM	12	6	21.7	0.235	1.000	Pass	
			1	1	20.82	0.192	1.000	Pass	
			1	22	20.69	0.187	1.000	Pass	
			12	6	19.17	0.131	1.000	Pass	
	MCH		1	1	21.78	0.241	1.000	Pass	
			1	22	21.8	0.241	1.000	Pass	
			12	6	21.82	0.243	1.000	Pass	
			1	1	21.78	0.240	1.000	Pass	
	HCH		1	22	21.76	0.239	1.000	Pass	
			256QAM	12	6	21.6	0.230	1.000	Pass
				1	1	21.64	0.232	1.000	Pass
				1	22	21.76	0.239	1.000	Pass
	12	6		21.84	0.243	1.000	Pass		

			1	1	21.83	0.243	1.000	Pass
			1	22	21.76	0.239	1.000	Pass
	HCH		12	6	20.82	0.193	1.000	Pass
			1	1	20.81	0.193	1.000	Pass
			1	22	19.27	0.135	1.000	Pass
15	LCH	QPSK	18	9	22.9	0.311	1.000	Pass
			1	1	22.81	0.305	1.000	Pass
			1	36	23.08	0.324	1.000	Pass
			38	0	22.89	0.310	1.000	Pass
	MCH		18	9	22.87	0.309	1.000	Pass
			1	1	22.72	0.298	1.000	Pass
			1	36	22.9	0.311	1.000	Pass
			38	0	22.88	0.309	1.000	Pass
	HCH		18	9	22.93	0.313	1.000	Pass
			1	1	23.04	0.321	1.000	Pass
			1	36	22.87	0.309	1.000	Pass
			38	0	21.85	0.244	1.000	Pass
	LCH	16QAM	18	9	22.05	0.256	1.000	Pass
			1	1	20.37	0.174	1.000	Pass
			1	36	21.87	0.245	1.000	Pass
			38	0	21.91	0.247	1.000	Pass
	MCH		18	9	21.8	0.241	1.000	Pass
			1	1	21.84	0.243	1.000	Pass
			1	36	21.81	0.242	1.000	Pass
			38	0	21.81	0.241	1.000	Pass
	HCH		18	9	21.6	0.230	1.000	Pass
			1	1	21.84	0.243	1.000	Pass
			1	36	21.97	0.250	1.000	Pass
			38	0	21.81	0.241	1.000	Pass
	LCH	64QAM	18	9	21.81	0.241	1.000	Pass
			1	1	20.99	0.200	1.000	Pass
			1	36	20.78	0.191	1.000	Pass
			18	9	19.3	0.135	1.000	Pass
	MCH		1	1	21.88	0.246	1.000	Pass
			1	36	21.94	0.250	1.000	Pass
			18	9	22.02	0.254	1.000	Pass
			1	1	21.86	0.245	1.000	Pass
	HCH		1	36	21.89	0.246	1.000	Pass
			18	9	21.79	0.240	1.000	Pass
			1	1	21.8	0.241	1.000	Pass
			1	36	21.87	0.245	1.000	Pass
	MCH	256QAM	18	9	21.95	0.250	1.000	Pass
			1	1	22.03	0.254	1.000	Pass

			1	36	21.88	0.245	1.000	Pass	
	HCH		18	9	20.92	0.197	1.000	Pass	
			1	1	21.03	0.202	1.000	Pass	
			1	36	19.42	0.139	1.000	Pass	
20	LCH	QPSK	18	9	22.87	0.309	1.000	Pass	
			1	1	22.83	0.306	1.000	Pass	
			1	36	23.02	0.320	1.000	Pass	
			51	0	22.89	0.310	1.000	Pass	
	MCH		18	9	22.88	0.310	1.000	Pass	
			1	1	22.75	0.300	1.000	Pass	
			1	36	22.87	0.309	1.000	Pass	
			51	0	22.97	0.316	1.000	Pass	
	HCH		18	9	22.94	0.314	1.000	Pass	
			1	1	23.06	0.322	1.000	Pass	
			1	36	22.9	0.311	1.000	Pass	
			51	0	21.86	0.245	1.000	Pass	
	LCH	16QAM	18	9	22.01	0.254	1.000	Pass	
			1	1	20.47	0.178	1.000	Pass	
			1	36	21.81	0.241	1.000	Pass	
			51	0	21.89	0.246	1.000	Pass	
	MCH		18	9	21.71	0.236	1.000	Pass	
			1	1	21.85	0.244	1.000	Pass	
			1	36	21.83	0.243	1.000	Pass	
			51	0	21.83	0.242	1.000	Pass	
	HCH		18	9	21.59	0.229	1.000	Pass	
			1	1	21.87	0.245	1.000	Pass	
			1	36	21.99	0.252	1.000	Pass	
			51	0	21.77	0.239	1.000	Pass	
	LCH	64QAM	18	9	21.8	0.241	1.000	Pass	
			1	1	20.97	0.199	1.000	Pass	
			1	36	20.74	0.189	1.000	Pass	
			18	9	19.38	0.138	1.000	Pass	
	MCH		1	1	21.83	0.243	1.000	Pass	
			1	36	21.91	0.248	1.000	Pass	
			18	9	21.98	0.252	1.000	Pass	
			1	1	21.86	0.245	1.000	Pass	
	HCH		1	36	21.82	0.242	1.000	Pass	
			256QAM	18	9	21.79	0.240	1.000	Pass
				1	1	21.91	0.247	1.000	Pass
				1	36	21.87	0.245	1.000	Pass
	18	9		21.89	0.246	1.000	Pass		
	1	1		22.07	0.256	1.000	Pass		
	1	36		21.83	0.243	1.000	Pass		

	HCH		18	9	20.99	0.200	1.000	Pass	
			1	1	21.04	0.203	1.000	Pass	
			1	36	19.38	0.138	1.000	Pass	
30	LCH	QPSK	36	18	22.96	0.315	1.000	Pass	
			1	1	22.79	0.303	1.000	Pass	
			1	76	23.01	0.318	1.000	Pass	
			78	0	22.93	0.313	1.000	Pass	
			36	18	22.95	0.315	1.000	Pass	
	1		1	22.72	0.298	1.000	Pass		
	1		76	22.86	0.308	1.000	Pass		
	78		0	22.87	0.309	1.000	Pass		
	36		18	22.69	0.297	1.000	Pass		
	1		1	22.98	0.316	1.000	Pass		
	1		76	22.9	0.311	1.000	Pass		
	78		0	21.8	0.242	1.000	Pass		
	LCH		16QAM	36	18	22.03	0.255	1.000	Pass
				1	1	20.38	0.174	1.000	Pass
				1	76	21.94	0.249	1.000	Pass
		78		0	22.04	0.255	1.000	Pass	
	36	18		21.59	0.229	1.000	Pass		
	1	1		21.95	0.249	1.000	Pass		
	1	76		21.9	0.247	1.000	Pass		
	78	0		22.01	0.253	1.000	Pass		
	36	18		21.57	0.228	1.000	Pass		
	1	1		21.96	0.250	1.000	Pass		
	1	76		22.04	0.254	1.000	Pass		
	78	0		21.65	0.233	1.000	Pass		
	LCH	64QAM	36	18	21.95	0.249	1.000	Pass	
			1	1	21.11	0.206	1.000	Pass	
			1	76	20.78	0.191	1.000	Pass	
	36		18	19.46	0.141	1.000	Pass		
	1		1	21.9	0.247	1.000	Pass		
	1		76	22.03	0.254	1.000	Pass		
	36		18	21.96	0.251	1.000	Pass		
	1		1	21.88	0.246	1.000	Pass		
	1		76	21.92	0.248	1.000	Pass		
	LCH	256QAM	36	18	21.94	0.248	1.000	Pass	
			1	1	21.74	0.238	1.000	Pass	
			1	76	21.93	0.249	1.000	Pass	
	36		18	22.1	0.258	1.000	Pass		
	1		1	22.04	0.255	1.000	Pass		
	1		76	21.88	0.246	1.000	Pass		
	36		18	21.08	0.205	1.000	Pass		

40			1	1	20.98	0.200	1.000	Pass	
			1	76	19.43	0.140	1.000	Pass	
	LCH	QPSK	50	25	22.98	0.317	1.000	Pass	
			1	1	22.98	0.317	1.000	Pass	
			1	104	23.04	0.321	1.000	Pass	
			106	0	22.98	0.317	1.000	Pass	
			MCH	50	25	23.03	0.320	1.000	Pass
				1	1	22.85	0.308	1.000	Pass
				1	104	22.85	0.306	1.000	Pass
				106	0	23.01	0.319	1.000	Pass
			HCH	50	25	23.03	0.321	1.000	Pass
				1	1	23.05	0.322	1.000	Pass
				1	104	22.95	0.314	1.000	Pass
				106	0	21.99	0.253	1.000	Pass
	LCH	16QAM	50	25	22	0.254	1.000	Pass	
			1	1	20.48	0.178	1.000	Pass	
			1	104	21.91	0.247	1.000	Pass	
			106	0	22.21	0.265	1.000	Pass	
	MCH		50	25	21.67	0.234	1.000	Pass	
			1	1	21.98	0.251	1.000	Pass	
			1	104	22	0.252	1.000	Pass	
			106	0	22.14	0.261	1.000	Pass	
	HCH		50	25	21.43	0.221	1.000	Pass	
			1	1	21.93	0.248	1.000	Pass	
			1	104	22.26	0.268	1.000	Pass	
			106	0	21.64	0.232	1.000	Pass	
	LCH	64QAM	50	25	21.95	0.249	1.000	Pass	
			1	1	21.25	0.213	1.000	Pass	
			1	104	20.74	0.189	1.000	Pass	
			50	25	19.44	0.140	1.000	Pass	
	MCH		1	1	21.87	0.245	1.000	Pass	
			1	104	22.01	0.253	1.000	Pass	
			50	25	22.05	0.256	1.000	Pass	
			1	1	21.87	0.245	1.000	Pass	
	HCH	1	104	21.88	0.245	1.000	Pass		
		256QAM	50	25	21.89	0.245	1.000	Pass	
			1	1	21.95	0.250	1.000	Pass	
			1	104	21.87	0.245	1.000	Pass	
	MCH		50	25	22.15	0.261	1.000	Pass	
			1	1	22.16	0.262	1.000	Pass	
			1	104	21.87	0.244	1.000	Pass	
			50	25	21.03	0.203	1.000	Pass	
	HCH		1	1	21.12	0.207	1.000	Pass	

			1	104	19.4	0.139	1.000	Pass
50	LCH	QPSK	64	32	22.84	0.306	1.000	Pass
			1	1	22.55	0.287	1.000	Pass
			1	131	22.74	0.299	1.000	Pass
			133	0	22.82	0.305	1.000	Pass
	MCH		64	32	22.83	0.306	1.000	Pass
			1	1	22.41	0.279	1.000	Pass
			1	131	22.57	0.288	1.000	Pass
			133	0	22.74	0.300	1.000	Pass
	HCH		64	32	22.63	0.293	1.000	Pass
			1	1	22.74	0.299	1.000	Pass
			1	131	22.75	0.300	1.000	Pass
			133	0	21.58	0.230	1.000	Pass
	LCH	16QAM	64	32	21.74	0.238	1.000	Pass
			1	1	20.21	0.168	1.000	Pass
			1	131	21.67	0.234	1.000	Pass
			133	0	21.85	0.244	1.000	Pass
	MCH		64	32	21.43	0.221	1.000	Pass
			1	1	21.68	0.234	1.000	Pass
			1	131	21.63	0.231	1.000	Pass
			133	0	21.72	0.236	1.000	Pass
	HCH		64	32	21.31	0.215	1.000	Pass
			1	1	21.68	0.234	1.000	Pass
			1	131	21.89	0.247	1.000	Pass
			133	0	21.5	0.225	1.000	Pass
	LCH	64QAM	64	32	21.62	0.231	1.000	Pass
			1	1	20.88	0.196	1.000	Pass
			1	131	20.5	0.179	1.000	Pass
			64	32	19.13	0.130	1.000	Pass
	MCH		1	1	21.72	0.236	1.000	Pass
			1	131	21.93	0.248	1.000	Pass
			64	32	21.79	0.241	1.000	Pass
			1	1	21.75	0.238	1.000	Pass
	HCH		1	131	21.67	0.234	1.000	Pass
		256QAM	64	32	21.67	0.233	1.000	Pass
			1	1	21.56	0.228	1.000	Pass
	1		131	21.73	0.237	1.000	Pass	
	MCH		64	32	21.91	0.247	1.000	Pass
			1	1	21.79	0.241	1.000	Pass
			1	131	21.72	0.236	1.000	Pass
			64	32	20.87	0.195	1.000	Pass
	HCH		1	1	20.71	0.188	1.000	Pass
			1	131	19.16	0.131	1.000	Pass

60	LCH	QPSK	81	40	22.73	0.300	1.000	Pass
			1	1	22.58	0.290	1.000	Pass
			1	160	22.57	0.289	1.000	Pass
			162	0	22.75	0.301	1.000	Pass
	MCH		81	40	22.79	0.303	1.000	Pass
			1	1	22.41	0.278	1.000	Pass
			1	160	22.35	0.274	1.000	Pass
			162	0	22.75	0.300	1.000	Pass
	HCH		81	40	22.57	0.289	1.000	Pass
			1	1	22.56	0.288	1.000	Pass
			1	160	22.73	0.300	1.000	Pass
			162	0	21.54	0.228	1.000	Pass
	LCH	16QAM	81	40	21.53	0.227	1.000	Pass
			1	1	20.27	0.170	1.000	Pass
			1	160	21.63	0.231	1.000	Pass
			162	0	21.8	0.242	1.000	Pass
	MCH		81	40	21.36	0.218	1.000	Pass
			1	1	21.63	0.231	1.000	Pass
			1	160	21.63	0.231	1.000	Pass
			162	0	21.68	0.235	1.000	Pass
	HCH		81	40	21.26	0.212	1.000	Pass
			1	1	21.66	0.233	1.000	Pass
			1	160	21.88	0.246	1.000	Pass
			162	0	21.4	0.220	1.000	Pass
	LCH	64QAM	81	40	21.66	0.233	1.000	Pass
			1	1	20.81	0.193	1.000	Pass
			1	160	20.42	0.175	1.000	Pass
			81	40	19.17	0.132	1.000	Pass
	MCH		1	1	21.84	0.244	1.000	Pass
			1	160	21.87	0.246	1.000	Pass
			81	40	21.75	0.238	1.000	Pass
	HCH		1	1	21.9	0.247	1.000	Pass
1			160	21.88	0.246	1.000	Pass	
LCH		256QAM	81	40	21.71	0.236	1.000	Pass
	1		1	21.68	0.234	1.000	Pass	
	1		160	21.89	0.247	1.000	Pass	
	MCH		81	40	21.92	0.248	1.000	Pass
			1	1	21.82	0.243	1.000	Pass
			1	160	21.83	0.243	1.000	Pass
	HCH		81	40	20.86	0.195	1.000	Pass
			1	1	20.81	0.193	1.000	Pass
1			160	19.36	0.138	1.000	Pass	
70	LCH	QPSK	90	45	22.56	0.288	1.000	Pass

			1	1	22.2	0.265	1.000	Pass
			1	187	22.39	0.277	1.000	Pass
			189	0	22.55	0.287	1.000	Pass
			90	45	22.61	0.291	1.000	Pass
			1	1	22.12	0.260	1.000	Pass
			1	187	22.23	0.266	1.000	Pass
			189	0	22.54	0.286	1.000	Pass
			90	45	22.41	0.278	1.000	Pass
			1	1	22.53	0.286	1.000	Pass
	MCH		1	187	22.49	0.283	1.000	Pass
			189	0	21.34	0.218	1.000	Pass
			90	45	21.38	0.220	1.000	Pass
			1	1	20.01	0.160	1.000	Pass
			1	187	21.58	0.229	1.000	Pass
			189	0	21.78	0.241	1.000	Pass
			90	45	21.19	0.209	1.000	Pass
			1	1	21.58	0.229	1.000	Pass
			1	187	21.64	0.232	1.000	Pass
	HCH	16QAM	189	0	21.66	0.234	1.000	Pass
			90	45	21.08	0.203	1.000	Pass
			1	1	21.57	0.229	1.000	Pass
			1	187	21.83	0.243	1.000	Pass
			189	0	21.27	0.213	1.000	Pass
			90	45	21.58	0.229	1.000	Pass
			1	1	20.91	0.197	1.000	Pass
			1	187	20.23	0.168	1.000	Pass
			90	45	19.15	0.131	1.000	Pass
	MCH	64QAM	1	1	21.81	0.242	1.000	Pass
			1	187	21.64	0.233	1.000	Pass
			90	45	21.84	0.244	1.000	Pass
			1	1	21.75	0.238	1.000	Pass
			1	187	21.81	0.242	1.000	Pass
			90	45	21.53	0.226	1.000	Pass
			1	1	21.74	0.238	1.000	Pass
			1	187	21.71	0.237	1.000	Pass
			90	45	21.63	0.232	1.000	Pass
	HCH	256QAM	1	1	21.83	0.243	1.000	Pass
			1	187	21.71	0.237	1.000	Pass
			90	45	20.62	0.184	1.000	Pass
			1	1	20.84	0.194	1.000	Pass
			1	187	19.28	0.135	1.000	Pass
			108	54	22.61	0.291	1.000	Pass
			1	1	22.34	0.275	1.000	Pass

			1	215	22.32	0.272	1.000	Pass
			217	0	22.53	0.286	1.000	Pass
			108	54	22.59	0.289	1.000	Pass
			1	1	22.23	0.267	1.000	Pass
			1	215	22.17	0.263	1.000	Pass
			217	0	22.51	0.284	1.000	Pass
			108	54	22.44	0.280	1.000	Pass
			1	1	22.42	0.279	1.000	Pass
			1	215	22.52	0.285	1.000	Pass
			217	0	21.3	0.216	1.000	Pass
			108	54	21.3	0.216	1.000	Pass
			1	1	20	0.160	1.000	Pass
			1	215	21.65	0.233	1.000	Pass
			217	0	21.74	0.239	1.000	Pass
			108	54	21.32	0.216	1.000	Pass
			1	1	21.6	0.230	1.000	Pass
			1	215	21.58	0.229	1.000	Pass
			217	0	21.57	0.229	1.000	Pass
			108	54	21.12	0.206	1.000	Pass
			1	1	21.58	0.229	1.000	Pass
			1	215	21.73	0.238	1.000	Pass
			217	0	21.3	0.215	1.000	Pass
			108	54	21.65	0.233	1.000	Pass
			1	1	20.77	0.191	1.000	Pass
			1	215	20.3	0.171	1.000	Pass
			108	54	19.18	0.132	1.000	Pass
			1	1	21.86	0.245	1.000	Pass
			1	215	21.65	0.233	1.000	Pass
			108	54	21.8	0.241	1.000	Pass
			1	1	21.79	0.241	1.000	Pass
			1	215	21.87	0.245	1.000	Pass
			108	54	21.47	0.223	1.000	Pass
			1	1	21.6	0.230	1.000	Pass
			1	215	21.74	0.238	1.000	Pass
			108	54	21.63	0.232	1.000	Pass
			1	1	21.8	0.241	1.000	Pass
			1	215	21.79	0.241	1.000	Pass
			108	54	20.66	0.186	1.000	Pass
			1	1	20.83	0.193	1.000	Pass
			1	215	19.3	0.136	1.000	Pass
90	LCH	QPSK	120	60	22.52	0.285	1.000	Pass
			1	1	22.14	0.262	1.000	Pass
			1	243	22.46	0.282	1.000	Pass

			245	0	22.45	0.281	1.000	Pass
	MCH		120	60	22.5	0.284	1.000	Pass
			1	1	22.03	0.255	1.000	Pass
			1	243	22.32	0.272	1.000	Pass
			245	0	22.44	0.280	1.000	Pass
	HCH		120	60	22.26	0.269	1.000	Pass
			1	1	22.55	0.287	1.000	Pass
			1	243	22.45	0.281	1.000	Pass
			245	0	21.2	0.211	1.000	Pass
	LCH	16QAM	120	60	21.53	0.227	1.000	Pass
			1	1	19.98	0.159	1.000	Pass
			1	243	21.62	0.231	1.000	Pass
			245	0	21.66	0.234	1.000	Pass
	MCH		120	60	21.38	0.219	1.000	Pass
			1	1	21.63	0.232	1.000	Pass
			1	243	21.63	0.232	1.000	Pass
			245	0	21.6	0.230	1.000	Pass
	HCH		120	60	21.24	0.211	1.000	Pass
			1	1	21.66	0.233	1.000	Pass
			1	243	21.87	0.246	1.000	Pass
			245	0	21.46	0.223	1.000	Pass
	LCH	64QAM	120	60	21.63	0.232	1.000	Pass
			1	1	20.68	0.187	1.000	Pass
			1	243	20.39	0.174	1.000	Pass
	MCH		120	60	19.17	0.131	1.000	Pass
			1	1	21.82	0.242	1.000	Pass
			1	243	21.59	0.230	1.000	Pass
	HCH		120	60	21.73	0.238	1.000	Pass
			1	1	21.69	0.235	1.000	Pass
			1	243	21.78	0.240	1.000	Pass
	LCH	256QAM	120	60	21.43	0.221	1.000	Pass
			1	1	21.53	0.227	1.000	Pass
			1	243	21.69	0.236	1.000	Pass
	MCH		120	60	21.57	0.229	1.000	Pass
			1	1	21.73	0.238	1.000	Pass
			1	243	21.74	0.238	1.000	Pass
	HCH		120	60	20.61	0.184	1.000	Pass
			1	1	20.65	0.186	1.000	Pass
			1	243	19.21	0.133	1.000	Pass
100	LCH	QPSK	135	67	22.47	0.282	1.000	Pass
			1	1	22.21	0.266	1.000	Pass
			1	271	22.33	0.273	1.000	Pass
			273	0	22.44	0.280	1.000	Pass

	MCH		135	67	22.46	0.281	1.000	Pass	
			1	1	22.03	0.255	1.000	Pass	
			1	271	22.22	0.266	1.000	Pass	
			273	0	22.44	0.280	1.000	Pass	
	HCH		135	67	22.31	0.273	1.000	Pass	
			1	1	22.38	0.277	1.000	Pass	
			1	271	22.44	0.279	1.000	Pass	
			273	0	21.26	0.215	1.000	Pass	
	LCH	16QAM	135	67	21.36	0.219	1.000	Pass	
			1	1	20.01	0.160	1.000	Pass	
			1	271	21.59	0.230	1.000	Pass	
			273	0	21.63	0.233	1.000	Pass	
	MCH		135	67	21.45	0.223	1.000	Pass	
			1	1	21.7	0.236	1.000	Pass	
			1	271	21.62	0.231	1.000	Pass	
			273	0	21.57	0.230	1.000	Pass	
	HCH		135	67	21.35	0.217	1.000	Pass	
			1	1	21.64	0.233	1.000	Pass	
			1	271	21.66	0.234	1.000	Pass	
			273	0	21.43	0.221	1.000	Pass	
	LCH	64QAM	135	67	21.63	0.232	1.000	Pass	
			1	1	20.66	0.187	1.000	Pass	
			1	271	20.54	0.181	1.000	Pass	
			135	67	19.18	0.132	1.000	Pass	
	MCH		1	1	21.73	0.238	1.000	Pass	
			1	271	21.39	0.220	1.000	Pass	
			HCH	135	67	21.78	0.240	1.000	Pass
				1	1	21.66	0.234	1.000	Pass
	1	271		21.8	0.241	1.000	Pass		
	LCH	256QAM		135	67	21.25	0.212	1.000	Pass
			1	1	21.65	0.233	1.000	Pass	
			1	271	21.67	0.234	1.000	Pass	
			MCH	135	67	21.38	0.219	1.000	Pass
	1			1	21.83	0.243	1.000	Pass	
	1			271	21.66	0.234	1.000	Pass	
	HCH			135	67	20.39	0.174	1.000	Pass
			1	1	20.81	0.193	1.000	Pass	
			1	271	19.2	0.133	1.000	Pass	

A.2 Peak to Average Ratio

Note: The Peak to Average Ratio please refer to the Report No. I22Z60940-WMD01, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 27, 2022, ANNEX A.8 PEAK-TO-AVERAGE POWER RATIO, Report No. I22Z60940-WMD02, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 29, 2022, ANNEX A.8 PEAK-TO-AVERAGE POWER RATIO.

A.3 Occupied Bandwidth

Note: The Occupied Bandwidth please refer to the Report No. I22Z60940-WMD01, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 27, 2022, ANNEX A.4 OCCUPIED BANDWIDTH, Report No. I22Z60940-WMD02, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 29, 2022, ANNEX A.4 OCCUPIED BANDWIDTH.

A.4 Frequency Stability

Note: The Frequency Stability please refer to the Report No. I22Z60940-WMD01, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 27, 2022, ANNEX A.3 FREQUENCY STABILITY, Report No. I22Z60940-WMD02, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 29, 2022, ANNEX A.3 FREQUENCY STABILITY.

A.5 Spurious Emission at Antenna Terminals

Note: The Spurious Emission at Antenna Terminals please refer to the Report No. I22Z60940-WMD01, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 27, 2022, ANNEX A.7 CONDUCTED SPURIOUS EMISSION, Report No. I22Z60940-WMD02, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 29, 2022, ANNEX A.7 CONDUCTED SPURIOUS EMISSION.

A.6 Band Edge

Note: The Band Edge please refer to the Report No. I22Z60940-WMD01, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 27, 2022, ANNEX A.6 BAND EDGE COMPLIANCE, Report No. I22Z60940-WMD02, which issued by CTTL-Telecommunication Technology Labs, CAICT. On Jul. 29, 2022, ANNEX A.6 BAND EDGE COMPLIANCE.

A.7 Field Strength of Spurious Radiation

Note 1: All modes have been tested, and only the worst case data are shown here.

Note 2: The frequencies of verdict which are marked by "N/A" should be ignored because they are UE carrier frequency.

Note 3: Test plots please refer to the document "Annex No.: BL-SZ25C1299-501 Data Part 1.pdf".

Note 4: The disturbance above 26.5GHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Verdict
Band 7	5 MHz	HCH	Pass

NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Verdict
2	5	MCH	Pass

ANNEX B TEST SETUP PHOTOS

Please refer to the document “BL-SZ25C1299-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer to the document “BL-SZ25C1299-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer to the document “BL-SZ25C1299-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--