

EUT EXTERNAL PHOTOS

FRONT VIEW OF EUT




REAR VIEW OF EUT




LEFT VIEW OF EUT




RIGHT VIEW OF EUT




TOP VIEW OF EUT




BOTTOM VIEW OF EUT




Adapter 1 TOP VIEW



Adapter 1 REAR VIEW



Adapter 2 TOP VIEW



Adapter 2 REAR VIEW



USB Cable 1



USB Cable 2



Ancillary Equipment 1	Li-Polymer Battery	
	Brand Name	N/A
	Model No.	TLp058C8
	Serial No.	N/A
	Capacitance	Rated: 5820mAh Typical: 6000mAh
	Rated Voltage	3.85 V
	Limited Voltage	4.4 V
	Manufacturer	HuiZhou GanFeng LiEnergy Battery Technology Co.,Ltd
Ancillary Equipment 2	Power Supply Unit 1	
	Brand Name	N/A
	Model No.	QC13US
	Serial No.	N/A
	Rated Input	100-240VAC 50/60Hz 0.5A
	Rated Output	5.0VDC 3.0A or 9.0VDC 2.0A or 12.0VDC 1.5A
	Manufacturer	HUIZHOU PUAN ELECTRONICS Co.,Ltd
Ancillary Equipment 3	Power Supply Unit 2	
	Brand Name	N/A
	Model No.	QC13US-N
	Serial No.	N/A
	Rated Input	100-240VAC 50/60Hz 0.5A
	Rated Output	5.0VDC 3.0A or 9.0VDC 2.0A or 12.0VDC 1.5A MAX
	Manufacturer	SHENZHEN BAIJUNDA ELECTRONICS CO LTD
Ancillary Equipment 4	USB Cable 1	
	Model No.	CDA0000128C1
	Length (Approx.)	82 cm
Ancillary Equipment 5	USB Cable 2	
	Model No.	CDA0000128C8
	Length (Approx.)	80 cm

--BLANK BELOW--