

Commercial_Sticker_and_CU_Sticker

DATE 日期	VERSION 版本	REMARK 备注
2026-06-10	V1.0	Creation
PDM 审核	PCM 审核	PKG 审核

T450A1-3XALAP11 (LATAM/MEA/APAC)

Model: T450A
T450A1-3AALAP11
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHY



IMEI:354613267249667



Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

Model: T450A
T450A1-3BALAP11
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHY



IMEI:354613267249667



Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

alcatel 32GB+6GB*
*2GB+4GB RAM Expansion



T450A1-3AALAP11 Dark Blue

Model:T450A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong


1 234567 8901234


Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid,
and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

alcatel 32GB+6GB*
*2GB+4GB RAM Expansion



T450A1-3BALAP11 Orange

Model:T450A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong


1 234567 8901234


Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid,
and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

ALCATEL A33 DARK BLUE



T450A1-3AALAP11



Batch No.:XXXXXXXXXX



2X1T450AXXXXXXXXXXXAXXX



QUANTITY:10


X XXXXXX XXXXXXX




IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0

ALCATEL A33 ORANGE



T450A1-3BALAP11



Batch No.:XXXXXXXXXX



2X1T450AXXXXXXXXXXXAXXX



QUANTITY:10


X XXXXXX XXXXXXX




IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX


IMEI:XXXXXXXXXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0

T450A1-3XALAP12 (LATAM/MEA/APAC)

Model: T450A
T450A1-3AALAP12
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHV
IMEI1:356790428190815
IMEI2:356790422483547

Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

Model: T450A
T450A1-3BALAP12
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHV
IMEI1:356790428190815
IMEI2:356790422483547

Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

alcatel 32GB+6GB*
*2GB+4GB RAM Expansion

T450A1-3AALAP12 Dark Blue
Model:T450A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

IMEI1:356790428190815
IMEI2:356790422483547
1 234567 8901234
Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid, and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

alcatel 32GB+6GB*
*2GB+4GB RAM Expansion

T450A1-3BALAP12 Orange
Model:T450A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

IMEI1:356790428190815
IMEI2:356790422483547
1 234567 8901234
Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid, and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

ALCATEL A33 DARK BLUE

T450A1-3AALAP12
Batch No.:XXXXXXXXXX
2X1T450AXXXXXXXXXXAXXXX
QUANTITY:10
X XXXXXX XXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0

ALCATEL A33 ORANGE

T450A1-3BALAP12
Batch No.:XXXXXXXXXX
2X1T450AXXXXXXXXXXAXXXX
QUANTITY:10
X XXXXXX XXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0

T451A4-3XALAP11 (LATAM/MEA/APAC)

Model: T451A
T451A4-3AALAP11
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHY



IMEI:352081615194115



Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

Model: T451A
T451A4-3BALAP11
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHY



IMEI:352081615194115



Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

alcatel 64GB+9GB*
*3GB+6GB RAM Expansion



T451A4-3AALAP11 Dark Blue

IMEI:352081615194115

Model:T451A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong



Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid,
and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

alcatel 64GB+9GB*
*3GB+6GB RAM Expansion



T451A4-3BALAP11 Orange

IMEI:352081615194115

Model:T451A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong



Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid,
and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

ALCATEL A33 DARK BLUE



T451A4-3AALAP11



Batch No.:XXXXXXXXXX



2X1T451AXXXXXXXXXXXAXXXX



QUANTITY:10



X XXXXXX XXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0

ALCATEL A33 ORANGE



T451A4-3AALAP11



Batch No.:XXXXXXXXXX



2X1T451AXXXXXXXXXXXAXXXX



QUANTITY:10



X XXXXXX XXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX



IMEI:XXXXXXXXXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0

T451A4-3XALAP12 (LATAM/MEA/APAC)

Model: T451A
T451A4-3AALAP12
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHY
IMEI1:358612600455722
IMEI2:358612609174545

Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

Model: T451A
T451A4-3BALAP12
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
X 010 01 LHY
IMEI1:358612600455722
IMEI2:358612609174545

Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

Made in China

IMEI Label Size: 50x40 mm
PN:CPE000538AC0

alcatel 64GB+9GB*
*3GB+6GB RAM Expansion

T451A4-3AALAP12 Dark Blue

Model:T451A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

IMEI1:358612600455722
IMEI2:358612609174545

1 234567 8901234

Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid, and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

alcatel 64GB+9GB*
*3GB+6GB RAM Expansion

T451A4-3BALAP12 Orange

Model:T451A
GSM:850/900/1800/1900
WCDMA:B1/B2/B4/B5/B8
LTE:B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/
B20/B26/B28/B66/B38/B40/B41
Bluetooth Design Number Q304553
FCC ID:2ACCJB235
Manufacturer: TCL Communication Ltd.
5/F, Building 22E, 22 Science Park East Avenue,
Hong Kong Science Park, Shatin, NT, Hong Kong

IMEI1:358612600455722
IMEI2:358612609174545

1 234567 8901234

Made in China

The phone is hearing aid-compatible. The lowest conversational gain is 6.89 dB with a hearing-aid, and 11.63 dB without hearing-aid.

IMEI Label Size: 80x38 mm
PN:CPF000323AC0

ALCATEL A33 DARK BLUE

T451A4-3AALAP12

Batch No.:XXXXXXXXXX

2X1T451AXXXXXXXXXXAXXXX

QUANTITY:10

X XXXXXX XXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0

ALCATEL A33 ORANGE

T451A4-3AALAP12

Batch No.:XXXXXXXXXX

2X1T451AXXXXXXXXXXAXXXX

QUANTITY:10

X XXXXXX XXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI:XXXXXXXXXXXX

IMEI Label Size: 90x90 mm
PN:CPH000052AC0