

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.19	-1.52	20.67	<=30	Pass
			2	22.32	-1.52	20.80	<=30	Pass
			5	22.32	-1.52	20.80	<=30	Pass
		3	0	22.10	-1.52	20.58	<=30	Pass
			2	22.14	-1.52	20.62	<=30	Pass
			3	22.19	-1.52	20.67	<=30	Pass
		6	0	21.22	-1.52	19.70	<=30	Pass
	1745	1	0	22.25	-1.52	20.73	<=30	Pass
			2	22.31	-1.52	20.79	<=30	Pass
			5	22.28	-1.52	20.76	<=30	Pass
		3	0	22.22	-1.52	20.70	<=30	Pass
			2	22.16	-1.52	20.64	<=30	Pass
			3	22.23	-1.52	20.71	<=30	Pass
		6	0	21.25	-1.52	19.73	<=30	Pass
	1779.3	1	0	22.15	-1.52	20.63	<=30	Pass
			2	22.15	-1.52	20.63	<=30	Pass
			5	22.17	-1.52	20.65	<=30	Pass
		3	0	22.07	-1.52	20.55	<=30	Pass
			2	22.11	-1.52	20.59	<=30	Pass
			3	22.10	-1.52	20.58	<=30	Pass
		6	0	21.09	-1.52	19.57	<=30	Pass
16QAM	1710.7	1	0	21.83	-1.52	20.31	<=30	Pass
			2	21.82	-1.52	20.30	<=30	Pass
			5	21.88	-1.52	20.36	<=30	Pass
		3	0	21.32	-1.52	19.80	<=30	Pass
			2	21.36	-1.52	19.84	<=30	Pass
			3	21.32	-1.52	19.80	<=30	Pass
		6	0	20.39	-1.52	18.87	<=30	Pass
	1745	1	0	22.31	-1.52	20.79	<=30	Pass
			2	22.29	-1.52	20.77	<=30	Pass
			5	22.32	-1.52	20.80	<=30	Pass
		3	0	20.86	-1.52	19.34	<=30	Pass
			2	20.86	-1.52	19.34	<=30	Pass
			3	20.82	-1.52	19.30	<=30	Pass
		6	0	20.28	-1.52	18.76	<=30	Pass
	1779.3	1	0	21.82	-1.52	20.30	<=30	Pass
			2	21.80	-1.52	20.28	<=30	Pass
			5	21.81	-1.52	20.29	<=30	Pass
		3	0	21.33	-1.52	19.81	<=30	Pass
			2	21.31	-1.52	19.79	<=30	Pass
			3	21.30	-1.52	19.78	<=30	Pass
		6	0	20.29	-1.52	18.77	<=30	Pass
64QAM	1710.7	1	0	20.66	-1.52	19.14	<=30	Pass
			2	21.12	-1.52	19.60	<=30	Pass
			5	20.71	-1.52	19.19	<=30	Pass
		3	0	20.70	-1.52	19.18	<=30	Pass

			2	20.67	-1.52	19.15	<=30	Pass	
			3	20.70	-1.52	19.18	<=30	Pass	
		6	0	19.65	-1.52	18.13	<=30	Pass	
	1745	1	0	21.60	-1.52	20.08	<=30	Pass	
			2	20.50	-1.52	18.98	<=30	Pass	
			5	20.19	-1.52	18.67	<=30	Pass	
		3	0	21.11	-1.52	19.59	<=30	Pass	
			2	21.14	-1.52	19.62	<=30	Pass	
			3	21.16	-1.52	19.64	<=30	Pass	
		6	0	20.00	-1.52	18.48	<=30	Pass	
		1779.3	1	0	20.30	-1.52	18.78	<=30	Pass
				2	20.74	-1.52	19.22	<=30	Pass
	5			20.29	-1.52	18.77	<=30	Pass	
	3		0	20.89	-1.52	19.37	<=30	Pass	
			2	20.84	-1.52	19.32	<=30	Pass	
			3	20.83	-1.52	19.31	<=30	Pass	
	6		0	19.81	-1.52	18.29	<=30	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.12	-1.52	20.60	<=30	Pass
			7	22.10	-1.52	20.58	<=30	Pass
			14	22.12	-1.52	20.60	<=30	Pass
		8	0	21.12	-1.52	19.60	<=30	Pass
			4	21.10	-1.52	19.58	<=30	Pass
			7	21.00	-1.52	19.48	<=30	Pass
		15	0	21.02	-1.52	19.50	<=30	Pass
	1745	1	0	22.15	-1.52	20.63	<=30	Pass
			7	22.14	-1.52	20.62	<=30	Pass
			14	22.19	-1.52	20.67	<=30	Pass
		8	0	21.26	-1.52	19.74	<=30	Pass
			4	21.16	-1.52	19.64	<=30	Pass
			7	21.14	-1.52	19.62	<=30	Pass
		15	0	21.30	-1.52	19.78	<=30	Pass
	1778.5	1	0	22.15	-1.52	20.63	<=30	Pass
			7	22.12	-1.52	20.60	<=30	Pass
			14	22.05	-1.52	20.53	<=30	Pass
		8	0	21.10	-1.52	19.58	<=30	Pass
			4	21.15	-1.52	19.63	<=30	Pass
			7	21.01	-1.52	19.49	<=30	Pass
		15	0	21.10	-1.52	19.58	<=30	Pass
16QAM	1711.5	1	0	22.11	-1.52	20.59	<=30	Pass
			7	22.03	-1.52	20.51	<=30	Pass
			14	22.02	-1.52	20.50	<=30	Pass
		8	0	20.34	-1.52	18.82	<=30	Pass
			4	20.32	-1.52	18.80	<=30	Pass
			7	20.42	-1.52	18.90	<=30	Pass
		15	0	20.14	-1.52	18.62	<=30	Pass
	1745	1	0	22.08	-1.52	20.56	<=30	Pass
			7	22.09	-1.52	20.57	<=30	Pass

64QAM	1778.5	8	14	22.13	-1.52	20.61	<=30	Pass
			0	20.41	-1.52	18.89	<=30	Pass
			4	20.39	-1.52	18.87	<=30	Pass
			7	20.36	-1.52	18.84	<=30	Pass
		15	0	20.38	-1.52	18.86	<=30	Pass
		1	0	21.05	-1.52	19.53	<=30	Pass
			7	21.14	-1.52	19.62	<=30	Pass
			14	21.10	-1.52	19.58	<=30	Pass
			0	20.26	-1.52	18.74	<=30	Pass
		8	4	20.39	-1.52	18.87	<=30	Pass
			7	20.36	-1.52	18.84	<=30	Pass
			0	20.19	-1.52	18.67	<=30	Pass
64QAM	1711.5	1	0	21.19	-1.52	19.67	<=30	Pass
			7	21.14	-1.52	19.62	<=30	Pass
			14	21.17	-1.52	19.65	<=30	Pass
			0	19.75	-1.52	18.23	<=30	Pass
		8	4	19.55	-1.52	18.03	<=30	Pass
			7	19.58	-1.52	18.06	<=30	Pass
			0	19.64	-1.52	18.12	<=30	Pass
		1	0	20.37	-1.52	18.85	<=30	Pass
			7	20.47	-1.52	18.95	<=30	Pass
			14	20.46	-1.52	18.94	<=30	Pass
	1745	8	0	19.74	-1.52	18.22	<=30	Pass
			4	19.68	-1.52	18.16	<=30	Pass
			7	19.70	-1.52	18.18	<=30	Pass
			0	19.93	-1.52	18.41	<=30	Pass
		1	0	20.32	-1.52	18.80	<=30	Pass
			7	20.38	-1.52	18.86	<=30	Pass
			14	20.27	-1.52	18.75	<=30	Pass
			0	19.42	-1.52	17.90	<=30	Pass
		8	4	19.59	-1.52	18.07	<=30	Pass
			7	19.49	-1.52	17.97	<=30	Pass
			0	19.70	-1.52	18.18	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.18	-1.52	20.66	<=30	Pass
			13	22.10	-1.52	20.58	<=30	Pass
			24	21.99	-1.52	20.47	<=30	Pass
		12	0	21.20	-1.52	19.68	<=30	Pass
			6	21.01	-1.52	19.49	<=30	Pass
			13	21.11	-1.52	19.59	<=30	Pass
		25	0	21.14	-1.52	19.62	<=30	Pass
	1745	1	0	22.34	-1.52	20.82	<=30	Pass
			13	22.28	-1.52	20.76	<=30	Pass
			24	22.34	-1.52	20.82	<=30	Pass
		12	0	21.20	-1.52	19.68	<=30	Pass
			6	21.28	-1.52	19.76	<=30	Pass
			13	21.26	-1.52	19.74	<=30	Pass
		25	0	21.25	-1.52	19.73	<=30	Pass

	1777.5	1	0	22.09	-1.52	20.57	<=30	Pass		
			13	21.93	-1.52	20.41	<=30	Pass		
			24	21.88	-1.52	20.36	<=30	Pass		
		12	0	21.09	-1.52	19.57	<=30	Pass		
			6	21.11	-1.52	19.59	<=30	Pass		
			13	21.12	-1.52	19.60	<=30	Pass		
		25	0	21.04	-1.52	19.52	<=30	Pass		
		16QAM	1712.5	1	0	20.63	-1.52	19.11	<=30	Pass
					13	20.56	-1.52	19.04	<=30	Pass
24	20.50				-1.52	18.98	<=30	Pass		
12	0			20.09	-1.52	18.57	<=30	Pass		
	6			20.10	-1.52	18.58	<=30	Pass		
	13			20.09	-1.52	18.57	<=30	Pass		
25	0			20.16	-1.52	18.64	<=30	Pass		
1745	1			0	21.76	-1.52	20.24	<=30	Pass	
				13	21.76	-1.52	20.24	<=30	Pass	
			24	21.80	-1.52	20.28	<=30	Pass		
	12		0	20.25	-1.52	18.73	<=30	Pass		
			6	20.30	-1.52	18.78	<=30	Pass		
			13	20.18	-1.52	18.66	<=30	Pass		
25	0		20.24	-1.52	18.72	<=30	Pass			
1777.5	1		0	21.73	-1.52	20.21	<=30	Pass		
			13	21.65	-1.52	20.13	<=30	Pass		
			24	21.72	-1.52	20.20	<=30	Pass		
	12		0	20.05	-1.52	18.53	<=30	Pass		
			6	20.10	-1.52	18.58	<=30	Pass		
			13	20.18	-1.52	18.66	<=30	Pass		
	25		0	20.24	-1.52	18.72	<=30	Pass		
	64QAM	1712.5	1	0	20.45	-1.52	18.93	<=30	Pass	
				13	20.41	-1.52	18.89	<=30	Pass	
24				20.41	-1.52	18.89	<=30	Pass		
12			0	19.53	-1.52	18.01	<=30	Pass		
			6	19.49	-1.52	17.97	<=30	Pass		
			13	19.45	-1.52	17.93	<=30	Pass		
25			0	19.84	-1.52	18.32	<=30	Pass		
1745			1	0	21.27	-1.52	19.75	<=30	Pass	
				13	21.25	-1.52	19.73	<=30	Pass	
		24		21.25	-1.52	19.73	<=30	Pass		
		12	0	19.88	-1.52	18.36	<=30	Pass		
			6	19.84	-1.52	18.32	<=30	Pass		
			13	19.92	-1.52	18.40	<=30	Pass		
25		0	19.82	-1.52	18.30	<=30	Pass			
1777.5		1	0	20.09	-1.52	18.57	<=30	Pass		
			13	20.14	-1.52	18.62	<=30	Pass		
			24	20.11	-1.52	18.59	<=30	Pass		
		12	0	19.51	-1.52	17.99	<=30	Pass		
			6	19.53	-1.52	18.01	<=30	Pass		
			13	19.60	-1.52	18.08	<=30	Pass		
		25	0	19.61	-1.52	18.09	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNv

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.04	-1.52	20.52	<=30	Pass
			25	21.89	-1.52	20.37	<=30	Pass
			49	21.86	-1.52	20.34	<=30	Pass
		25	0	21.07	-1.52	19.55	<=30	Pass
			13	20.91	-1.52	19.39	<=30	Pass
			25	21.08	-1.52	19.56	<=30	Pass
		50	0	21.01	-1.52	19.49	<=30	Pass
	1745	1	0	22.32	-1.52	20.80	<=30	Pass
			25	22.20	-1.52	20.68	<=30	Pass
			49	22.25	-1.52	20.73	<=30	Pass
		25	0	21.29	-1.52	19.77	<=30	Pass
			13	21.25	-1.52	19.73	<=30	Pass
			25	21.24	-1.52	19.72	<=30	Pass
		50	0	21.28	-1.52	19.76	<=30	Pass
	1775	1	0	22.02	-1.52	20.50	<=30	Pass
			25	22.00	-1.52	20.48	<=30	Pass
			49	22.04	-1.52	20.52	<=30	Pass
		25	0	21.15	-1.52	19.63	<=30	Pass
			13	21.03	-1.52	19.51	<=30	Pass
			25	21.02	-1.52	19.50	<=30	Pass
		50	0	21.08	-1.52	19.56	<=30	Pass
16QAM	1715	1	0	21.76	-1.52	20.24	<=30	Pass
			25	21.73	-1.52	20.21	<=30	Pass
			49	21.70	-1.52	20.18	<=30	Pass
		25	0	20.15	-1.52	18.63	<=30	Pass
			13	20.14	-1.52	18.62	<=30	Pass
			25	20.04	-1.52	18.52	<=30	Pass
		50	0	20.14	-1.52	18.62	<=30	Pass
	1745	1	0	22.70	-1.52	21.18	<=30	Pass
			25	22.70	-1.52	21.18	<=30	Pass
			49	22.62	-1.52	21.10	<=30	Pass
		25	0	20.24	-1.52	18.72	<=30	Pass
			13	20.27	-1.52	18.75	<=30	Pass
			25	20.20	-1.52	18.68	<=30	Pass
		50	0	20.26	-1.52	18.74	<=30	Pass
	1775	1	0	21.38	-1.52	19.86	<=30	Pass
			25	21.47	-1.52	19.95	<=30	Pass
			49	21.43	-1.52	19.91	<=30	Pass
		25	0	20.34	-1.52	18.82	<=30	Pass
			13	20.25	-1.52	18.73	<=30	Pass
			25	20.30	-1.52	18.78	<=30	Pass
		50	0	20.15	-1.52	18.63	<=30	Pass
64QAM	1715	1	0	21.37	-1.52	19.85	<=30	Pass
			25	21.35	-1.52	19.83	<=30	Pass
			49	21.28	-1.52	19.76	<=30	Pass
		25	0	19.85	-1.52	18.33	<=30	Pass
			13	20.23	-1.52	18.71	<=30	Pass
			25	19.77	-1.52	18.25	<=30	Pass
		50	0	20.18	-1.52	18.66	<=30	Pass
	1745	1	0	20.98	-1.52	19.46	<=30	Pass
			25	20.84	-1.52	19.32	<=30	Pass
			49	20.88	-1.52	19.36	<=30	Pass
		25	0	19.82	-1.52	18.30	<=30	Pass
			13	19.77	-1.52	18.25	<=30	Pass
			25	19.77	-1.52	18.25	<=30	Pass

	1775	50	25	19.79	-1.52	18.27	<=30	Pass
			0	19.71	-1.52	18.19	<=30	Pass
		1	0	20.32	-1.52	18.80	<=30	Pass
			25	20.35	-1.52	18.83	<=30	Pass
			49	20.32	-1.52	18.80	<=30	Pass
		25	0	19.77	-1.52	18.25	<=30	Pass
			13	19.77	-1.52	18.25	<=30	Pass
			25	19.62	-1.52	18.10	<=30	Pass
		50	0	19.70	-1.52	18.18	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.01	-1.52	20.49	<=30	Pass
			38	21.92	-1.52	20.40	<=30	Pass
			74	21.96	-1.52	20.44	<=30	Pass
		36	0	21.13	-1.52	19.61	<=30	Pass
			18	21.11	-1.52	19.59	<=30	Pass
			39	21.09	-1.52	19.57	<=30	Pass
		75	0	21.05	-1.52	19.53	<=30	Pass
	1745	1	0	22.21	-1.52	20.69	<=30	Pass
			38	22.24	-1.52	20.72	<=30	Pass
			74	22.20	-1.52	20.68	<=30	Pass
		36	0	21.31	-1.52	19.79	<=30	Pass
			18	21.33	-1.52	19.81	<=30	Pass
			39	21.26	-1.52	19.74	<=30	Pass
		75	0	21.23	-1.52	19.71	<=30	Pass
	1772.5	1	0	21.98	-1.52	20.46	<=30	Pass
			38	21.89	-1.52	20.37	<=30	Pass
			74	21.92	-1.52	20.40	<=30	Pass
		36	0	21.07	-1.52	19.55	<=30	Pass
			18	21.13	-1.52	19.61	<=30	Pass
			39	21.03	-1.52	19.51	<=30	Pass
		75	0	21.02	-1.52	19.50	<=30	Pass
16QAM	1717.5	1	0	21.83	-1.52	20.31	<=30	Pass
			38	21.72	-1.52	20.20	<=30	Pass
			74	21.59	-1.52	20.07	<=30	Pass
		36	0	20.21	-1.52	18.69	<=30	Pass
			18	20.20	-1.52	18.68	<=30	Pass
			39	20.17	-1.52	18.65	<=30	Pass
		75	0	20.03	-1.52	18.51	<=30	Pass
	1745	1	0	22.66	-1.52	21.14	<=30	Pass
			38	22.64	-1.52	21.12	<=30	Pass
			74	22.68	-1.52	21.16	<=30	Pass
		36	0	20.28	-1.52	18.76	<=30	Pass
			18	20.27	-1.52	18.75	<=30	Pass
			39	20.29	-1.52	18.77	<=30	Pass
		75	0	20.32	-1.52	18.80	<=30	Pass
	1772.5	1	0	21.83	-1.52	20.31	<=30	Pass
			38	21.90	-1.52	20.38	<=30	Pass
			74	21.86	-1.52	20.34	<=30	Pass

		36	0	20.29	-1.52	18.77	<=30	Pass	
			18	20.20	-1.52	18.68	<=30	Pass	
			39	20.15	-1.52	18.63	<=30	Pass	
		75	0	20.22	-1.52	18.70	<=30	Pass	
64QAM	1717.5	1	0	21.47	-1.52	19.95	<=30	Pass	
			38	21.39	-1.52	19.87	<=30	Pass	
			74	21.36	-1.52	19.84	<=30	Pass	
		36	0	20.18	-1.52	18.66	<=30	Pass	
			18	19.68	-1.52	18.16	<=30	Pass	
			39	20.00	-1.52	18.48	<=30	Pass	
		75	0	19.63	-1.52	18.11	<=30	Pass	
		1745	1	0	20.84	-1.52	19.32	<=30	Pass
				38	20.87	-1.52	19.35	<=30	Pass
	74			20.76	-1.52	19.24	<=30	Pass	
	36		0	19.89	-1.52	18.37	<=30	Pass	
			18	19.81	-1.52	18.29	<=30	Pass	
			39	19.83	-1.52	18.31	<=30	Pass	
	75		0	19.75	-1.52	18.23	<=30	Pass	
	1772.5		1	0	20.89	-1.52	19.37	<=30	Pass
				38	20.84	-1.52	19.32	<=30	Pass
		74		20.73	-1.52	19.21	<=30	Pass	
		36	0	19.65	-1.52	18.13	<=30	Pass	
			18	19.57	-1.52	18.05	<=30	Pass	
			39	19.54	-1.52	18.02	<=30	Pass	
75		0	19.63	-1.52	18.11	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.22	-1.52	20.70	<=30	Pass
			50	21.99	-1.52	20.47	<=30	Pass
			99	22.13	-1.52	20.61	<=30	Pass
		50	0	20.97	-1.52	19.45	<=30	Pass
			25	20.91	-1.52	19.39	<=30	Pass
			50	20.94	-1.52	19.42	<=30	Pass
		100	0	20.87	-1.52	19.35	<=30	Pass
			0	22.41	-1.52	20.89	<=30	Pass
			50	22.43	-1.52	20.91	<=30	Pass
	1745	1	99	22.47	-1.52	20.95	<=30	Pass
			0	21.36	-1.52	19.84	<=30	Pass
			25	21.14	-1.52	19.62	<=30	Pass
		50	50	21.18	-1.52	19.66	<=30	Pass
			0	21.27	-1.52	19.75	<=30	Pass
			0	22.20	-1.52	20.68	<=30	Pass
		1	50	22.03	-1.52	20.51	<=30	Pass
			99	21.99	-1.52	20.47	<=30	Pass
			0	21.15	-1.52	19.63	<=30	Pass
	1770	50	25	21.05	-1.52	19.53	<=30	Pass
			50	21.07	-1.52	19.55	<=30	Pass
			0	20.93	-1.52	19.41	<=30	Pass
		100	0	20.93	-1.52	19.41	<=30	Pass
			0	21.58	-1.52	20.06	<=30	Pass
			0	21.58	-1.52	20.06	<=30	Pass
16QAM	1720	1	0	21.58	-1.52	20.06	<=30	Pass

			50	21.49	-1.52	19.97	<=30	Pass
			99	21.53	-1.52	20.01	<=30	Pass
		50	0	20.19	-1.52	18.67	<=30	Pass
			25	20.11	-1.52	18.59	<=30	Pass
			50	20.17	-1.52	18.65	<=30	Pass
		100	0	19.97	-1.52	18.45	<=30	Pass
			0	21.54	-1.52	20.02	<=30	Pass
		1	50	21.59	-1.52	20.07	<=30	Pass
			99	21.53	-1.52	20.01	<=30	Pass
			0	20.36	-1.52	18.84	<=30	Pass
		50	25	20.27	-1.52	18.75	<=30	Pass
			50	20.25	-1.52	18.73	<=30	Pass
			0	20.18	-1.52	18.66	<=30	Pass
		1	0	22.42	-1.52	20.90	<=30	Pass
			50	22.33	-1.52	20.81	<=30	Pass
			99	22.17	-1.52	20.65	<=30	Pass
		50	0	20.09	-1.52	18.57	<=30	Pass
			25	20.14	-1.52	18.62	<=30	Pass
			50	20.07	-1.52	18.55	<=30	Pass
		100	0	20.22	-1.52	18.70	<=30	Pass
			0	20.74	-1.52	19.22	<=30	Pass
64QAM		1	50	20.68	-1.52	19.16	<=30	Pass
			99	20.73	-1.52	19.21	<=30	Pass
			0	20.11	-1.52	18.59	<=30	Pass
		50	25	19.63	-1.52	18.11	<=30	Pass
			50	19.69	-1.52	18.17	<=30	Pass
			0	19.56	-1.52	18.04	<=30	Pass
		1	0	21.36	-1.52	19.84	<=30	Pass
			50	21.33	-1.52	19.81	<=30	Pass
			99	21.28	-1.52	19.76	<=30	Pass
		50	0	19.78	-1.52	18.26	<=30	Pass
			25	19.59	-1.52	18.07	<=30	Pass
			50	19.63	-1.52	18.11	<=30	Pass
		100	0	19.79	-1.52	18.27	<=30	Pass
			0	21.23	-1.52	19.71	<=30	Pass
		1	50	21.17	-1.52	19.65	<=30	Pass
			99	21.02	-1.52	19.50	<=30	Pass
			0	19.61	-1.52	18.09	<=30	Pass
		50	25	19.65	-1.52	18.13	<=30	Pass
			50	19.61	-1.52	18.09	<=30	Pass
			0	19.63	-1.52	18.11	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

---End---