

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.97	-0.91	22.06	<=33.01	Pass
			2	23.00	-0.91	22.09	<=33.01	Pass
			5	23.01	-0.91	22.10	<=33.01	Pass
		3	0	22.91	-0.91	22.00	<=33.01	Pass
			2	22.95	-0.91	22.04	<=33.01	Pass
			3	22.89	-0.91	21.98	<=33.01	Pass
		6	0	21.89	-0.91	20.98	<=33.01	Pass
	1880	1	0	23.18	-0.91	22.27	<=33.01	Pass
			2	23.09	-0.91	22.18	<=33.01	Pass
			5	23.13	-0.91	22.22	<=33.01	Pass
		3	0	23.33	-0.91	22.42	<=33.01	Pass
			2	23.26	-0.91	22.35	<=33.01	Pass
			3	23.29	-0.91	22.38	<=33.01	Pass
		6	0	22.12	-0.91	21.21	<=33.01	Pass
	1909.3	1	0	23.41	-0.91	22.50	<=33.01	Pass
			2	23.56	-0.91	22.65	<=33.01	Pass
			5	23.55	-0.91	22.64	<=33.01	Pass
		3	0	23.53	-0.91	22.62	<=33.01	Pass
			2	23.53	-0.91	22.62	<=33.01	Pass
			3	23.56	-0.91	22.65	<=33.01	Pass
		6	0	22.46	-0.91	21.55	<=33.01	Pass
16QAM	1850.7	1	0	21.98	-0.91	21.07	<=33.01	Pass
			2	22.00	-0.91	21.09	<=33.01	Pass
			5	22.02	-0.91	21.11	<=33.01	Pass
		3	0	21.83	-0.91	20.92	<=33.01	Pass
			2	21.84	-0.91	20.93	<=33.01	Pass
			3	21.79	-0.91	20.88	<=33.01	Pass
		6	0	21.05	-0.91	20.14	<=33.01	Pass
	1880	1	0	23.04	-0.91	22.13	<=33.01	Pass
			2	23.04	-0.91	22.13	<=33.01	Pass
			5	23.08	-0.91	22.17	<=33.01	Pass
		3	0	22.37	-0.91	21.46	<=33.01	Pass
			2	22.35	-0.91	21.44	<=33.01	Pass
			3	22.46	-0.91	21.55	<=33.01	Pass
		6	0	21.29	-0.91	20.38	<=33.01	Pass
	1909.3	1	0	23.26	-0.91	22.35	<=33.01	Pass
			2	23.21	-0.91	22.30	<=33.01	Pass
			5	23.20	-0.91	22.29	<=33.01	Pass
		3	0	22.76	-0.91	21.85	<=33.01	Pass
			2	22.75	-0.91	21.84	<=33.01	Pass
			3	22.73	-0.91	21.82	<=33.01	Pass
		6	0	21.72	-0.91	20.81	<=33.01	Pass
64QAM	1850.7	1	0	21.78	-0.91	20.87	<=33.01	Pass
			2	22.38	-0.91	21.47	<=33.01	Pass
			5	21.84	-0.91	20.93	<=33.01	Pass
		3	0	21.61	-0.91	20.70	<=33.01	Pass

	1880	6	2	21.62	-0.91	20.71	<=33.01	Pass
			3	21.64	-0.91	20.73	<=33.01	Pass
		1	0	20.84	-0.91	19.93	<=33.01	Pass
			0	21.23	-0.91	20.32	<=33.01	Pass
			2	22.59	-0.91	21.68	<=33.01	Pass
		3	5	22.00	-0.91	21.09	<=33.01	Pass
			0	22.13	-0.91	21.22	<=33.01	Pass
			2	22.11	-0.91	21.20	<=33.01	Pass
	1909.3	6	3	22.15	-0.91	21.24	<=33.01	Pass
			0	20.78	-0.91	19.87	<=33.01	Pass
			0	21.71	-0.91	20.80	<=33.01	Pass
		1	2	22.90	-0.91	21.99	<=33.01	Pass
			5	22.37	-0.91	21.46	<=33.01	Pass
		3	0	22.17	-0.91	21.26	<=33.01	Pass
			2	22.20	-0.91	21.29	<=33.01	Pass
			3	22.16	-0.91	21.25	<=33.01	Pass
		6	0	21.37	-0.91	20.46	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.84	-0.91	21.93	<=33.01	Pass
			7	22.90	-0.91	21.99	<=33.01	Pass
			14	22.94	-0.91	22.03	<=33.01	Pass
		8	0	21.98	-0.91	21.07	<=33.01	Pass
			4	21.94	-0.91	21.03	<=33.01	Pass
			7	22.02	-0.91	21.11	<=33.01	Pass
		15	0	21.87	-0.91	20.96	<=33.01	Pass
	1880	1	0	23.13	-0.91	22.22	<=33.01	Pass
			7	23.05	-0.91	22.14	<=33.01	Pass
			14	23.07	-0.91	22.16	<=33.01	Pass
		8	0	22.13	-0.91	21.22	<=33.01	Pass
			4	22.18	-0.91	21.27	<=33.01	Pass
			7	22.13	-0.91	21.22	<=33.01	Pass
		15	0	22.12	-0.91	21.21	<=33.01	Pass
	1908.5	1	0	23.36	-0.91	22.45	<=33.01	Pass
			7	23.41	-0.91	22.50	<=33.01	Pass
			14	23.33	-0.91	22.42	<=33.01	Pass
		8	0	22.40	-0.91	21.49	<=33.01	Pass
			4	22.34	-0.91	21.43	<=33.01	Pass
			7	22.36	-0.91	21.45	<=33.01	Pass
		15	0	22.44	-0.91	21.53	<=33.01	Pass
16QAM	1851.5	1	0	23.24	-0.91	22.33	<=33.01	Pass
			7	23.13	-0.91	22.22	<=33.01	Pass
			14	23.16	-0.91	22.25	<=33.01	Pass
		8	0	21.15	-0.91	20.24	<=33.01	Pass
			4	21.13	-0.91	20.22	<=33.01	Pass
			7	21.23	-0.91	20.32	<=33.01	Pass
		15	0	21.00	-0.91	20.09	<=33.01	Pass
	1880	1	0	22.28	-0.91	21.37	<=33.01	Pass
			7	22.31	-0.91	21.40	<=33.01	Pass

64QAM		8	14	22.38	-0.91	21.47	<=33.01	Pass
			0	21.46	-0.91	20.55	<=33.01	Pass
			4	21.48	-0.91	20.57	<=33.01	Pass
			7	21.44	-0.91	20.53	<=33.01	Pass
	1908.5	15	0	21.32	-0.91	20.41	<=33.01	Pass
			0	23.24	-0.91	22.33	<=33.01	Pass
			7	23.23	-0.91	22.32	<=33.01	Pass
		8	14	23.17	-0.91	22.26	<=33.01	Pass
			0	21.71	-0.91	20.80	<=33.01	Pass
			4	21.80	-0.91	20.89	<=33.01	Pass
			7	21.71	-0.91	20.80	<=33.01	Pass
		15	0	21.58	-0.91	20.67	<=33.01	Pass
			0	21.54	-0.91	20.63	<=33.01	Pass
			7	21.52	-0.91	20.61	<=33.01	Pass
		8	14	21.54	-0.91	20.63	<=33.01	Pass
			0	20.44	-0.91	19.53	<=33.01	Pass
			4	20.40	-0.91	19.49	<=33.01	Pass
			7	20.42	-0.91	19.51	<=33.01	Pass
		15	0	20.61	-0.91	19.70	<=33.01	Pass
64QAM	1851.5	1	0	21.58	-0.91	20.67	<=33.01	Pass
			7	21.55	-0.91	20.64	<=33.01	Pass
			14	21.63	-0.91	20.72	<=33.01	Pass
		8	0	20.62	-0.91	19.71	<=33.01	Pass
			4	20.70	-0.91	19.79	<=33.01	Pass
			7	20.68	-0.91	19.77	<=33.01	Pass
		15	0	20.76	-0.91	19.85	<=33.01	Pass
			0	22.72	-0.91	21.81	<=33.01	Pass
			7	22.76	-0.91	21.85	<=33.01	Pass
		1	14	22.72	-0.91	21.81	<=33.01	Pass
			0	21.10	-0.91	20.19	<=33.01	Pass
			4	21.11	-0.91	20.20	<=33.01	Pass
	1880	8	7	21.05	-0.91	20.14	<=33.01	Pass
			0	21.10	-0.91	20.19	<=33.01	Pass
			0	21.10	-0.91	20.19	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.84	-0.91	21.93	<=33.01	Pass
			13	22.88	-0.91	21.97	<=33.01	Pass
			24	22.85	-0.91	21.94	<=33.01	Pass
		12	0	21.91	-0.91	21.00	<=33.01	Pass
			6	22.00	-0.91	21.09	<=33.01	Pass
			13	22.00	-0.91	21.09	<=33.01	Pass
		25	0	21.98	-0.91	21.07	<=33.01	Pass
			0	23.18	-0.91	22.27	<=33.01	Pass
			13	23.25	-0.91	22.34	<=33.01	Pass
	1880	1	24	23.30	-0.91	22.39	<=33.01	Pass
			0	22.06	-0.91	21.15	<=33.01	Pass
			6	22.12	-0.91	21.21	<=33.01	Pass
		12	13	22.22	-0.91	21.31	<=33.01	Pass
			0	22.07	-0.91	21.16	<=33.01	Pass

	1907.5	1	0	23.29	-0.91	22.38	<=33.01	Pass
			13	23.25	-0.91	22.34	<=33.01	Pass
			24	23.21	-0.91	22.30	<=33.01	Pass
		12	0	22.40	-0.91	21.49	<=33.01	Pass
			6	22.31	-0.91	21.40	<=33.01	Pass
			13	22.38	-0.91	21.47	<=33.01	Pass
		25	0	22.45	-0.91	21.54	<=33.01	Pass
16QAM	1852.5	1	0	21.59	-0.91	20.68	<=33.01	Pass
			13	21.67	-0.91	20.76	<=33.01	Pass
			24	21.66	-0.91	20.75	<=33.01	Pass
		12	0	21.02	-0.91	20.11	<=33.01	Pass
			6	21.03	-0.91	20.12	<=33.01	Pass
			13	21.05	-0.91	20.14	<=33.01	Pass
		25	0	21.18	-0.91	20.27	<=33.01	Pass
	1880	1	0	22.60	-0.91	21.69	<=33.01	Pass
			13	22.70	-0.91	21.79	<=33.01	Pass
			24	22.69	-0.91	21.78	<=33.01	Pass
		12	0	21.15	-0.91	20.24	<=33.01	Pass
			6	21.10	-0.91	20.19	<=33.01	Pass
			13	21.17	-0.91	20.26	<=33.01	Pass
		25	0	21.15	-0.91	20.24	<=33.01	Pass
	1907.5	1	0	23.04	-0.91	22.13	<=33.01	Pass
			13	23.08	-0.91	22.17	<=33.01	Pass
			24	23.07	-0.91	22.16	<=33.01	Pass
		12	0	21.58	-0.91	20.67	<=33.01	Pass
			6	21.53	-0.91	20.62	<=33.01	Pass
			13	21.55	-0.91	20.64	<=33.01	Pass
		25	0	21.63	-0.91	20.72	<=33.01	Pass
64QAM	1852.5	1	0	21.46	-0.91	20.55	<=33.01	Pass
			13	21.52	-0.91	20.61	<=33.01	Pass
			24	21.51	-0.91	20.60	<=33.01	Pass
		12	0	20.43	-0.91	19.52	<=33.01	Pass
			6	20.45	-0.91	19.54	<=33.01	Pass
			13	20.37	-0.91	19.46	<=33.01	Pass
		25	0	20.74	-0.91	19.83	<=33.01	Pass
	1880	1	0	21.87	-0.91	20.96	<=33.01	Pass
			13	21.93	-0.91	21.02	<=33.01	Pass
			24	21.97	-0.91	21.06	<=33.01	Pass
		12	0	20.77	-0.91	19.86	<=33.01	Pass
			6	20.77	-0.91	19.86	<=33.01	Pass
			13	20.96	-0.91	20.05	<=33.01	Pass
		25	0	20.80	-0.91	19.89	<=33.01	Pass
	1907.5	1	0	21.53	-0.91	20.62	<=33.01	Pass
			13	21.48	-0.91	20.57	<=33.01	Pass
			24	21.53	-0.91	20.62	<=33.01	Pass
		12	0	21.02	-0.91	20.11	<=33.01	Pass
			6	20.98	-0.91	20.07	<=33.01	Pass
			13	21.01	-0.91	20.10	<=33.01	Pass
		25	0	21.15	-0.91	20.24	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.80	-0.91	21.89	<=33.01	Pass
			25	22.80	-0.91	21.89	<=33.01	Pass
			49	22.90	-0.91	21.99	<=33.01	Pass
		25	0	21.91	-0.91	21.00	<=33.01	Pass
			13	21.85	-0.91	20.94	<=33.01	Pass
			25	21.95	-0.91	21.04	<=33.01	Pass
		50	0	21.87	-0.91	20.96	<=33.01	Pass
	1880	1	0	22.98	-0.91	22.07	<=33.01	Pass
			25	22.99	-0.91	22.08	<=33.01	Pass
			49	23.17	-0.91	22.26	<=33.01	Pass
		25	0	21.98	-0.91	21.07	<=33.01	Pass
			13	22.00	-0.91	21.09	<=33.01	Pass
			25	22.11	-0.91	21.20	<=33.01	Pass
		50	0	22.11	-0.91	21.20	<=33.01	Pass
	1905	1	0	23.40	-0.91	22.49	<=33.01	Pass
			25	23.34	-0.91	22.43	<=33.01	Pass
			49	23.37	-0.91	22.46	<=33.01	Pass
		25	0	22.50	-0.91	21.59	<=33.01	Pass
			13	22.33	-0.91	21.42	<=33.01	Pass
			25	22.43	-0.91	21.52	<=33.01	Pass
		50	0	22.37	-0.91	21.46	<=33.01	Pass
16QAM	1855	1	0	22.69	-0.91	21.78	<=33.01	Pass
			25	22.71	-0.91	21.80	<=33.01	Pass
			49	22.77	-0.91	21.86	<=33.01	Pass
		25	0	21.03	-0.91	20.12	<=33.01	Pass
			13	21.10	-0.91	20.19	<=33.01	Pass
			25	21.15	-0.91	20.24	<=33.01	Pass
		50	0	21.13	-0.91	20.22	<=33.01	Pass
	1880	1	0	23.43	-0.91	22.52	<=33.01	Pass
			25	23.28	-0.91	22.37	<=33.01	Pass
			49	23.33	-0.91	22.42	<=33.01	Pass
		25	0	21.19	-0.91	20.28	<=33.01	Pass
			13	21.23	-0.91	20.32	<=33.01	Pass
			25	21.26	-0.91	20.35	<=33.01	Pass
		50	0	21.25	-0.91	20.34	<=33.01	Pass
	1905	1	0	22.86	-0.91	21.95	<=33.01	Pass
			25	22.81	-0.91	21.90	<=33.01	Pass
			49	22.82	-0.91	21.91	<=33.01	Pass
		25	0	21.75	-0.91	20.84	<=33.01	Pass
			13	21.71	-0.91	20.80	<=33.01	Pass
			25	21.70	-0.91	20.79	<=33.01	Pass
		50	0	21.66	-0.91	20.75	<=33.01	Pass
64QAM	1855	1	0	22.12	-0.91	21.21	<=33.01	Pass
			25	22.20	-0.91	21.29	<=33.01	Pass
			49	22.21	-0.91	21.30	<=33.01	Pass
		25	0	20.77	-0.91	19.86	<=33.01	Pass
			13	20.61	-0.91	19.70	<=33.01	Pass
			25	20.99	-0.91	20.08	<=33.01	Pass
		50	0	20.67	-0.91	19.76	<=33.01	Pass
	1880	1	0	21.74	-0.91	20.83	<=33.01	Pass
			25	21.76	-0.91	20.85	<=33.01	Pass
			49	21.84	-0.91	20.93	<=33.01	Pass
		25	0	20.74	-0.91	19.83	<=33.01	Pass
			13	20.75	-0.91	19.84	<=33.01	Pass
			25	20.75	-0.91	19.84	<=33.01	Pass

	1905	50	25	20.87	-0.91	19.96	<=33.01	Pass
			0	20.74	-0.91	19.83	<=33.01	Pass
			0	22.53	-0.91	21.62	<=33.01	Pass
		1	25	22.57	-0.91	21.66	<=33.01	Pass
			49	22.54	-0.91	21.63	<=33.01	Pass
			0	21.11	-0.91	20.20	<=33.01	Pass
		25	13	21.18	-0.91	20.27	<=33.01	Pass
			25	21.14	-0.91	20.23	<=33.01	Pass
		50	0	21.27	-0.91	20.36	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.80	-0.91	21.89	<=33.01	Pass
			38	22.91	-0.91	22.00	<=33.01	Pass
			74	22.94	-0.91	22.03	<=33.01	Pass
		36	0	21.91	-0.91	21.00	<=33.01	Pass
			18	21.93	-0.91	21.02	<=33.01	Pass
			39	22.02	-0.91	21.11	<=33.01	Pass
		75	0	21.94	-0.91	21.03	<=33.01	Pass
	1880	1	0	23.05	-0.91	22.14	<=33.01	Pass
			38	23.03	-0.91	22.12	<=33.01	Pass
			74	23.13	-0.91	22.22	<=33.01	Pass
		36	0	22.19	-0.91	21.28	<=33.01	Pass
			18	22.15	-0.91	21.24	<=33.01	Pass
			39	22.15	-0.91	21.24	<=33.01	Pass
		75	0	22.06	-0.91	21.15	<=33.01	Pass
	1902.5	1	0	23.17	-0.91	22.26	<=33.01	Pass
			38	23.22	-0.91	22.31	<=33.01	Pass
			74	23.27	-0.91	22.36	<=33.01	Pass
		36	0	22.43	-0.91	21.52	<=33.01	Pass
			18	22.31	-0.91	21.40	<=33.01	Pass
			39	22.55	-0.91	21.64	<=33.01	Pass
		75	0	22.38	-0.91	21.47	<=33.01	Pass
16QAM	1857.5	1	0	22.71	-0.91	21.80	<=33.01	Pass
			38	22.80	-0.91	21.89	<=33.01	Pass
			74	22.85	-0.91	21.94	<=33.01	Pass
		36	0	21.22	-0.91	20.31	<=33.01	Pass
			18	21.24	-0.91	20.33	<=33.01	Pass
			39	21.21	-0.91	20.30	<=33.01	Pass
		75	0	21.14	-0.91	20.23	<=33.01	Pass
	1880	1	0	23.51	-0.91	22.60	<=33.01	Pass
			38	23.46	-0.91	22.55	<=33.01	Pass
			74	23.37	-0.91	22.46	<=33.01	Pass
		36	0	21.21	-0.91	20.30	<=33.01	Pass
			18	21.20	-0.91	20.29	<=33.01	Pass
			39	21.20	-0.91	20.29	<=33.01	Pass
		75	0	21.23	-0.91	20.32	<=33.01	Pass
	1902.5	1	0	23.11	-0.91	22.20	<=33.01	Pass
			38	23.14	-0.91	22.23	<=33.01	Pass
			74	23.14	-0.91	22.23	<=33.01	Pass

		36	0	21.58	-0.91	20.67	<=33.01	Pass		
			18	21.61	-0.91	20.70	<=33.01	Pass		
			39	21.66	-0.91	20.75	<=33.01	Pass		
		75	0	21.61	-0.91	20.70	<=33.01	Pass		
64QAM	1857.5	1	0	22.23	-0.91	21.32	<=33.01	Pass		
			38	22.28	-0.91	21.37	<=33.01	Pass		
			74	22.36	-0.91	21.45	<=33.01	Pass		
		36	0	20.66	-0.91	19.75	<=33.01	Pass		
			18	21.04	-0.91	20.13	<=33.01	Pass		
			39	20.73	-0.91	19.82	<=33.01	Pass		
		75	0	20.93	-0.91	20.02	<=33.01	Pass		
		1880	1	0	21.87	-0.91	20.96	<=33.01	Pass	
				38	21.86	-0.91	20.95	<=33.01	Pass	
	74			21.89	-0.91	20.98	<=33.01	Pass		
	36		0	20.72	-0.91	19.81	<=33.01	Pass		
			18	20.76	-0.91	19.85	<=33.01	Pass		
			39	20.85	-0.91	19.94	<=33.01	Pass		
	75		0	20.70	-0.91	19.79	<=33.01	Pass		
	1902.5		1	0	22.30	-0.91	21.39	<=33.01	Pass	
				38	22.40	-0.91	21.49	<=33.01	Pass	
		74		22.33	-0.91	21.42	<=33.01	Pass		
		36	0	21.13	-0.91	20.22	<=33.01	Pass		
			18	21.13	-0.91	20.22	<=33.01	Pass		
			39	21.18	-0.91	20.27	<=33.01	Pass		
		75	0	21.15	-0.91	20.24	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1860	1	0	23.02	-0.91	22.11	<=33.01	Pass	
			50	23.11	-0.91	22.20	<=33.01	Pass	
			99	23.17	-0.91	22.26	<=33.01	Pass	
		50	0	21.93	-0.91	21.02	<=33.01	Pass	
			25	21.90	-0.91	20.99	<=33.01	Pass	
			50	22.03	-0.91	21.12	<=33.01	Pass	
		100	0	21.93	-0.91	21.02	<=33.01	Pass	
		1880	1	0	23.25	-0.91	22.34	<=33.01	Pass
				50	23.34	-0.91	22.43	<=33.01	Pass
	99			23.43	-0.91	22.52	<=33.01	Pass	
	50		0	22.12	-0.91	21.21	<=33.01	Pass	
			25	22.05	-0.91	21.14	<=33.01	Pass	
			50	22.24	-0.91	21.33	<=33.01	Pass	
	100	0	22.06	-0.91	21.15	<=33.01	Pass		
	1900	1	0	23.31	-0.91	22.40	<=33.01	Pass	
			50	23.38	-0.91	22.47	<=33.01	Pass	
			99	23.39	-0.91	22.48	<=33.01	Pass	
		50	0	22.23	-0.91	21.32	<=33.01	Pass	
			25	22.39	-0.91	21.48	<=33.01	Pass	
			50	22.47	-0.91	21.56	<=33.01	Pass	
		100	0	22.26	-0.91	21.35	<=33.01	Pass	
16QAM	1860	1	0	22.54	-0.91	21.63	<=33.01	Pass	

			50	22.61	-0.91	21.70	<=33.01	Pass
			99	22.62	-0.91	21.71	<=33.01	Pass
			0	21.23	-0.91	20.32	<=33.01	Pass
		50	25	21.25	-0.91	20.34	<=33.01	Pass
			50	21.20	-0.91	20.29	<=33.01	Pass
			100	0	-0.91	20.19	<=33.01	Pass
		1880	1	0	-0.91	21.63	<=33.01	Pass
				50	-0.91	21.60	<=33.01	Pass
				99	-0.91	21.85	<=33.01	Pass
			50	0	-0.91	20.40	<=33.01	Pass
				25	-0.91	20.31	<=33.01	Pass
				50	-0.91	20.37	<=33.01	Pass
			100	0	-0.91	20.26	<=33.01	Pass
		1900	1	0	-0.91	22.64	<=33.01	Pass
				50	-0.91	22.73	<=33.01	Pass
				99	-0.91	22.83	<=33.01	Pass
			50	0	-0.91	20.50	<=33.01	Pass
				25	-0.91	20.52	<=33.01	Pass
				50	-0.91	20.62	<=33.01	Pass
			100	0	-0.91	20.56	<=33.01	Pass
64QAM	1860	1	0	21.70	-0.91	20.79	<=33.01	Pass
			50	21.74	-0.91	20.83	<=33.01	Pass
			99	22.05	-0.91	21.14	<=33.01	Pass
		50	0	20.55	-0.91	19.64	<=33.01	Pass
			25	20.68	-0.91	19.77	<=33.01	Pass
			50	20.62	-0.91	19.71	<=33.01	Pass
		100	0	20.64	-0.91	19.73	<=33.01	Pass
	1880	1	0	22.13	-0.91	21.22	<=33.01	Pass
			50	22.19	-0.91	21.28	<=33.01	Pass
			99	22.42	-0.91	21.51	<=33.01	Pass
		50	0	20.80	-0.91	19.89	<=33.01	Pass
			25	20.67	-0.91	19.76	<=33.01	Pass
			50	20.72	-0.91	19.81	<=33.01	Pass
		100	0	20.76	-0.91	19.85	<=33.01	Pass
	1900	1	0	22.36	-0.91	21.45	<=33.01	Pass
			50	22.48	-0.91	21.57	<=33.01	Pass
			99	22.52	-0.91	21.61	<=33.01	Pass
		50	0	20.91	-0.91	20.00	<=33.01	Pass
			25	20.91	-0.91	20.00	<=33.01	Pass
			50	21.04	-0.91	20.13	<=33.01	Pass
		100	0	20.98	-0.91	20.07	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

---End---