

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B4_1.4MHz_EIRP

Band: 4 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.13	-1.52	20.61	<=30	Pass
			2	22.12	-1.52	20.60	<=30	Pass
			5	22.14	-1.52	20.62	<=30	Pass
		3	0	22.23	-1.52	20.71	<=30	Pass
			2	22.12	-1.52	20.60	<=30	Pass
			3	22.17	-1.52	20.65	<=30	Pass
		6	0	21.13	-1.52	19.61	<=30	Pass
	1732.5	1	0	22.07	-1.52	20.55	<=30	Pass
			2	22.11	-1.52	20.59	<=30	Pass
			5	22.05	-1.52	20.53	<=30	Pass
		3	0	22.10	-1.52	20.58	<=30	Pass
			2	22.13	-1.52	20.61	<=30	Pass
			3	22.07	-1.52	20.55	<=30	Pass
		6	0	21.00	-1.52	19.48	<=30	Pass
	1754.3	1	0	22.16	-1.52	20.64	<=30	Pass
			2	22.09	-1.52	20.57	<=30	Pass
			5	22.14	-1.52	20.62	<=30	Pass
		3	0	22.20	-1.52	20.68	<=30	Pass
			2	22.12	-1.52	20.60	<=30	Pass
			3	22.20	-1.52	20.68	<=30	Pass
		6	0	21.18	-1.52	19.66	<=30	Pass
16QAM	1710.7	1	0	21.14	-1.52	19.62	<=30	Pass
			2	21.13	-1.52	19.61	<=30	Pass
			5	21.19	-1.52	19.67	<=30	Pass
		3	0	21.00	-1.52	19.48	<=30	Pass
			2	20.91	-1.52	19.39	<=30	Pass
			3	20.93	-1.52	19.41	<=30	Pass
		6	0	20.20	-1.52	18.68	<=30	Pass
	1732.5	1	0	21.65	-1.52	20.13	<=30	Pass
			2	21.68	-1.52	20.16	<=30	Pass
			5	21.69	-1.52	20.17	<=30	Pass
		3	0	20.95	-1.52	19.43	<=30	Pass
			2	20.99	-1.52	19.47	<=30	Pass
			3	20.95	-1.52	19.43	<=30	Pass
		6	0	20.24	-1.52	18.72	<=30	Pass
	1754.3	1	0	22.01	-1.52	20.49	<=30	Pass
			2	22.00	-1.52	20.48	<=30	Pass
			5	21.98	-1.52	20.46	<=30	Pass
		3	0	20.99	-1.52	19.47	<=30	Pass
			2	20.96	-1.52	19.44	<=30	Pass
			3	21.00	-1.52	19.48	<=30	Pass
		6	0	20.31	-1.52	18.79	<=30	Pass
64QAM	1710.7	1	0	20.42	-1.52	18.90	<=30	Pass
			2	20.43	-1.52	18.91	<=30	Pass
			5	20.38	-1.52	18.86	<=30	Pass
		3	0	21.30	-1.52	19.78	<=30	Pass

	1732.5	6	2	21.32	-1.52	19.80	<=30	Pass
			3	21.27	-1.52	19.75	<=30	Pass
		1	0	20.17	-1.52	18.65	<=30	Pass
			0	20.90	-1.52	19.38	<=30	Pass
			2	21.29	-1.52	19.77	<=30	Pass
		3	5	20.49	-1.52	18.97	<=30	Pass
			0	21.28	-1.52	19.76	<=30	Pass
			2	21.30	-1.52	19.78	<=30	Pass
		6	3	21.32	-1.52	19.80	<=30	Pass
			0	20.10	-1.52	18.58	<=30	Pass
	1754.3	1	0	20.14	-1.52	18.62	<=30	Pass
			2	21.45	-1.52	19.93	<=30	Pass
			5	21.05	-1.52	19.53	<=30	Pass
		3	0	21.08	-1.52	19.56	<=30	Pass
			2	21.09	-1.52	19.57	<=30	Pass
			3	21.05	-1.52	19.53	<=30	Pass
		6	0	20.34	-1.52	18.82	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B4_3MHz_EIRP

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.18	-1.52	20.66	<=30	Pass
			7	22.12	-1.52	20.60	<=30	Pass
			14	21.98	-1.52	20.46	<=30	Pass
		8	0	21.14	-1.52	19.62	<=30	Pass
			4	21.17	-1.52	19.65	<=30	Pass
			7	21.17	-1.52	19.65	<=30	Pass
		15	0	21.20	-1.52	19.68	<=30	Pass
	1732.5	1	0	22.15	-1.52	20.63	<=30	Pass
			7	22.20	-1.52	20.68	<=30	Pass
			14	22.20	-1.52	20.68	<=30	Pass
		8	0	21.12	-1.52	19.60	<=30	Pass
			4	21.20	-1.52	19.68	<=30	Pass
			7	21.17	-1.52	19.65	<=30	Pass
		15	0	21.16	-1.52	19.64	<=30	Pass
	1753.5	1	0	22.38	-1.52	20.86	<=30	Pass
			7	22.32	-1.52	20.80	<=30	Pass
			14	22.23	-1.52	20.71	<=30	Pass
		8	0	21.11	-1.52	19.59	<=30	Pass
			4	21.18	-1.52	19.66	<=30	Pass
			7	21.16	-1.52	19.64	<=30	Pass
		15	0	21.13	-1.52	19.61	<=30	Pass
16QAM	1711.5	1	0	21.93	-1.52	20.41	<=30	Pass
			7	21.85	-1.52	20.33	<=30	Pass
			14	21.84	-1.52	20.32	<=30	Pass
		8	0	20.54	-1.52	19.02	<=30	Pass
			4	20.44	-1.52	18.92	<=30	Pass
			7	20.37	-1.52	18.85	<=30	Pass
		15	0	20.31	-1.52	18.79	<=30	Pass
	1732.5	1	0	21.82	-1.52	20.30	<=30	Pass
			7	21.81	-1.52	20.29	<=30	Pass

64QAM		8	14	21.81	-1.52	20.29	<=30	Pass
			0	20.31	-1.52	18.79	<=30	Pass
			4	20.33	-1.52	18.81	<=30	Pass
			7	20.32	-1.52	18.80	<=30	Pass
	1753.5	15	0	20.28	-1.52	18.76	<=30	Pass
			0	21.55	-1.52	20.03	<=30	Pass
			7	21.45	-1.52	19.93	<=30	Pass
		8	14	21.46	-1.52	19.94	<=30	Pass
			0	20.56	-1.52	19.04	<=30	Pass
			4	20.51	-1.52	18.99	<=30	Pass
			7	20.50	-1.52	18.98	<=30	Pass
		15	0	20.26	-1.52	18.74	<=30	Pass
			0	21.58	-1.52	20.06	<=30	Pass
			7	21.50	-1.52	19.98	<=30	Pass
		8	14	21.43	-1.52	19.91	<=30	Pass
			0	20.20	-1.52	18.68	<=30	Pass
			4	20.11	-1.52	18.59	<=30	Pass
			7	20.04	-1.52	18.52	<=30	Pass
64QAM	1711.5	15	0	20.10	-1.52	18.58	<=30	Pass
			0	20.77	-1.52	19.25	<=30	Pass
			7	20.79	-1.52	19.27	<=30	Pass
		8	14	20.79	-1.52	19.27	<=30	Pass
			0	19.69	-1.52	18.17	<=30	Pass
			4	19.90	-1.52	18.38	<=30	Pass
			7	19.90	-1.52	18.38	<=30	Pass
		15	0	20.13	-1.52	18.61	<=30	Pass
			0	21.02	-1.52	19.50	<=30	Pass
			7	20.98	-1.52	19.46	<=30	Pass
		8	14	21.03	-1.52	19.51	<=30	Pass
			0	19.81	-1.52	18.29	<=30	Pass
			4	19.85	-1.52	18.33	<=30	Pass
	1732.5	15	7	20.10	-1.52	18.58	<=30	Pass
			0	19.72	-1.52	18.20	<=30	Pass
			0	21.02	-1.52	19.50	<=30	Pass
		8	7	20.98	-1.52	19.46	<=30	Pass
			14	21.03	-1.52	19.51	<=30	Pass
			0	19.81	-1.52	18.29	<=30	Pass
		15	4	19.85	-1.52	18.33	<=30	Pass
			7	20.10	-1.52	18.58	<=30	Pass
			0	19.72	-1.52	18.20	<=30	Pass
		8	0	21.02	-1.52	19.50	<=30	Pass
			7	20.98	-1.52	19.46	<=30	Pass
			14	21.03	-1.52	19.51	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B4_5MHz_EIRP

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.10	-1.52	20.58	<=30	Pass
			13	22.04	-1.52	20.52	<=30	Pass
			24	21.91	-1.52	20.39	<=30	Pass
		12	0	21.18	-1.52	19.66	<=30	Pass
			6	21.04	-1.52	19.52	<=30	Pass
			13	21.08	-1.52	19.56	<=30	Pass
		25	0	21.13	-1.52	19.61	<=30	Pass
			0	22.21	-1.52	20.69	<=30	Pass
			13	22.26	-1.52	20.74	<=30	Pass
	1732.5	1	24	22.27	-1.52	20.75	<=30	Pass
			0	21.15	-1.52	19.63	<=30	Pass
			6	21.12	-1.52	19.60	<=30	Pass
		12	13	21.11	-1.52	19.59	<=30	Pass
			0	21.10	-1.52	19.58	<=30	Pass
			0	21.10	-1.52	19.58	<=30	Pass
		25	0	21.10	-1.52	19.58	<=30	Pass
			0	21.10	-1.52	19.58	<=30	Pass
			0	21.10	-1.52	19.58	<=30	Pass

	1752.5	1	0	22.18	-1.52	20.66	<=30	Pass
			13	21.99	-1.52	20.47	<=30	Pass
			24	21.88	-1.52	20.36	<=30	Pass
		12	0	21.17	-1.52	19.65	<=30	Pass
			6	21.32	-1.52	19.80	<=30	Pass
			13	21.12	-1.52	19.60	<=30	Pass
		25	0	21.20	-1.52	19.68	<=30	Pass
16QAM	1712.5	1	0	20.77	-1.52	19.25	<=30	Pass
			13	20.72	-1.52	19.20	<=30	Pass
			24	20.62	-1.52	19.10	<=30	Pass
		12	0	20.29	-1.52	18.77	<=30	Pass
			6	20.13	-1.52	18.61	<=30	Pass
			13	20.06	-1.52	18.54	<=30	Pass
		25	0	20.16	-1.52	18.64	<=30	Pass
	1732.5	1	0	21.73	-1.52	20.21	<=30	Pass
			13	21.66	-1.52	20.14	<=30	Pass
			24	21.68	-1.52	20.16	<=30	Pass
		12	0	20.10	-1.52	18.58	<=30	Pass
			6	20.16	-1.52	18.64	<=30	Pass
			13	20.16	-1.52	18.64	<=30	Pass
		25	0	20.21	-1.52	18.69	<=30	Pass
	1752.5	1	0	21.82	-1.52	20.30	<=30	Pass
			13	21.77	-1.52	20.25	<=30	Pass
			24	21.71	-1.52	20.19	<=30	Pass
		12	0	20.27	-1.52	18.75	<=30	Pass
			6	20.28	-1.52	18.76	<=30	Pass
			13	20.22	-1.52	18.70	<=30	Pass
		25	0	20.37	-1.52	18.85	<=30	Pass
64QAM	1712.5	1	0	20.63	-1.52	19.11	<=30	Pass
			13	20.44	-1.52	18.92	<=30	Pass
			24	20.44	-1.52	18.92	<=30	Pass
		12	0	19.99	-1.52	18.47	<=30	Pass
			6	19.86	-1.52	18.34	<=30	Pass
			13	19.89	-1.52	18.37	<=30	Pass
		25	0	20.23	-1.52	18.71	<=30	Pass
	1732.5	1	0	20.88	-1.52	19.36	<=30	Pass
			13	20.87	-1.52	19.35	<=30	Pass
			24	20.83	-1.52	19.31	<=30	Pass
		12	0	19.75	-1.52	18.23	<=30	Pass
			6	20.03	-1.52	18.51	<=30	Pass
			13	20.03	-1.52	18.51	<=30	Pass
		25	0	20.16	-1.52	18.64	<=30	Pass
	1752.5	1	0	20.46	-1.52	18.94	<=30	Pass
			13	20.40	-1.52	18.88	<=30	Pass
			24	20.37	-1.52	18.85	<=30	Pass
		12	0	19.72	-1.52	18.20	<=30	Pass
			6	19.64	-1.52	18.12	<=30	Pass
			13	19.64	-1.52	18.12	<=30	Pass
		25	0	19.75	-1.52	18.23	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B4_10MHz_EIRP

Band: 4 / Bandwidth: 10MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.18	-1.52	20.66	<=30	Pass
			25	22.03	-1.52	20.51	<=30	Pass
			49	22.01	-1.52	20.49	<=30	Pass
		25	0	21.17	-1.52	19.65	<=30	Pass
			13	21.19	-1.52	19.67	<=30	Pass
			25	21.05	-1.52	19.53	<=30	Pass
		50	0	21.10	-1.52	19.58	<=30	Pass
	1732.5	1	0	22.15	-1.52	20.63	<=30	Pass
			25	22.12	-1.52	20.60	<=30	Pass
			49	22.16	-1.52	20.64	<=30	Pass
		25	0	21.21	-1.52	19.69	<=30	Pass
			13	21.08	-1.52	19.56	<=30	Pass
			25	21.16	-1.52	19.64	<=30	Pass
		50	0	21.12	-1.52	19.60	<=30	Pass
	1750	1	0	22.36	-1.52	20.84	<=30	Pass
			25	22.32	-1.52	20.80	<=30	Pass
			49	22.20	-1.52	20.68	<=30	Pass
		25	0	21.35	-1.52	19.83	<=30	Pass
			13	21.35	-1.52	19.83	<=30	Pass
			25	21.24	-1.52	19.72	<=30	Pass
		50	0	21.22	-1.52	19.70	<=30	Pass
16QAM	1715	1	0	21.96	-1.52	20.44	<=30	Pass
			25	21.83	-1.52	20.31	<=30	Pass
			49	21.73	-1.52	20.21	<=30	Pass
		25	0	20.15	-1.52	18.63	<=30	Pass
			13	20.12	-1.52	18.60	<=30	Pass
			25	20.10	-1.52	18.58	<=30	Pass
		50	0	20.05	-1.52	18.53	<=30	Pass
	1732.5	1	0	22.46	-1.52	20.94	<=30	Pass
			25	22.44	-1.52	20.92	<=30	Pass
			49	22.42	-1.52	20.90	<=30	Pass
		25	0	20.29	-1.52	18.77	<=30	Pass
			13	20.34	-1.52	18.82	<=30	Pass
			25	20.31	-1.52	18.79	<=30	Pass
		50	0	20.29	-1.52	18.77	<=30	Pass
	1750	1	0	21.72	-1.52	20.20	<=30	Pass
			25	21.67	-1.52	20.15	<=30	Pass
			49	21.53	-1.52	20.01	<=30	Pass
		25	0	20.50	-1.52	18.98	<=30	Pass
			13	20.46	-1.52	18.94	<=30	Pass
			25	20.40	-1.52	18.88	<=30	Pass
		50	0	20.34	-1.52	18.82	<=30	Pass
64QAM	1715	1	0	21.58	-1.52	20.06	<=30	Pass
			25	21.47	-1.52	19.95	<=30	Pass
			49	21.34	-1.52	19.82	<=30	Pass
		25	0	20.26	-1.52	18.74	<=30	Pass
			13	19.82	-1.52	18.30	<=30	Pass
			25	20.18	-1.52	18.66	<=30	Pass
		50	0	19.70	-1.52	18.18	<=30	Pass
	1732.5	1	0	21.04	-1.52	19.52	<=30	Pass
			25	20.76	-1.52	19.24	<=30	Pass
			49	20.76	-1.52	19.24	<=30	Pass
		25	0	19.81	-1.52	18.29	<=30	Pass
			13	20.08	-1.52	18.56	<=30	Pass
			25	20.08	-1.52	18.56	<=30	Pass

	1750	50	25	20.06	-1.52	18.54	<=30	Pass
			0	20.08	-1.52	18.56	<=30	Pass
			0	21.21	-1.52	19.69	<=30	Pass
		1	25	21.31	-1.52	19.79	<=30	Pass
			49	21.18	-1.52	19.66	<=30	Pass
			0	19.98	-1.52	18.46	<=30	Pass
		25	13	19.93	-1.52	18.41	<=30	Pass
			25	19.89	-1.52	18.37	<=30	Pass
			0	19.90	-1.52	18.38	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B4_15MHz_EIRP

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.29	-1.52	20.77	<=30	Pass
			38	22.10	-1.52	20.58	<=30	Pass
			74	22.04	-1.52	20.52	<=30	Pass
		36	0	21.07	-1.52	19.55	<=30	Pass
			18	21.06	-1.52	19.54	<=30	Pass
			39	21.07	-1.52	19.55	<=30	Pass
		75	0	21.13	-1.52	19.61	<=30	Pass
	1732.5	1	0	22.13	-1.52	20.61	<=30	Pass
			38	22.26	-1.52	20.74	<=30	Pass
			74	22.21	-1.52	20.69	<=30	Pass
		36	0	21.15	-1.52	19.63	<=30	Pass
			18	21.16	-1.52	19.64	<=30	Pass
			39	21.20	-1.52	19.68	<=30	Pass
		75	0	21.11	-1.52	19.59	<=30	Pass
	1747.5	1	0	22.22	-1.52	20.70	<=30	Pass
			38	22.23	-1.52	20.71	<=30	Pass
			74	22.18	-1.52	20.66	<=30	Pass
		36	0	21.31	-1.52	19.79	<=30	Pass
			18	21.27	-1.52	19.75	<=30	Pass
			39	21.11	-1.52	19.59	<=30	Pass
		75	0	21.33	-1.52	19.81	<=30	Pass
16QAM	1717.5	1	0	22.23	-1.52	20.71	<=30	Pass
			38	22.02	-1.52	20.50	<=30	Pass
			74	21.99	-1.52	20.47	<=30	Pass
		36	0	20.16	-1.52	18.64	<=30	Pass
			18	20.14	-1.52	18.62	<=30	Pass
			39	20.12	-1.52	18.60	<=30	Pass
		75	0	20.11	-1.52	18.59	<=30	Pass
	1732.5	1	0	21.81	-1.52	20.29	<=30	Pass
			38	21.88	-1.52	20.36	<=30	Pass
			74	21.87	-1.52	20.35	<=30	Pass
		36	0	20.29	-1.52	18.77	<=30	Pass
			18	20.39	-1.52	18.87	<=30	Pass
			39	20.31	-1.52	18.79	<=30	Pass
		75	0	20.39	-1.52	18.87	<=30	Pass
	1747.5	1	0	21.89	-1.52	20.37	<=30	Pass
			38	22.04	-1.52	20.52	<=30	Pass
			74	21.91	-1.52	20.39	<=30	Pass

		36	0	20.33	-1.52	18.81	<=30	Pass		
			18	20.43	-1.52	18.91	<=30	Pass		
			39	20.29	-1.52	18.77	<=30	Pass		
		75	0	20.36	-1.52	18.84	<=30	Pass		
64QAM	1717.5	1	0	21.36	-1.52	19.84	<=30	Pass		
			38	21.14	-1.52	19.62	<=30	Pass		
			74	21.19	-1.52	19.67	<=30	Pass		
		36	0	19.68	-1.52	18.16	<=30	Pass		
			18	20.08	-1.52	18.56	<=30	Pass		
			39	19.70	-1.52	18.18	<=30	Pass		
		75	0	20.01	-1.52	18.49	<=30	Pass		
		1732.5	1	0	20.37	-1.52	18.85	<=30	Pass	
				38	20.36	-1.52	18.84	<=30	Pass	
	74			20.32	-1.52	18.80	<=30	Pass		
	36		0	19.93	-1.52	18.41	<=30	Pass		
			18	20.22	-1.52	18.70	<=30	Pass		
			39	20.17	-1.52	18.65	<=30	Pass		
	75		0	20.05	-1.52	18.53	<=30	Pass		
	1747.5		1	0	21.19	-1.52	19.67	<=30	Pass	
				38	21.28	-1.52	19.76	<=30	Pass	
		74		21.27	-1.52	19.75	<=30	Pass		
		36	0	19.83	-1.52	18.31	<=30	Pass		
			18	19.82	-1.52	18.30	<=30	Pass		
			39	19.81	-1.52	18.29	<=30	Pass		
		75	0	19.84	-1.52	18.32	<=30	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B4_20MHz_EIRP

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.21	-1.52	20.69	<=30	Pass
			50	21.97	-1.52	20.45	<=30	Pass
			99	22.08	-1.52	20.56	<=30	Pass
		50	0	21.21	-1.52	19.69	<=30	Pass
			25	20.99	-1.52	19.47	<=30	Pass
			50	20.96	-1.52	19.44	<=30	Pass
		100	0	21.12	-1.52	19.60	<=30	Pass
			0	22.31	-1.52	20.79	<=30	Pass
			50	22.33	-1.52	20.81	<=30	Pass
	1732.5	1	99	22.33	-1.52	20.81	<=30	Pass
			0	21.15	-1.52	19.63	<=30	Pass
			25	21.20	-1.52	19.68	<=30	Pass
		50	50	21.16	-1.52	19.64	<=30	Pass
			0	21.11	-1.52	19.59	<=30	Pass
			0	22.21	-1.52	20.69	<=30	Pass
		100	50	22.21	-1.52	20.69	<=30	Pass
			99	22.20	-1.52	20.68	<=30	Pass
			0	21.27	-1.52	19.75	<=30	Pass
	1745	50	25	21.15	-1.52	19.63	<=30	Pass
			50	21.21	-1.52	19.69	<=30	Pass
			0	21.28	-1.52	19.76	<=30	Pass
		100	0	21.89	-1.52	20.37	<=30	Pass

			50	21.70	-1.52	20.18	<=30	Pass		
			99	21.63	-1.52	20.11	<=30	Pass		
			50	0	20.18	-1.52	18.66	<=30	Pass	
				25	20.11	-1.52	18.59	<=30	Pass	
				50	20.21	-1.52	18.69	<=30	Pass	
		100	0	20.09	-1.52	18.57	<=30	Pass		
		1732.5	1	0	21.76	-1.52	20.24	<=30	Pass	
				50	21.78	-1.52	20.26	<=30	Pass	
				99	21.70	-1.52	20.18	<=30	Pass	
			50	0	20.52	-1.52	19.00	<=30	Pass	
	25			20.34	-1.52	18.82	<=30	Pass		
	50			20.18	-1.52	18.66	<=30	Pass		
	100		0	20.28	-1.52	18.76	<=30	Pass		
	1745		1	0	22.43	-1.52	20.91	<=30	Pass	
				50	22.36	-1.52	20.84	<=30	Pass	
				99	22.35	-1.52	20.83	<=30	Pass	
		50	0	20.29	-1.52	18.77	<=30	Pass		
			25	20.29	-1.52	18.77	<=30	Pass		
			50	20.27	-1.52	18.75	<=30	Pass		
		100	0	20.36	-1.52	18.84	<=30	Pass		
		64QAM	1720	1	0	21.41	-1.52	19.89	<=30	Pass
					50	21.20	-1.52	19.68	<=30	Pass
	99				20.79	-1.52	19.27	<=30	Pass	
	50			0	19.69	-1.52	18.17	<=30	Pass	
				25	19.99	-1.52	18.47	<=30	Pass	
50				19.96	-1.52	18.44	<=30	Pass		
100	0			19.97	-1.52	18.45	<=30	Pass		
1732.5	1			0	21.35	-1.52	19.83	<=30	Pass	
				50	21.44	-1.52	19.92	<=30	Pass	
			99	21.26	-1.52	19.74	<=30	Pass		
	50		0	20.03	-1.52	18.51	<=30	Pass		
			25	20.02	-1.52	18.50	<=30	Pass		
			50	19.97	-1.52	18.45	<=30	Pass		
	100		0	20.10	-1.52	18.58	<=30	Pass		
	1745		1	0	21.68	-1.52	20.16	<=30	Pass	
				50	21.51	-1.52	19.99	<=30	Pass	
99				21.64	-1.52	20.12	<=30	Pass		
50			0	20.09	-1.52	18.57	<=30	Pass		
			25	19.76	-1.52	18.24	<=30	Pass		
			50	19.80	-1.52	18.28	<=30	Pass		
100		0	19.74	-1.52	18.22	<=30	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										

Note1: EIRP=Conducted Power+Antenna Gain

---End---