



11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.400	42.57	-18.91	74.0	31.43	Peak	2.00	400	Vertical	Pass
1**	1687.400	38.72	-18.91	54.0	15.28	AV	2.00	400	Vertical	Pass
2	3870.600	44.91	-8.27	74.0	29.09	Peak	335.00	100	Vertical	Pass
2**	3870.600	35.73	-8.27	54.0	18.27	AV	335.00	100	Vertical	Pass
3	5824.000	104.75	-5.28	--	--	Peak	274.00	100	Vertical	N/A
3**	5824.000	97.61	-5.28	--	--	AV	274.00	100	Vertical	N/A
4	7396.175	46.09	-1.46	74.0	27.91	Peak	257.00	100	Vertical	Pass
4**	7396.175	37.22	-1.46	54.0	16.78	AV	257.00	100	Vertical	Pass
5	11043.687	49.72	3.18	74.0	24.28	Peak	49.00	100	Vertical	Pass
5**	11043.687	41.68	3.18	54.0	12.32	AV	49.00	100	Vertical	Pass
6	15999.750	51.47	7.33	74.0	22.53	Peak	215.00	200	Vertical	Pass
6**	15999.750	43.04	7.33	54.0	10.96	AV	215.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.500	43.27	-18.92	74.0	30.73	Peak	100.00	100	Horizontal	Pass
1**	1687.500	40.68	-18.92	54.0	13.32	AV	100.00	100	Horizontal	Pass
2	3781.400	45.00	-8.16	74.0	29.00	Peak	234.00	100	Horizontal	Pass
2**	3781.400	35.80	-8.16	54.0	18.20	AV	234.00	100	Horizontal	Pass
3	5757.000	102.21	-5.29	--	--	Peak	214.00	100	Horizontal	N/A
3**	5757.000	94.45	-5.29	--	--	AV	214.00	100	Horizontal	N/A
4	7374.325	46.11	-1.63	74.0	27.89	Peak	228.00	100	Horizontal	Pass
4**	7374.325	37.19	-1.63	54.0	16.81	AV	228.00	100	Horizontal	Pass
5	11047.425	50.17	3.40	74.0	23.83	Peak	90.00	400	Horizontal	Pass
5**	11047.425	40.93	3.40	54.0	13.07	AV	90.00	400	Horizontal	Pass
6	16000.538	50.81	7.25	74.0	23.19	Peak	338.00	300	Horizontal	Pass
6**	16000.538	43.36	7.25	54.0	10.64	AV	338.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.500	43.21	-18.92	74.0	30.79	Peak	360.00	400	Vertical	Pass
1**	1687.500	40.14	-18.92	54.0	13.86	AV	360.00	400	Vertical	Pass
2	3752.800	45.45	-8.12	74.0	28.55	Peak	357.00	100	Vertical	Pass
2**	3752.800	35.16	-8.12	54.0	18.84	AV	357.00	100	Vertical	Pass
3	5752.000	101.22	-5.67	--	--	Peak	273.00	200	Vertical	N/A
3**	5752.000	93.51	-5.67	--	--	AV	273.00	200	Vertical	N/A
4	7453.100	47.99	-1.58	74.0	26.01	Peak	87.00	200	Vertical	Pass
4**	7453.100	37.92	-1.58	54.0	16.08	AV	87.00	200	Vertical	Pass
5	11602.013	50.27	3.70	74.0	23.73	Peak	142.00	100	Vertical	Pass
5**	11602.013	40.79	3.70	54.0	13.21	AV	142.00	100	Vertical	Pass
6	15997.125	51.21	6.79	74.0	22.79	Peak	358.00	100	Vertical	Pass
6**	15997.125	43.37	6.79	54.0	10.63	AV	358.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.800	43.70	-18.93	74.0	30.30	Peak	5.00	100	Horizontal	Pass
1**	1687.800	39.93	-18.93	54.0	14.07	AV	5.00	100	Horizontal	Pass
2	3782.400	45.21	-8.20	74.0	28.79	Peak	15.00	100	Horizontal	Pass
2**	3782.400	35.30	-8.20	54.0	18.70	AV	15.00	100	Horizontal	Pass
3	5793.200	104.22	-6.13	--	--	Peak	215.00	200	Horizontal	N/A
3**	5793.200	96.12	-6.13	--	--	AV	215.00	200	Horizontal	N/A
4	7393.013	46.10	-1.55	74.0	27.90	Peak	234.00	400	Horizontal	Pass
4**	7393.013	36.84	-1.55	54.0	17.16	AV	234.00	400	Horizontal	Pass
5	11039.088	51.14	2.94	74.0	22.86	Peak	333.00	400	Horizontal	Pass
5**	11039.088	40.51	2.94	54.0	13.49	AV	333.00	400	Horizontal	Pass
6	15998.175	51.21	7.01	74.0	22.79	Peak	102.00	400	Horizontal	Pass
6**	15998.175	42.47	7.01	54.0	11.53	AV	102.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.600	43.82	-18.92	74.0	30.18	Peak	2.00	200	Vertical	Pass
1**	1687.600	40.79	-18.92	54.0	13.21	AV	2.00	200	Vertical	Pass
2	3953.200	44.99	-9.18	74.0	29.01	Peak	135.00	300	Vertical	Pass
2**	3953.200	34.26	-9.18	54.0	19.74	AV	135.00	300	Vertical	Pass
3	5791.000	101.60	-5.71	--	--	Peak	256.00	200	Vertical	N/A
3**	5791.000	94.29	-5.71	--	--	AV	256.00	200	Vertical	N/A
4	7451.950	45.62	-1.58	74.0	28.38	Peak	96.00	200	Vertical	Pass
4**	7451.950	40.51	-1.58	54.0	13.49	AV	96.00	200	Vertical	Pass
5	11577.862	50.76	3.25	74.0	23.24	Peak	187.00	200	Vertical	Pass
5**	11577.862	39.75	3.25	54.0	14.25	AV	187.00	200	Vertical	Pass
6	15993.450	50.91	6.04	74.0	23.09	Peak	305.00	200	Vertical	Pass
6**	15993.450	42.25	6.04	54.0	11.75	AV	305.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.600	43.30	-18.92	74.0	30.70	Peak	181.00	100	Horizontal	Pass
1**	1687.600	40.86	-18.92	54.0	13.14	AV	181.00	100	Horizontal	Pass
2	3790.200	45.20	-8.32	74.0	28.80	Peak	317.00	100	Horizontal	Pass
2**	3790.200	34.78	-8.32	54.0	19.22	AV	317.00	100	Horizontal	Pass
3	5773.000	101.64	-4.51	--	--	Peak	215.00	300	Horizontal	N/A
3**	5773.000	94.30	-4.51	--	--	AV	215.00	300	Horizontal	N/A
4	7371.737	46.08	-1.62	74.0	27.92	Peak	164.00	400	Horizontal	Pass
4**	7371.737	36.60	-1.62	54.0	17.40	AV	164.00	400	Horizontal	Pass
5	10951.113	50.55	2.14	74.0	23.45	Peak	195.00	200	Horizontal	Pass
5**	10951.113	40.61	2.14	54.0	13.39	AV	195.00	200	Horizontal	Pass
6	15999.487	51.07	7.28	74.0	22.93	Peak	26.00	400	Horizontal	Pass
6**	15999.487	42.48	7.28	54.0	11.52	AV	26.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.800	43.12	-18.93	74.0	30.88	Peak	307.00	400	Vertical	Pass
1**	1687.800	40.78	-18.93	54.0	13.22	AV	307.00	400	Vertical	Pass
2	4309.800	45.11	-8.00	74.0	28.89	Peak	357.00	300	Vertical	Pass
2**	4309.800	36.08	-8.00	54.0	17.92	AV	357.00	300	Vertical	Pass
3	5771.400	99.98	-4.45	--	--	Peak	121.00	400	Vertical	N/A
3**	5771.400	93.62	-4.45	--	--	AV	121.00	400	Vertical	N/A
4	7436.425	47.32	-1.48	74.0	26.68	Peak	94.00	400	Vertical	Pass
4**	7436.425	36.63	-1.48	54.0	17.37	AV	94.00	400	Vertical	Pass
5	11044.838	49.65	3.25	74.0	24.35	Peak	102.00	300	Vertical	Pass
5**	11044.838	40.63	3.25	54.0	13.37	AV	102.00	300	Vertical	Pass
6	15999.750	50.74	7.33	74.0	23.26	Peak	247.00	300	Vertical	Pass
6**	15999.750	43.11	7.33	54.0	10.89	AV	247.00	300	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.800	41.88	-18.73	74.0	32.12	Peak	166.00	200	Horizontal	Pass
1**	1565.800	38.53	-18.73	54.0	15.47	AV	166.00	200	Horizontal	Pass
2	3760.200	44.76	-8.37	74.0	29.24	Peak	215.00	400	Horizontal	Pass
2**	3760.200	35.61	-8.37	54.0	18.39	AV	215.00	400	Horizontal	Pass
3	5717.400	106.31	-5.69	--	--	Peak	215.00	100	Horizontal	N/A
3**	5717.400	99.66	-5.69	--	--	AV	215.00	100	Horizontal	N/A
4	7394.450	46.56	-1.51	74.0	27.44	Peak	186.00	300	Horizontal	Pass
4**	7394.450	37.10	-1.51	54.0	16.90	AV	186.00	300	Horizontal	Pass
5	11032.762	51.51	2.79	74.0	22.49	Peak	208.00	400	Horizontal	Pass
5**	11032.762	41.51	2.79	54.0	12.49	AV	208.00	400	Horizontal	Pass
6	15998.701	51.20	7.11	74.0	22.80	Peak	82.00	100	Horizontal	Pass
6**	15998.701	42.68	7.11	54.0	11.32	AV	82.00	100	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.900	41.71	-18.79	74.0	32.29	Peak	157.00	200	Vertical	Pass
1**	1565.900	37.06	-18.79	54.0	16.94	AV	157.00	200	Vertical	Pass
2	4304.200	45.85	-8.25	74.0	28.15	Peak	308.00	100	Vertical	Pass
2**	4304.200	35.06	-8.25	54.0	18.94	AV	308.00	100	Vertical	Pass
3	5720.800	106.55	-6.21	--	--	Peak	143.00	200	Vertical	N/A
3**	5720.800	99.57	-6.21	--	--	AV	143.00	200	Vertical	N/A
4	7378.925	46.32	-1.64	74.0	27.68	Peak	272.00	200	Vertical	Pass
4**	7378.925	36.47	-1.64	54.0	17.53	AV	272.00	200	Vertical	Pass
5	10966.062	49.68	2.32	74.0	24.32	Peak	307.00	100	Vertical	Pass
5**	10966.062	40.82	2.32	54.0	13.18	AV	307.00	100	Vertical	Pass
6	15997.650	51.54	6.90	74.0	22.46	Peak	0.00	300	Vertical	Pass
6**	15997.650	42.63	6.90	54.0	11.37	AV	0.00	300	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.900	44.93	-18.79	74.0	29.07	Peak	168.00	400	Horizontal	Pass
1**	1565.900	41.02	-18.79	54.0	12.98	AV	168.00	400	Horizontal	Pass
2	4378.600	44.67	-7.89	74.0	29.33	Peak	177.00	100	Horizontal	Pass
2**	4378.600	35.10	-7.89	54.0	18.90	AV	177.00	100	Horizontal	Pass
3	5717.800	106.18	-5.54	--	--	Peak	218.00	100	Horizontal	N/A
3**	5717.800	98.94	-5.54	--	--	AV	218.00	100	Horizontal	N/A
4	7358.225	46.08	-1.53	74.0	27.92	Peak	237.00	400	Horizontal	Pass
4**	7358.225	36.92	-1.53	54.0	17.08	AV	237.00	400	Horizontal	Pass
5	11051.737	49.98	3.36	74.0	24.02	Peak	347.00	300	Horizontal	Pass
5**	11051.737	41.33	3.36	54.0	12.67	AV	347.00	300	Horizontal	Pass
6	16001.325	50.75	7.06	74.0	23.25	Peak	117.00	400	Horizontal	Pass
6**	16001.325	43.43	7.06	54.0	10.57	AV	117.00	400	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.900	41.50	-18.79	74.0	32.50	Peak	180.00	300	Vertical	Pass
1**	1565.900	37.60	-18.79	54.0	16.40	AV	180.00	300	Vertical	Pass
2	4326.400	44.28	-7.59	74.0	29.72	Peak	0.00	300	Vertical	Pass
2**	4326.400	35.33	-7.59	54.0	18.67	AV	0.00	300	Vertical	Pass
3	5720.800	105.21	-6.21	--	--	Peak	121.00	400	Vertical	N/A
3**	5720.800	99.27	-6.21	--	--	AV	121.00	400	Vertical	N/A
4	7345.575	46.41	-1.63	74.0	27.59	Peak	74.00	400	Vertical	Pass
4**	7345.575	37.43	-1.63	54.0	16.57	AV	74.00	400	Vertical	Pass
5	10884.700	50.10	2.47	74.0	23.90	Peak	117.00	400	Vertical	Pass
5**	10884.700	40.64	2.47	54.0	13.36	AV	117.00	400	Vertical	Pass
6	16001.325	51.43	7.06	74.0	22.57	Peak	90.00	100	Vertical	Pass
6**	16001.325	43.07	7.06	54.0	10.93	AV	90.00	100	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.000	44.53	-18.84	74.0	29.47	Peak	161.00	400	Horizontal	Pass
1**	1566.000	42.74	-18.84	54.0	11.26	AV	161.00	400	Horizontal	Pass
2	3788.400	44.33	-8.10	74.0	29.67	Peak	241.00	300	Horizontal	Pass
2**	3788.400	35.14	-8.10	54.0	18.86	AV	241.00	300	Horizontal	Pass
3	5703.200	102.68	-6.12	--	--	Peak	221.00	300	Horizontal	N/A
3**	5703.200	95.22	-6.12	--	--	AV	221.00	300	Horizontal	N/A
4	7363.975	45.99	-1.57	74.0	28.01	Peak	129.00	300	Horizontal	Pass
4**	7363.975	36.85	-1.57	54.0	17.15	AV	129.00	300	Horizontal	Pass
5	11204.975	50.29	1.46	74.0	23.71	Peak	134.00	200	Horizontal	Pass
5**	11204.975	40.25	1.46	54.0	13.75	AV	134.00	200	Horizontal	Pass
6	16000.012	51.24	7.38	74.0	22.76	Peak	278.00	100	Horizontal	Pass
6**	16000.012	43.43	7.38	54.0	10.57	AV	278.00	100	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.000	41.42	-18.84	74.0	32.58	Peak	166.00	200	Vertical	Pass
1**	1566.000	38.26	-18.84	54.0	15.74	AV	166.00	200	Vertical	Pass
2	3804.600	44.89	-8.47	74.0	29.11	Peak	200.00	200	Vertical	Pass
2**	3804.600	34.89	-8.47	54.0	19.11	AV	200.00	200	Vertical	Pass
3	5708.400	102.27	-6.38	--	17.73	Peak	120.00	100	Vertical	Pass
3**	5708.400	94.82	-6.38	--	-94.82	AV	120.00	100	Vertical	N/A
4	7361.100	46.33	-1.54	74.0	27.67	Peak	203.00	300	Vertical	Pass
4**	7361.100	37.55	-1.54	54.0	16.45	AV	203.00	300	Vertical	Pass
5	10951.113	50.65	2.14	74.0	23.35	Peak	90.00	300	Vertical	Pass
5**	10951.113	41.14	2.14	54.0	12.86	AV	90.00	300	Vertical	Pass
6	16001.588	51.12	7.00	74.0	22.88	Peak	103.00	100	Vertical	Pass
6**	16001.588	43.34	7.00	54.0	10.66	AV	103.00	100	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.300	44.99	-19.01	74.0	29.01	Peak	171.00	300	Horizontal	Pass
1**	1566.300	40.85	-19.01	54.0	13.15	AV	171.00	300	Horizontal	Pass
2	3786.800	44.46	-7.97	74.0	29.54	Peak	203.00	400	Horizontal	Pass
2**	3786.800	35.69	-7.97	54.0	18.31	AV	203.00	400	Horizontal	Pass
3	5717.000	105.60	-5.87	--	--	Peak	223.00	300	Horizontal	N/A
3**	5717.000	98.47	-5.87	--	--	AV	223.00	300	Horizontal	N/A
4	7404.513	47.30	-1.32	74.0	26.70	Peak	0.00	200	Horizontal	Pass
4**	7404.513	37.68	-1.32	54.0	16.32	AV	0.00	200	Horizontal	Pass
5	10967.788	50.23	2.34	74.0	23.77	Peak	269.00	200	Horizontal	Pass
5**	10967.788	40.68	2.34	54.0	13.32	AV	269.00	200	Horizontal	Pass
6	16001.849	51.27	6.93	74.0	22.73	Peak	104.00	200	Horizontal	Pass
6**	16001.849	42.35	6.93	54.0	11.65	AV	104.00	200	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.200	41.71	-18.95	74.0	32.29	Peak	188.00	200	Vertical	Pass
1**	1566.200	38.31	-18.95	54.0	15.69	AV	188.00	200	Vertical	Pass
2	4151.200	44.56	-9.02	74.0	29.44	Peak	0.00	200	Vertical	Pass
2**	4151.200	34.31	-9.02	54.0	19.69	AV	0.00	200	Vertical	Pass
3	5717.000	105.94	-5.87	--	--	Peak	120.00	100	Vertical	N/A
3**	5717.000	98.96	-5.87	--	--	AV	120.00	100	Vertical	N/A
4	7332.063	46.12	-1.90	74.0	27.88	Peak	351.00	200	Vertical	Pass
4**	7332.063	36.88	-1.90	54.0	17.12	AV	351.00	200	Vertical	Pass
5	11604.025	51.21	3.56	74.0	22.79	Peak	242.00	100	Vertical	Pass
5**	11604.025	41.68	3.56	54.0	12.32	AV	242.00	100	Vertical	Pass
6	15995.288	51.93	6.42	74.0	22.07	Peak	56.00	200	Vertical	Pass
6**	15995.288	41.77	6.42	54.0	12.23	AV	56.00	200	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.100	44.27	-18.90	74.0	29.73	Peak	170.00	300	Horizontal	Pass
1**	1566.100	41.08	-18.90	54.0	12.92	AV	170.00	300	Horizontal	Pass
2	4145.600	44.34	-8.88	74.0	29.66	Peak	161.00	100	Horizontal	Pass
2**	4145.600	34.64	-8.88	54.0	19.36	AV	161.00	100	Horizontal	Pass
3	5717.000	101.69	-5.87	--	--	Peak	220.00	300	Horizontal	N/A
3**	5717.000	93.93	-5.87	--	--	AV	220.00	300	Horizontal	N/A
4	7394.737	46.97	-1.50	74.0	27.03	Peak	0.00	200	Horizontal	Pass
4**	7394.737	37.47	-1.50	54.0	16.53	AV	0.00	200	Horizontal	Pass
5	11033.050	50.23	2.80	74.0	23.77	Peak	168.00	300	Horizontal	Pass
5**	11033.050	40.94	2.80	54.0	13.06	AV	168.00	300	Horizontal	Pass
6	15996.862	51.26	6.74	74.0	22.74	Peak	0.00	400	Horizontal	Pass
6**	15996.862	42.09	6.74	54.0	11.91	AV	0.00	400	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.700	41.71	-18.93	74.0	32.29	Peak	156.00	100	Vertical	Pass
1**	1687.700	38.91	-18.93	54.0	15.09	AV	156.00	100	Vertical	Pass
2	4330.800	45.03	-7.96	74.0	28.97	Peak	180.00	200	Vertical	Pass
2**	4330.800	35.09	-7.96	54.0	18.91	AV	180.00	200	Vertical	Pass
3	5714.600	101.57	-6.01	--	--	Peak	117.00	400	Vertical	N/A
3**	5714.600	95.47	-6.01	--	--	AV	117.00	400	Vertical	N/A
4	7326.600	46.28	-1.94	74.0	27.72	Peak	2.00	300	Vertical	Pass
4**	7326.600	36.90	-1.94	54.0	17.10	AV	2.00	300	Vertical	Pass
5	10976.987	50.47	3.12	74.0	23.53	Peak	0.00	100	Vertical	Pass
5**	10976.987	41.23	3.12	54.0	12.77	AV	0.00	100	Vertical	Pass
6	16002.900	51.36	6.68	74.0	22.64	Peak	273.00	200	Vertical	Pass
6**	16002.900	42.13	6.68	54.0	11.87	AV	273.00	200	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.700	45.13	-18.72	74.0	28.87	Peak	180.00	100	Horizontal	Pass
1**	1565.700	39.63	-18.72	54.0	14.37	AV	180.00	100	Horizontal	Pass
2	4386.400	45.40	-8.13	74.0	28.60	Peak	140.00	400	Horizontal	Pass
2**	4386.400	35.41	-8.13	54.0	18.59	AV	140.00	400	Horizontal	Pass
3	5697.000	100.47	-5.78	--	--	Peak	240.00	200	Horizontal	N/A
3**	5697.000	91.16	-5.78	--	--	AV	240.00	200	Horizontal	N/A
4	7383.813	46.43	-1.64	74.0	27.57	Peak	316.00	200	Horizontal	Pass
4**	7383.813	36.38	-1.64	54.0	17.62	AV	316.00	200	Horizontal	Pass
5	11047.999	50.30	3.43	74.0	23.70	Peak	191.00	100	Horizontal	Pass
5**	11047.999	40.94	3.43	54.0	13.06	AV	191.00	100	Horizontal	Pass
6	16001.849	50.72	6.93	74.0	23.28	Peak	286.00	200	Horizontal	Pass
6**	16001.849	42.10	6.93	54.0	11.90	AV	286.00	200	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.900	41.80	-18.79	74.0	32.20	Peak	179.00	200	Vertical	Pass
1**	1565.900	37.32	-18.79	54.0	16.68	AV	179.00	200	Vertical	Pass
2	3765.400	44.54	-8.67	74.0	29.46	Peak	242.00	200	Vertical	Pass
2**	3765.400	35.37	-8.67	54.0	18.63	AV	242.00	200	Vertical	Pass
3	5696.600	101.64	-5.67	--	--	Peak	121.00	400	Vertical	N/A
3**	5696.600	93.87	-5.67	--	--	AV	121.00	400	Vertical	N/A
4	7423.487	45.99	-1.28	74.0	28.01	Peak	166.00	300	Vertical	Pass
4**	7423.487	36.97	-1.28	54.0	17.03	AV	166.00	300	Vertical	Pass
5	11405.075	50.46	2.53	74.0	23.54	Peak	104.00	400	Vertical	Pass
5**	11405.075	41.36	2.53	54.0	12.64	AV	104.00	400	Vertical	Pass
6	16001.063	51.12	7.12	74.0	22.88	Peak	94.00	200	Vertical	Pass
6**	16001.063	42.57	7.12	54.0	11.43	AV	94.00	200	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.000	44.49	-18.84	74.0	29.51	Peak	167.00	100	Horizontal	Pass
1**	1566.000	41.07	-18.84	54.0	12.93	AV	167.00	100	Horizontal	Pass
2	3794.800	45.51	-8.03	74.0	28.49	Peak	157.00	100	Horizontal	Pass
2**	3794.800	35.22	-8.03	54.0	18.78	AV	157.00	100	Horizontal	Pass
3	5707.000	102.48	-6.07	--	--	Peak	225.00	400	Horizontal	N/A
3**	5707.000	95.59	-6.07	--	--	AV	225.00	400	Horizontal	N/A
4	7399.050	46.11	-1.38	74.0	27.89	Peak	256.00	400	Horizontal	Pass
4**	7399.050	37.27	-1.38	54.0	16.73	AV	256.00	400	Horizontal	Pass
5	11031.900	50.24	2.77	74.0	23.76	Peak	45.00	400	Horizontal	Pass
5**	11031.900	40.65	2.77	54.0	13.35	AV	45.00	400	Horizontal	Pass
6	16003.687	51.12	6.49	74.0	22.88	Peak	211.00	300	Horizontal	Pass
6**	16003.687	42.39	6.49	54.0	11.61	AV	211.00	300	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.800	42.67	-18.73	74.0	31.33	Peak	161.00	100	Vertical	Pass
1**	1565.800	38.38	-18.73	54.0	15.62	AV	161.00	100	Vertical	Pass
2	4161.600	44.98	-9.15	74.0	29.02	Peak	0.00	200	Vertical	Pass
2**	4161.600	34.66	-9.15	54.0	19.34	AV	0.00	200	Vertical	Pass
3	5714.600	102.66	-6.01	--	--	Peak	122.00	200	Vertical	N/A
3**	5714.600	96.77	-6.01	--	--	AV	122.00	200	Vertical	N/A
4	7396.750	46.03	-1.44	74.0	27.97	Peak	332.00	100	Vertical	Pass
4**	7396.750	37.28	-1.44	54.0	16.72	AV	332.00	100	Vertical	Pass
5	11038.224	50.04	2.92	74.0	23.96	Peak	164.00	200	Vertical	Pass
5**	11038.224	41.37	2.92	54.0	12.63	AV	164.00	200	Vertical	Pass
6	16000.275	51.98	7.31	74.0	22.02	Peak	11.00	100	Vertical	Pass
6**	16000.275	43.79	7.31	54.0	10.21	AV	11.00	100	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass

	802.11ac(VHT20)	High	Pass
		Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass


Test Band	Mode	Channel	Verdict
U-NII-2C&U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass

Note ¹: All antenna were pre tested, but only the worst case has been reported in this report.

Note ²: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.100	54.37	-0.03	74.0	19.63	Peak	1.00	200	Horizontal	Pass
1**	5094.100	42.90	-0.03	54.0	11.10	AV	1.00	200	Horizontal	Pass
2	5150.000	52.41	0.06	74.0	21.59	Peak	74.00	200	Horizontal	Pass
2**	5150.000	43.62	0.06	54.0	10.38	AV	74.00	200	Horizontal	Pass
3	5146.750	53.36	0.21	74.0	20.64	Peak	14.00	200	Horizontal	Pass
3**	5146.750	44.22	0.21	54.0	9.78	AV	14.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.41	-1.41	74.0	22.59	Peak	125.00	200	Horizontal	Pass
1**	5350.000	40.97	-1.41	54.0	13.03	AV	125.00	200	Horizontal	Pass
2	5380.800	54.37	0.62	74.0	19.63	Peak	52.00	200	Horizontal	Pass
2**	5380.800	42.89	0.62	54.0	11.11	AV	52.00	200	Horizontal	Pass
3	5381.350	53.00	0.83	74.0	21.00	Peak	255.00	100	Horizontal	Pass
3**	5381.350	43.29	0.83	54.0	10.71	AV	255.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4852.950	54.28	-0.36	74.0	19.72	Peak	33.00	100	Horizontal	Pass
1**	4852.950	43.12	-0.36	54.0	10.88	AV	33.00	100	Horizontal	Pass
2	5150.000	54.00	0.06	74.0	20.00	Peak	94.00	100	Horizontal	Pass
2**	5150.000	43.30	0.06	54.0	10.70	AV	94.00	100	Horizontal	Pass
3	5148.375	52.17	-0.08	74.0	21.83	Peak	112.00	100	Horizontal	Pass
3**	5148.375	43.90	-0.08	54.0	10.10	AV	112.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.81	-1.41	74.0	21.19	Peak	19.00	200	Horizontal	Pass
1**	5350.000	40.94	-1.41	54.0	13.06	AV	19.00	200	Horizontal	Pass
2	5371.267	54.49	0.53	74.0	19.51	Peak	360.00	200	Horizontal	Pass
2**	5371.267	42.62	0.53	54.0	11.38	AV	360.00	200	Horizontal	Pass
3	5375.667	53.36	0.80	74.0	20.64	Peak	0.00	100	Horizontal	Pass
3**	5375.667	43.16	0.80	54.0	10.84	AV	0.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4848.725	54.33	-0.15	74.0	19.67	Peak	296.00	100	Horizontal	Pass
1**	4848.725	43.53	-0.15	54.0	10.47	AV	296.00	100	Horizontal	Pass
2	5150.000	54.35	0.06	74.0	19.65	Peak	228.00	200	Horizontal	Pass
2**	5150.000	43.45	0.06	54.0	10.55	AV	228.00	200	Horizontal	Pass
3	5144.475	52.58	0.15	74.0	21.42	Peak	220.00	200	Horizontal	Pass
3**	5144.475	43.78	0.15	54.0	10.22	AV	220.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.24	-1.41	74.0	22.76	Peak	148.00	100	Horizontal	Pass
1**	5350.000	40.80	-1.41	54.0	13.20	AV	148.00	100	Horizontal	Pass
2	5375.850	54.40	0.82	74.0	19.60	Peak	225.00	300	Horizontal	Pass
2**	5375.850	43.19	0.82	54.0	10.81	AV	225.00	300	Horizontal	Pass
3	5381.717	54.09	0.74	74.0	19.91	Peak	309.00	100	Horizontal	Pass
3**	5381.717	43.28	0.74	54.0	10.72	AV	309.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4843.850	53.97	-0.54	74.0	20.03	Peak	192.00	100	Horizontal	Pass
1**	4843.850	42.81	-0.54	54.0	11.19	AV	192.00	100	Horizontal	Pass
2	5150.000	52.47	0.06	74.0	21.53	Peak	17.00	100	Horizontal	Pass
2**	5150.000	43.55	0.06	54.0	10.45	AV	17.00	100	Horizontal	Pass
3	5149.675	52.68	0.13	74.0	21.32	Peak	125.00	300	Horizontal	Pass
3**	5149.675	43.81	0.13	54.0	10.19	AV	125.00	300	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.12	-1.41	74.0	22.88	Peak	2.00	100	Horizontal	Pass
1**	5350.000	40.96	-1.41	54.0	13.04	AV	2.00	100	Horizontal	Pass
2	5373.100	54.63	0.40	74.0	19.37	Peak	37.00	100	Horizontal	Pass
2**	5373.100	42.60	0.40	54.0	11.40	AV	37.00	100	Horizontal	Pass
3	5375.850	53.70	0.82	74.0	20.30	Peak	339.00	100	Horizontal	Pass
3**	5375.850	43.18	0.82	54.0	10.82	AV	339.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	54.49	0.05	74.0	19.51	Peak	324.00	200	Horizontal	Pass
1**	5147.400	43.22	0.05	54.0	10.78	AV	324.00	200	Horizontal	Pass
2	5150.000	53.03	0.06	74.0	20.97	Peak	307.00	100	Horizontal	Pass
2**	5150.000	43.71	0.06	54.0	10.29	AV	307.00	100	Horizontal	Pass
3	5142.200	53.59	0.22	74.0	20.41	Peak	293.00	200	Horizontal	Pass
3**	5142.200	44.04	0.22	54.0	9.96	AV	293.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.84	-1.41	74.0	23.16	Peak	162.00	200	Horizontal	Pass
1**	5350.000	41.06	-1.41	54.0	12.94	AV	162.00	200	Horizontal	Pass
2	5380.250	55.75	0.49	74.0	18.25	Peak	315.00	200	Horizontal	Pass
2**	5380.250	42.79	0.49	54.0	11.21	AV	315.00	200	Horizontal	Pass
3	5381.167	54.28	0.76	74.0	19.72	Peak	37.00	100	Horizontal	Pass
3**	5381.167	43.18	0.76	54.0	10.82	AV	37.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	55.91	0.06	74.0	18.09	Peak	320.00	200	Horizontal	Pass
1**	5145.450	45.24	0.06	54.0	8.76	AV	320.00	200	Horizontal	Pass
2	5150.000	55.67	0.06	74.0	18.33	Peak	324.00	100	Horizontal	Pass
2**	5150.000	45.33	0.06	54.0	8.67	AV	324.00	100	Horizontal	Pass
3	5145.775	54.81	-0.00	74.0	19.19	Peak	328.00	300	Horizontal	Pass
3**	5145.775	46.18	-0.00	54.0	7.82	AV	328.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.68	-1.41	74.0	23.32	Peak	296.00	100	Horizontal	Pass
1**	5350.000	40.81	-1.41	54.0	13.19	AV	296.00	100	Horizontal	Pass
2	5376.584	54.24	0.72	74.0	19.76	Peak	360.00	200	Horizontal	Pass
2**	5376.584	42.87	0.72	54.0	11.13	AV	360.00	200	Horizontal	Pass
3	5381.350	53.93	0.83	74.0	20.07	Peak	349.00	200	Horizontal	Pass
3**	5381.350	43.05	0.83	54.0	10.95	AV	349.00	200	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.700	54.03	0.03	74.0	19.97	Peak	8.00	200	Horizontal	Pass
1**	5122.700	42.72	0.03	54.0	11.28	AV	8.00	200	Horizontal	Pass
2	5150.000	53.88	0.06	74.0	20.12	Peak	163.00	100	Horizontal	Pass
2**	5150.000	42.83	0.06	54.0	11.17	AV	163.00	100	Horizontal	Pass
3	4845.150	53.04	-0.31	74.0	20.96	Peak	313.00	100	Horizontal	Pass
3**	4845.150	43.63	-0.31	54.0	10.37	AV	313.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.89	-1.41	74.0	22.11	Peak	360.00	200	Horizontal	Pass
1**	5350.000	41.55	-1.41	54.0	12.45	AV	360.00	200	Horizontal	Pass
2	5374.933	54.89	0.60	74.0	19.11	Peak	13.00	100	Horizontal	Pass
2**	5374.933	43.41	0.60	54.0	10.59	AV	13.00	100	Horizontal	Pass
3	5376.033	53.36	0.84	74.0	20.64	Peak	73.00	100	Horizontal	Pass
3**	5376.033	44.12	0.84	54.0	9.88	AV	73.00	100	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.000	54.13	-0.08	74.0	19.87	Peak	316.00	100	Horizontal	Pass
1**	5124.000	42.78	-0.08	54.0	11.22	AV	316.00	100	Horizontal	Pass
2	5150.000	52.26	0.06	74.0	21.74	Peak	325.00	200	Horizontal	Pass
2**	5150.000	42.92	0.06	54.0	11.08	AV	325.00	200	Horizontal	Pass
3	4849.700	52.22	-0.26	74.0	21.78	Peak	103.00	100	Horizontal	Pass
3**	4849.700	43.46	-0.26	54.0	10.54	AV	103.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.60	-1.41	74.0	22.40	Peak	342.00	300	Horizontal	Pass
1**	5350.000	41.61	-1.41	54.0	12.39	AV	342.00	300	Horizontal	Pass
2	5370.533	55.18	0.43	74.0	18.82	Peak	28.00	100	Horizontal	Pass
2**	5370.533	42.82	0.43	54.0	11.18	AV	28.00	100	Horizontal	Pass
3	5381.900	53.17	0.68	74.0	20.83	Peak	4.00	100	Horizontal	Pass
3**	5381.900	43.77	0.68	54.0	10.23	AV	4.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4840.925	53.93	-0.29	74.0	20.07	Peak	0.00	100	Horizontal	Pass
1**	4840.925	43.16	-0.29	54.0	10.84	AV	0.00	100	Horizontal	Pass
2	5150.000	52.37	0.06	74.0	21.63	Peak	166.00	100	Horizontal	Pass
2**	5150.000	42.84	0.06	54.0	11.16	AV	166.00	100	Horizontal	Pass
3	5145.125	52.01	0.13	74.0	21.99	Peak	318.00	100	Horizontal	Pass
3**	5145.125	43.57	0.13	54.0	10.43	AV	318.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.87	-1.41	74.0	22.13	Peak	300.00	200	Horizontal	Pass
1**	5350.000	41.84	-1.41	54.0	12.16	AV	300.00	200	Horizontal	Pass
2	5376.033	54.33	0.84	74.0	19.67	Peak	300.00	300	Horizontal	Pass
2**	5376.033	43.67	0.84	54.0	10.33	AV	300.00	300	Horizontal	Pass
3	5376.217	53.36	0.86	74.0	20.64	Peak	304.00	100	Horizontal	Pass
3**	5376.217	43.86	0.86	54.0	10.14	AV	304.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	54.06	0.27	74.0	19.94	Peak	360.00	200	Horizontal	Pass
1**	5142.850	43.18	0.27	54.0	10.82	AV	360.00	200	Horizontal	Pass
2	5150.000	53.12	0.06	74.0	20.88	Peak	75.00	100	Horizontal	Pass
2**	5150.000	42.90	0.06	54.0	11.10	AV	75.00	100	Horizontal	Pass
3	4852.625	52.45	-0.23	74.0	21.55	Peak	342.00	100	Horizontal	Pass
3**	4852.625	43.53	-0.23	54.0	10.47	AV	342.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.70	-1.41	74.0	21.30	Peak	154.00	200	Horizontal	Pass
1**	5350.000	41.98	-1.41	54.0	12.02	AV	154.00	200	Horizontal	Pass
2	5366.317	54.62	0.03	74.0	19.38	Peak	342.00	200	Horizontal	Pass
2**	5366.317	42.36	0.03	54.0	11.64	AV	342.00	200	Horizontal	Pass
3	5381.533	53.82	0.80	74.0	20.18	Peak	188.00	100	Horizontal	Pass
3**	5381.533	43.83	0.80	54.0	10.17	AV	188.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	53.84	0.20	74.0	20.16	Peak	319.00	200	Horizontal	Pass
1**	5149.350	42.91	0.20	54.0	11.09	AV	319.00	200	Horizontal	Pass
2	5150.000	53.37	0.06	74.0	20.63	Peak	299.00	100	Horizontal	Pass
2**	5150.000	42.96	0.06	54.0	11.04	AV	299.00	100	Horizontal	Pass
3	4840.275	52.62	-0.38	74.0	21.38	Peak	115.00	100	Horizontal	Pass
3**	4840.275	43.99	-0.38	54.0	10.01	AV	115.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.12	-1.41	74.0	21.88	Peak	3.00	400	Horizontal	Pass
1**	5350.000	41.97	-1.41	54.0	12.03	AV	3.00	400	Horizontal	Pass
2	5375.850	54.99	0.82	74.0	19.01	Peak	298.00	200	Horizontal	Pass
2**	5375.850	43.68	0.82	54.0	10.32	AV	298.00	200	Horizontal	Pass
3	5381.167	54.11	0.76	74.0	19.89	Peak	118.00	100	Horizontal	Pass
3**	5381.167	43.84	0.76	54.0	10.16	AV	118.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.350	54.36	0.06	74.0	19.64	Peak	13.00	100	Horizontal	Pass
1**	5123.350	43.19	0.06	54.0	10.81	AV	13.00	100	Horizontal	Pass
2	5150.000	52.52	0.06	74.0	21.48	Peak	360.00	100	Horizontal	Pass
2**	5150.000	42.84	0.06	54.0	11.16	AV	360.00	100	Horizontal	Pass
3	4848.725	53.03	-0.15	74.0	20.97	Peak	42.00	100	Horizontal	Pass
3**	4848.725	43.49	-0.15	54.0	10.51	AV	42.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.66	-1.41	74.0	19.34	Peak	21.00	200	Horizontal	Pass
1**	5350.000	45.65	-1.41	54.0	8.35	AV	21.00	200	Horizontal	Pass
2	5375.667	56.70	0.80	74.0	17.30	Peak	51.00	150	Horizontal	Pass
2**	5375.667	44.66	0.80	54.0	9.34	AV	51.00	150	Horizontal	Pass
3	5350.917	55.71	-1.03	74.0	18.29	Peak	31.00	100	Horizontal	Pass
3**	5350.917	45.87	-1.03	54.0	8.13	AV	31.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5377.600	54.86	0.40	74.0	19.14	Peak	24.00	200	Horizontal	Pass
1**	5377.600	42.84	0.40	54.0	11.16	AV	24.00	200	Horizontal	Pass
2	5460.000	52.64	-0.92	74.0	21.36	Peak	152.00	100	Horizontal	Pass
2**	5460.000	42.73	-0.92	54.0	11.27	AV	152.00	100	Horizontal	Pass
3	5469.800	54.73	-0.18	68.2	13.47	Peak	93.00	100	Horizontal	Pass
3**	5469.800	43.57	-0.18	--	--	AV	93.00	100	Horizontal	N/A
4	5470.000	53.35	-0.10	68.2	14.85	Peak	85.00	100	Horizontal	Pass
4**	5470.000	43.59	-0.10	--	--	AV	85.00	100	Horizontal	N/A
5	5381.600	53.08	0.78	74.0	20.92	Peak	18.00	100	Horizontal	Pass
5**	5381.600	43.34	0.78	54.0	10.66	AV	18.00	100	Horizontal	Pass

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.30	-0.12	68.2	11.90	Peak	238.00	100	Horizontal	Pass
2	5725.834	57.58	-0.06	68.2	10.62	Peak	29.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5382.400	54.73	0.50	74.0	19.27	Peak	328.00	300	Horizontal	Pass
1**	5382.400	43.01	0.50	54.0	10.99	AV	328.00	300	Horizontal	Pass
2	5460.000	51.93	-0.92	74.0	22.07	Peak	253.00	300	Horizontal	Pass
2**	5460.000	42.41	-0.92	54.0	11.59	AV	253.00	300	Horizontal	Pass
3	5468.000	54.31	-0.02	68.2	13.89	Peak	126.00	200	Horizontal	Pass
3**	5468.000	43.60	-0.02	--	--	AV	126.00	200	Horizontal	N/A
4	5470.000	53.45	-0.10	68.2	14.75	Peak	123.00	100	Horizontal	Pass
4**	5470.000	43.59	-0.10	--	--	AV	123.00	100	Horizontal	N/A
5	5381.400	53.81	0.84	74.0	20.19	Peak	123.00	100	Horizontal	Pass
5**	5381.400	43.48	0.84	54.0	10.52	AV	123.00	100	Horizontal	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.06	-0.12	68.2	13.14	Peak	22.00	200	Horizontal	Pass
2	5728.125	57.20	0.01	68.2	11.00	Peak	242.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.000	54.62	0.51	74.0	19.38	Peak	41.00	300	Horizontal	Pass
1**	5371.000	42.97	0.51	54.0	11.03	AV	41.00	300	Horizontal	Pass
2	5460.000	52.24	-0.92	74.0	21.76	Peak	267.00	100	Horizontal	Pass
2**	5460.000	42.60	-0.92	54.0	11.40	AV	267.00	100	Horizontal	Pass
3	5465.600	54.93	-0.26	68.2	13.27	Peak	244.00	400	Horizontal	Pass
3**	5465.600	43.62	-0.26	--	--	AV	244.00	400	Horizontal	N/A
4	5470.000	53.96	-0.10	68.2	14.24	Peak	97.00	100	Horizontal	Pass
4**	5470.000	44.34	-0.10	--	--	AV	97.00	100	Horizontal	N/A
5	5381.400	53.56	0.84	74.0	20.44	Peak	99.00	100	Horizontal	Pass
5**	5381.400	43.68	0.84	54.0	10.32	AV	99.00	100	Horizontal	Pass

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.35	-0.12	68.2	13.85	Peak	39.00	150	Horizontal	Pass
2	5841.667	55.28	1.26	68.2	12.92	Peak	181.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.800	54.54	0.62	74.0	19.46	Peak	147.00	100	Horizontal	Pass
1**	5380.800	43.35	0.62	54.0	10.65	AV	147.00	100	Horizontal	Pass
2	5460.000	52.11	-0.92	74.0	21.89	Peak	156.00	100	Horizontal	Pass
2**	5460.000	42.60	-0.92	54.0	11.40	AV	156.00	100	Horizontal	Pass
3	5465.600	55.09	-0.26	68.2	13.11	Peak	243.00	200	Horizontal	Pass
3**	5465.600	43.32	-0.26	--	--	AV	243.00	200	Horizontal	N/A
4	5470.000	52.91	-0.10	68.2	15.29	Peak	258.00	100	Horizontal	Pass
4**	5470.000	43.58	-0.10	--	--	AV	258.00	100	Horizontal	N/A
5	5381.400	53.57	0.84	74.0	20.43	Peak	132.00	100	Horizontal	Pass
5**	5381.400	43.53	0.84	54.0	10.47	AV	132.00	100	Horizontal	Pass

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.00	-0.12	68.2	12.20	Peak	90.00	100	Horizontal	Pass
2	5779.375	56.13	1.13	68.2	12.07	Peak	238.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5370.800	54.82	0.48	74.0	19.18	Peak	360.00	200	Horizontal	Pass
1**	5370.800	42.68	0.48	54.0	11.32	AV	360.00	200	Horizontal	Pass
2	5460.000	52.81	-0.92	74.0	21.19	Peak	238.00	200	Horizontal	Pass
2**	5460.000	42.28	-0.92	54.0	11.72	AV	238.00	200	Horizontal	Pass
3	5470.000	54.73	-0.10	68.2	13.47	Peak	99.00	100	Horizontal	Pass
3**	5470.000	44.10	-0.10	--	--	AV	99.00	100	Horizontal	N/A
4	5381.400	54.15	0.84	74.0	19.85	Peak	39.00	100	Horizontal	Pass
4**	5381.400	43.71	0.84	54.0	10.29	AV	39.00	100	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.41	-0.12	68.2	15.79	Peak	303.00	200	Horizontal	Pass
2	5772.917	55.55	1.43	68.2	12.65	Peak	118.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.600	56.33	-0.85	74.0	17.67	Peak	58.00	100	Horizontal	Pass
1**	5459.600	44.54	-0.85	54.0	9.46	AV	58.00	100	Horizontal	Pass
2	5460.000	53.64	-0.92	74.0	20.36	Peak	251.00	100	Horizontal	Pass
2**	5460.000	44.74	-0.92	54.0	9.26	AV	251.00	100	Horizontal	Pass
3	5465.000	58.70	-0.39	68.2	9.50	Peak	95.00	100	Horizontal	Pass
3**	5465.000	47.08	-0.39	--	--	AV	95.00	100	Horizontal	N/A
4	5470.000	58.02	-0.10	68.2	10.18	Peak	95.00	100	Horizontal	Pass
4**	5470.000	47.65	-0.10	--	--	AV	95.00	100	Horizontal	N/A
5	5457.400	54.67	-0.65	74.0	19.33	Peak	152.00	100	Horizontal	Pass
5**	5457.400	45.62	-0.65	54.0	8.38	AV	152.00	100	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.46	-0.12	68.2	15.74	Peak	12.00	100	Horizontal	Pass
2	5772.708	55.53	1.29	68.2	12.67	Peak	99.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.083	54.83	0.30	68.2	13.37	Peak	79.00	200	Horizontal	Pass
2	5650.000	53.48	0.18	68.2	14.72	Peak	47.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	53.93	0.07	68.6	14.67	Peak	97.00	100	Horizontal	Pass
2	5958.750	55.47	0.72	68.2	12.73	Peak	55.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.334	54.75	0.03	68.2	13.45	Peak	73.00	100	Horizontal	Pass
2	5650.000	53.30	0.18	68.2	14.90	Peak	329.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	53.52	0.07	68.6	15.08	Peak	267.00	100	Horizontal	Pass
2	5932.250	55.71	0.86	68.2	12.49	Peak	360.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.292	54.54	0.30	68.2	13.66	Peak	222.00	200	Horizontal	Pass
2	5650.000	53.50	0.18	68.2	14.70	Peak	76.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.60	0.09	68.4	15.80	Peak	23.00	100	Horizontal	Pass
2	5978.250	55.38	0.30	68.2	12.82	Peak	214.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.083	54.79	0.30	68.2	13.41	Peak	67.00	100	Horizontal	Pass
2	5650.000	53.05	0.18	68.2	15.15	Peak	360.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.94	0.07	68.6	15.66	Peak	203.00	100	Horizontal	Pass
2	5927.500	55.40	0.79	68.2	12.80	Peak	357.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.834	54.69	0.19	68.2	13.51	Peak	105.00	100	Horizontal	Pass
2	5650.000	53.26	0.18	68.2	14.94	Peak	55.00	400	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.49	0.07	68.6	16.11	Peak	83.00	100	Horizontal	Pass
2	5961.250	55.38	0.68	68.2	12.82	Peak	194.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.250	55.12	-0.04	68.2	13.08	Peak	16.00	200	Horizontal	Pass
2	5650.000	53.87	0.18	68.2	14.33	Peak	72.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.95	0.09	68.4	15.45	Peak	139.00	200	Horizontal	Pass
2	5935.250	55.50	0.96	68.2	12.70	Peak	258.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.000	54.13	0.11	74.0	19.87	Peak	156.00	100	Horizontal	Pass
1**	5384.000	42.29	0.11	54.0	11.71	AV	156.00	100	Horizontal	Pass
2	5460.000	51.92	-0.92	74.0	22.08	Peak	88.00	200	Horizontal	Pass
2**	5460.000	41.37	-0.92	54.0	12.63	AV	88.00	200	Horizontal	Pass
3	5464.400	53.10	-0.51	68.2	15.10	Peak	169.00	150	Horizontal	Pass
3**	5464.400	41.61	-0.51	--	--	AV	169.00	150	Horizontal	N/A
4	5470.000	51.84	-0.10	68.2	16.36	Peak	252.00	100	Horizontal	Pass
4**	5470.000	42.01	-0.10	--	--	AV	252.00	100	Horizontal	N/A
5	5381.800	52.95	0.71	74.0	21.05	Peak	360.00	100	Horizontal	Pass
5**	5381.800	43.05	0.71	54.0	10.95	AV	360.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.96	0.07	68.6	15.64	Peak	163.00	100	Horizontal	Pass
2	5947.000	55.60	0.43	68.2	12.60	Peak	307.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5388.800	54.42	-0.18	74.0	19.58	Peak	20.00	100	Horizontal	Pass
1**	5388.800	42.22	-0.18	54.0	11.78	AV	20.00	100	Horizontal	Pass
2	5460.000	51.12	-0.92	74.0	22.88	Peak	206.00	100	Horizontal	Pass
2**	5460.000	41.26	-0.92	54.0	12.74	AV	206.00	100	Horizontal	Pass
3	5462.400	53.56	-0.87	68.2	14.64	Peak	337.00	200	Horizontal	Pass
3**	5462.400	41.20	-0.87	--	--	AV	337.00	200	Horizontal	N/A
4	5470.000	52.82	-0.10	68.2	15.38	Peak	348.00	100	Horizontal	Pass
4**	5470.000	42.02	-0.10	--	--	AV	348.00	100	Horizontal	N/A
5	5376.000	53.54	0.84	74.0	20.46	Peak	54.00	100	Horizontal	Pass
5**	5376.000	43.12	0.84	54.0	10.88	AV	54.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.250	52.85	0.29	68.8	15.95	Peak	353.00	100	Horizontal	Pass
2	5933.250	55.40	0.85	68.2	12.80	Peak	160.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5401.000	54.15	-0.22	74.0	19.85	Peak	215.00	150	Horizontal	Pass
1**	5401.000	42.00	-0.22	54.0	12.00	AV	215.00	150	Horizontal	Pass
2	5460.000	52.68	-0.92	74.0	21.32	Peak	166.00	200	Horizontal	Pass
2**	5460.000	41.39	-0.92	54.0	12.61	AV	166.00	200	Horizontal	Pass
3	5462.400	53.72	-0.87	68.2	14.48	Peak	260.00	150	Horizontal	Pass
3**	5462.400	41.30	-0.87	--	--	AV	260.00	150	Horizontal	N/A
4	5470.000	53.18	-0.10	68.2	15.02	Peak	208.00	100	Horizontal	Pass
4**	5470.000	42.13	-0.10	--	--	AV	208.00	100	Horizontal	N/A
5	5381.200	53.37	0.77	74.0	20.63	Peak	51.00	100	Horizontal	Pass
5**	5381.200	42.99	0.77	54.0	11.01	AV	51.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 142 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.74	0.07	68.6	15.86	Peak	119.00	100	Horizontal	Pass
2	5964.250	55.38	0.59	68.2	12.82	Peak	222.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.600	54.55	0.78	74.0	19.45	Peak	138.00	200	Horizontal	Pass
1**	5381.600	42.80	0.78	54.0	11.20	AV	138.00	200	Horizontal	Pass
2	5460.000	52.52	-0.92	74.0	21.48	Peak	221.00	100	Horizontal	Pass
2**	5460.000	41.34	-0.92	54.0	12.66	AV	221.00	100	Horizontal	Pass
3	5469.800	54.13	-0.18	68.2	14.07	Peak	360.00	200	Horizontal	Pass
3**	5469.800	42.03	-0.18	--	--	AV	360.00	200	Horizontal	N/A
4	5470.000	52.71	-0.10	68.2	15.49	Peak	148.00	100	Horizontal	Pass
4**	5470.000	42.06	-0.10	--	--	AV	148.00	100	Horizontal	N/A
5	5381.200	53.36	0.77	74.0	20.64	Peak	70.00	100	Horizontal	Pass
5**	5381.200	43.07	0.77	54.0	10.93	AV	70.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	53.63	0.07	68.6	14.97	Peak	46.00	100	Horizontal	Pass
2	5963.500	55.07	0.76	68.2	13.13	Peak	216.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.200	54.63	0.48	74.0	19.37	Peak	130.00	100	Horizontal	Pass
1**	5380.200	42.51	0.48	54.0	11.49	AV	130.00	100	Horizontal	Pass
2	5460.000	51.90	-0.92	74.0	22.10	Peak	160.00	100	Horizontal	Pass
2**	5460.000	41.20	-0.92	54.0	12.80	AV	160.00	100	Horizontal	Pass
3	5469.200	54.49	-0.43	68.2	13.71	Peak	360.00	300	Horizontal	Pass
3**	5469.200	41.79	-0.43	--	--	AV	360.00	300	Horizontal	N/A
4	5470.000	52.83	-0.10	68.2	15.37	Peak	144.00	100	Horizontal	Pass
4**	5470.000	42.06	-0.10	--	--	AV	144.00	100	Horizontal	N/A
5	5381.400	53.23	0.84	74.0	20.77	Peak	46.00	100	Horizontal	Pass
5**	5381.400	43.06	0.84	54.0	10.94	AV	46.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.29	0.07	68.6	16.31	Peak	279.00	100	Horizontal	Pass
2	5980.250	55.44	-0.03	68.2	12.76	Peak	231.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5376.200	54.60	0.86	74.0	19.40	Peak	330.00	100	Horizontal	Pass
1**	5376.200	42.83	0.86	54.0	11.17	AV	330.00	100	Horizontal	Pass
2	5460.000	51.74	-0.92	74.0	22.26	Peak	360.00	200	Horizontal	Pass
2**	5460.000	41.42	-0.92	54.0	12.58	AV	360.00	200	Horizontal	Pass
3	5470.000	53.41	-0.10	68.2	14.79	Peak	103.00	100	Horizontal	Pass
3**	5470.000	42.06	-0.10	--	--	AV	103.00	100	Horizontal	N/A
4	5381.400	53.72	0.84	74.0	20.28	Peak	125.00	100	Horizontal	Pass
4**	5381.400	43.01	0.84	54.0	10.99	AV	125.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.54	0.07	68.6	16.06	Peak	235.00	100	Horizontal	Pass
2	5953.250	55.40	0.64	68.2	12.80	Peak	31.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.800	54.33	0.71	74.0	19.67	Peak	121.00	150	Horizontal	Pass
1**	5381.800	42.80	0.71	54.0	11.20	AV	121.00	150	Horizontal	Pass
2	5460.000	52.32	-0.92	74.0	21.68	Peak	199.00	100	Horizontal	Pass
2**	5460.000	41.56	-0.92	54.0	12.44	AV	199.00	100	Horizontal	Pass
3	5465.200	53.39	-0.34	68.2	14.81	Peak	171.00	100	Horizontal	Pass
3**	5465.200	41.93	-0.34	--	--	AV	171.00	100	Horizontal	N/A
4	5470.000	51.97	-0.10	68.2	16.23	Peak	219.00	100	Horizontal	Pass
4**	5470.000	42.21	-0.10	--	--	AV	219.00	100	Horizontal	N/A
5	5381.400	53.74	0.84	74.0	20.26	Peak	31.00	100	Horizontal	Pass
5**	5381.400	43.00	0.84	54.0	11.00	AV	31.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	52.77	0.09	68.4	15.63	Peak	73.00	100	Horizontal	Pass
2	5930.500	55.35	1.29	68.2	12.85	Peak	28.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26020210-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26020210-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26020210-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--