



1.26. Occupied Bandwidth for SA_Part90(Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
790.5	99	26	0.1	Peak	4.47	4.87	5	Pass



1.27. Occupied Bandwidth for SA_Part90(Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.1	Peak	4.48	4.92	5	Pass



1.28. Occupied Bandwidth for SA_Part90(Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
795.5	99	26	0.1	Peak	4.47	5.15	5	Pass



1.1. Occupied Bandwidth for SA_Part90(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.3	Peak	9.02	9.69	10	Pass



1.2. Occupied Bandwidth for SA_Part90(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.3	Peak	9.37	10.15	10	Pass



1.3. Occupied Bandwidth for SA_Part90(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.3	Peak	9.39	11.35	10	Pass



1.4. Occupied Bandwidth for SA_Part90(Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
793	99	26	0.3	Peak	9.37	10.05	10	Pass



2. n71 15kHz


2.56. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.49	5.69	5	Pass




2.57. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	4.97	5	Pass




2.58. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	5.3	5	Pass




2.59. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.6	5	Pass




2.60. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	4.89	5	Pass




2.61. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	4.99	5	Pass




2.62. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.49	5.38	5	Pass




2.63. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.48	4.91	5	Pass




2.64. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.5	5.38	5	Pass




2.65. Occupied Bandwidth for SA_Part22-24-27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




2.66. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.47	4.97	5	Pass



2.67. Occupied Bandwidth for SA_Part22-24-27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.48	4.94	5	Pass




2.68. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.34	10.16	10	Pass



2.69. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.35	10.11	10	Pass



2.70. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.35	10.09	10	Pass




2.71. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.32	10.09	10	Pass



2.72. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.35	10.3	10	Pass



2.73. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.34	10.5	10	Pass




2.74. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.34	10.06	10	Pass




2.75. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.37	10.07	10	Pass



2.76. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.38	10.06	10	Pass




2.77. Occupied Bandwidth for SA_Part22-24-27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.3	Peak	9.35	10.04	10	Pass




2.78. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	9.37	10.08	10	Pass



2.79. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.3	Peak	9.36	10.05	10	Pass



2.80. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.09	14.92	15	Pass



2.81. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.15	15.51	15	Pass




2.82. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.11	15.32	15	Pass




2.83. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.13	14.96	15	Pass



2.84. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.19	14.98	15	Pass



2.85. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.17	15.29	15	Pass



2.86. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.16	16.04	15	Pass



2.87. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.18	15.5	15	Pass




2.88. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.17	15.93	15	Pass




2.89. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	14.12	14.93	15	Pass




2.90. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	14.17	14.95	15	Pass



2.91. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	14.13	14.92	15	Pass



2.92. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.3	Peak	18.91	19.83	20	Pass

