


Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band13


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-13	43.89	Pass	5971
30	767	0.1	RMS	759.95	-61.81	-13	48.81	Pass	14741
767	797	0.1	RMS	777.35	21.87	60	38.13	Pass	601
797	1000	0.1	RMS	970.4	-61.35	-13	48.35	Pass	4061
1000	3000	1	RMS	2332	-45.89	-13	32.89	Pass	4001
3000	10000	1	RMS	7606	-40.89	-13	27.89	Pass	14001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.39	-13	42.39	Pass	401
0.15	30	0.01	RMS	0.155	-57.13	-13	44.13	Pass	5971
30	767	0.1	RMS	764.65	-61.72	-13	48.72	Pass	14741
767	797	0.1	RMS	777.35	20.94	60	39.06	Pass	601
797	1000	0.1	RMS	898.2	-61.32	-13	48.32	Pass	4061
1000	3000	1	RMS	2332	-46.58	-13	33.58	Pass	4001
3000	10000	1	RMS	7591	-40.84	-13	27.84	Pass	14001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.56	-13	41.56	Pass	401
0.15	30	0.01	RMS	0.16	-57.52	-13	44.52	Pass	5971
30	767	0.1	RMS	745.7	-61.74	-13	48.74	Pass	14741
767	797	0.1	RMS	779.85	21.57	60	38.43	Pass	601
797	1000	0.1	RMS	991.75	-61.46	-13	48.46	Pass	4061
1000	3000	1	RMS	1559.5	-45.92	-13	32.92	Pass	4001
3000	10000	1	RMS	7578.5	-40.86	-13	27.86	Pass	14001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.01	-13	42.01	Pass	401
0.15	30	0.01	RMS	0.155	-57.3	-13	44.3	Pass	5971
30	767	0.1	RMS	751.35	-61.77	-13	48.77	Pass	14741
767	797	0.1	RMS	779.85	21.1	60	38.9	Pass	601
797	1000	0.1	RMS	902.1	-61.3	-13	48.3	Pass	4061
1000	3000	1	RMS	2339.5	-46.56	-13	33.56	Pass	4001
3000	10000	1	RMS	7593.5	-40.88	-13	27.88	Pass	14001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.46	-13	41.46	Pass	401
0.15	30	0.01	RMS	0.15	-56.87	-13	43.87	Pass	5971
30	767	0.1	RMS	762.15	-61.61	-13	48.61	Pass	14741
767	797	0.1	RMS	782.35	21.86	60	38.14	Pass	601
797	1000	0.1	RMS	985.9	-61.28	-13	48.28	Pass	4061
1000	3000	1	RMS	2347	-45.57	-13	32.57	Pass	4001
3000	10000	1	RMS	7592	-40.89	-13	27.89	Pass	14001




**1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.07	-13	42.07	Pass	401
0.15	30	0.01	RMS	0.16	-57.49	-13	44.49	Pass	5971
30	767	0.1	RMS	733.55	-61.82	-13	48.82	Pass	14741
767	797	0.1	RMS	782.35	20.9	60	39.1	Pass	601
797	1000	0.1	RMS	999	-61.47	-13	48.47	Pass	4061
1000	3000	1	RMS	2347	-46.38	-13	33.38	Pass	4001
3000	10000	1	RMS	7586.5	-40.84	-13	27.84	Pass	14001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	39.39	Pass	401
0.15	30	0.01	RMS	0.155	-56.95	-13	43.95	Pass	5971
30	767	0.1	RMS	752.25	-61.45	-13	48.45	Pass	14741
767	797	0.1	RMS	777.6	21.85	60	38.15	Pass	601
797	1000	0.1	RMS	797.1	-57.06	-13	44.06	Pass	4061
1000	3000	1	RMS	2333	-46.18	-13	33.18	Pass	4001
3000	10000	1	RMS	7595.5	-40.86	-13	27.86	Pass	14001




**1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	41.51	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	43.28	Pass	5971
30	767	0.1	RMS	766.05	-61.74	-13	48.74	Pass	14741
767	797	0.1	RMS	777.6	20.81	60	39.19	Pass	601
797	1000	0.1	RMS	797.05	-57.32	-13	44.32	Pass	4061
1000	3000	1	RMS	2676.5	-46.65	-13	33.65	Pass	4001
3000	10000	1	RMS	7578.5	-40.88	-13	27.88	Pass	14001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.91	-13	42.91	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	43.86	Pass	5971
30	767	0.1	RMS	764.75	-61.74	-13	48.74	Pass	14741
767	797	0.1	RMS	777.6	21.9	60	38.1	Pass	601
797	1000	0.1	RMS	797.1	-57.01	-13	44.01	Pass	4061
1000	3000	1	RMS	2332.5	-46.05	-13	33.05	Pass	4001
3000	10000	1	RMS	7580	-40.87	-13	27.87	Pass	14001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.91	-13	42.91	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	44.76	Pass	5971
30	767	0.1	RMS	759.75	-61.76	-13	48.76	Pass	14741
767	797	0.1	RMS	777.6	20.79	60	39.21	Pass	601
797	1000	0.1	RMS	797.1	-57.26	-13	44.26	Pass	4061
1000	3000	1	RMS	2671.5	-46.7	-13	33.7	Pass	4001
3000	10000	1	RMS	7585	-40.82	-13	27.82	Pass	14001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	41.85	Pass	401
0.15	30	0.01	RMS	0.155	-57.42	-13	44.42	Pass	5971
30	767	0.1	RMS	752.65	-61.82	-13	48.82	Pass	14741
767	797	0.1	RMS	777.6	21.97	60	38.03	Pass	601
797	1000	0.1	RMS	797.1	-57	-13	44	Pass	4061
1000	3000	1	RMS	2333	-46.12	-13	33.12	Pass	4001
3000	10000	1	RMS	7583	-40.76	-13	27.76	Pass	14001



1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.62	-13	41.62	Pass	401
0.15	30	0.01	RMS	0.15	-58.14	-13	45.14	Pass	5971
30	767	0.1	RMS	760.8	-61.87	-13	48.87	Pass	14741
767	797	0.1	RMS	777.6	20.91	60	39.09	Pass	601
797	1000	0.1	RMS	797.1	-57.46	-13	44.46	Pass	4061
1000	3000	1	RMS	2333	-46.65	-13	33.65	Pass	4001
3000	10000	1	RMS	7595	-40.91	-13	27.91	Pass	14001



2. LTE_Band14


2.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.155	-56.94	-13	43.94	Pass	5971
30	778	0.1	RMS	775.2	-61.63	-13	48.63	Pass	14961
778	808	0.1	RMS	788.35	21.45	60	38.55	Pass	601
808	1000	0.1	RMS	888.6	-61.35	-13	48.35	Pass	3841
1000	3000	1	RMS	1576.5	-45.9	-13	32.9	Pass	4001
3000	10000	1	RMS	7597	-40.78	-13	27.78	Pass	14001




2.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.89	-13	41.89	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	44.44	Pass	5971
30	778	0.1	RMS	777.3	-61.69	-13	48.69	Pass	14961
778	808	0.1	RMS	788.35	20.64	60	39.36	Pass	601
808	1000	0.1	RMS	914.7	-61.46	-13	48.46	Pass	3841
1000	3000	1	RMS	2365	-46.57	-13	33.57	Pass	4001
3000	10000	1	RMS	7592	-40.82	-13	27.82	Pass	14001




2.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.9	-13	42.9	Pass	401
0.15	30	0.01	RMS	0.15	-58.08	-13	45.08	Pass	5971
30	778	0.1	RMS	762.3	-61.59	-13	48.59	Pass	14961
778	808	0.1	RMS	790.8	21.36	60	38.64	Pass	601
808	1000	0.1	RMS	898.7	-61.52	-13	48.52	Pass	3841
1000	3000	1	RMS	1581.5	-45.71	-13	32.71	Pass	4001
3000	10000	1	RMS	7579	-40.89	-13	27.89	Pass	14001




2.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.46	-13	43.46	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	44.14	Pass	5971
30	778	0.1	RMS	777.9	-61.67	-13	48.67	Pass	14961
778	808	0.1	RMS	790.85	20.68	60	39.32	Pass	601
808	1000	0.1	RMS	988.3	-61.53	-13	48.53	Pass	3841
1000	3000	1	RMS	2372.5	-46.55	-13	33.55	Pass	4001
3000	10000	1	RMS	7591	-40.85	-13	27.85	Pass	14001




2.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-13	41.64	Pass	401
0.15	30	0.01	RMS	0.15	-56.87	-13	43.87	Pass	5971
30	778	0.1	RMS	776.35	-61.79	-13	48.79	Pass	14961
778	808	0.1	RMS	793.35	21.54	60	38.46	Pass	601
808	1000	0.1	RMS	917.35	-61.36	-13	48.36	Pass	3841
1000	3000	1	RMS	1586.5	-45.68	-13	32.68	Pass	4001
3000	10000	1	RMS	7589	-40.87	-13	27.87	Pass	14001




2.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.25	-13	42.25	Pass	401
0.15	30	0.01	RMS	0.16	-58.08	-13	45.08	Pass	5971
30	778	0.1	RMS	761	-61.8	-13	48.8	Pass	14961
778	808	0.1	RMS	793.35	20.77	60	39.23	Pass	601
808	1000	0.1	RMS	915.9	-61.52	-13	48.52	Pass	3841
1000	3000	1	RMS	2380	-46.56	-13	33.56	Pass	4001
3000	10000	1	RMS	7592	-40.88	-13	27.88	Pass	14001




2.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-13	43.93	Pass	5971
30	778	0.1	RMS	778	-60.49	-13	47.49	Pass	14961
778	808	0.1	RMS	788.6	21.61	60	38.39	Pass	601
808	1000	0.1	RMS	808.1	-59.61	-13	46.61	Pass	3841
1000	3000	1	RMS	1577	-45.77	-13	32.77	Pass	4001
3000	10000	1	RMS	7587	-40.81	-13	27.81	Pass	14001




2.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.23	-13	43.23	Pass	401
0.15	30	0.01	RMS	0.16	-57.83	-13	44.83	Pass	5971
30	778	0.1	RMS	777.8	-60.86	-13	47.86	Pass	14961
778	808	0.1	RMS	788.6	20.65	60	39.35	Pass	601
808	1000	0.1	RMS	808.1	-60.14	-13	47.14	Pass	3841
1000	3000	1	RMS	2426	-46.53	-13	33.53	Pass	4001
3000	10000	1	RMS	7594.5	-40.87	-13	27.87	Pass	14001




2.9. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.85	-13	42.85	Pass	401
0.15	30	0.01	RMS	0.155	-57.54	-13	44.54	Pass	5971
30	778	0.1	RMS	777.85	-60.74	-13	47.74	Pass	14961
778	808	0.1	RMS	788.6	21.61	60	38.39	Pass	601
808	1000	0.1	RMS	808.05	-59.73	-13	46.73	Pass	3841
1000	3000	1	RMS	1577	-46.04	-13	33.04	Pass	4001
3000	10000	1	RMS	7587	-40.8	-13	27.8	Pass	14001




2.10. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.84	-13	41.84	Pass	401
0.15	30	0.01	RMS	0.155	-58.45	-13	45.45	Pass	5971
30	778	0.1	RMS	778	-61.12	-13	48.12	Pass	14961
778	808	0.1	RMS	788.6	20.64	60	39.36	Pass	601
808	1000	0.1	RMS	808.05	-59.46	-13	46.46	Pass	3841
1000	3000	1	RMS	2690	-46.65	-13	33.65	Pass	4001
3000	10000	1	RMS	7587.5	-40.89	-13	27.89	Pass	14001




2.11. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTLV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.9	-13	41.9	Pass	401
0.15	30	0.01	RMS	0.165	-57.33	-13	44.33	Pass	5971
30	778	0.1	RMS	778	-60.83	-13	47.83	Pass	14961
778	808	0.1	RMS	788.6	21.6	60	38.4	Pass	601
808	1000	0.1	RMS	808.05	-59.3	-13	46.3	Pass	3841
1000	3000	1	RMS	1577	-45.94	-13	32.94	Pass	4001
3000	10000	1	RMS	7594.5	-40.87	-13	27.87	Pass	14001



2.12. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTLV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	41.51	Pass	401
0.15	30	0.01	RMS	0.15	-57.13	-13	44.13	Pass	5971
30	778	0.1	RMS	777.75	-61.02	-13	48.02	Pass	14961
778	808	0.1	RMS	788.6	20.66	60	39.34	Pass	601
808	1000	0.1	RMS	808.1	-59.87	-13	46.87	Pass	3841
1000	3000	1	RMS	2670	-46.63	-13	33.63	Pass	4001
3000	10000	1	RMS	7581.5	-40.9	-13	27.9	Pass	14001



1. n14


1.12. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.71	-13	54.71	Pass	401
0.15	30	0.01	RMS	0.2	-70.5	-13	57.5	Pass	5971
30	778	0.1	RMS	778	-56.74	-13	43.74	Pass	14961
778	808	0.1	RMS	788.8	5.23	60	54.77	Pass	601
808	1000	0.1	RMS	808.3	-62.95	-13	49.95	Pass	3841
1000	3000	1	RMS	2872	-48.63	-13	35.63	Pass	4001
3000	10000	1	RMS	9005	-64.14	-13	51.14	Pass	14002




1.1. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.58	-13	54.58	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	57.33	Pass	5971
30	778	0.1	RMS	752.946	-63.86	-13	50.86	Pass	14961
778	808	0.1	RMS	788.35	18.92	60	41.08	Pass	601
808	1000	0.1	RMS	904.05	-63.3	-13	50.3	Pass	3841
1000	3000	1	RMS	2867	-48.69	-13	35.69	Pass	4001
3000	10000	1	RMS	8903.5	-64	-13	51	Pass	14002




1.2. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.12	-13	55.12	Pass	401
0.15	30	0.01	RMS	0.22	-70.8	-13	57.8	Pass	5971
30	778	0.1	RMS	751.296	-63.9	-13	50.9	Pass	14961
778	808	0.1	RMS	792.65	18.86	60	41.14	Pass	601
808	1000	0.1	RMS	877.25	-63.22	-13	50.22	Pass	3841
1000	3000	1	RMS	2872	-48.61	-13	35.61	Pass	4001
3000	10000	1	RMS	8900.5	-63.93	-13	50.93	Pass	14002




1.3. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	57.8	Pass	5971
30	778	0.1	RMS	777.65	-61.11	-13	48.11	Pass	14961
778	808	0.1	RMS	791.4	5.18	60	54.82	Pass	601
808	1000	0.1	RMS	808	-60.86	-13	47.86	Pass	3841
1000	3000	1	RMS	2866.5	-48.61	-13	35.61	Pass	4001
3000	10000	1	RMS	8904.5	-63.99	-13	50.99	Pass	14002




1.4. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.88	-13	54.88	Pass	401
0.15	30	0.01	RMS	0.18	-70.45	-13	57.45	Pass	5971
30	778	0.1	RMS	748.096	-63.61	-13	50.61	Pass	14961
778	808	0.1	RMS	790.85	18.88	60	41.12	Pass	601
808	1000	0.1	RMS	880.45	-63.31	-13	50.31	Pass	3841
1000	3000	1	RMS	2879	-48.67	-13	35.67	Pass	4001
3000	10000	1	RMS	8982.5	-64.05	-13	51.05	Pass	14002




1.5. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.07	-13	55.07	Pass	401
0.15	30	0.01	RMS	0.21	-70.51	-13	57.51	Pass	5971
30	778	0.1	RMS	777.95	-63.64	-13	50.64	Pass	14961
778	808	0.1	RMS	795.15	18.94	60	41.06	Pass	601
808	1000	0.1	RMS	902.55	-63.23	-13	50.23	Pass	3841
1000	3000	1	RMS	2868.5	-48.66	-13	35.66	Pass	4001
3000	10000	1	RMS	8987	-64.12	-13	51.12	Pass	14002




1.6. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.38	-13	54.38	Pass	401
0.15	30	0.01	RMS	0.21	-70.79	-13	57.79	Pass	5971
30	778	0.1	RMS	778	-62.73	-13	49.73	Pass	14961
778	808	0.1	RMS	793.85	5.07	60	54.93	Pass	601
808	1000	0.1	RMS	808.35	-57.4	-13	44.4	Pass	3841
1000	3000	1	RMS	2874.5	-48.67	-13	35.67	Pass	4001
3000	10000	1	RMS	8992	-64.09	-13	51.09	Pass	14002




1.7. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.03	-13	55.03	Pass	401
0.15	30	0.01	RMS	0.185	-70.94	-13	57.94	Pass	5971
30	778	0.1	RMS	737.294	-63.97	-13	50.97	Pass	14961
778	808	0.1	RMS	793.35	18.89	60	41.11	Pass	601
808	1000	0.1	RMS	914.5	-63.35	-13	50.35	Pass	3841
1000	3000	1	RMS	2868	-48.57	-13	35.57	Pass	4001
3000	10000	1	RMS	8989	-64.08	-13	51.08	Pass	14002




1.8. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.86	-13	54.86	Pass	401
0.15	30	0.01	RMS	0.16	-69.92	-13	56.92	Pass	5971
30	778	0.1	RMS	739.594	-63.9	-13	50.9	Pass	14961
778	808	0.1	RMS	797.65	18.93	60	41.07	Pass	601
808	1000	0.1	RMS	916.2	-63.35	-13	50.35	Pass	3841
1000	3000	1	RMS	2866.5	-48.68	-13	35.68	Pass	4001
3000	10000	1	RMS	8961.5	-64.02	-13	51.02	Pass	14002




1.9. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.3	-13	55.3	Pass	401
0.15	30	0.01	RMS	0.17	-70.81	-13	57.81	Pass	5971
30	778	0.1	RMS	777.9	-48.18	-13	35.18	Pass	14961
778	808	0.1	RMS	788.85	1.92	60	58.08	Pass	601
808	1000	0.1	RMS	808.25	-47.26	-13	34.26	Pass	3841
1000	3000	1	RMS	2866.5	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	8919	-64.08	-13	51.08	Pass	14002




1.10. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.53	-13	55.53	Pass	401
0.15	30	0.01	RMS	0.21	-70.73	-13	57.73	Pass	5971
30	778	0.1	RMS	777.8	-63.14	-13	50.14	Pass	14961
778	808	0.1	RMS	788.4	19.2	60	40.8	Pass	601
808	1000	0.1	RMS	808	-62.17	-13	49.17	Pass	3841
1000	3000	1	RMS	2866	-48.66	-13	35.66	Pass	4001
3000	10000	1	RMS	8904	-64.02	-13	51.02	Pass	14002



1.11. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.36	-13	55.36	Pass	401
0.15	30	0.01	RMS	0.17	-70.36	-13	57.36	Pass	5971
30	778	0.1	RMS	778	-61.68	-13	48.68	Pass	14961
778	808	0.1	RMS	797.6	18.96	60	41.04	Pass	601
808	1000	0.1	RMS	815.9	-62.04	-13	49.04	Pass	3841
1000	3000	1	RMS	2868.5	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	8903.5	-64.06	-13	51.06	Pass	14002



2. n71 15kHz


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.5	-13	55.5	Pass	401
0.15	30	0.01	RMS	0.235	-70.22	-13	57.22	Pass	5971
30	653	0.1	RMS	618.342	-64.41	-13	51.41	Pass	12461
653	708	0.1	RMS	663.85	4.28	60	55.72	Pass	1101
708	1000	0.1	RMS	730.35	-63.27	-13	50.27	Pass	5841
1000	3000	1	RMS	2869	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	8914.5	-64.01	-13	51.01	Pass	14002




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.82	-13	54.82	Pass	401
0.15	30	0.01	RMS	0.165	-69.85	-13	56.85	Pass	5971
30	653	0.1	RMS	479.009	-64.31	-13	51.31	Pass	12461
653	708	0.1	RMS	663.35	17.68	60	42.32	Pass	1101
708	1000	0.1	RMS	995.9	-63.24	-13	50.24	Pass	5841
1000	3000	1	RMS	2871	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	8894.5	-64.05	-13	51.05	Pass	14002




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.55	-13	54.55	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-13	57.4	Pass	5971
30	653	0.1	RMS	473.108	-64.37	-13	51.37	Pass	12461
653	708	0.1	RMS	667.65	18.11	60	41.89	Pass	1101
708	1000	0.1	RMS	900.3	-63.08	-13	50.08	Pass	5841
1000	3000	1	RMS	2865	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	8999	-63.96	-13	50.96	Pass	14002




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.44	-13	55.44	Pass	401
0.15	30	0.01	RMS	0.17	-69.81	-13	56.81	Pass	5971
30	653	0.1	RMS	500.514	-64.3	-13	51.3	Pass	12461
653	708	0.1	RMS	682.45	4.34	60	55.66	Pass	1101
708	1000	0.1	RMS	878.1	-63.1	-13	50.1	Pass	5841
1000	3000	1	RMS	2873	-48.66	-13	35.66	Pass	4001
3000	10000	1	RMS	9002	-64.11	-13	51.11	Pass	14002




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-66.77	-13	53.77	Pass	401
0.15	30	0.01	RMS	0.155	-69.5	-13	56.5	Pass	5971
30	653	0.1	RMS	474.408	-64.15	-13	51.15	Pass	12461
653	708	0.1	RMS	678.35	17.99	60	42.01	Pass	1101
708	1000	0.1	RMS	903.55	-63.05	-13	50.05	Pass	5841
1000	3000	1	RMS	2866	-48.66	-13	35.66	Pass	4001
3000	10000	1	RMS	8910	-63.98	-13	50.98	Pass	14002




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.9	-13	54.9	Pass	401
0.15	30	0.01	RMS	0.15	-69.24	-13	56.24	Pass	5971
30	653	0.1	RMS	490.562	-64.03	-13	51.03	Pass	12461
653	708	0.1	RMS	682.65	18.11	60	41.89	Pass	1101
708	1000	0.1	RMS	919.6	-63.14	-13	50.14	Pass	5841
1000	3000	1	RMS	2869	-48.6	-13	35.6	Pass	4001
3000	10000	1	RMS	8895.5	-64.1	-13	51.1	Pass	14002




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.66	-13	54.66	Pass	401
0.15	30	0.01	RMS	0.185	-70.25	-13	57.25	Pass	5971
30	653	0.1	RMS	491.012	-64.41	-13	51.41	Pass	12461
653	708	0.1	RMS	693.9	4.37	60	55.63	Pass	1101
708	1000	0.1	RMS	994.35	-63.23	-13	50.23	Pass	5841
1000	3000	1	RMS	2867.5	-48.69	-13	35.69	Pass	4001
3000	10000	1	RMS	8993	-64.1	-13	51.1	Pass	14002




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.38	-13	52.38	Pass	401
0.15	30	0.01	RMS	0.155	-69.45	-13	56.45	Pass	5971
30	653	0.1	RMS	623.343	-64.29	-13	51.29	Pass	12461
653	708	0.1	RMS	693.35	17.83	60	42.17	Pass	1101
708	1000	0.1	RMS	934.6	-63.36	-13	50.36	Pass	5841
1000	3000	1	RMS	2866	-48.7	-13	35.7	Pass	4001
3000	10000	1	RMS	8992	-64.06	-13	51.06	Pass	14002




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.23	-13	55.23	Pass	401
0.15	30	0.01	RMS	0.155	-69.35	-13	56.35	Pass	5971
30	653	0.1	RMS	471.407	-64.36	-13	51.36	Pass	12461
653	708	0.1	RMS	697.65	17.83	60	42.17	Pass	1101
708	1000	0.1	RMS	914.1	-63.12	-13	50.12	Pass	5841
1000	3000	1	RMS	2865.5	-48.63	-13	35.63	Pass	4001
3000	10000	1	RMS	8889.5	-64.09	-13	51.09	Pass	14002




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.2	-13	55.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.59	-13	57.59	Pass	5971
30	653	0.1	RMS	491.862	-64.22	-13	51.22	Pass	12461
653	708	0.1	RMS	670	-0.51	60	60.51	Pass	1101
708	1000	0.1	RMS	999.35	-63.21	-13	50.21	Pass	5841
1000	3000	1	RMS	2869.5	-48.7	-13	35.7	Pass	4001
3000	10000	1	RMS	8900	-64.03	-13	51.03	Pass	14002




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.62	-13	54.62	Pass	401
0.15	30	0.01	RMS	0.155	-70.29	-13	57.29	Pass	5971
30	653	0.1	RMS	471.207	-64.27	-13	51.27	Pass	12461
653	708	0.1	RMS	663.45	18.12	60	41.88	Pass	1101
708	1000	0.1	RMS	924.5	-63.07	-13	50.07	Pass	5841
1000	3000	1	RMS	2872.5	-48.61	-13	35.61	Pass	4001
3000	10000	1	RMS	8900.5	-64.09	-13	51.09	Pass	14002




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.39	-13	54.39	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-13	55.71	Pass	5971
30	653	0.1	RMS	468.207	-64.12	-13	51.12	Pass	12461
653	708	0.1	RMS	677.5	18.03	60	41.97	Pass	1101
708	1000	0.1	RMS	887.2	-63.2	-13	50.2	Pass	5841
1000	3000	1	RMS	2872.5	-48.68	-13	35.68	Pass	4001
3000	10000	1	RMS	8910.5	-64.07	-13	51.07	Pass	14002




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.01	-13	55.01	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	5971
30	653	0.1	RMS	479.159	-64.35	-13	51.35	Pass	12461
653	708	0.1	RMS	687.4	-0.1	60	60.1	Pass	1101
708	1000	0.1	RMS	896.5	-63.11	-13	50.11	Pass	5841
1000	3000	1	RMS	2870	-48.67	-13	35.67	Pass	4001
3000	10000	1	RMS	8900	-63.99	-13	50.99	Pass	14002




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.63	-13	54.63	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	57.09	Pass	5971
30	653	0.1	RMS	626.894	-64.3	-13	51.3	Pass	12461
653	708	0.1	RMS	673.45	17.93	60	42.07	Pass	1101
708	1000	0.1	RMS	874.5	-62.81	-13	49.81	Pass	5841
1000	3000	1	RMS	2871	-48.66	-13	35.66	Pass	4001
3000	10000	1	RMS	9004.5	-63.98	-13	50.98	Pass	14002




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.66	-13	54.66	Pass	401
0.15	30	0.01	RMS	0.155	-70.03	-13	57.03	Pass	5971
30	653	0.1	RMS	469.257	-64.34	-13	51.34	Pass	12461
653	708	0.1	RMS	687.5	18.02	60	41.98	Pass	1101
708	1000	0.1	RMS	917.95	-63.25	-13	50.25	Pass	5841
1000	3000	1	RMS	2865	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	8928.5	-64.07	-13	51.07	Pass	14002




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.01	-13	55.01	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	57.54	Pass	5971
30	653	0.1	RMS	463.656	-64.25	-13	51.25	Pass	12461
653	708	0.1	RMS	687.55	-0.56	60	60.56	Pass	1101
708	1000	0.1	RMS	895.35	-63.13	-13	50.13	Pass	5841
1000	3000	1	RMS	2866	-48.67	-13	35.67	Pass	4001
3000	10000	1	RMS	8968.5	-64.08	-13	51.08	Pass	14002




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.87	-13	48.87	Pass	401
0.15	30	0.01	RMS	0.15	-69.07	-13	56.07	Pass	5971
30	653	0.1	RMS	474.508	-64.21	-13	51.21	Pass	12461
653	708	0.1	RMS	683.45	17.95	60	42.05	Pass	1101
708	1000	0.1	RMS	901	-62.89	-13	49.89	Pass	5841
1000	3000	1	RMS	2868	-48.66	-13	35.66	Pass	4001
3000	10000	1	RMS	8902.5	-64.02	-13	51.02	Pass	14002




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.44	-13	54.44	Pass	401
0.15	30	0.01	RMS	0.155	-70.42	-13	57.42	Pass	5971
30	653	0.1	RMS	495.963	-64.25	-13	51.25	Pass	12461
653	708	0.1	RMS	697.5	17.86	60	42.14	Pass	1101
708	1000	0.1	RMS	875.75	-63.05	-13	50.05	Pass	5841
1000	3000	1	RMS	2866.5	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	8960.5	-64.1	-13	51.1	Pass	14002




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-67.87	-13	54.87	Pass	401
0.15	30	0.01	RMS	0.155	-69.33	-13	56.33	Pass	5971
30	653	0.1	RMS	500.864	-64.26	-13	51.26	Pass	12461
653	708	0.1	RMS	685.25	-3.34	60	63.34	Pass	1101
708	1000	0.1	RMS	893.55	-63.07	-13	50.07	Pass	5841
1000	3000	1	RMS	2873	-48.63	-13	35.63	Pass	4001
3000	10000	1	RMS	8909	-63.92	-13	50.92	Pass	14002




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.155	-70.74	-13	57.74	Pass	5971
30	653	0.1	RMS	469.657	-64.21	-13	51.21	Pass	12461
653	708	0.1	RMS	663.7	17.93	60	42.07	Pass	1101
708	1000	0.1	RMS	894.05	-63.08	-13	50.08	Pass	5841
1000	3000	1	RMS	2869	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	8900.5	-64.05	-13	51.05	Pass	14002




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.165	-70.26	-13	57.26	Pass	5971
30	653	0.1	RMS	478.159	-64.36	-13	51.36	Pass	12461
653	708	0.1	RMS	692.3	17.93	60	42.07	Pass	1101
708	1000	0.1	RMS	886.2	-63.13	-13	50.13	Pass	5841
1000	3000	1	RMS	2872.5	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	8968.5	-64.06	-13	51.06	Pass	14002




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.235	-70.97	-13	57.97	Pass	5971
30	653	0.1	RMS	481.51	-64.32	-13	51.32	Pass	12461
653	708	0.1	RMS	687.65	-3.31	60	63.31	Pass	1101
708	1000	0.1	RMS	990.1	-63.14	-13	50.14	Pass	5841
1000	3000	1	RMS	2866.5	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	8908	-64.06	-13	51.06	Pass	14002




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-69.12	-13	56.12	Pass	5971
30	653	0.1	RMS	483.16	-64.23	-13	51.23	Pass	12461
653	708	0.1	RMS	666.2	17.87	60	42.13	Pass	1101
708	1000	0.1	RMS	906	-63.03	-13	50.03	Pass	5841
1000	3000	1	RMS	2868	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	9006	-64	-13	51	Pass	14002




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.155	-69.81	-13	56.81	Pass	5971
30	653	0.1	RMS	486.511	-64.26	-13	51.26	Pass	12461
653	708	0.1	RMS	694.8	18	60	42	Pass	1101
708	1000	0.1	RMS	979.65	-63.06	-13	50.06	Pass	5841
1000	3000	1	RMS	2866.5	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	8999	-64	-13	51	Pass	14002




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.195	-70.75	-13	57.75	Pass	5971
30	653	0.1	RMS	478.859	-64.25	-13	51.25	Pass	12461
653	708	0.1	RMS	687.5	-3.39	60	63.39	Pass	1101
708	1000	0.1	RMS	876.35	-63.01	-13	50.01	Pass	5841
1000	3000	1	RMS	2870	-48.56	-13	35.56	Pass	4001
3000	10000	1	RMS	8933	-64.07	-13	51.07	Pass	14002




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.16	-70.54	-13	57.54	Pass	5971
30	653	0.1	RMS	633.695	-64.29	-13	51.29	Pass	12461
653	708	0.1	RMS	668.7	17.76	60	42.24	Pass	1101
708	1000	0.1	RMS	905.45	-62.98	-13	49.98	Pass	5841
1000	3000	1	RMS	2871.5	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	8999	-64.04	-13	51.04	Pass	14002



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	57.13	Pass	5971
30	653	0.1	RMS	463.056	-64.13	-13	51.13	Pass	12461
653	708	0.1	RMS	697.3	17.96	60	42.04	Pass	1101
708	1000	0.1	RMS	901.75	-62.82	-13	49.82	Pass	5841
1000	3000	1	RMS	2866	-48.66	-13	35.66	Pass	4001
3000	10000	1	RMS	8896.5	-64.02	-13	51.02	Pass	14002



--BLANK BELOW--