



Test Plots

802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL




802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11n-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-40 MHz LOW CHANNEL, BAND EDGE



802.11n-40 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-40 MHz HIGH CHANNEL, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.190	52.24	10.25	64.04	11.80	Peak	L	Pass
1**	0.190	38.71	10.25	54.04	15.33	AV	L	Pass
2	0.254	48.74	10.24	61.63	12.89	Peak	L	Pass
2**	0.254	34.27	10.24	51.63	17.36	AV	L	Pass
3	0.626	42.83	10.26	56.00	13.17	Peak	L	Pass
3**	0.626	29.25	10.26	46.00	16.75	AV	L	Pass
4	6.036	39.66	10.97	60.00	20.34	Peak	L	Pass
4**	6.036	27.07	10.97	50.00	22.93	AV	L	Pass
5	13.126	41.22	12.52	60.00	18.78	Peak	L	Pass
5**	13.126	25.76	12.52	50.00	24.24	AV	L	Pass
6	19.198	43.91	14.09	60.00	16.09	Peak	L	Pass
6**	19.198	30.78	14.09	50.00	19.22	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.156	53.36	10.18	65.67	12.31	Peak	N	Pass
1**	0.156	37.42	10.18	55.67	18.25	AV	N	Pass
2	0.196	48.30	10.16	63.78	15.48	Peak	N	Pass
2**	0.196	26.62	10.16	53.78	27.16	AV	N	Pass
3	0.442	41.33	10.17	57.02	15.69	Peak	N	Pass
3**	0.442	27.39	10.17	47.02	19.63	AV	N	Pass
4	3.134	36.02	10.43	56.00	19.98	Peak	N	Pass
4**	3.134	20.65	10.43	46.00	25.35	AV	N	Pass
5	15.136	44.90	12.98	60.00	15.10	Peak	N	Pass
5**	15.136	22.93	12.98	50.00	27.07	AV	N	Pass
6	23.206	45.97	14.99	60.00	14.03	Peak	N	Pass
6**	23.206	32.23	14.99	50.00	17.77	AV	N	Pass

A.6 Radiated Emission

Note¹: The symbol of "--" in the table which means not application.


Note²: For the test data above 1 GHz, According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	94.262	23.90	-26.88	43.5	19.60	Peak	130.00	200	Horizontal	Pass
2	209.014	26.51	-26.57	43.5	16.99	Peak	78.00	100	Horizontal	Pass
3	317.993	24.35	-23.03	46.0	21.65	Peak	75.00	100	Horizontal	Pass
4	355.629	23.98	-22.02	46.0	22.02	Peak	75.00	100	Horizontal	Pass
5	791.886	28.16	-11.17	46.0	17.84	Peak	280.00	100	Horizontal	Pass
6	930.063	31.05	-8.67	46.0	14.95	Peak	59.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	43.725	30.59	-25.71	40.0	9.41	Peak	146.00	100	Vertical	Pass
2	46.102	30.28	-25.44	40.0	9.72	Peak	206.00	100	Vertical	Pass
3	93.487	27.63	-27.05	43.5	15.87	Peak	360.00	100	Vertical	Pass
4	190.341	25.42	-26.12	43.5	18.08	Peak	209.00	100	Vertical	Pass
5	483.815	25.53	-18.52	46.0	20.47	Peak	54.00	100	Vertical	Pass
6	985.498	31.80	-8.30	54.0	22.20	Peak	83.00	100	Vertical	Pass

Note ¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note ²: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1347.900	41.78	-17.37	74.0	32.22	Peak	251.00	200	Horizontal	Pass
1**	1347.900	32.42	-17.37	54.0	21.58	AV	251.00	200	Horizontal	Pass
2	2410.300	96.75	-14.40	74.0	-22.75	Peak	331.00	100	Horizontal	N/A
2**	2410.300	93.79	-14.40	54.0	-39.79	AV	331.00	100	Horizontal	N/A
3	4823.600	46.76	-7.48	74.0	27.24	Peak	323.00	100	Horizontal	Pass
3**	4823.600	38.94	-7.48	54.0	15.06	AV	323.00	100	Horizontal	Pass
4	7235.175	53.33	-1.71	74.0	20.67	Peak	324.00	100	Horizontal	Pass
4**	7235.175	50.40	-1.71	54.0	3.60	AV	324.00	100	Horizontal	Pass
5	11048.287	50.20	3.45	74.0	23.80	Peak	265.00	100	Horizontal	Pass
5**	11048.287	42.26	3.45	54.0	11.74	AV	265.00	100	Horizontal	Pass
6	16000.538	50.58	7.25	74.0	23.42	Peak	122.00	100	Horizontal	Pass
6**	16000.538	41.47	7.25	54.0	12.53	AV	122.00	100	Horizontal	Pass


1 GHz to 18 GHz, ANT V 802.11b Low Channel

RSE(SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1416.300	40.31	-19.38	74.0	33.69	Peak	186.00	100	Vertical	Pass
1**	1416.300	29.98	-19.38	54.0	24.02	AV	186.00	100	Vertical	Pass
2	2410.700	101.47	-13.48	74.0	-27.47	Peak	94.00	100	Vertical	N/A
2**	2410.700	98.52	-13.48	54.0	-44.52	AV	94.00	100	Vertical	N/A
3	2992.100	49.77	-9.14	74.0	24.23	Peak	257.00	100	Vertical	Pass
3**	2992.100	41.60	-9.14	54.0	12.40	AV	257.00	100	Vertical	Pass
4	4824.200	49.66	-5.51	74.0	24.34	Peak	99.00	100	Vertical	Pass
4**	4824.200	47.28	-5.51	54.0	6.72	AV	99.00	100	Vertical	Pass
5	7235.175	46.90	0.35	74.0	27.10	Peak	100.00	100	Vertical	Pass
5**	7235.175	43.00	0.35	54.0	11.00	AV	100.00	100	Vertical	Pass
6	11037.650	51.20	7.91	74.0	22.80	Peak	96.00	100	Vertical	Pass
6**	11037.650	42.81	7.91	54.0	11.19	AV	96.00	100	Vertical	Pass


1 GHz to 18 GHz, ANT H 802.11b Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1360.200	40.61	-18.63	74.0	33.39	Peak	0.00	150	Horizontal	Pass
1**	1360.200	30.88	-18.63	54.0	23.12	AV	0.00	150	Horizontal	Pass
2	2438.100	96.53	-14.56	74.0	-22.53	Peak	0.00	100	Horizontal	N/A
2**	2438.100	93.72	-14.56	54.0	-39.72	AV	0.00	100	Horizontal	N/A
3	4751.200	48.42	-5.69	74.0	25.58	Peak	348.00	150	Horizontal	Pass
3**	4751.200	39.78	-5.69	54.0	14.22	AV	348.00	150	Horizontal	Pass
4	6564.400	54.72	0.98	74.0	19.28	Peak	254.00	400	Horizontal	Pass
4**	6564.400	45.77	0.98	54.0	8.23	AV	254.00	400	Horizontal	Pass
5	7312.800	45.55	0.83	74.0	28.45	Peak	359.00	150	Horizontal	Pass
5**	7312.800	41.07	0.83	54.0	12.93	AV	359.00	150	Horizontal	Pass
6	10911.150	51.21	5.29	74.0	22.79	Peak	119.00	150	Horizontal	Pass
6**	10911.150	41.99	5.29	54.0	12.01	AV	119.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RSE(SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.200	40.13	-18.31	74.0	33.87	Peak	0.00	300	Vertical	Pass
1**	1586.200	31.01	-18.31	54.0	22.99	AV	0.00	300	Vertical	Pass
2	2438.100	101.88	-14.56	74.0	-27.88	Peak	93.00	150	Vertical	N/A
2**	2438.100	99.09	-14.56	54.0	-45.09	AV	93.00	150	Vertical	N/A
3	2988.800	49.65	-10.02	74.0	24.35	Peak	302.00	150	Vertical	Pass
3**	2988.800	40.96	-10.02	54.0	13.04	AV	302.00	150	Vertical	Pass
4	4874.200	50.96	-5.31	74.0	23.04	Peak	82.00	150	Vertical	Pass
4**	4874.200	47.99	-5.31	54.0	6.01	AV	82.00	150	Vertical	Pass
5	7313.375	49.39	0.83	74.0	24.61	Peak	288.00	150	Vertical	Pass
5**	7313.375	44.13	0.83	54.0	9.87	AV	288.00	150	Vertical	Pass
6	11034.200	51.76	7.81	74.0	22.24	Peak	0.00	150	Vertical	Pass
6**	11034.200	43.03	7.81	54.0	10.97	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1230.600	42.78	-17.68	74.0	31.22	Peak	0.00	300	Horizontal	Pass
1**	1230.600	31.43	-17.68	54.0	22.57	AV	0.00	300	Horizontal	Pass
2	2460.800	100.26	-13.77	74.0	-26.26	Peak	309.00	200	Horizontal	N/A
2**	2460.800	97.39	-13.77	54.0	-43.39	AV	309.00	200	Horizontal	N/A
3	2855.000	49.12	-11.62	74.0	24.88	Peak	360.00	150	Horizontal	Pass
3**	2855.000	39.14	-11.62	54.0	14.86	AV	360.00	150	Horizontal	Pass
4	4854.000	45.80	-6.48	74.0	28.20	Peak	106.00	300	Horizontal	Pass
4**	4854.000	37.06	-6.48	54.0	16.94	AV	106.00	300	Horizontal	Pass
5	7385.250	52.65	-1.63	74.0	21.35	Peak	317.00	150	Horizontal	Pass
5**	7385.250	49.80	-1.63	54.0	4.20	AV	317.00	150	Horizontal	Pass
6	14037.037	51.20	5.47	74.0	22.80	Peak	57.00	100	Horizontal	Pass
6**	14037.037	40.85	5.47	54.0	13.15	AV	57.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.100	41.56	-17.89	74.0	32.44	Peak	33.00	100	Vertical	Pass
1**	1458.100	31.46	-17.89	54.0	22.54	AV	33.00	100	Vertical	Pass
2	2460.800	103.24	-13.77	74.0	-29.24	Peak	199.00	100	Vertical	N/A
2**	2460.800	100.38	-13.77	54.0	-46.38	AV	199.00	100	Vertical	N/A
3	2978.400	49.09	-10.92	74.0	24.91	Peak	199.00	100	Vertical	Pass
3**	2978.400	40.94	-10.92	54.0	13.06	AV	199.00	100	Vertical	Pass
4	4924.200	49.75	-6.85	74.0	24.25	Peak	39.00	100	Vertical	Pass
4**	4924.200	47.42	-6.85	54.0	6.58	AV	39.00	100	Vertical	Pass
5	7386.975	53.39	-1.63	74.0	20.61	Peak	321.00	150	Vertical	Pass
5**	7386.975	50.56	-1.63	54.0	3.44	AV	321.00	150	Vertical	Pass
6	16870.988	52.54	6.51	74.0	21.46	Peak	3.00	100	Vertical	Pass
6**	16870.988	42.02	6.51	54.0	11.98	AV	3.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1424.200	41.71	-17.79	74.0	32.29	Peak	354.00	300	Horizontal	Pass
1**	1424.200	32.30	-17.79	54.0	21.70	AV	354.00	300	Horizontal	Pass
2	2406.600	98.90	-14.03	74.0	-24.90	Peak	332.00	100	Horizontal	N/A
2**	2406.600	91.53	-14.03	54.0	-37.53	AV	332.00	100	Horizontal	N/A
3	2886.100	49.40	-11.39	74.0	24.60	Peak	5.00	200	Horizontal	Pass
3**	2886.100	40.00	-11.39	54.0	14.00	AV	5.00	200	Horizontal	Pass
4	4837.800	46.23	-6.75	74.0	27.77	Peak	224.00	300	Horizontal	Pass
4**	4837.800	37.18	-6.75	54.0	16.82	AV	224.00	300	Horizontal	Pass
5	7231.150	52.14	-1.71	74.0	21.86	Peak	318.00	150	Horizontal	Pass
5**	7231.150	45.55	-1.71	54.0	8.45	AV	318.00	150	Horizontal	Pass
6	17502.300	51.41	7.70	74.0	22.59	Peak	233.00	100	Horizontal	Pass
6**	17502.300	42.29	7.70	54.0	11.71	AV	233.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.300	41.29	-17.37	74.0	32.71	Peak	190.00	300	Vertical	Pass
1**	1215.300	32.03	-17.37	54.0	21.97	AV	190.00	300	Vertical	Pass
2	2410.500	103.87	-14.46	74.0	-29.87	Peak	159.00	200	Vertical	N/A
2**	2410.500	95.88	-14.46	54.0	-41.88	AV	159.00	200	Vertical	N/A
3	2988.700	49.14	-11.15	74.0	24.86	Peak	322.00	200	Vertical	Pass
3**	2988.700	39.77	-11.15	54.0	14.23	AV	322.00	200	Vertical	Pass
4	4861.600	46.91	-6.79	74.0	27.09	Peak	79.00	100	Vertical	Pass
4**	4861.600	36.49	-6.79	54.0	17.51	AV	79.00	100	Vertical	Pass
5	7234.888	51.37	-1.71	74.0	22.63	Peak	199.00	150	Vertical	Pass
5**	7234.888	46.97	-1.71	54.0	7.03	AV	199.00	150	Vertical	Pass
6	16704.562	51.37	6.72	74.0	22.63	Peak	303.00	150	Vertical	Pass
6**	16704.562	42.54	6.72	54.0	11.46	AV	303.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1345.600	42.04	-17.14	74.0	31.96	Peak	122.00	300	Horizontal	Pass
1**	1345.600	32.48	-17.14	54.0	21.52	AV	122.00	300	Horizontal	Pass
2	2438.800	99.78	-13.52	74.0	-25.78	Peak	343.00	200	Horizontal	N/A
2**	2438.800	92.78	-13.52	54.0	-38.78	AV	343.00	200	Horizontal	N/A
3	2916.000	49.87	-11.23	74.0	24.13	Peak	332.00	100	Horizontal	Pass
3**	2916.000	40.05	-11.23	54.0	13.95	AV	332.00	100	Horizontal	Pass
4	4854.200	46.35	-6.41	74.0	27.65	Peak	17.00	200	Horizontal	Pass
4**	4854.200	37.42	-6.41	54.0	16.58	AV	17.00	200	Horizontal	Pass
5	7312.225	53.09	-1.99	74.0	20.91	Peak	320.00	150	Horizontal	Pass
5**	7312.225	49.22	-1.99	54.0	4.78	AV	320.00	150	Horizontal	Pass
6	16760.475	51.65	6.05	74.0	22.35	Peak	152.00	100	Horizontal	Pass
6**	16760.475	42.41	6.05	54.0	11.59	AV	152.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1345.700	41.89	-17.15	74.0	32.11	Peak	131.00	200	Vertical	Pass
1**	1345.700	32.05	-17.15	54.0	21.95	AV	131.00	200	Vertical	Pass
2	2438.700	104.78	-13.48	74.0	-30.78	Peak	182.00	200	Vertical	N/A
2**	2438.700	97.68	-13.48	54.0	-43.68	AV	182.00	200	Vertical	N/A
3	2985.400	49.87	-11.15	74.0	24.13	Peak	223.00	200	Vertical	Pass
3**	2985.400	40.06	-11.15	54.0	13.94	AV	223.00	200	Vertical	Pass
4	4844.200	46.31	-6.62	74.0	27.69	Peak	178.00	200	Vertical	Pass
4**	4844.200	37.05	-6.62	54.0	16.95	AV	178.00	200	Vertical	Pass
5	7311.938	55.03	-1.99	74.0	18.97	Peak	321.00	150	Vertical	Pass
5**	7311.938	50.02	-1.99	54.0	3.98	AV	321.00	150	Vertical	Pass
6	16707.713	51.33	6.82	74.0	22.67	Peak	130.00	100	Vertical	Pass
6**	16707.713	42.97	6.82	54.0	11.03	AV	130.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.900	42.00	-17.34	74.0	32.00	Peak	102.00	300	Horizontal	Pass
1**	1202.900	31.65	-17.34	54.0	22.35	AV	102.00	300	Horizontal	Pass
2	2462.900	100.44	-13.92	74.0	-26.44	Peak	318.00	200	Horizontal	N/A
2**	2462.900	93.30	-13.92	54.0	-39.30	AV	318.00	200	Horizontal	N/A
3	2903.300	49.16	-11.39	74.0	24.84	Peak	340.00	200	Horizontal	Pass
3**	2903.300	40.03	-11.39	54.0	13.97	AV	340.00	200	Horizontal	Pass
4	4868.800	46.69	-7.12	74.0	27.31	Peak	258.00	100	Horizontal	Pass
4**	4868.800	36.93	-7.12	54.0	17.07	AV	258.00	100	Horizontal	Pass
5	7387.837	50.23	-1.63	74.0	23.77	Peak	317.00	150	Horizontal	Pass
5**	7387.837	45.55	-1.63	54.0	8.45	AV	317.00	150	Horizontal	Pass
6	17440.612	51.97	8.16	74.0	22.03	Peak	228.00	100	Horizontal	Pass
6**	17440.612	43.31	8.16	54.0	10.69	AV	228.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.900	41.44	-17.97	74.0	32.56	Peak	22.00	400	Vertical	Pass
1**	1441.900	31.95	-17.97	54.0	22.05	AV	22.00	400	Vertical	Pass
2	2460.100	104.09	-13.82	74.0	-30.09	Peak	195.00	200	Vertical	N/A
2**	2460.100	96.74	-13.82	54.0	-42.74	AV	195.00	200	Vertical	N/A
3	2828.600	49.26	-12.00	74.0	24.74	Peak	0.00	100	Vertical	Pass
3**	2828.600	39.43	-12.00	54.0	14.57	AV	0.00	100	Vertical	Pass
4	4827.800	46.11	-7.39	74.0	27.89	Peak	98.00	300	Vertical	Pass
4**	4827.800	38.04	-7.39	54.0	15.96	AV	98.00	300	Vertical	Pass
5	7384.963	52.31	-1.64	74.0	21.69	Peak	322.00	150	Vertical	Pass
5**	7384.963	47.44	-1.64	54.0	6.56	AV	322.00	150	Vertical	Pass
6	16709.812	51.92	6.89	74.0	22.08	Peak	188.00	150	Vertical	Pass
6**	16709.812	42.50	6.89	54.0	11.50	AV	188.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.600	41.54	-17.83	74.0	32.46	Peak	251.00	200	Horizontal	Pass
1**	1365.600	32.13	-17.83	54.0	21.87	AV	251.00	200	Horizontal	Pass
2	2407.200	97.13	-13.95	74.0	-23.13	Peak	333.00	200	Horizontal	N/A
2**	2407.200	89.68	-13.95	54.0	-35.68	AV	333.00	200	Horizontal	N/A
3	2989.300	49.61	-11.31	74.0	24.39	Peak	333.00	200	Horizontal	Pass
3**	2989.300	39.56	-11.31	54.0	14.44	AV	333.00	200	Horizontal	Pass
4	4845.000	46.30	-6.28	74.0	27.70	Peak	183.00	400	Horizontal	Pass
4**	4845.000	37.57	-6.28	54.0	16.43	AV	183.00	400	Horizontal	Pass
5	7221.663	50.24	-1.38	74.0	23.76	Peak	325.00	150	Horizontal	Pass
5**	7221.663	38.06	-1.38	54.0	15.94	AV	325.00	150	Horizontal	Pass
6	17958.525	51.56	5.40	74.0	22.44	Peak	162.00	100	Horizontal	Pass
6**	17958.525	42.52	5.40	54.0	11.48	AV	162.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1368.400	42.05	-17.99	74.0	31.95	Peak	68.00	200	Vertical	Pass
1**	1368.400	32.98	-17.99	54.0	21.02	AV	68.00	200	Vertical	Pass
2	2407.400	102.48	-14.03	74.0	-28.48	Peak	161.00	100	Vertical	N/A
2**	2407.400	95.75	-14.03	54.0	-41.75	AV	161.00	100	Vertical	N/A
3	2790.700	48.87	-11.90	74.0	25.13	Peak	360.00	100	Vertical	Pass
3**	2790.700	39.74	-11.90	54.0	14.26	AV	360.00	100	Vertical	Pass
4	4840.600	45.73	-6.26	74.0	28.27	Peak	141.00	200	Vertical	Pass
4**	4840.600	37.31	-6.26	54.0	16.69	AV	141.00	200	Vertical	Pass
5	7240.062	50.71	-1.71	74.0	23.29	Peak	329.00	150	Vertical	Pass
5**	7240.062	39.34	-1.71	54.0	14.66	AV	329.00	150	Vertical	Pass
6	16781.213	51.85	5.89	74.0	22.15	Peak	260.00	100	Vertical	Pass
6**	16781.213	41.68	5.89	54.0	12.32	AV	260.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	41.63	-17.48	74.0	32.37	Peak	202.00	300	Horizontal	Pass
1**	1437.800	31.91	-17.48	54.0	22.09	AV	202.00	300	Horizontal	Pass
2	2438.600	97.85	-13.53	74.0	-23.85	Peak	345.00	100	Horizontal	N/A
2**	2438.600	90.93	-13.53	54.0	-36.93	AV	345.00	100	Horizontal	N/A
3	2926.000	49.22	-11.50	74.0	24.78	Peak	345.00	100	Horizontal	Pass
3**	2926.000	39.94	-11.50	54.0	14.06	AV	345.00	100	Horizontal	Pass
4	4814.800	46.93	-7.55	74.0	27.07	Peak	140.00	300	Horizontal	Pass
4**	4814.800	36.59	-7.55	54.0	17.41	AV	140.00	300	Horizontal	Pass
5	7314.237	56.27	-1.97	74.0	17.73	Peak	316.00	150	Horizontal	Pass
5**	7314.237	43.08	-1.97	54.0	10.92	AV	316.00	150	Horizontal	Pass
6	14061.712	51.83	5.61	74.0	22.17	Peak	108.00	100	Horizontal	Pass
6**	14061.712	41.51	5.61	54.0	12.49	AV	108.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1383.300	41.49	-17.29	74.0	32.51	Peak	290.00	400	Vertical	Pass
1**	1383.300	32.96	-17.29	54.0	21.04	AV	290.00	400	Vertical	Pass
2	2438.200	103.63	-13.72	74.0	-29.63	Peak	157.00	200	Vertical	N/A
2**	2438.200	95.87	-13.72	54.0	-41.87	AV	157.00	200	Vertical	N/A
3	2979.300	49.64	-10.70	74.0	24.36	Peak	0.00	100	Vertical	Pass
3**	2979.300	40.32	-10.70	54.0	13.68	AV	0.00	100	Vertical	Pass
4	4842.400	46.19	-6.61	74.0	27.81	Peak	260.00	400	Vertical	Pass
4**	4842.400	37.05	-6.61	54.0	16.95	AV	260.00	400	Vertical	Pass
5	7306.475	53.92	-2.00	74.0	20.08	Peak	322.00	150	Vertical	Pass
5**	7306.475	43.83	-2.00	54.0	10.17	AV	322.00	150	Vertical	Pass
6	16701.676	51.50	6.62	74.0	22.50	Peak	246.00	100	Vertical	Pass
6**	16701.676	41.62	6.62	54.0	12.38	AV	246.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1345.700	41.37	-17.15	74.0	32.63	Peak	9.00	300	Horizontal	Pass
1**	1345.700	32.88	-17.15	54.0	21.12	AV	9.00	300	Horizontal	Pass
2	2463.100	99.48	-13.85	74.0	-25.48	Peak	314.00	200	Horizontal	N/A
2**	2463.100	91.77	-13.85	54.0	-37.77	AV	314.00	200	Horizontal	N/A
3	2978.600	49.82	-10.86	74.0	24.18	Peak	304.00	200	Horizontal	Pass
3**	2978.600	40.19	-10.86	54.0	13.81	AV	304.00	200	Horizontal	Pass
4	4847.600	45.93	-6.41	74.0	28.07	Peak	61.00	300	Horizontal	Pass
4**	4847.600	37.62	-6.41	54.0	16.38	AV	61.00	300	Horizontal	Pass
5	7380.938	52.17	-1.64	74.0	21.83	Peak	317.00	150	Horizontal	Pass
5**	7380.938	40.60	-1.64	54.0	13.40	AV	317.00	150	Horizontal	Pass
6	14833.988	51.50	5.63	74.0	22.50	Peak	360.00	150	Horizontal	Pass
6**	14833.988	41.91	5.63	54.0	12.09	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1395.700	41.91	-17.78	74.0	32.09	Peak	187.00	300	Vertical	Pass
1**	1395.700	32.12	-17.78	54.0	21.88	AV	187.00	300	Vertical	Pass
2	2459.800	102.47	-13.89	74.0	-28.47	Peak	197.00	100	Vertical	N/A
2**	2459.800	94.62	-13.89	54.0	-40.62	AV	197.00	100	Vertical	N/A
3	2745.700	49.91	-11.53	74.0	24.09	Peak	281.00	100	Vertical	Pass
3**	2745.700	39.86	-11.53	54.0	14.14	AV	281.00	100	Vertical	Pass
4	4850.800	46.56	-6.74	74.0	27.44	Peak	322.00	300	Vertical	Pass
4**	4850.800	36.31	-6.74	54.0	17.69	AV	322.00	300	Vertical	Pass
5	7381.513	52.57	-1.64	74.0	21.43	Peak	343.00	150	Vertical	Pass
5**	7381.513	40.52	-1.64	54.0	13.48	AV	343.00	150	Vertical	Pass
6	14005.012	51.55	5.65	74.0	22.45	Peak	97.00	100	Vertical	Pass
6**	14005.012	41.87	5.65	54.0	12.13	AV	97.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1388.700	41.44	-17.69	74.0	32.56	Peak	119.00	200	Horizontal	Pass
1**	1388.700	32.27	-17.69	54.0	21.73	AV	119.00	200	Horizontal	Pass
2	2419.700	93.49	-13.74	74.0	-19.49	Peak	334.00	200	Horizontal	N/A
2**	2419.700	86.06	-13.74	54.0	-32.06	AV	334.00	200	Horizontal	N/A
3	2999.600	49.79	-11.39	74.0	24.21	Peak	130.00	200	Horizontal	Pass
3**	2999.600	39.98	-11.39	54.0	14.02	AV	130.00	200	Horizontal	Pass
4	4850.000	46.01	-6.15	74.0	27.99	Peak	118.00	300	Horizontal	Pass
4**	4850.000	37.33	-6.15	54.0	16.67	AV	118.00	300	Horizontal	Pass
5	6982.800	51.92	-1.55	74.0	22.08	Peak	360.00	150	Horizontal	Pass
5**	6982.800	42.09	-1.55	54.0	11.91	AV	360.00	150	Horizontal	Pass
6	17531.437	51.92	8.13	74.0	22.08	Peak	212.00	100	Horizontal	Pass
6**	17531.437	43.37	8.13	54.0	10.63	AV	212.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Low Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1231.700	41.53	-17.48	74.0	32.47	Peak	345.00	200	Vertical	Pass
1**	1231.700	32.20	-17.48	54.0	21.80	AV	345.00	200	Vertical	Pass
2	2420.200	99.12	-13.80	74.0	-25.12	Peak	160.00	100	Vertical	N/A
2**	2420.200	91.43	-13.80	54.0	-37.43	AV	160.00	100	Vertical	N/A
3	2760.900	49.33	-12.06	74.0	24.67	Peak	39.00	100	Vertical	Pass
3**	2760.900	40.08	-12.06	54.0	13.92	AV	39.00	100	Vertical	Pass
4	4858.000	46.35	-6.60	74.0	27.65	Peak	204.00	300	Vertical	Pass
4**	4858.000	37.78	-6.60	54.0	16.22	AV	204.00	300	Vertical	Pass
5	7276.000	48.05	-1.86	74.0	25.95	Peak	209.00	150	Vertical	Pass
5**	7276.000	38.44	-1.86	54.0	15.56	AV	209.00	150	Vertical	Pass
6	17462.401	51.60	8.21	74.0	22.40	Peak	95.00	100	Vertical	Pass
6**	17462.401	41.78	8.21	54.0	12.22	AV	95.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1353.500	41.78	-17.34	74.0	32.22	Peak	0.00	200	Horizontal	Pass
1**	1353.500	32.27	-17.34	54.0	21.73	AV	0.00	200	Horizontal	Pass
2	2438.600	93.88	-13.53	74.0	-19.88	Peak	344.00	100	Horizontal	N/A
2**	2438.600	86.16	-13.53	54.0	-32.16	AV	344.00	100	Horizontal	N/A
3	2918.000	49.38	-10.97	74.0	24.62	Peak	169.00	200	Horizontal	Pass
3**	2918.000	41.21	-10.97	54.0	12.79	AV	169.00	200	Horizontal	Pass
4	4847.600	46.17	-6.41	74.0	27.83	Peak	96.00	100	Horizontal	Pass
4**	4847.600	37.51	-6.41	54.0	16.49	AV	96.00	100	Horizontal	Pass
5	6941.600	51.34	-1.94	74.0	22.66	Peak	16.00	100	Horizontal	Pass
5**	6941.600	42.69	-1.94	54.0	11.31	AV	16.00	100	Horizontal	Pass
6	16924.801	52.21	6.52	74.0	21.79	Peak	250.00	100	Horizontal	Pass
6**	16924.801	42.34	6.52	54.0	11.66	AV	250.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1359.100	42.70	-17.40	74.0	31.30	Peak	181.00	200	Vertical	Pass
1**	1359.100	33.01	-17.40	54.0	20.99	AV	181.00	200	Vertical	Pass
2	2442.100	100.22	-13.87	74.0	-26.22	Peak	159.00	100	Vertical	N/A
2**	2442.100	92.40	-13.87	54.0	-38.40	AV	159.00	100	Vertical	N/A
3	2950.600	50.07	-10.99	74.0	23.93	Peak	263.00	200	Vertical	Pass
3**	2950.600	40.44	-10.99	54.0	13.56	AV	263.00	200	Vertical	Pass
4	4880.800	47.36	-6.93	74.0	26.64	Peak	18.00	100	Vertical	Pass
4**	4880.800	36.81	-6.93	54.0	17.19	AV	18.00	100	Vertical	Pass
5	7319.413	49.72	-1.93	74.0	24.28	Peak	316.00	150	Vertical	Pass
5**	7319.413	40.28	-1.93	54.0	13.72	AV	316.00	150	Vertical	Pass
6	17967.188	51.85	5.87	74.0	22.15	Peak	182.00	100	Vertical	Pass
6**	17967.188	42.99	5.87	54.0	11.01	AV	182.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 High Channel


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1414.700	42.00	-17.50	74.0	32.00	Peak	186.00	300	Horizontal	Pass
1**	1414.700	32.37	-17.50	54.0	21.63	AV	186.00	300	Horizontal	Pass
2	2453.900	94.46	-13.88	74.0	-20.46	Peak	310.00	200	Horizontal	N/A
2**	2453.900	86.93	-13.88	54.0	-32.93	AV	310.00	200	Horizontal	N/A
3	2774.900	49.87	-12.20	74.0	24.13	Peak	207.00	200	Horizontal	Pass
3**	2774.900	38.69	-12.20	54.0	15.31	AV	207.00	200	Horizontal	Pass
4	4859.800	45.89	-6.69	74.0	28.11	Peak	101.00	200	Horizontal	Pass
4**	4859.800	36.30	-6.69	54.0	17.70	AV	101.00	200	Horizontal	Pass
5	6978.800	51.76	-1.06	74.0	22.24	Peak	360.00	300	Horizontal	Pass
5**	6978.800	42.49	-1.06	54.0	11.51	AV	360.00	300	Horizontal	Pass
6	14120.776	51.69	5.61	74.0	22.31	Peak	253.00	100	Horizontal	Pass
6**	14120.776	41.99	5.61	54.0	12.01	AV	253.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 High Channel

RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.400	41.39	-17.64	74.0	32.61	Peak	291.00	100	Vertical	Pass
1**	1412.400	31.76	-17.64	54.0	22.24	AV	291.00	100	Vertical	Pass
2	2450.000	99.24	-14.01	74.0	-25.24	Peak	159.00	200	Vertical	N/A
2**	2450.000	91.59	-14.01	54.0	-37.59	AV	159.00	200	Vertical	N/A
3	2769.800	49.07	-11.97	74.0	24.93	Peak	139.00	200	Vertical	Pass
3**	2769.800	39.78	-11.97	54.0	14.22	AV	139.00	200	Vertical	Pass
4	4854.000	46.46	-6.48	74.0	27.54	Peak	142.00	200	Vertical	Pass
4**	4854.000	36.57	-6.48	54.0	17.43	AV	142.00	200	Vertical	Pass
5	6934.600	51.53	-1.93	74.0	22.47	Peak	360.00	100	Vertical	Pass
5**	6934.600	42.46	-1.93	54.0	11.54	AV	360.00	100	Vertical	Pass
6	17513.589	52.36	7.81	74.0	21.64	Peak	77.00	100	Vertical	Pass
6**	17513.589	42.13	7.81	54.0	11.87	AV	77.00	100	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)


Note¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Test Data and Plots

802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2318.833	53.57	-1.58	74.0	20.43	Peak	229.00	200	Vertical	Pass
1**	2318.833	41.98	-1.58	54.0	12.02	AV	229.00	200	Vertical	Pass
2	2390.000	52.69	-2.16	74.0	21.31	Peak	199.00	200	Vertical	Pass
2**	2390.000	41.52	-2.16	54.0	12.48	AV	199.00	200	Vertical	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	53.95	-1.03	74.0	20.05	Peak	56.00	300	Vertical	Pass
1**	2483.550	43.91	-1.03	54.0	10.09	AV	56.00	300	Vertical	Pass
2	2487.600	55.05	-1.00	74.0	18.95	Peak	77.00	300	Vertical	Pass
2**	2487.600	44.87	-1.00	54.0	9.13	AV	77.00	300	Vertical	Pass

802.11g LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.667	53.78	-1.34	74.0	20.22	Peak	171.00	100	Vertical	Pass
1**	2388.667	42.55	-1.34	54.0	11.45	AV	171.00	100	Vertical	Pass
2	2390.000	51.91	-2.77	74.0	22.09	Peak	261.00	200	Vertical	Pass
2**	2390.000	41.16	-2.77	54.0	12.84	AV	261.00	200	Vertical	Pass
3	2388.500	52.54	-1.32	74.0	21.46	Peak	241.00	150	Vertical	Pass
3**	2388.500	42.66	-1.32	54.0	11.34	AV	241.00	150	Vertical	Pass

802.11g HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.29	-0.90	74.0	20.71	Peak	108.00	150	Vertical	Pass
1**	2483.500	43.30	-0.90	54.0	10.70	AV	108.00	150	Vertical	Pass
2	2496.100	55.80	-0.17	74.0	18.20	Peak	360.00	150	Vertical	Pass
2**	2496.100	43.67	-0.17	54.0	10.33	AV	360.00	150	Vertical	Pass