



802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2353.000	55.95	74.0	18.05	Peak	5.00	200	Horizontal	Pass
1**	2353.000	43.94	54.0	10.06	AV	5.00	200	Horizontal	Pass
2	2390.000	55.01	74.0	18.99	Peak	229.00	100	Horizontal	Pass
2**	2390.000	43.82	54.0	10.18	AV	229.00	100	Horizontal	Pass
3	2355.333	55.06	74.0	18.94	Peak	359.00	100	Horizontal	Pass
3**	2355.333	44.10	54.0	9.90	AV	359.00	100	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.18	74.0	18.82	Peak	125.00	200	Horizontal	Pass
1**	2483.500	44.31	54.0	9.69	AV	125.00	200	Horizontal	Pass
2	2498.600	56.23	74.0	17.77	Peak	264.00	100	Horizontal	Pass
2**	2498.600	44.08	54.0	9.92	AV	264.00	100	Horizontal	Pass
3	2483.700	55.31	74.0	18.69	Peak	223.00	100	Horizontal	Pass
3**	2483.700	44.53	54.0	9.47	AV	223.00	100	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2364.167	56.05	74.0	17.95	Peak	263.00	200	Horizontal	Pass
1**	2364.167	43.86	54.0	10.14	AV	263.00	200	Horizontal	Pass
2	2390.000	54.06	74.0	19.94	Peak	188.00	100	Horizontal	Pass
2**	2390.000	43.81	54.0	10.19	AV	188.00	100	Horizontal	Pass
3	2365.833	54.76	74.0	19.24	Peak	5.00	100	Horizontal	Pass
3**	2365.833	44.04	54.0	9.96	AV	5.00	100	Horizontal	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.44	74.0	19.56	Peak	161.00	100	Horizontal	Pass
1**	2483.500	44.39	54.0	9.61	AV	161.00	100	Horizontal	Pass
2	2484.300	56.12	74.0	17.88	Peak	106.00	100	Horizontal	Pass
2**	2484.300	44.28	54.0	9.72	AV	106.00	100	Horizontal	Pass

802.11n40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	66.33	74.0	7.67	Peak	122.00	200	Horizontal	Pass
1**	2389.500	49.37	54.0	4.63	AV	122.00	200	Horizontal	Pass
2	2390.000	65.63	74.0	8.37	Peak	114.00	200	Horizontal	Pass
2**	2390.000	49.35	54.0	4.65	AV	114.00	200	Horizontal	Pass
3	2389.667	65.41	74.0	8.59	Peak	128.00	100	Horizontal	Pass
3**	2389.667	50.19	54.0	3.81	AV	128.00	100	Horizontal	Pass

802.11n40 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.10	74.0	14.90	Peak	30.00	100	Horizontal	Pass
1**	2483.500	48.90	54.0	5.10	AV	30.00	100	Horizontal	Pass
2	2491.250	60.67	74.0	13.33	Peak	30.00	200	Horizontal	Pass
2**	2491.250	46.11	54.0	7.89	AV	30.00	200	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.79	8	Pass
Middle	-5.361	8	Pass
High	-6.838	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.153	8	Pass
Middle	-9.674	8	Pass
High	-10.134	8	Pass

802.11n-20 MHz Mode:


Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.962	8	Pass
Middle	-9.598	8	Pass
High	-10.706	8	Pass

802.11n-40 MHz Mode:


Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-14.692	8	Pass
Middle	-15.669	8	Pass
High	-14.781	8	Pass

Test Plots


802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060520-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060520-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060520-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--