



802.11ax(HEW20)_HCH_5825MHz_RU26_Right_Ant12_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU26_Right_Ant10_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


802.11ax(HEW20)_HCH_5825MHz_RU26_Right_MIMO_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU52_Right_Ant12_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU52_Right_Ant10_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU52_Right_MIMO_NTNV



802.11ax(HEW20)_HCH_5825MHz_RU106_Right_Ant12_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU106_Right_Ant10_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


802.11ax(HEW20)_HCH_5825MHz_RU106_Right_MIMO_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU242_Left_Ant12_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU242_Left_Ant10_NTNV




802.11ax(HEW20)_HCH_5825MHz_RU242_Left_MIMO_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU26_Left_Ant12_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU26_Left_Ant10_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU26_Left_MIMO_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU52_Left_Ant12_NTNV



802.11ax(HEW20)_HCH_5720MHz_RU52_Left_Ant10_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU52_Left_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


802.11ax(HEW20)_HCH_5720MHz_RU106_Left_Ant12_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU106_Left_Ant10_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU106_Left_MIMO_NTNV



802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant12_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant10_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW20)_HCH_5720MHz_RU242_Left_MIMO_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU242_Left_Ant12_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW40)_LCH_5755MHz_RU242_Left_Ant10_NTNV



802.11ax(HEW40)_LCH_5755MHz_RU242_Left_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant12_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant10_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


802.11ax(HEW40)_LCH_5755MHz_RU484_Left_MIMO_NTNV




802.11ax(HEW40)_HCH_5795MHz_RU242_Right_Ant12_NTNV



802.11ax(HEW40)_HCH_5795MHz_RU242_Right_Ant10_NTNV




802.11ax(HEW40)_HCH_5795MHz_RU242_Right_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant12_NTNV



802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant10_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW40)_HCH_5795MHz_RU484_Left_MIMO_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU242_Left_Ant12_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU242_Left_Ant10_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU242_Left_MIMO_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant12_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant10_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU484_Left_MIMO_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU484_Right_Ant12_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU484_Right_Ant10_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU484_Right_MIMO_NTNV



802.11ax(HEW80)_HCH_5690MHz_RU484_Right_Ant12_NTNV




802.11ax(HEW80)_HCH_5690MHz_RU484_Right_Ant10_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


802.11ax(HEW80)_HCH_5690MHz_RU484_Right_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant12_NTNV




802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant10_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_MIMO_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

5. Frequency Stability

5.1 Test Result

5.1.1 Ant12

Ant12									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	3.6	5179.940	5150 to 5250	Pass
						3.91	5180.000	5150 to 5250	Pass
						4.5	5179.920	5150 to 5250	Pass
					-30	3.91	5180.020	5150 to 5250	Pass
					-20	3.91	5180.080	5150 to 5250	Pass
					-10	3.91	5179.980	5150 to 5250	Pass
					0	3.91	5179.980	5150 to 5250	Pass
					10	3.91	5180.000	5150 to 5250	Pass
					30	3.91	5180.020	5150 to 5250	Pass
					40	3.91	5180.000	5150 to 5250	Pass
					50	3.91	5179.980	5150 to 5250	Pass
		5200	/	/	20	3.6	5200.040	5150 to 5250	Pass
						3.91	5199.960	5150 to 5250	Pass
						4.5	5199.980	5150 to 5250	Pass
					-30	3.91	5199.920	5150 to 5250	Pass
					-20	3.91	5200.000	5150 to 5250	Pass
					-10	3.91	5199.980	5150 to 5250	Pass
					0	3.91	5199.980	5150 to 5250	Pass
					10	3.91	5200.000	5150 to 5250	Pass
					30	3.91	5199.940	5150 to 5250	Pass
					40	3.91	5199.980	5150 to 5250	Pass
					50	3.91	5199.940	5150 to 5250	Pass
		5240	/	/	20	3.6	5239.980	5150 to 5250	Pass
						3.91	5240.000	5150 to 5250	Pass
						4.5	5239.960	5150 to 5250	Pass
					-30	3.91	5240.000	5150 to 5250	Pass
					-20	3.91	5239.980	5150 to 5250	Pass
					-10	3.91	5240.040	5150 to 5250	Pass
					0	3.91	5239.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 633 of 663

					10	3.91	5239.980	5150 to 5250	Pass
					30	3.91	5239.960	5150 to 5250	Pass
					40	3.91	5239.960	5150 to 5250	Pass
					50	3.91	5240.000	5150 to 5250	Pass
		5260	/	/	20	3.6	5259.980	5250 to 5350	Pass
						3.91	5259.980	5250 to 5350	Pass
						4.5	5259.900	5250 to 5350	Pass
					-30	3.91	5259.980	5250 to 5350	Pass
					-20	3.91	5260.020	5250 to 5350	Pass
					-10	3.91	5259.960	5250 to 5350	Pass
					0	3.91	5259.980	5250 to 5350	Pass
					10	3.91	5260.000	5250 to 5350	Pass
					30	3.91	5259.960	5250 to 5350	Pass
					40	3.91	5259.940	5250 to 5350	Pass
					50	3.91	5259.940	5250 to 5350	Pass
		5300	/	/	20	3.6	5299.980	5250 to 5350	Pass
						3.91	5300.000	5250 to 5350	Pass
						4.5	5300.000	5250 to 5350	Pass
					-30	3.91	5299.940	5250 to 5350	Pass
					-20	3.91	5300.000	5250 to 5350	Pass
					-10	3.91	5299.980	5250 to 5350	Pass
					0	3.91	5300.000	5250 to 5350	Pass
					10	3.91	5300.020	5250 to 5350	Pass
					30	3.91	5300.000	5250 to 5350	Pass
					40	3.91	5299.920	5250 to 5350	Pass
					50	3.91	5299.960	5250 to 5350	Pass
		5320	/	/	20	3.6	5319.980	5250 to 5350	Pass
						3.91	5320.020	5250 to 5350	Pass
						4.5	5319.940	5250 to 5350	Pass
					-30	3.91	5320.020	5250 to 5350	Pass
					-20	3.91	5320.000	5250 to 5350	Pass
					-10	3.91	5319.980	5250 to 5350	Pass
					0	3.91	5320.000	5250 to 5350	Pass
					10	3.91	5319.960	5250 to 5350	Pass
					30	3.91	5319.920	5250 to 5350	Pass
					40	3.91	5319.960	5250 to 5350	Pass
					50	3.91	5319.980	5250 to 5350	Pass
		5500	/	/	20	3.6	5499.960	5470 to 5725	Pass
						3.91	5499.960	5470 to 5725	Pass
						4.5	5500.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 634 of 663

					-30	3.91	5500.000	5470 to 5725	Pass
					-20	3.91	5499.940	5470 to 5725	Pass
					-10	3.91	5499.960	5470 to 5725	Pass
					0	3.91	5500.020	5470 to 5725	Pass
					10	3.91	5500.020	5470 to 5725	Pass
					30	3.91	5500.020	5470 to 5725	Pass
					40	3.91	5499.980	5470 to 5725	Pass
					50	3.91	5500.000	5470 to 5725	Pass
		5580	/	/	20	3.6	5579.980	5470 to 5725	Pass
						3.91	5580.040	5470 to 5725	Pass
						4.5	5579.980	5470 to 5725	Pass
					-30	3.91	5579.960	5470 to 5725	Pass
					-20	3.91	5579.920	5470 to 5725	Pass
					-10	3.91	5579.980	5470 to 5725	Pass
					0	3.91	5579.980	5470 to 5725	Pass
					10	3.91	5579.860	5470 to 5725	Pass
					30	3.91	5579.980	5470 to 5725	Pass
					40	3.91	5579.940	5470 to 5725	Pass
					50	3.91	5579.980	5470 to 5725	Pass
		5700	/	/	20	3.6	5699.980	5470 to 5725	Pass
						3.91	5699.960	5470 to 5725	Pass
						4.5	5699.980	5470 to 5725	Pass
					-30	3.91	5700.020	5470 to 5725	Pass
					-20	3.91	5699.920	5470 to 5725	Pass
					-10	3.91	5699.920	5470 to 5725	Pass
					0	3.91	5699.980	5470 to 5725	Pass
					10	3.91	5699.980	5470 to 5725	Pass
					30	3.91	5700.040	5470 to 5725	Pass
					40	3.91	5700.000	5470 to 5725	Pass
					50	3.91	5699.980	5470 to 5725	Pass
		5745	/	/	20	3.6	5745.020	5725 to 5850	Pass
						3.91	5745.020	5725 to 5850	Pass
						4.5	5745.000	5725 to 5850	Pass
					-30	3.91	5744.980	5725 to 5850	Pass
					-20	3.91	5744.980	5725 to 5850	Pass
					-10	3.91	5744.960	5725 to 5850	Pass
					0	3.91	5745.000	5725 to 5850	Pass
					10	3.91	5744.980	5725 to 5850	Pass
					30	3.91	5744.920	5725 to 5850	Pass
					40	3.91	5745.000	5725 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 635 of 663

		5785	/	/	50	3.91	5744.960	5725 to 5850	Pass
					20	3.6	5784.940	5725 to 5850	Pass
						3.91	5784.980	5725 to 5850	Pass
						4.5	5785.000	5725 to 5850	Pass
					-30	3.91	5785.040	5725 to 5850	Pass
					-20	3.91	5784.940	5725 to 5850	Pass
					-10	3.91	5784.960	5725 to 5850	Pass
					0	3.91	5784.980	5725 to 5850	Pass
					10	3.91	5784.940	5725 to 5850	Pass
					30	3.91	5784.980	5725 to 5850	Pass
					40	3.91	5784.940	5725 to 5850	Pass
					50	3.91	5785.020	5725 to 5850	Pass
		5825	/	/	20	3.6	5825.040	5725 to 5850	Pass
						3.91	5824.980	5725 to 5850	Pass
						4.5	5824.940	5725 to 5850	Pass
					-30	3.91	5824.980	5725 to 5850	Pass
					-20	3.91	5824.960	5725 to 5850	Pass
					-10	3.91	5824.940	5725 to 5850	Pass
					0	3.91	5824.960	5725 to 5850	Pass
					10	3.91	5825.000	5725 to 5850	Pass
					30	3.91	5824.980	5725 to 5850	Pass
					40	3.91	5824.980	5725 to 5850	Pass
					50	3.91	5824.980	5725 to 5850	Pass
		5720	/	/	20	3.6	5719.980	5470 to 5850	Pass
						3.91	5720.000	5470 to 5850	Pass
						4.5	5719.980	5470 to 5850	Pass
					-30	3.91	5719.960	5470 to 5850	Pass
					-20	3.91	5719.960	5470 to 5850	Pass
					-10	3.91	5719.980	5470 to 5850	Pass
					0	3.91	5719.980	5470 to 5850	Pass
					10	3.91	5720.000	5470 to 5850	Pass
					30	3.91	5719.980	5470 to 5850	Pass
					40	3.91	5720.000	5470 to 5850	Pass
					50	3.91	5720.040	5470 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	3.6	5179.940	5150 to 5250	Pass
						3.91	5180.000	5150 to 5250	Pass
						4.5	5179.960	5150 to 5250	Pass
					-30	3.91	5180.000	5150 to 5250	Pass
					-20	3.91	5180.000	5150 to 5250	Pass
					-10	3.91	5179.940	5150 to 5250	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 636 of 663

					0	3.91	5179.980	5150 to 5250	Pass
					10	3.91	5179.980	5150 to 5250	Pass
					30	3.91	5179.980	5150 to 5250	Pass
					40	3.91	5179.960	5150 to 5250	Pass
					50	3.91	5179.920	5150 to 5250	Pass
		5200	/	/	20	3.6	5200.000	5150 to 5250	Pass
						3.91	5200.020	5150 to 5250	Pass
						4.5	5200.040	5150 to 5250	Pass
					-30	3.91	5200.060	5150 to 5250	Pass
					-20	3.91	5200.020	5150 to 5250	Pass
					-10	3.91	5199.980	5150 to 5250	Pass
					0	3.91	5200.020	5150 to 5250	Pass
					10	3.91	5200.000	5150 to 5250	Pass
					30	3.91	5200.000	5150 to 5250	Pass
					40	3.91	5200.000	5150 to 5250	Pass
					50	3.91	5200.020	5150 to 5250	Pass
		5240	/	/	20	3.6	5240.040	5150 to 5250	Pass
						3.91	5239.920	5150 to 5250	Pass
						4.5	5240.020	5150 to 5250	Pass
					-30	3.91	5240.000	5150 to 5250	Pass
					-20	3.91	5239.940	5150 to 5250	Pass
					-10	3.91	5240.020	5150 to 5250	Pass
					0	3.91	5240.000	5150 to 5250	Pass
					10	3.91	5240.080	5150 to 5250	Pass
					30	3.91	5240.020	5150 to 5250	Pass
					40	3.91	5244.220	5150 to 5250	Pass
					50	3.91	5239.960	5150 to 5250	Pass
		5260	/	/	20	3.6	5260.060	5250 to 5350	Pass
						3.91	5260.000	5250 to 5350	Pass
						4.5	5259.980	5250 to 5350	Pass
					-30	3.91	5260.080	5250 to 5350	Pass
					-20	3.91	5259.980	5250 to 5350	Pass
					-10	3.91	5260.000	5250 to 5350	Pass
					0	3.91	5260.060	5250 to 5350	Pass
					10	3.91	5259.980	5250 to 5350	Pass
					30	3.91	5260.000	5250 to 5350	Pass
					40	3.91	5260.000	5250 to 5350	Pass
					50	3.91	5260.000	5250 to 5350	Pass
		5300	/	/	20	3.6	5299.940	5250 to 5350	Pass
						3.91	5300.020	5250 to 5350	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 637 of 663

						4.5	5304.380	5250 to 5350	Pass
					-30	3.91	5299.960	5250 to 5350	Pass
					-20	3.91	5299.900	5250 to 5350	Pass
					-10	3.91	5300.000	5250 to 5350	Pass
					0	3.91	5299.960	5250 to 5350	Pass
					10	3.91	5300.020	5250 to 5350	Pass
					30	3.91	5299.980	5250 to 5350	Pass
					40	3.91	5299.980	5250 to 5350	Pass
					50	3.91	5299.920	5250 to 5350	Pass
		5320	/	/	20	3.6	5319.960	5250 to 5350	Pass
						3.91	5319.960	5250 to 5350	Pass
						4.5	5319.960	5250 to 5350	Pass
					-30	3.91	5319.980	5250 to 5350	Pass
					-20	3.91	5320.020	5250 to 5350	Pass
					-10	3.91	5319.980	5250 to 5350	Pass
					0	3.91	5320.020	5250 to 5350	Pass
					10	3.91	5320.060	5250 to 5350	Pass
					30	3.91	5319.980	5250 to 5350	Pass
					40	3.91	5319.980	5250 to 5350	Pass
					50	3.91	5320.000	5250 to 5350	Pass
		5500	/	/	20	3.6	5499.980	5470 to 5725	Pass
						3.91	5499.960	5470 to 5725	Pass
						4.5	5499.980	5470 to 5725	Pass
					-30	3.91	5499.940	5470 to 5725	Pass
					-20	3.91	5500.020	5470 to 5725	Pass
					-10	3.91	5500.020	5470 to 5725	Pass
					0	3.91	5500.000	5470 to 5725	Pass
					10	3.91	5499.960	5470 to 5725	Pass
					30	3.91	5500.000	5470 to 5725	Pass
					40	3.91	5500.000	5470 to 5725	Pass
					50	3.91	5499.980	5470 to 5725	Pass
		5580	/	/	20	3.6	5579.980	5470 to 5725	Pass
						3.91	5579.960	5470 to 5725	Pass
						4.5	5579.980	5470 to 5725	Pass
					-30	3.91	5579.900	5470 to 5725	Pass
					-20	3.91	5579.960	5470 to 5725	Pass
					-10	3.91	5579.940	5470 to 5725	Pass
					0	3.91	5579.980	5470 to 5725	Pass
					10	3.91	5579.980	5470 to 5725	Pass
					30	3.91	5579.940	5470 to 5725	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 638 of 663

		5700	/	/	40	3.91	5579.920	5470 to 5725	Pass
					50	3.91	5579.940	5470 to 5725	Pass
					20	3.6	5699.980	5470 to 5725	Pass
						3.91	5699.960	5470 to 5725	Pass
						4.5	5700.040	5470 to 5725	Pass
					-30	3.91	5700.000	5470 to 5725	Pass
					-20	3.91	5699.980	5470 to 5725	Pass
					-10	3.91	5700.000	5470 to 5725	Pass
					0	3.91	5699.960	5470 to 5725	Pass
					10	3.91	5700.000	5470 to 5725	Pass
					30	3.91	5700.000	5470 to 5725	Pass
					40	3.91	5699.920	5470 to 5725	Pass
					50	3.91	5699.900	5470 to 5725	Pass
		5745	/	/	20	3.6	5745.020	5725 to 5850	Pass
						3.91	5744.980	5725 to 5850	Pass
						4.5	5745.000	5725 to 5850	Pass
					-30	3.91	5744.980	5725 to 5850	Pass
					-20	3.91	5745.020	5725 to 5850	Pass
					-10	3.91	5745.000	5725 to 5850	Pass
					0	3.91	5745.020	5725 to 5850	Pass
					10	3.91	5744.980	5725 to 5850	Pass
					30	3.91	5745.000	5725 to 5850	Pass
					40	3.91	5745.000	5725 to 5850	Pass
					50	3.91	5744.980	5725 to 5850	Pass
		5785	/	/	20	3.6	5785.000	5725 to 5850	Pass
						3.91	5784.940	5725 to 5850	Pass
						4.5	5784.980	5725 to 5850	Pass
					-30	3.91	5785.000	5725 to 5850	Pass
					-20	3.91	5784.980	5725 to 5850	Pass
					-10	3.91	5785.000	5725 to 5850	Pass
					0	3.91	5785.020	5725 to 5850	Pass
					10	3.91	5784.960	5725 to 5850	Pass
					30	3.91	5784.960	5725 to 5850	Pass
					40	3.91	5784.960	5725 to 5850	Pass
					50	3.91	5784.940	5725 to 5850	Pass
		5825	/	/	20	3.6	5825.080	5725 to 5850	Pass
						3.91	5825.020	5725 to 5850	Pass
						4.5	5825.060	5725 to 5850	Pass
					-30	3.91	5824.980	5725 to 5850	Pass
					-20	3.91	5824.980	5725 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 639 of 663

					-10	3.91	5825.000	5725 to 5850	Pass
					0	3.91	5824.980	5725 to 5850	Pass
					10	3.91	5825.000	5725 to 5850	Pass
					30	3.91	5825.000	5725 to 5850	Pass
					40	3.91	5824.980	5725 to 5850	Pass
					50	3.91	5825.020	5725 to 5850	Pass
		5720	/	/	20	3.6	5719.980	5470 to 5850	Pass
						3.91	5720.000	5470 to 5850	Pass
						4.5	5720.000	5470 to 5850	Pass
					-30	3.91	5720.000	5470 to 5850	Pass
					-20	3.91	5719.980	5470 to 5850	Pass
					-10	3.91	5719.980	5470 to 5850	Pass
					0	3.91	5719.960	5470 to 5850	Pass
					10	3.91	5719.940	5470 to 5850	Pass
					30	3.91	5719.960	5470 to 5850	Pass
					40	3.91	5720.000	5470 to 5850	Pass
					50	3.91	5719.960	5470 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	3.6	5190.000	5150 to 5250	Pass
						3.91	5189.960	5150 to 5250	Pass
						4.5	5190.040	5150 to 5250	Pass
					-30	3.91	5189.960	5150 to 5250	Pass
					-20	3.91	5190.000	5150 to 5250	Pass
					-10	3.91	5189.920	5150 to 5250	Pass
					0	3.91	5189.960	5150 to 5250	Pass
					10	3.91	5189.960	5150 to 5250	Pass
					30	3.91	5200.000	5150 to 5250	Pass
					40	3.91	5190.000	5150 to 5250	Pass
					50	3.91	5189.960	5150 to 5250	Pass
		5230	/	/	20	3.6	5230.040	5150 to 5250	Pass
						3.91	5230.000	5150 to 5250	Pass
						4.5	5229.960	5150 to 5250	Pass
					-30	3.91	5229.960	5150 to 5250	Pass
					-20	3.91	5230.000	5150 to 5250	Pass
					-10	3.91	5230.000	5150 to 5250	Pass
					0	3.91	5230.080	5150 to 5250	Pass
					10	3.91	5229.920	5150 to 5250	Pass
					30	3.91	5230.000	5150 to 5250	Pass
					40	3.91	5229.920	5150 to 5250	Pass
					50	3.91	5230.000	5150 to 5250	Pass
		5270	/	/	20	3.6	5270.040	5250 to 5350	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 640 of 663

						3.91	5270.000	5250 to 5350	Pass
						4.5	5270.000	5250 to 5350	Pass
					-30	3.91	5269.920	5250 to 5350	Pass
					-20	3.91	5270.000	5250 to 5350	Pass
					-10	3.91	5270.040	5250 to 5350	Pass
					0	3.91	5269.960	5250 to 5350	Pass
					10	3.91	5269.960	5250 to 5350	Pass
					30	3.91	5270.000	5250 to 5350	Pass
					40	3.91	5269.960	5250 to 5350	Pass
					50	3.91	5270.000	5250 to 5350	Pass
		5310	/	/	20	3.6	5310.000	5250 to 5350	Pass
						3.91	5310.000	5250 to 5350	Pass
						4.5	5310.040	5250 to 5350	Pass
					-30	3.91	5310.000	5250 to 5350	Pass
					-20	3.91	5309.920	5250 to 5350	Pass
					-10	3.91	5310.000	5250 to 5350	Pass
					0	3.91	5310.000	5250 to 5350	Pass
					10	3.91	5310.000	5250 to 5350	Pass
					30	3.91	5310.000	5250 to 5350	Pass
					40	3.91	5309.920	5250 to 5350	Pass
					50	3.91	5310.000	5250 to 5350	Pass
		5510	/	/	20	3.6	5509.960	5470 to 5725	Pass
						3.91	5509.960	5470 to 5725	Pass
						4.5	5509.960	5470 to 5725	Pass
					-30	3.91	5509.960	5470 to 5725	Pass
					-20	3.91	5509.960	5470 to 5725	Pass
					-10	3.91	5510.000	5470 to 5725	Pass
					0	3.91	5509.960	5470 to 5725	Pass
					10	3.91	5510.000	5470 to 5725	Pass
					30	3.91	5509.960	5470 to 5725	Pass
					40	3.91	5510.000	5470 to 5725	Pass
					50	3.91	5509.960	5470 to 5725	Pass
		5550	/	/	20	3.6	5550.040	5470 to 5725	Pass
						3.91	5549.960	5470 to 5725	Pass
						4.5	5549.960	5470 to 5725	Pass
					-30	3.91	5550.000	5470 to 5725	Pass
					-20	3.91	5550.000	5470 to 5725	Pass
					-10	3.91	5550.000	5470 to 5725	Pass
					0	3.91	5550.000	5470 to 5725	Pass
					10	3.91	5550.000	5470 to 5725	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 641 of 663

		5670	/	/	30	3.91	5550.000	5470 to 5725	Pass
					40	3.91	5549.960	5470 to 5725	Pass
					50	3.91	5550.000	5470 to 5725	Pass
					20	3.6	5669.960	5470 to 5725	Pass
						3.91	5670.080	5470 to 5725	Pass
						4.5	5670.000	5470 to 5725	Pass
					-30	3.91	5669.960	5470 to 5725	Pass
					-20	3.91	5670.000	5470 to 5725	Pass
					-10	3.91	5669.960	5470 to 5725	Pass
					0	3.91	5669.960	5470 to 5725	Pass
					10	3.91	5670.000	5470 to 5725	Pass
					30	3.91	5670.000	5470 to 5725	Pass
					40	3.91	5670.000	5470 to 5725	Pass
					50	3.91	5670.000	5470 to 5725	Pass
		5755	/	/	20	3.6	5755.040	5725 to 5850	Pass
						3.91	5754.960	5725 to 5850	Pass
						4.5	5754.960	5725 to 5850	Pass
					-30	3.91	5755.000	5725 to 5850	Pass
					-20	3.91	5754.920	5725 to 5850	Pass
					-10	3.91	5754.960	5725 to 5850	Pass
					0	3.91	5755.000	5725 to 5850	Pass
					10	3.91	5755.000	5725 to 5850	Pass
					30	3.91	5754.920	5725 to 5850	Pass
					40	3.91	5765.000	5725 to 5850	Pass
					50	3.91	5754.960	5725 to 5850	Pass
		5795	/	/	20	3.6	5794.960	5725 to 5850	Pass
						3.91	5794.920	5725 to 5850	Pass
						4.5	5794.960	5725 to 5850	Pass
					-30	3.91	5794.960	5725 to 5850	Pass
					-20	3.91	5795.000	5725 to 5850	Pass
					-10	3.91	5795.000	5725 to 5850	Pass
					0	3.91	5794.960	5725 to 5850	Pass
					10	3.91	5795.000	5725 to 5850	Pass
					30	3.91	5795.000	5725 to 5850	Pass
					40	3.91	5795.000	5725 to 5850	Pass
					50	3.91	5795.000	5725 to 5850	Pass
		5710	/	/	20	3.6	5709.920	5470 to 5850	Pass
						3.91	5709.880	5470 to 5850	Pass
						4.5	5710.000	5470 to 5850	Pass
					-30	3.91	5710.000	5470 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 642 of 663

					-20	3.91	5710.000	5470 to 5850	Pass
					-10	3.91	5709.960	5470 to 5850	Pass
					0	3.91	5709.920	5470 to 5850	Pass
					10	3.91	5710.040	5470 to 5850	Pass
					30	3.91	5710.040	5470 to 5850	Pass
					40	3.91	5710.000	5470 to 5850	Pass
					50	3.91	5709.960	5470 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	3.6	5180.020	5150 to 5250	Pass
						3.91	5179.960	5150 to 5250	Pass
						4.5	5180.000	5150 to 5250	Pass
					-30	3.91	5180.020	5150 to 5250	Pass
					-20	3.91	5180.060	5150 to 5250	Pass
					-10	3.91	5180.020	5150 to 5250	Pass
					0	3.91	5180.000	5150 to 5250	Pass
					10	3.91	5180.000	5150 to 5250	Pass
					30	3.91	5180.000	5150 to 5250	Pass
					40	3.91	5180.020	5150 to 5250	Pass
					50	3.91	5180.080	5150 to 5250	Pass
		5200	/	/	20	3.6	5200.060	5150 to 5250	Pass
						3.91	5199.960	5150 to 5250	Pass
						4.5	5199.940	5150 to 5250	Pass
					-30	3.91	5200.000	5150 to 5250	Pass
					-20	3.91	5200.060	5150 to 5250	Pass
					-10	3.91	5199.980	5150 to 5250	Pass
					0	3.91	5200.000	5150 to 5250	Pass
					10	3.91	5200.060	5150 to 5250	Pass
					30	3.91	5200.000	5150 to 5250	Pass
					40	3.91	5200.040	5150 to 5250	Pass
					50	3.91	5199.960	5150 to 5250	Pass
		5240	/	/	20	3.6	5240.040	5150 to 5250	Pass
						3.91	5240.000	5150 to 5250	Pass
						4.5	5239.980	5150 to 5250	Pass
					-30	3.91	5239.980	5150 to 5250	Pass
					-20	3.91	5239.980	5150 to 5250	Pass
					-10	3.91	5239.980	5150 to 5250	Pass
					0	3.91	5240.000	5150 to 5250	Pass
					10	3.91	5240.000	5150 to 5250	Pass
					30	3.91	5239.980	5150 to 5250	Pass
					40	3.91	5239.980	5150 to 5250	Pass
					50	3.91	5244.180	5150 to 5250	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 643 of 663

		5260	/	/	20	3.6	5259.980	5250 to 5350	Pass
						3.91	5259.980	5250 to 5350	Pass
						4.5	5260.020	5250 to 5350	Pass
					-30	3.91	5259.980	5250 to 5350	Pass
					-20	3.91	5260.000	5250 to 5350	Pass
					-10	3.91	5259.960	5250 to 5350	Pass
					0	3.91	5259.960	5250 to 5350	Pass
					10	3.91	5259.960	5250 to 5350	Pass
					30	3.91	5260.040	5250 to 5350	Pass
					40	3.91	5259.980	5250 to 5350	Pass
					50	3.91	5260.000	5250 to 5350	Pass
		5300	/	/	20	3.6	5300.000	5250 to 5350	Pass
						3.91	5299.940	5250 to 5350	Pass
						4.5	5300.040	5250 to 5350	Pass
					-30	3.91	5299.940	5250 to 5350	Pass
					-20	3.91	5299.980	5250 to 5350	Pass
					-10	3.91	5299.980	5250 to 5350	Pass
					0	3.91	5299.980	5250 to 5350	Pass
					10	3.91	5300.000	5250 to 5350	Pass
					30	3.91	5299.980	5250 to 5350	Pass
					40	3.91	5299.980	5250 to 5350	Pass
					50	3.91	5300.000	5250 to 5350	Pass
		5320	/	/	20	3.6	5320.040	5250 to 5350	Pass
						3.91	5320.000	5250 to 5350	Pass
						4.5	5320.060	5250 to 5350	Pass
					-30	3.91	5319.980	5250 to 5350	Pass
					-20	3.91	5320.000	5250 to 5350	Pass
					-10	3.91	5319.960	5250 to 5350	Pass
					0	3.91	5320.020	5250 to 5350	Pass
					10	3.91	5320.000	5250 to 5350	Pass
					30	3.91	5320.000	5250 to 5350	Pass
					40	3.91	5319.980	5250 to 5350	Pass
					50	3.91	5319.980	5250 to 5350	Pass
		5500	/	/	20	3.6	5499.960	5470 to 5725	Pass
						3.91	5499.960	5470 to 5725	Pass
						4.5	5499.980	5470 to 5725	Pass
					-30	3.91	5499.960	5470 to 5725	Pass
					-20	3.91	5499.960	5470 to 5725	Pass
					-10	3.91	5499.980	5470 to 5725	Pass
					0	3.91	5499.960	5470 to 5725	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 644 of 663

					10	3.91	5499.980	5470 to 5725	Pass
					30	3.91	5499.980	5470 to 5725	Pass
					40	3.91	5499.980	5470 to 5725	Pass
					50	3.91	5499.980	5470 to 5725	Pass
		5580	/	/	20	3.6	5579.980	5470 to 5725	Pass
						3.91	5580.000	5470 to 5725	Pass
						4.5	5580.000	5470 to 5725	Pass
					-30	3.91	5579.980	5470 to 5725	Pass
					-20	3.91	5580.000	5470 to 5725	Pass
					-10	3.91	5579.980	5470 to 5725	Pass
					0	3.91	5580.020	5470 to 5725	Pass
					10	3.91	5580.040	5470 to 5725	Pass
					30	3.91	5579.980	5470 to 5725	Pass
					40	3.91	5580.020	5470 to 5725	Pass
					50	3.91	5580.000	5470 to 5725	Pass
		5700	/	/	20	3.6	5699.900	5470 to 5725	Pass
						3.91	5700.040	5470 to 5725	Pass
						4.5	5699.980	5470 to 5725	Pass
					-30	3.91	5700.000	5470 to 5725	Pass
					-20	3.91	5699.980	5470 to 5725	Pass
					-10	3.91	5700.000	5470 to 5725	Pass
					0	3.91	5700.020	5470 to 5725	Pass
					10	3.91	5699.980	5470 to 5725	Pass
					30	3.91	5700.000	5470 to 5725	Pass
					40	3.91	5700.020	5470 to 5725	Pass
					50	3.91	5699.980	5470 to 5725	Pass
		5745	/	/	20	3.6	5744.980	5725 to 5850	Pass
						3.91	5745.000	5725 to 5850	Pass
						4.5	5744.980	5725 to 5850	Pass
					-30	3.91	5745.020	5725 to 5850	Pass
					-20	3.91	5745.000	5725 to 5850	Pass
					-10	3.91	5744.980	5725 to 5850	Pass
					0	3.91	5744.960	5725 to 5850	Pass
					10	3.91	5744.940	5725 to 5850	Pass
					30	3.91	5744.980	5725 to 5850	Pass
					40	3.91	5744.960	5725 to 5850	Pass
					50	3.91	5745.000	5725 to 5850	Pass
		5785	/	/	20	3.6	5784.980	5725 to 5850	Pass
						3.91	5784.980	5725 to 5850	Pass
						4.5	5784.940	5725 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 645 of 663

					-30	3.91	5784.980	5725 to 5850	Pass
					-20	3.91	5784.980	5725 to 5850	Pass
					-10	3.91	5785.000	5725 to 5850	Pass
					0	3.91	5784.940	5725 to 5850	Pass
					10	3.91	5785.000	5725 to 5850	Pass
					30	3.91	5784.960	5725 to 5850	Pass
					40	3.91	5784.960	5725 to 5850	Pass
					50	3.91	5784.960	5725 to 5850	Pass
		5825	/	/	20	3.6	5824.960	5725 to 5850	Pass
						3.91	5824.980	5725 to 5850	Pass
						4.5	5825.000	5725 to 5850	Pass
					-30	3.91	5824.920	5725 to 5850	Pass
					-20	3.91	5824.980	5725 to 5850	Pass
					-10	3.91	5824.980	5725 to 5850	Pass
					0	3.91	5824.980	5725 to 5850	Pass
					10	3.91	5825.020	5725 to 5850	Pass
					30	3.91	5825.000	5725 to 5850	Pass
					40	3.91	5824.980	5725 to 5850	Pass
					50	3.91	5824.980	5725 to 5850	Pass
		5720	/	/	20	3.6	5719.980	5470 to 5850	Pass
						3.91	5720.020	5470 to 5850	Pass
						4.5	5719.960	5470 to 5850	Pass
					-30	3.91	5720.020	5470 to 5850	Pass
					-20	3.91	5719.980	5470 to 5850	Pass
					-10	3.91	5719.960	5470 to 5850	Pass
					0	3.91	5720.000	5470 to 5850	Pass
					10	3.91	5719.960	5470 to 5850	Pass
					30	3.91	5719.980	5470 to 5850	Pass
					40	3.91	5719.980	5470 to 5850	Pass
					50	3.91	5719.960	5470 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	3.6	5190.000	5150 to 5250	Pass
						3.91	5190.000	5150 to 5250	Pass
						4.5	5193.160	5150 to 5250	Pass
					-30	3.91	5190.000	5150 to 5250	Pass
					-20	3.91	5189.960	5150 to 5250	Pass
					-10	3.91	5190.040	5150 to 5250	Pass
					0	3.91	5189.960	5150 to 5250	Pass
					10	3.91	5190.000	5150 to 5250	Pass
					30	3.91	5190.000	5150 to 5250	Pass
					40	3.91	5189.960	5150 to 5250	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 646 of 663

				50	3.91	5190.000	5150 to 5250	Pass
				20	3.6	5229.960	5150 to 5250	Pass
					3.91	5229.960	5150 to 5250	Pass
					4.5	5229.960	5150 to 5250	Pass
				-30	3.91	5229.880	5150 to 5250	Pass
				-20	3.91	5230.000	5150 to 5250	Pass
				-10	3.91	5230.040	5150 to 5250	Pass
				0	3.91	5230.000	5150 to 5250	Pass
				10	3.91	5230.040	5150 to 5250	Pass
				30	3.91	5230.000	5150 to 5250	Pass
				40	3.91	5230.000	5150 to 5250	Pass
				50	3.91	5230.000	5150 to 5250	Pass
				20	3.6	5270.000	5250 to 5350	Pass
					3.91	5269.960	5250 to 5350	Pass
					4.5	5270.000	5250 to 5350	Pass
				-30	3.91	5269.920	5250 to 5350	Pass
				-20	3.91	5270.000	5250 to 5350	Pass
				-10	3.91	5270.040	5250 to 5350	Pass
				0	3.91	5270.000	5250 to 5350	Pass
				10	3.91	5270.080	5250 to 5350	Pass
				30	3.91	5269.960	5250 to 5350	Pass
				40	3.91	5270.000	5250 to 5350	Pass
				50	3.91	5270.000	5250 to 5350	Pass
				20	3.6	5310.040	5250 to 5350	Pass
					3.91	5309.960	5250 to 5350	Pass
					4.5	5310.000	5250 to 5350	Pass
				-30	3.91	5309.960	5250 to 5350	Pass
				-20	3.91	5310.000	5250 to 5350	Pass
				-10	3.91	5310.000	5250 to 5350	Pass
				0	3.91	5310.000	5250 to 5350	Pass
				10	3.91	5309.960	5250 to 5350	Pass
				30	3.91	5309.960	5250 to 5350	Pass
				40	3.91	5309.920	5250 to 5350	Pass
				50	3.91	5310.000	5250 to 5350	Pass
				20	3.6	5509.960	5470 to 5725	Pass
					3.91	5509.920	5470 to 5725	Pass
					4.5	5509.960	5470 to 5725	Pass
				-30	3.91	5509.960	5470 to 5725	Pass
				-20	3.91	5510.000	5470 to 5725	Pass
				-10	3.91	5510.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 647 of 663

					0	3.91	5510.040	5470 to 5725	Pass
					10	3.91	5510.000	5470 to 5725	Pass
					30	3.91	5510.000	5470 to 5725	Pass
					40	3.91	5509.960	5470 to 5725	Pass
					50	3.91	5510.000	5470 to 5725	Pass
		5550	/	/	20	3.6	5550.040	5470 to 5725	Pass
						3.91	5550.000	5470 to 5725	Pass
						4.5	5549.960	5470 to 5725	Pass
					-30	3.91	5550.000	5470 to 5725	Pass
					-20	3.91	5549.960	5470 to 5725	Pass
					-10	3.91	5550.000	5470 to 5725	Pass
					0	3.91	5550.000	5470 to 5725	Pass
					10	3.91	5550.000	5470 to 5725	Pass
					30	3.91	5550.000	5470 to 5725	Pass
					40	3.91	5549.960	5470 to 5725	Pass
					50	3.91	5549.920	5470 to 5725	Pass
		5670	/	/	20	3.6	5669.920	5470 to 5725	Pass
						3.91	5670.000	5470 to 5725	Pass
						4.5	5669.960	5470 to 5725	Pass
					-30	3.91	5669.960	5470 to 5725	Pass
					-20	3.91	5670.000	5470 to 5725	Pass
					-10	3.91	5670.000	5470 to 5725	Pass
					0	3.91	5669.960	5470 to 5725	Pass
					10	3.91	5669.920	5470 to 5725	Pass
					30	3.91	5670.000	5470 to 5725	Pass
					40	3.91	5670.040	5470 to 5725	Pass
					50	3.91	5669.920	5470 to 5725	Pass
		5755	/	/	20	3.6	5755.000	5725 to 5850	Pass
						3.91	5755.000	5725 to 5850	Pass
						4.5	5755.040	5725 to 5850	Pass
					-30	3.91	5754.960	5725 to 5850	Pass
					-20	3.91	5755.000	5725 to 5850	Pass
					-10	3.91	5755.000	5725 to 5850	Pass
					0	3.91	5754.920	5725 to 5850	Pass
					10	3.91	5755.000	5725 to 5850	Pass
					30	3.91	5755.000	5725 to 5850	Pass
					40	3.91	5755.000	5725 to 5850	Pass
					50	3.91	5755.000	5725 to 5850	Pass
		5795	/	/	20	3.6	5794.920	5725 to 5850	Pass
						3.91	5795.000	5725 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 648 of 663

						4.5	5794.880	5725 to 5850	Pass
					-30	3.91	5794.960	5725 to 5850	Pass
					-20	3.91	5794.960	5725 to 5850	Pass
					-10	3.91	5795.000	5725 to 5850	Pass
					0	3.91	5795.000	5725 to 5850	Pass
					10	3.91	5795.000	5725 to 5850	Pass
					30	3.91	5795.000	5725 to 5850	Pass
					40	3.91	5795.040	5725 to 5850	Pass
					50	3.91	5794.960	5725 to 5850	Pass
		5710	/	/	20	3.6	5709.960	5470 to 5850	Pass
						3.91	5710.000	5470 to 5850	Pass
						4.5	5709.960	5470 to 5850	Pass
					-30	3.91	5710.000	5470 to 5850	Pass
					-20	3.91	5710.000	5470 to 5850	Pass
					-10	3.91	5710.000	5470 to 5850	Pass
					0	3.91	5709.960	5470 to 5850	Pass
					10	3.91	5710.000	5470 to 5850	Pass
					30	3.91	5710.000	5470 to 5850	Pass
					40	3.91	5709.960	5470 to 5850	Pass
					50	3.91	5710.000	5470 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	3.6	5209.925	5150 to 5250	Pass
						3.91	5210.000	5150 to 5250	Pass
						4.5	5209.925	5150 to 5250	Pass
					-30	3.91	5210.000	5150 to 5250	Pass
					-20	3.91	5210.000	5150 to 5250	Pass
					-10	3.91	5210.000	5150 to 5250	Pass
					0	3.91	5209.925	5150 to 5250	Pass
					10	3.91	5210.000	5150 to 5250	Pass
					30	3.91	5210.000	5150 to 5250	Pass
					40	3.91	5209.925	5150 to 5250	Pass
					50	3.91	5210.000	5150 to 5250	Pass
		5290	/	/	20	3.6	5290.000	5250 to 5350	Pass
						3.91	5289.925	5250 to 5350	Pass
						4.5	5289.925	5250 to 5350	Pass
					-30	3.91	5289.925	5250 to 5350	Pass
					-20	3.91	5290.000	5250 to 5350	Pass
					-10	3.91	5290.075	5250 to 5350	Pass
					0	3.91	5290.000	5250 to 5350	Pass
					10	3.91	5290.000	5250 to 5350	Pass
					30	3.91	5290.075	5250 to 5350	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 649 of 663

		5530	/	/	40	3.91	5290.075	5250 to 5350	Pass
					50	3.91	5290.000	5250 to 5350	Pass
					20	3.6	5530.000	5470 to 5725	Pass
						3.91	5530.000	5470 to 5725	Pass
						4.5	5530.000	5470 to 5725	Pass
					-30	3.91	5529.925	5470 to 5725	Pass
					-20	3.91	5529.925	5470 to 5725	Pass
					-10	3.91	5530.000	5470 to 5725	Pass
					0	3.91	5530.000	5470 to 5725	Pass
					10	3.91	5530.000	5470 to 5725	Pass
					30	3.91	5530.000	5470 to 5725	Pass
					40	3.91	5530.000	5470 to 5725	Pass
		5610	/	/	50	3.91	5529.925	5470 to 5725	Pass
					20	3.6	5610.000	5470 to 5725	Pass
						3.91	5610.000	5470 to 5725	Pass
						4.5	5610.000	5470 to 5725	Pass
					-30	3.91	5609.925	5470 to 5725	Pass
					-20	3.91	5610.000	5470 to 5725	Pass
					-10	3.91	5609.925	5470 to 5725	Pass
					0	3.91	5610.000	5470 to 5725	Pass
					10	3.91	5609.850	5470 to 5725	Pass
					30	3.91	5609.925	5470 to 5725	Pass
					40	3.91	5609.925	5470 to 5725	Pass
					50	3.91	5610.000	5470 to 5725	Pass
		5775	/	/	20	3.6	5775.000	5725 to 5850	Pass
						3.91	5774.925	5725 to 5850	Pass
						4.5	5774.925	5725 to 5850	Pass
					-30	3.91	5775.000	5725 to 5850	Pass
					-20	3.91	5774.925	5725 to 5850	Pass
					-10	3.91	5775.000	5725 to 5850	Pass
					0	3.91	5775.000	5725 to 5850	Pass
					10	3.91	5774.925	5725 to 5850	Pass
					30	3.91	5775.000	5725 to 5850	Pass
					40	3.91	5775.000	5725 to 5850	Pass
					50	3.91	5775.000	5725 to 5850	Pass
		5690	/	/	20	3.6	5690.000	5470 to 5850	Pass
						3.91	5690.000	5470 to 5850	Pass
						4.5	5690.000	5470 to 5850	Pass
					-30	3.91	5690.000	5470 to 5850	Pass
					-20	3.91	5690.000	5470 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 650 of 663

802.11ax (HEW20)	MIMO				-10	3.91	5690.000	5470 to 5850	Pass
					0	3.91	5689.925	5470 to 5850	Pass
					10	3.91	5689.925	5470 to 5850	Pass
					30	3.91	5690.075	5470 to 5850	Pass
					40	3.91	5689.925	5470 to 5850	Pass
					50	3.91	5690.000	5470 to 5850	Pass
		5180	RU242	Left	20	3.6	5180.020	5150 to 5250	Pass
						3.91	5180.000	5150 to 5250	Pass
						4.5	5180.000	5150 to 5250	Pass
					-30	3.91	5180.000	5150 to 5250	Pass
					-20	3.91	5180.040	5150 to 5250	Pass
					-10	3.91	5180.000	5150 to 5250	Pass
					0	3.91	5179.960	5150 to 5250	Pass
					10	3.91	5179.960	5150 to 5250	Pass
					30	3.91	5179.960	5150 to 5250	Pass
					40	3.91	5180.000	5150 to 5250	Pass
					50	3.91	5180.000	5150 to 5250	Pass
		5200	RU242	Left	20	3.6	5199.980	5150 to 5250	Pass
						3.91	5199.980	5150 to 5250	Pass
						4.5	5199.960	5150 to 5250	Pass
					-30	3.91	5200.040	5150 to 5250	Pass
					-20	3.91	5199.980	5150 to 5250	Pass
					-10	3.91	5200.000	5150 to 5250	Pass
					0	3.91	5200.000	5150 to 5250	Pass
					10	3.91	5199.980	5150 to 5250	Pass
					30	3.91	5200.000	5150 to 5250	Pass
					40	3.91	5200.040	5150 to 5250	Pass
					50	3.91	5199.960	5150 to 5250	Pass
		5240	RU242	Left	20	3.6	5240.040	5150 to 5250	Pass
						3.91	5239.980	5150 to 5250	Pass
						4.5	5239.960	5150 to 5250	Pass
					-30	3.91	5240.000	5150 to 5250	Pass
					-20	3.91	5240.000	5150 to 5250	Pass
					-10	3.91	5239.980	5150 to 5250	Pass
					0	3.91	5240.000	5150 to 5250	Pass
					10	3.91	5239.960	5150 to 5250	Pass
					30	3.91	5240.020	5150 to 5250	Pass
					40	3.91	5239.980	5150 to 5250	Pass
					50	3.91	5239.960	5150 to 5250	Pass
		5260	RU242	Left	20	3.6	5260.000	5250 to 5350	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 651 of 663

						3.91	5260.000	5250 to 5350	Pass
						4.5	5259.980	5250 to 5350	Pass
					-30	3.91	5260.040	5250 to 5350	Pass
					-20	3.91	5259.980	5250 to 5350	Pass
					-10	3.91	5260.000	5250 to 5350	Pass
					0	3.91	5260.060	5250 to 5350	Pass
					10	3.91	5260.040	5250 to 5350	Pass
					30	3.91	5259.980	5250 to 5350	Pass
					40	3.91	5259.960	5250 to 5350	Pass
					50	3.91	5260.000	5250 to 5350	Pass
		5300	RU242	Left	20	3.6	5300.000	5250 to 5350	Pass
						3.91	5300.000	5250 to 5350	Pass
						4.5	5300.000	5250 to 5350	Pass
					-30	3.91	5300.020	5250 to 5350	Pass
					-20	3.91	5300.040	5250 to 5350	Pass
					-10	3.91	5300.020	5250 to 5350	Pass
					0	3.91	5300.000	5250 to 5350	Pass
					10	3.91	5300.040	5250 to 5350	Pass
					30	3.91	5300.020	5250 to 5350	Pass
					40	3.91	5300.000	5250 to 5350	Pass
					50	3.91	5300.000	5250 to 5350	Pass
		5320	RU242	Left	20	3.6	5320.000	5250 to 5350	Pass
						3.91	5320.020	5250 to 5350	Pass
						4.5	5320.000	5250 to 5350	Pass
					-30	3.91	5319.980	5250 to 5350	Pass
					-20	3.91	5319.980	5250 to 5350	Pass
					-10	3.91	5320.020	5250 to 5350	Pass
					0	3.91	5319.940	5250 to 5350	Pass
					10	3.91	5320.000	5250 to 5350	Pass
					30	3.91	5320.000	5250 to 5350	Pass
					40	3.91	5319.980	5250 to 5350	Pass
					50	3.91	5320.020	5250 to 5350	Pass
		5500	RU242	Left	20	3.6	5500.060	5470 to 5725	Pass
						3.91	5499.980	5470 to 5725	Pass
						4.5	5500.000	5470 to 5725	Pass
					-30	3.91	5500.000	5470 to 5725	Pass
					-20	3.91	5499.940	5470 to 5725	Pass
					-10	3.91	5499.980	5470 to 5725	Pass
					0	3.91	5500.000	5470 to 5725	Pass
					10	3.91	5500.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 652 of 663

					30	3.91	5500.000	5470 to 5725	Pass
					40	3.91	5499.960	5470 to 5725	Pass
					50	3.91	5499.980	5470 to 5725	Pass
		5580	RU242	Left	20	3.6	5584.860	5470 to 5725	Pass
						3.91	5580.020	5470 to 5725	Pass
						4.5	5579.980	5470 to 5725	Pass
					-30	3.91	5580.020	5470 to 5725	Pass
					-20	3.91	5579.980	5470 to 5725	Pass
					-10	3.91	5580.000	5470 to 5725	Pass
					0	3.91	5580.000	5470 to 5725	Pass
					10	3.91	5579.960	5470 to 5725	Pass
					30	3.91	5579.980	5470 to 5725	Pass
					40	3.91	5580.000	5470 to 5725	Pass
					50	3.91	5579.980	5470 to 5725	Pass
		5700	RU242	Left	20	3.6	5699.960	5470 to 5725	Pass
						3.91	5699.980	5470 to 5725	Pass
						4.5	5700.000	5470 to 5725	Pass
					-30	3.91	5699.980	5470 to 5725	Pass
					-20	3.91	5700.000	5470 to 5725	Pass
					-10	3.91	5699.980	5470 to 5725	Pass
					0	3.91	5700.020	5470 to 5725	Pass
					10	3.91	5699.980	5470 to 5725	Pass
					30	3.91	5699.980	5470 to 5725	Pass
					40	3.91	5699.980	5470 to 5725	Pass
					50	3.91	5700.000	5470 to 5725	Pass
		5745	RU242	Left	20	3.6	5745.040	5725 to 5850	Pass
						3.91	5746.580	5725 to 5850	Pass
						4.5	5744.960	5725 to 5850	Pass
					-30	3.91	5745.000	5725 to 5850	Pass
					-20	3.91	5745.000	5725 to 5850	Pass
					-10	3.91	5744.980	5725 to 5850	Pass
					0	3.91	5744.980	5725 to 5850	Pass
					10	3.91	5745.020	5725 to 5850	Pass
					30	3.91	5745.000	5725 to 5850	Pass
					40	3.91	5744.980	5725 to 5850	Pass
					50	3.91	5744.980	5725 to 5850	Pass
		5785	RU242	Left	20	3.6	5785.000	5725 to 5850	Pass
						3.91	5785.000	5725 to 5850	Pass
						4.5	5785.020	5725 to 5850	Pass
					-30	3.91	5785.080	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 653 of 663

					-20	3.91	5785.020	5725 to 5850	Pass
					-10	3.91	5784.980	5725 to 5850	Pass
					0	3.91	5785.000	5725 to 5850	Pass
					10	3.91	5785.060	5725 to 5850	Pass
					30	3.91	5785.100	5725 to 5850	Pass
					40	3.91	5785.020	5725 to 5850	Pass
					50	3.91	5784.980	5725 to 5850	Pass
		5825	RU242	Left	20	3.6	5825.020	5725 to 5850	Pass
						3.91	5825.040	5725 to 5850	Pass
						4.5	5825.020	5725 to 5850	Pass
					-30	3.91	5825.020	5725 to 5850	Pass
					-20	3.91	5825.000	5725 to 5850	Pass
					-10	3.91	5825.040	5725 to 5850	Pass
					0	3.91	5825.020	5725 to 5850	Pass
					10	3.91	5825.020	5725 to 5850	Pass
					30	3.91	5825.020	5725 to 5850	Pass
					40	3.91	5825.000	5725 to 5850	Pass
					50	3.91	5825.020	5725 to 5850	Pass
		5720	RU242	Left	20	3.6	5720.000	5470 to 5850	Pass
						3.91	5720.000	5470 to 5850	Pass
						4.5	5720.000	5470 to 5850	Pass
					-30	3.91	5720.060	5470 to 5850	Pass
					-20	3.91	5719.940	5470 to 5850	Pass
					-10	3.91	5720.000	5470 to 5850	Pass
					0	3.91	5720.000	5470 to 5850	Pass
					10	3.91	5720.020	5470 to 5850	Pass
					30	3.91	5720.000	5470 to 5850	Pass
					40	3.91	5720.020	5470 to 5850	Pass
					50	3.91	5719.960	5470 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	20	3.6	5190.040	5150 to 5250	Pass
						3.91	5190.040	5150 to 5250	Pass
						4.5	5190.040	5150 to 5250	Pass
					-30	3.91	5189.960	5150 to 5250	Pass
					-20	3.91	5190.040	5150 to 5250	Pass
					-10	3.91	5190.000	5150 to 5250	Pass
					0	3.91	5190.000	5150 to 5250	Pass
					10	3.91	5190.000	5150 to 5250	Pass
					30	3.91	5190.000	5150 to 5250	Pass
					40	3.91	5190.000	5150 to 5250	Pass
					50	3.91	5189.960	5150 to 5250	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 654 of 663

		5230	RU484	Left	20	3.6	5229.960	5150 to 5250	Pass
						3.91	5229.960	5150 to 5250	Pass
						4.5	5230.000	5150 to 5250	Pass
					-30	3.91	5229.960	5150 to 5250	Pass
					-20	3.91	5230.000	5150 to 5250	Pass
					-10	3.91	5230.000	5150 to 5250	Pass
					0	3.91	5230.000	5150 to 5250	Pass
					10	3.91	5230.040	5150 to 5250	Pass
					30	3.91	5230.000	5150 to 5250	Pass
					40	3.91	5230.040	5150 to 5250	Pass
					50	3.91	5229.960	5150 to 5250	Pass
		5270	RU484	Left	20	3.6	5270.080	5250 to 5350	Pass
						3.91	5270.000	5250 to 5350	Pass
						4.5	5270.000	5250 to 5350	Pass
					-30	3.91	5270.000	5250 to 5350	Pass
					-20	3.91	5270.000	5250 to 5350	Pass
					-10	3.91	5270.000	5250 to 5350	Pass
					0	3.91	5269.960	5250 to 5350	Pass
					10	3.91	5270.040	5250 to 5350	Pass
					30	3.91	5270.000	5250 to 5350	Pass
					40	3.91	5270.040	5250 to 5350	Pass
					50	3.91	5269.960	5250 to 5350	Pass
		5310	RU484	Left	20	3.6	5309.960	5250 to 5350	Pass
						3.91	5310.000	5250 to 5350	Pass
						4.5	5310.000	5250 to 5350	Pass
					-30	3.91	5310.040	5250 to 5350	Pass
					-20	3.91	5310.000	5250 to 5350	Pass
					-10	3.91	5310.000	5250 to 5350	Pass
					0	3.91	5310.000	5250 to 5350	Pass
					10	3.91	5309.920	5250 to 5350	Pass
					30	3.91	5310.000	5250 to 5350	Pass
					40	3.91	5310.000	5250 to 5350	Pass
					50	3.91	5310.000	5250 to 5350	Pass
		5510	RU484	Left	20	3.6	5510.000	5470 to 5725	Pass
						3.91	5509.960	5470 to 5725	Pass
						4.5	5510.000	5470 to 5725	Pass
					-30	3.91	5510.000	5470 to 5725	Pass
					-20	3.91	5510.040	5470 to 5725	Pass
					-10	3.91	5509.960	5470 to 5725	Pass
					0	3.91	5509.960	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing Services) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 655 of 663

					10	3.91	5510.000	5470 to 5725	Pass
					30	3.91	5510.000	5470 to 5725	Pass
					40	3.91	5510.000	5470 to 5725	Pass
					50	3.91	5509.960	5470 to 5725	Pass
		5550	RU484	Left	20	3.6	5549.960	5470 to 5725	Pass
						3.91	5550.120	5470 to 5725	Pass
						4.5	5550.000	5470 to 5725	Pass
					-30	3.91	5550.000	5470 to 5725	Pass
					-20	3.91	5550.000	5470 to 5725	Pass
					-10	3.91	5550.000	5470 to 5725	Pass
					0	3.91	5550.040	5470 to 5725	Pass
					10	3.91	5550.000	5470 to 5725	Pass
					30	3.91	5550.000	5470 to 5725	Pass
					40	3.91	5550.000	5470 to 5725	Pass
					50	3.91	5549.920	5470 to 5725	Pass
		5670	RU484	Left	20	3.6	5669.920	5470 to 5725	Pass
						3.91	5670.000	5470 to 5725	Pass
						4.5	5669.960	5470 to 5725	Pass
					-30	3.91	5670.000	5470 to 5725	Pass
					-20	3.91	5670.080	5470 to 5725	Pass
					-10	3.91	5669.960	5470 to 5725	Pass
					0	3.91	5670.000	5470 to 5725	Pass
					10	3.91	5669.960	5470 to 5725	Pass
					30	3.91	5670.040	5470 to 5725	Pass
					40	3.91	5669.960	5470 to 5725	Pass
					50	3.91	5669.960	5470 to 5725	Pass
		5755	RU484	Left	20	3.6	5755.000	5725 to 5850	Pass
						3.91	5764.840	5725 to 5850	Pass
						4.5	5755.040	5725 to 5850	Pass
					-30	3.91	5754.960	5725 to 5850	Pass
					-20	3.91	5755.000	5725 to 5850	Pass
					-10	3.91	5755.040	5725 to 5850	Pass
					0	3.91	5755.040	5725 to 5850	Pass
					10	3.91	5755.000	5725 to 5850	Pass
					30	3.91	5755.040	5725 to 5850	Pass
					40	3.91	5755.040	5725 to 5850	Pass
					50	3.91	5755.040	5725 to 5850	Pass
		5795	RU484	Left	20	3.6	5795.040	5725 to 5850	Pass
						3.91	5795.000	5725 to 5850	Pass
						4.5	5795.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006

Page: 656 of 663

802.11ax (HEW80)	MIMO				-30	3.91	5794.960	5725 to 5850	Pass
					-20	3.91	5795.000	5725 to 5850	Pass
					-10	3.91	5794.960	5725 to 5850	Pass
					0	3.91	5794.960	5725 to 5850	Pass
					10	3.91	5795.040	5725 to 5850	Pass
					30	3.91	5795.000	5725 to 5850	Pass
					40	3.91	5795.000	5725 to 5850	Pass
					50	3.91	5795.000	5725 to 5850	Pass
		5710	RU484	Left	20	3.6	5710.040	5470 to 5850	Pass
						3.91	5709.960	5470 to 5850	Pass
						4.5	5710.000	5470 to 5850	Pass
					-30	3.91	5710.000	5470 to 5850	Pass
					-20	3.91	5710.000	5470 to 5850	Pass
					-10	3.91	5720.000	5470 to 5850	Pass
					0	3.91	5709.960	5470 to 5850	Pass
					10	3.91	5710.000	5470 to 5850	Pass
					30	3.91	5710.000	5470 to 5850	Pass
					40	3.91	5710.040	5470 to 5850	Pass
					50	3.91	5710.000	5470 to 5850	Pass
		5210	RU996	Left	20	3.6	5210.000	5150 to 5250	Pass
						3.91	5210.000	5150 to 5250	Pass
						4.5	5210.000	5150 to 5250	Pass
					-30	3.91	5209.925	5150 to 5250	Pass
					-20	3.91	5210.000	5150 to 5250	Pass
					-10	3.91	5210.000	5150 to 5250	Pass
					0	3.91	5210.000	5150 to 5250	Pass
					10	3.91	5210.000	5150 to 5250	Pass
					30	3.91	5210.000	5150 to 5250	Pass
					40	3.91	5210.000	5150 to 5250	Pass
					50	3.91	5210.000	5150 to 5250	Pass
		5290	RU996	Left	20	3.6	5290.000	5250 to 5350	Pass
						3.91	5290.000	5250 to 5350	Pass
						4.5	5290.000	5250 to 5350	Pass
					-30	3.91	5290.000	5250 to 5350	Pass
					-20	3.91	5290.000	5250 to 5350	Pass
					-10	3.91	5290.000	5250 to 5350	Pass
					0	3.91	5289.925	5250 to 5350	Pass
					10	3.91	5290.000	5250 to 5350	Pass
					30	3.91	5290.000	5250 to 5350	Pass
					40	3.91	5290.000	5250 to 5350	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR251000439006


Page: 657 of 663

				50	3.91	5290.000	5250 to 5350	Pass
				20	3.6	5530.000	5470 to 5725	Pass
					3.91	5530.000	5470 to 5725	Pass
					4.5	5530.000	5470 to 5725	Pass
				-30	3.91	5530.000	5470 to 5725	Pass
				-20	3.91	5530.000	5470 to 5725	Pass
				-10	3.91	5530.000	5470 to 5725	Pass
				0	3.91	5530.000	5470 to 5725	Pass
				10	3.91	5530.000	5470 to 5725	Pass
				30	3.91	5530.000	5470 to 5725	Pass
				40	3.91	5530.000	5470 to 5725	Pass
				50	3.91	5530.000	5470 to 5725	Pass
		5530	RU996	Left				
				20	3.6	5609.925	5470 to 5725	Pass
					3.91	5609.925	5470 to 5725	Pass
					4.5	5609.925	5470 to 5725	Pass
				-30	3.91	5610.000	5470 to 5725	Pass
				-20	3.91	5610.000	5470 to 5725	Pass
				-10	3.91	5610.000	5470 to 5725	Pass
				0	3.91	5609.925	5470 to 5725	Pass
				10	3.91	5609.925	5470 to 5725	Pass
				30	3.91	5610.000	5470 to 5725	Pass
				40	3.91	5610.000	5470 to 5725	Pass
				50	3.91	5609.925	5470 to 5725	Pass
		5610	RU996	Left				
				20	3.6	5690.000	5470 to 5850	Pass
					3.91	5690.000	5470 to 5850	Pass
					4.5	5689.925	5470 to 5850	Pass
				-30	3.91	5689.925	5470 to 5850	Pass
				-20	3.91	5690.000	5470 to 5850	Pass
				-10	3.91	5689.925	5470 to 5850	Pass
				0	3.91	5689.925	5470 to 5850	Pass
				10	3.91	5690.000	5470 to 5850	Pass
				30	3.91	5690.000	5470 to 5850	Pass
				40	3.91	5690.000	5470 to 5850	Pass
				50	3.91	5689.925	5470 to 5850	Pass
		5690	RU996	Left				

6. DFS

6.1 Test Result

6.1.1 Rader



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com