




n48 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 3570MHz Inner 1RB Left Ant4




n48 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 3570MHz Inner 1RB Right Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3624.99MHz_Edge_1RB_Left_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3624.99MHz_Edge_1RB_Right_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3624.99MHz_Inner_Full_Ant4




n48 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 3624.99MHz Inner 1RB Left Ant4




n48 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 3624.99MHz Inner 1RB Right Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3679.98MHz_Edge_1RB_Left_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3679.98MHz_Edge_1RB_Right_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3679.98MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3679.98MHz_Inner_Full_Ant4



n48 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 3679.98MHz Inner 1RB Left Ant4



n48 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 3679.98MHz Inner 1RB Right Ant4



2. Frequency Stability

2.1 Test Result

2.1.1 30_S_40M

5G NR n48 SCS=30kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	-9.84	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-8.16	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-7.15	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-11.32	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-6.68	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-3.39	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-9.23	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-11.42	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-2.19	-0.0006	>=-2.5 & <=2.5	Pass
			40	NV	-8.80	-0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-1.46	-0.0004	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30_S_10M_NTNV

5G NR n48 SCS=30kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	8.66	9.32	/	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	8.60	9.51	/	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	8.65	9.26	/	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	8.65	9.22	/	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	8.68	9.45	/	Pass
CP-OFDM QPSK	3624.99	Outer_Full	8.70	9.39	/	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	8.74	9.38	/	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	8.67	9.27	/	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	8.60	9.30	/	Pass

3.1.2 30_S_15M_NTNV

5G NR n48 SCS=30kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	13.05	14.04	/	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	13.10	14.08	/	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	12.96	13.97	/	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	12.96	14.03	/	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	12.89	13.89	/	Pass
CP-OFDM QPSK	3624.99	Outer_Full	13.73	14.51	/	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	13.66	14.66	/	Pass

CP-OFDM 64 QAM	3624.99	Outer_Full	13.73	14.73	/	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	13.66	14.66	/	Pass

3.1.3 30_S_20M_NTNV

5G NR n48 SCS=30kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	17.94	19.28	/	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	17.93	19.25	/	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	18.10	19.26	/	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	18.07	19.34	/	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	18.10	19.33	/	Pass
CP-OFDM QPSK	3624.99	Outer_Full	18.30	19.70	/	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	18.44	19.84	/	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	18.44	19.61	/	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	18.32	19.61	/	Pass

3.1.4 30_S_30M_NTNV


5G NR n48 SCS=30kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	26.80	28.83	/	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	27.03	28.96	/	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	27.11	28.78	/	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	27.17	28.90	/	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	27.04	28.92	/	Pass
CP-OFDM QPSK	3624.99	Outer_Full	28.18	29.94	/	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	28.15	29.76	/	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	28.09	29.95	/	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	27.98	29.82	/	Pass

3.1.5 30_S_40M_NTNV


5G NR n48 SCS=30kHz SISO 40MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	35.82	38.45	/	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	35.79	38.57	/	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	36.03	38.47	/	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	35.95	38.29	/	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	36.24	38.48	/	Pass
CP-OFDM QPSK	3624.99	Outer_Full	38.10	40.53	/	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	38.21	40.69	/	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	37.83	40.54	/	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	38.12	40.62	/	Pass

3.2 Test Graph


3.2.1 30_S_10M_NTNV




n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4




n48 30kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 3624.99MHz Outer Full Ant4




n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3624.99MHz Outer Full Ant4




n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4







3.2.2 30_S_15M_NTNV




n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_15MHz_CP-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_15MHz_CP-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4







3.2.3 30_S_20M_NTNV




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4







3.2.4 30_S_30M_NTNV




n48_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_30MHz_CP-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_30MHz_CP-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4







3.2.5 30_S_40M_NTNV




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3624.99MHz_Outer_Full_Ant4




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_16QAM_3624.99MHz_Outer_Full_Ant4



n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_64QAM_3624.99MHz_Outer_Full_Ant4





4. Peak-Average Ratio


4.1 Test Result


4.1.1 30_S_40M_NTNV

5G NR n48 SCS=30kHz SISO 40MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	4.35	/	/	<=13	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	5.67	/	/	<=13	Pass
CP-OFDM QPSK	3624.99	Outer_Full	8.46	/	/	<=13	Pass

4.2 Test Graph

4.2.1 30_S_40M_NTNV





5. Spurious Emission

5.1 Test Result

5.1.1 30_S_10M_NTNV

5G NR n48 SCS=30kHz SISO 10MHz NTN								
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict	
			Ant4	Ant2	Sum	Limit		
DFT-s-OFDM PI/2 BPSK	3555	Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass	
		3694.98	Edge_1RB_Left	Refer To Test Graph				Pass
			Edge_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	3555		Outer_Full	Refer To Test Graph				Pass
		Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
	3624.99	Outer_Full	Refer To Test Graph				Pass	
		3694.98	Edge_1RB_Left	Refer To Test Graph				Pass
			Edge_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	3555		Outer_Full	Refer To Test Graph				Pass
		Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
	3624.99	Outer_Full	Refer To Test Graph				Pass	
		3694.98	Edge_1RB_Left	Refer To Test Graph				Pass
			Edge_1RB_Right	Refer To Test Graph				Pass
3694.98	Outer_Full		Refer To Test Graph				Pass	

5.1.2 30_S_20M_NTNV

5G NR n48 SCS=30kHz SISO 20MHz NTN								
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict	
			Ant4	Ant2	Sum	Limit		
DFT-s-OFDM PI/2 BPSK	3560.01	Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass	
		3690	Edge_1RB_Left	Refer To Test Graph				Pass
			Edge_1RB_Right	Refer To Test Graph				Pass
	Outer_Full		Refer To Test Graph				Pass	
DFT-s-OFDM QPSK	3560.01	Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass	
		3690	Edge_1RB_Left	Refer To Test Graph				Pass
			Edge_1RB_Right	Refer To Test Graph				Pass
	Outer_Full		Refer To Test Graph				Pass	
CP-OFDM QPSK	3560.01	Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass	


	3690	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass

5.1.3 30_S_40M_NTNV


5G NR n48 SCS=30kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	3679.98	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	3570	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	3679.98	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	3570	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	3679.98	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.2 Test Graph

5.2.1 30_S_10M_NTNV




n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3169.500	-50.99	-40	Pass
3530	3540	1	/	2	3540.000	-50.58	-25	Pass
3540	3549	1	/	3	3544.500	-44.84	-13	Pass
3549	3565	1	/	/	/	/	/	/
3565	3570	1	/	4	3565.500	-41.57	-13	Pass
3570	3720	1	/	5	3570.500	-49.17	-25	Pass
3720	37000	1	/	6	35570.000	-43.59	-40	Pass

n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.885	-47.43	-40	Pass
3530	3540	1	CHP	2	3538.075	-47.27	-25	Pass
3540	3549	1	CHP	3	3548.500	-40.55	-13	Pass
3549	3550	0.03	/	4	3549.040	-52.52	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.005	-38.41	-13	Pass
3561	3570	1	CHP	6	3563.230	-41.19	-13	Pass
3570	3720	1	CHP	7	3719.905	-45.93	-25	Pass
3720	3730	1	CHP	8	3728.305	-45.62	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.110	-47.47	-40	Pass
3530	3540	1	CHP	2	3539.995	-45.61	-25	Pass
3540	3549	1	CHP	3	3548.170	-36.34	-13	Pass
3549	3550	0.09512	CHP	4	3549.925	-45.15	-13	Pass
3550	3560	0.09512	CHP	/	/	/	/	/
3560	3561	0.09512	CHP	5	3560.005	-45.65	-13	Pass
3561	3570	1	CHP	6	3562.585	-37.41	-13	Pass
3570	3720	1	CHP	7	3570.010	-44.35	-25	Pass
3720	3730	1	CHP	8	3723.910	-45.60	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	791.800	-56.27	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2456.500	-49.68	-40	Pass
3530	3609.99	1	/	2	3609.500	-51.00	-25	Pass
3609.99	3618.99	1	/	3	3614.000	-46.85	-13	Pass
3618.99	3634.99	1	/	/	/	/	/	/
3634.99	3639.99	1	/	4	3636.000	-39.42	-13	Pass
3639.99	3720	1	/	5	3714.000	-50.50	-25	Pass
3720	37000	1	/	6	35645.000	-43.13	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.795	-47.48	-40	Pass
3530	3679.98	1	CHP	2	3679.315	-46.28	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-38.15	-13	Pass
3688.98	3689.98	0.03	/	4	3689.935	-40.85	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.870	-54.16	-13	Pass
3700.98	3709.98	1	CHP	6	3707.125	-41.54	-13	Pass
3709.98	3720	1	CHP	7	3710.590	-45.81	-25	Pass
3720	3730	1	CHP	8	3726.460	-45.79	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3694.98MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.110	-53.19	-40	Pass
3530	3679.98	1	CHP	2	3679.975	-49.84	-25	Pass
3679.98	3688.98	1	CHP	3	3684.055	-41.40	-13	Pass
3688.98	3689.98	0.03	/	4	3689.365	-55.30	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.015	-42.37	-13	Pass
3700.98	3709.98	1	CHP	6	3701.695	-40.82	-13	Pass
3709.98	3720	1	CHP	7	3709.990	-50.13	-25	Pass
3720	3730	1	CHP	8	3727.990	-51.40	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3694.98MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	881.500	-56.29	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3195.000	-50.95	-40	Pass
3530	3679.98	1	/	2	3679.500	-50.26	-25	Pass
3679.98	3688.98	1	/	3	3684.500	-44.13	-13	Pass
3688.98	3704.98	1	/	/	/	/	/	/
3704.98	3709.98	1	/	4	3705.000	-44.99	-13	Pass
3709.98	3720	1	/	5	3717.500	-50.72	-25	Pass
3720	37000	1	/	6	36516.000	-43.46	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.470	-47.58	-40	Pass
3530	3679.98	1	CHP	2	3679.600	-43.46	-25	Pass
3679.98	3688.98	1	CHP	3	3688.450	-34.26	-13	Pass
3688.98	3689.98	0.09512	CHP	4	3689.845	-44.26	-13	Pass
3689.98	3699.98	0.09512	CHP	/	/	/	/	/
3699.98	3700.98	0.09512	CHP	5	3699.985	-43.80	-13	Pass
3700.98	3709.98	1	CHP	6	3701.560	-32.64	-13	Pass
3709.98	3720	1	CHP	7	3709.990	-43.58	-25	Pass
3720	3730	1	CHP	8	3722.410	-45.90	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3555MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.170	-52.93	-40	Pass
3530	3540	1	CHP	2	3538.630	-51.99	-25	Pass
3540	3549	1	CHP	3	3548.500	-40.89	-13	Pass
3549	3550	0.03	/	4	3549.955	-36.24	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.260	-49.63	-13	Pass
3561	3570	1	CHP	6	3561.505	-42.94	-13	Pass
3570	3720	1	CHP	7	3718.075	-51.59	-25	Pass
3720	3730	1	CHP	8	3729.160	-51.32	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3555MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.400	-55.63	-40	Pass


n48 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant4



n48 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Right Ant4




n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3555MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.860	-47.30	-40	Pass
3530	3540	1	CHP	2	3538.975	-44.12	-25	Pass
3540	3549	1	CHP	3	3548.080	-36.64	-13	Pass
3549	3550	0.09512	CHP	4	3549.985	-40.60	-13	Pass
3550	3560	0.09512	CHP	/	/	/	/	/
3560	3561	0.09512	CHP	5	3560.785	-42.25	-13	Pass
3561	3570	1	CHP	6	3561.505	-37.23	-13	Pass
3570	3720	1	CHP	7	3570.070	-44.57	-25	Pass
3720	3730	1	CHP	8	3729.070	-45.79	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	898.850	-56.34	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3177.000	-51.07	-40	Pass
3530	3609.99	1	/	2	3608.000	-51.66	-25	Pass
3609.99	3618.99	1	/	3	3613.500	-48.21	-13	Pass
3618.99	3634.99	1	/	/	/	/	/	/
3634.99	3639.99	1	/	4	3635.500	-44.10	-13	Pass
3639.99	3720	1	/	5	3705.500	-50.70	-25	Pass
3720	37000	1	/	6	35985.000	-43.75	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3694.98MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.575	-47.27	-40	Pass
3530	3679.98	1	CHP	2	3679.345	-45.95	-25	Pass
3679.98	3688.98	1	CHP	3	3688.000	-39.44	-13	Pass
3688.98	3689.98	0.03	/	4	3689.965	-32.25	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.960	-51.51	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-39.14	-13	Pass
3709.98	3720	1	CHP	7	3709.990	-45.76	-25	Pass
3720	3730	1	CHP	8	3728.590	-45.78	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.660	-52.92	-40	Pass
3530	3679.98	1	CHP	2	3679.900	-49.36	-25	Pass
3679.98	3688.98	1	CHP	3	3684.055	-42.29	-13	Pass
3688.98	3689.98	0.03	/	4	3689.140	-52.17	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-38.20	-13	Pass
3700.98	3709.98	1	CHP	6	3701.560	-37.55	-13	Pass
3709.98	3720	1	CHP	7	3709.990	-50.58	-25	Pass
3720	3730	1	CHP	8	3727.405	-51.31	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	925.050	-56.39	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2414.500	-49.43	-40	Pass
3530	3679.98	1	/	2	3679.500	-49.67	-25	Pass
3679.98	3688.98	1	/	3	3684.000	-41.31	-13	Pass
3688.98	3704.98	1	/	/	/	/	/	/
3704.98	3709.98	1	/	4	3705.000	-43.12	-13	Pass
3709.98	3720	1	/	5	3710.000	-49.48	-25	Pass
3720	37000	1	/	6	35774.500	-43.55	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Outer_Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.860	-47.44	-40	Pass
3530	3679.98	1	CHP	2	3679.975	-42.84	-25	Pass
3679.98	3688.98	1	CHP	3	3688.360	-31.22	-13	Pass
3688.98	3689.98	0.09512	CHP	4	3689.035	-41.74	-13	Pass
3689.98	3699.98	0.09512	CHP	/	/	/	/	/
3699.98	3700.98	0.09512	CHP	5	3699.985	-39.35	-13	Pass
3700.98	3709.98	1	CHP	6	3703.030	-32.72	-13	Pass
3709.98	3720	1	CHP	7	3710.425	-42.47	-25	Pass
3720	3730	1	CHP	8	3728.515	-45.65	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3555MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.225	-53.10	-40	Pass
3530	3540	1	CHP	2	3539.995	-50.44	-25	Pass
3540	3549	1	CHP	3	3547.645	-42.69	-13	Pass
3549	3550	0.03	/	4	3549.970	-44.18	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.590	-56.96	-13	Pass
3561	3570	1	CHP	6	3565.690	-41.38	-13	Pass
3570	3720	1	CHP	7	3570.010	-51.37	-25	Pass
3720	3730	1	CHP	8	3728.815	-51.54	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3555MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.350	-56.42	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3555MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3254.500	-51.09	-40	Pass
3530	3540	1	/	2	3539.500	-50.89	-25	Pass
3540	3549	1	/	3	3544.500	-44.35	-13	Pass
3549	3565	1	/	/	/	/	/	/
3565	3570	1	/	4	3567.500	-42.55	-13	Pass
3570	3720	1	/	5	3570.500	-50.66	-25	Pass
3720	37000	1	/	6	35675.500	-43.77	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3555MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.030	-47.52	-40	Pass
3530	3540	1	CHP	2	3539.860	-46.86	-25	Pass
3540	3549	1	CHP	3	3544.240	-41.18	-13	Pass
3549	3550	0.03	/	4	3549.940	-54.59	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.020	-43.44	-13	Pass
3561	3570	1	CHP	6	3561.505	-39.67	-13	Pass
3570	3720	1	CHP	7	3717.400	-45.96	-25	Pass
3720	3730	1	CHP	8	3728.515	-45.80	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3555MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.915	-47.55	-40	Pass
3530	3540	1	CHP	2	3539.500	-44.90	-25	Pass
3540	3549	1	CHP	3	3546.865	-36.80	-13	Pass
3549	3550	0.09512	CHP	4	3549.985	-40.82	-13	Pass
3550	3560	0.09512	CHP	/	/	/	/	/
3560	3561	0.09512	CHP	5	3560.530	-44.97	-13	Pass
3561	3570	1	CHP	6	3561.505	-34.50	-13	Pass
3570	3720	1	CHP	7	3716.695	-45.95	-25	Pass
3720	3730	1	CHP	8	3724.810	-45.78	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	722.300	-56.01	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2413.000	-47.66	-40	Pass
3530	3609.99	1	/	2	3609.000	-51.75	-25	Pass
3609.99	3618.99	1	/	3	3614.500	-47.16	-13	Pass
3618.99	3634.99	1	/	/	/	/	/	/
3634.99	3639.99	1	/	4	3637.500	-43.49	-13	Pass
3639.99	3720	1	/	5	3700.000	-50.69	-25	Pass
3720	37000	1	/	6	35539.000	-43.60	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3694.98MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.635	-47.47	-40	Pass
3530	3679.98	1	CHP	2	3678.460	-46.19	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-39.80	-13	Pass
3688.98	3689.98	0.03	/	4	3689.890	-40.10	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.450	-52.47	-13	Pass
3700.98	3709.98	1	CHP	6	3707.545	-40.95	-13	Pass
3709.98	3720	1	CHP	7	3710.110	-45.72	-25	Pass
3720	3730	1	CHP	8	3726.235	-45.77	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.105	-53.11	-40	Pass
3530	3679.98	1	CHP	2	3679.900	-50.62	-25	Pass
3679.98	3688.98	1	CHP	3	3684.595	-40.81	-13	Pass
3688.98	3689.98	0.03	/	4	3689.515	-56.75	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-44.49	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-40.73	-13	Pass
3709.98	3720	1	CHP	7	3710.245	-50.08	-25	Pass
3720	3730	1	CHP	8	3725.395	-51.29	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	901.950	-56.28	-40	Pass

n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3245.500	-51.13	-40	Pass
3530	3679.98	1	/	2	3678.500	-50.34	-25	Pass
3679.98	3688.98	1	/	3	3682.500	-39.90	-13	Pass
3688.98	3704.98	1	/	/	/	/	/	/
3704.98	3709.98	1	/	4	3705.000	-40.91	-13	Pass
3709.98	3720	1	/	5	3711.000	-49.34	-25	Pass
3720	37000	1	/	6	35994.500	-43.38	-40	Pass

n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3694.98MHz Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.345	-47.28	-40	Pass
3530	3679.98	1	CHP	2	3679.255	-44.04	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-34.75	-13	Pass
3688.98	3689.98	0.09512	CHP	4	3689.965	-41.14	-13	Pass
3689.98	3699.98	0.09512	CHP	/	/	/	/	/
3699.98	3700.98	0.09512	CHP	5	3700.510	-41.21	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-33.58	-13	Pass
3709.98	3720	1	CHP	7	3710.095	-43.91	-25	Pass
3720	3730	1	CHP	8	3727.150	-45.61	-40	Pass

5.2.2 30_S_20M_NTNV




n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2462.500	-51.84	-40	Pass
3530	3540	1	/	2	3538.500	-53.57	-25	Pass
3540	3549.01	1	/	3	3542.500	-45.54	-13	Pass
3549.01	3575.01	1	/	/	/	/	/	/
3575.01	3590.01	1	/	4	3581.000	-41.11	-13	Pass
3590.01	3720	1	/	5	3708.500	-54.99	-25	Pass
3720	37000	1	/	6	35593.500	-46.67	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.420	-50.43	-40	Pass
3530	3540	1	CHP	2	3539.515	-41.53	-25	Pass
3540	3549.01	1	CHP	3	3540.010	-41.59	-13	Pass
3549.01	3550.01	0.03	/	4	3549.805	-57.53	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.055	-45.29	-13	Pass
3571.01	3590.01	1	CHP	6	3571.510	-43.47	-13	Pass
3590.01	3720	1	CHP	7	3715.450	-48.81	-25	Pass
3720	3730	1	CHP	8	3724.330	-48.65	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.000	-49.49	-40	Pass
3530	3540	1	CHP	2	3540.000	-43.25	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-37.65	-13	Pass
3549.01	3550.01	0.19263	CHP	4	3549.350	-43.03	-13	Pass
3550.01	3570.01	0.19263	CHP	/	/	/	/	/
3570.01	3571.01	0.19263	CHP	5	3570.550	-44.23	-13	Pass
3571.01	3590.01	1	CHP	6	3571.850	-39.74	-13	Pass
3590.01	3720	1	CHP	7	3714.550	-48.58	-25	Pass
3720	3730	1	CHP	8	3727.850	-48.53	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	922.050	-54.52	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2461.500	-52.68	-40	Pass
3530	3594.99	1	/	2	3591.500	-57.02	-25	Pass
3594.99	3613.99	1	/	3	3605.000	-50.88	-13	Pass
3613.99	3639.99	1	/	/	/	/	/	/
3639.99	3654.99	1	/	4	3646.000	-44.07	-13	Pass
3654.99	3720	1	/	5	3711.500	-55.28	-25	Pass
3720	37000	1	/	6	7232.500	-45.92	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.040	-50.66	-40	Pass
3530	3660	1	CHP	2	3659.980	-50.12	-25	Pass
3660	3679	1	CHP	3	3678.490	-41.58	-13	Pass
3679	3680	0.03	/	4	3679.990	-45.39	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.630	-56.16	-13	Pass
3701	3710	1	CHP	6	3709.960	-41.51	-13	Pass
3710	3720	1	CHP	7	3710.005	-41.51	-25	Pass
3720	3730	1	CHP	8	3725.755	-48.32	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3690MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.145	-50.83	-40	Pass
3530	3660	1	CHP	2	3659.995	-49.89	-25	Pass
3660	3679	1	CHP	3	3669.430	-39.88	-13	Pass
3679	3680	0.03	/	4	3679.435	-58.36	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.150	-42.41	-13	Pass
3701	3710	1	CHP	6	3702.190	-43.03	-13	Pass
3710	3720	1	CHP	7	3711.055	-47.07	-25	Pass
3720	3730	1	CHP	8	3721.075	-48.44	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3690MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	796.250	-54.69	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2461.500	-52.15	-40	Pass
3530	3660	1	/	2	3620.500	-56.64	-25	Pass
3660	3679	1	/	3	3670.500	-44.09	-13	Pass
3679	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3705.500	-46.68	-13	Pass
3710	3720	1	/	5	3712.000	-50.97	-25	Pass
3720	37000	1	/	6	35562.500	-46.62	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.300	-50.91	-40	Pass
3530	3660	1	CHP	2	3658.750	-48.47	-25	Pass
3660	3679	1	CHP	3	3675.650	-36.38	-13	Pass
3679	3680	0.19263	CHP	4	3679.900	-41.20	-13	Pass
3680	3700	0.19263	CHP	/	/	/	/	/
3700	3701	0.19263	CHP	5	3700.300	-43.44	-13	Pass
3701	3710	1	CHP	6	3702.250	-37.36	-13	Pass
3710	3720	1	CHP	7	3710.050	-41.20	-25	Pass
3720	3730	1	CHP	8	3720.350	-46.29	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.215	-50.90	-40	Pass
3530	3540	1	CHP	2	3538.780	-49.62	-25	Pass
3540	3549.01	1	CHP	3	3547.975	-41.66	-13	Pass
3549.01	3550.01	0.03	/	4	3550.000	-43.18	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.310	-53.47	-13	Pass
3571.01	3590.01	1	CHP	6	3580.150	-39.13	-13	Pass
3590.01	3720	1	CHP	7	3719.860	-48.69	-25	Pass
3720	3730	1	CHP	8	3729.460	-48.49	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	905.850	-54.75	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2461.000	-49.98	-40	Pass
3530	3540	1	/	2	3533.500	-51.48	-25	Pass
3540	3549.01	1	/	3	3543.000	-43.55	-13	Pass
3549.01	3575.01	1	/	/	/	/	/	/
3575.01	3590.01	1	/	4	3581.000	-39.97	-13	Pass
3590.01	3720	1	/	5	3710.500	-54.29	-25	Pass
3720	37000	1	/	6	36480.500	-46.40	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.765	-50.94	-40	Pass
3530	3540	1	CHP	2	3539.800	-39.26	-25	Pass
3540	3549.01	1	CHP	3	3540.010	-39.27	-13	Pass
3549.01	3550.01	0.03	/	4	3549.880	-55.83	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.025	-43.60	-13	Pass
3571.01	3590.01	1	CHP	6	3571.510	-41.90	-13	Pass
3590.01	3720	1	CHP	7	3719.650	-48.72	-25	Pass
3720	3730	1	CHP	8	3727.510	-48.51	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.950	-49.12	-40	Pass
3530	3540	1	CHP	2	3538.700	-42.49	-25	Pass
3540	3549.01	1	CHP	3	3548.350	-38.72	-13	Pass
3549.01	3550.01	0.19263	CHP	4	3550.000	-42.28	-13	Pass
3550.01	3570.01	0.19263	CHP	/	/	/	/	/
3570.01	3571.01	0.19263	CHP	5	3570.600	-41.64	-13	Pass
3571.01	3590.01	1	CHP	6	3572.500	-35.26	-13	Pass
3590.01	3720	1	CHP	7	3717.150	-48.26	-25	Pass
3720	3730	1	CHP	8	3726.750	-48.24	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	810.650	-54.86	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2462.000	-51.62	-40	Pass
3530	3594.99	1	/	2	3589.500	-57.62	-25	Pass
3594.99	3613.99	1	/	3	3607.500	-46.95	-13	Pass
3613.99	3639.99	1	/	/	/	/	/	/
3639.99	3654.99	1	/	4	3646.000	-38.75	-13	Pass
3654.99	3720	1	/	5	3698.000	-54.76	-25	Pass
3720	37000	1	/	6	35514.500	-46.88	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3690MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.650	-50.89	-40	Pass
3530	3660	1	CHP	2	3659.515	-50.18	-25	Pass
3660	3679	1	CHP	3	3677.275	-41.05	-13	Pass
3679	3680	0.03	/	4	3679.825	-44.62	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.270	-56.39	-13	Pass
3701	3710	1	CHP	6	3709.945	-37.92	-13	Pass
3710	3720	1	CHP	7	3710.005	-37.92	-25	Pass
3720	3730	1	CHP	8	3725.635	-48.27	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.875	-50.73	-40	Pass
3530	3660	1	CHP	2	3659.950	-50.03	-25	Pass
3660	3679	1	CHP	3	3669.430	-39.61	-13	Pass
3679	3680	0.03	/	4	3679.015	-54.99	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.150	-45.57	-13	Pass
3701	3710	1	CHP	6	3701.500	-40.92	-13	Pass
3710	3720	1	CHP	7	3711.820	-47.43	-25	Pass
3720	3730	1	CHP	8	3722.440	-48.42	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	938.300	-54.96	-40	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2462.000	-48.47	-40	Pass
3530	3660	1	/	2	3653.500	-55.52	-25	Pass
3660	3679	1	/	3	3670.000	-39.39	-13	Pass
3679	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3705.500	-41.23	-13	Pass
3710	3720	1	/	5	3719.500	-50.43	-25	Pass
3720	37000	1	/	6	35599.500	-46.58	-40	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3690MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.400	-50.66	-40	Pass
3530	3660	1	CHP	2	3659.750	-48.01	-25	Pass
3660	3679	1	CHP	3	3676.800	-34.29	-13	Pass
3679	3680	0.19263	CHP	4	3679.950	-40.25	-13	Pass
3680	3700	0.19263	CHP	/	/	/	/	/
3700	3701	0.19263	CHP	5	3700.450	-40.12	-13	Pass
3701	3710	1	CHP	6	3703.150	-34.14	-13	Pass
3710	3720	1	CHP	7	3710.500	-39.62	-25	Pass
3720	3730	1	CHP	8	3720.700	-47.50	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.380	-50.82	-40	Pass
3530	3540	1	CHP	2	3539.770	-48.67	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-43.26	-13	Pass
3549.01	3550.01	0.03	/	4	3549.820	-45.64	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.955	-57.96	-13	Pass
3571.01	3590.01	1	CHP	6	3580.480	-40.69	-13	Pass
3590.01	3720	1	CHP	7	3715.240	-48.86	-25	Pass
3720	3730	1	CHP	8	3727.960	-48.69	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	905.000	-54.59	-40	Pass


n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Left Ant4



n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Right Ant4




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.950	-48.47	-40	Pass
3530	3540	1	CHP	2	3539.050	-42.72	-25	Pass
3540	3549.01	1	CHP	3	3548.100	-38.07	-13	Pass
3549.01	3550.01	0.19263	CHP	4	3549.600	-44.45	-13	Pass
3550.01	3570.01	0.19263	CHP	/	/	/	/	/
3570.01	3571.01	0.19263	CHP	5	3570.650	-41.82	-13	Pass
3571.01	3590.01	1	CHP	6	3571.550	-35.28	-13	Pass
3590.01	3720	1	CHP	7	3713.950	-48.76	-25	Pass
3720	3730	1	CHP	8	3728.450	-48.60	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	917.550	-61.70	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3190.500	-63.13	-40	Pass
3530	3594.99	1	/	2	3593.500	-64.28	-25	Pass
3594.99	3613.99	1	/	3	3607.500	-52.19	-13	Pass
3613.99	3639.99	1	/	/	/	/	/	/
3639.99	3654.99	1	/	4	3645.500	-46.42	-13	Pass
3654.99	3720	1	/	5	3701.500	-61.40	-25	Pass
3720	37000	1	/	6	36521.000	-53.62	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3690MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.125	-50.99	-40	Pass
3530	3660	1	CHP	2	3652.840	-50.22	-25	Pass
3660	3679	1	CHP	3	3678.490	-41.48	-13	Pass
3679	3680	0.03	/	4	3679.945	-44.75	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.375	-56.79	-13	Pass
3701	3710	1	CHP	6	3709.960	-42.58	-13	Pass
3710	3720	1	CHP	7	3710.395	-42.53	-25	Pass
3720	3730	1	CHP	8	3720.235	-48.29	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.450	-51.07	-40	Pass
3530	3660	1	CHP	2	3659.560	-49.88	-25	Pass
3660	3679	1	CHP	3	3669.430	-40.13	-13	Pass
3679	3680	0.03	/	4	3679.375	-57.44	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.180	-43.07	-13	Pass
3701	3710	1	CHP	6	3701.860	-42.79	-13	Pass
3710	3720	1	CHP	7	3710.980	-47.25	-25	Pass
3720	3730	1	CHP	8	3729.265	-48.38	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	760.550	-54.40	-40	Pass

n48 30kHz SISO NTV 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2460.500	-52.42	-40	Pass
3530	3660	1	/	2	3622.000	-55.41	-25	Pass
3660	3679	1	/	3	3670.500	-41.72	-13	Pass
3679	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3705.500	-32.41	-13	Pass
3710	3720	1	/	5	3710.500	-50.97	-25	Pass
3720	37000	1	/	6	35629.000	-46.52	-40	Pass

n48 30kHz SISO NTV 20MHz CP-OFDM QPSK 3690MHz Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.850	-50.30	-40	Pass
3530	3660	1	CHP	2	3660.000	-48.60	-25	Pass
3660	3679	1	CHP	3	3677.850	-36.90	-13	Pass
3679	3680	0.19263	CHP	4	3679.500	-41.89	-13	Pass
3680	3700	0.19263	CHP	/	/	/	/	/
3700	3701	0.19263	CHP	5	3700.100	-43.22	-13	Pass
3701	3710	1	CHP	6	3706.550	-37.34	-13	Pass
3710	3720	1	CHP	7	3710.050	-40.84	-25	Pass
3720	3730	1	CHP	8	3720.200	-47.69	-40	Pass

5.2.3 30_S_40M_NTNV




n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2409.000	-49.23	-40	Pass
3530	3540	1	/	2	3532.000	-49.01	-25	Pass
3540	3549	1	/	3	3544.500	-44.84	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3597.500	-41.64	-13	Pass
3630	3720	1	/	5	3713.500	-50.61	-25	Pass
3720	37000	1	/	6	35769.500	-43.48	-40	Pass

n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-41.48	-40	Pass
3530	3540	1	CHP	2	3530.485	-40.93	-25	Pass
3540	3549	1	CHP	3	3542.395	-43.09	-13	Pass
3549	3550	0.03	/	4	3549.865	-58.05	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.095	-41.89	-13	Pass
3591	3630	1	CHP	6	3591.505	-42.27	-13	Pass
3630	3720	1	CHP	7	3719.110	-46.01	-25	Pass
3720	3730	1	CHP	8	3725.650	-45.76	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.100	-50.72	-40	Pass
3530	3540	1	CHP	2	3531.250	-53.57	-25	Pass
3540	3549	1	CHP	3	3540.100	-53.55	-13	Pass
3549	3550	0.38571	CHP	4	3549.550	-57.91	-13	Pass
3550	3590	0.38571	CHP	/	/	/	/	/
3590	3591	0.38571	CHP	5	3590.050	-58.46	-13	Pass
3591	3630	1	CHP	6	3619.900	-52.30	-13	Pass
3630	3720	1	CHP	7	3716.950	-51.27	-25	Pass
3720	3730	1	CHP	8	3724.300	-51.48	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	907.800	-56.17	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3111.500	-51.26	-40	Pass
3530	3564.99	1	/	2	3545.000	-52.13	-25	Pass
3564.99	3603.99	1	/	3	3596.500	-44.75	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3665.000	-44.30	-13	Pass
3684.99	3720	1	/	5	3708.000	-50.69	-25	Pass
3720	37000	1	/	6	35601.500	-43.30	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.715	-53.13	-40	Pass
3530	3619.98	1	CHP	2	3619.180	-52.75	-25	Pass
3619.98	3658.98	1	CHP	3	3656.140	-42.81	-13	Pass
3658.98	3659.98	0.03	/	4	3659.965	-35.05	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.015	-58.21	-13	Pass
3700.98	3710	1	CHP	6	3707.470	-43.57	-13	Pass
3710	3720	1	CHP	7	3719.845	-46.67	-25	Pass
3720	3730	1	CHP	8	3720.010	-47.35	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_3679.98MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.995	-53.18	-40	Pass
3530	3619.98	1	CHP	2	3619.660	-52.58	-25	Pass
3619.98	3658.98	1	CHP	3	3652.435	-42.69	-13	Pass
3658.98	3659.98	0.03	/	4	3659.920	-56.75	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.000	-37.47	-13	Pass
3700.98	3710	1	CHP	6	3701.485	-41.46	-13	Pass
3710	3720	1	CHP	7	3718.060	-48.20	-25	Pass
3720	3730	1	CHP	8	3722.410	-50.02	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_3679.98MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	921.650	-56.37	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2414.000	-46.84	-40	Pass
3530	3619.98	1	/	2	3619.000	-51.95	-25	Pass
3619.98	3658.98	1	/	3	3640.500	-39.96	-13	Pass
3658.98	3704.98	1	/	/	/	/	/	/
3704.98	3710	1	/	4	3705.000	-40.63	-13	Pass
3710	3720	1	/	5	3718.000	-43.56	-25	Pass
3720	37000	1	/	6	35564.000	-43.93	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.100	-47.20	-40	Pass
3530	3619.98	1	CHP	2	3619.900	-45.97	-25	Pass
3619.98	3658.98	1	CHP	3	3656.650	-41.62	-13	Pass
3658.98	3659.98	0.38571	CHP	4	3659.950	-44.15	-13	Pass
3659.98	3699.98	0.38571	CHP	/	/	/	/	/
3699.98	3700.98	0.38571	CHP	5	3700.900	-45.80	-13	Pass
3700.98	3710	1	CHP	6	3705.400	-40.15	-13	Pass
3710	3720	1	CHP	7	3710.050	-40.83	-25	Pass
3720	3730	1	CHP	8	3720.100	-44.07	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.750	-51.72	-40	Pass
3530	3540	1	CHP	2	3532.045	-42.08	-25	Pass
3540	3549	1	CHP	3	3548.455	-41.83	-13	Pass
3549	3550	0.03	/	4	3549.970	-35.42	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.005	-57.41	-13	Pass
3591	3630	1	CHP	6	3597.490	-40.78	-13	Pass
3630	3720	1	CHP	7	3717.130	-51.54	-25	Pass
3720	3730	1	CHP	8	3729.445	-51.36	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.650	-55.18	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2414.000	-47.67	-40	Pass
3530	3540	1	/	2	3532.000	-41.30	-25	Pass
3540	3549	1	/	3	3542.500	-42.84	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3597.500	-38.99	-13	Pass
3630	3720	1	/	5	3714.000	-50.46	-25	Pass
3720	37000	1	/	6	35547.500	-43.39	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-47.60	-40	Pass
3530	3540	1	CHP	2	3530.200	-47.41	-25	Pass
3540	3549	1	CHP	3	3547.270	-42.08	-13	Pass
3549	3550	0.03	/	4	3549.190	-63.05	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.800	-49.11	-13	Pass
3591	3630	1	CHP	6	3591.505	-37.96	-13	Pass
3630	3720	1	CHP	7	3719.590	-51.55	-25	Pass
3720	3730	1	CHP	8	3727.045	-51.43	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.350	-44.10	-40	Pass
3530	3540	1	CHP	2	3537.100	-42.84	-25	Pass
3540	3549	1	CHP	3	3547.900	-40.68	-13	Pass
3549	3550	0.38571	CHP	4	3549.550	-44.74	-13	Pass
3550	3590	0.38571	CHP	/	/	/	/	/
3590	3591	0.38571	CHP	5	3590.050	-49.26	-13	Pass
3591	3630	1	CHP	6	3593.800	-44.97	-13	Pass
3630	3720	1	CHP	7	3707.650	-45.77	-25	Pass
3720	3730	1	CHP	8	3724.150	-45.47	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	909.550	-56.33	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2413.000	-47.97	-40	Pass
3530	3564.99	1	/	2	3564.000	-52.35	-25	Pass
3564.99	3603.99	1	/	3	3587.000	-44.31	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3652.500	-37.02	-13	Pass
3684.99	3720	1	/	5	3710.500	-50.37	-25	Pass
3720	37000	1	/	6	35706.000	-43.45	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3679.98MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.130	-47.46	-40	Pass
3530	3619.98	1	CHP	2	3619.915	-47.36	-25	Pass
3619.98	3658.98	1	CHP	3	3656.500	-38.35	-13	Pass
3658.98	3659.98	0.03	/	4	3659.950	-30.35	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-53.22	-13	Pass
3700.98	3710	1	CHP	6	3707.455	-37.14	-13	Pass
3710	3720	1	CHP	7	3719.455	-40.69	-25	Pass
3720	3730	1	CHP	8	3720.010	-42.03	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.540	-53.13	-40	Pass
3530	3619.98	1	CHP	2	3618.565	-51.33	-25	Pass
3619.98	3658.98	1	CHP	3	3640.420	-37.87	-13	Pass
3658.98	3659.98	0.03	/	4	3659.005	-55.83	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.000	-38.19	-13	Pass
3700.98	3710	1	CHP	6	3702.805	-40.30	-13	Pass
3710	3720	1	CHP	7	3717.565	-41.85	-25	Pass
3720	3730	1	CHP	8	3721.165	-50.09	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	894.800	-56.23	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2414.500	-45.45	-40	Pass
3530	3619.98	1	/	2	3619.000	-51.42	-25	Pass
3619.98	3658.98	1	/	3	3640.000	-40.54	-13	Pass
3658.98	3704.98	1	/	/	/	/	/	/
3704.98	3710	1	/	4	3705.500	-45.96	-13	Pass
3710	3720	1	/	5	3718.000	-46.87	-25	Pass
3720	37000	1	/	6	35789.500	-43.75	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3679.98MHz Outer_Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.650	-47.35	-40	Pass
3530	3619.98	1	CHP	2	3609.400	-47.29	-25	Pass
3619.98	3658.98	1	CHP	3	3629.350	-46.61	-13	Pass
3658.98	3659.98	0.38571	CHP	4	3659.950	-51.38	-13	Pass
3659.98	3699.98	0.38571	CHP	/	/	/	/	/
3699.98	3700.98	0.38571	CHP	5	3700.750	-50.69	-13	Pass
3700.98	3710	1	CHP	6	3706.000	-45.73	-13	Pass
3710	3720	1	CHP	7	3716.650	-40.42	-25	Pass
3720	3730	1	CHP	8	3721.150	-44.43	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3570MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.680	-50.06	-40	Pass
3530	3540	1	CHP	2	3538.900	-48.47	-25	Pass
3540	3549	1	CHP	3	3546.130	-42.19	-13	Pass
3549	3550	0.03	/	4	3549.955	-34.37	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.005	-56.62	-13	Pass
3591	3630	1	CHP	6	3597.490	-42.94	-13	Pass
3630	3720	1	CHP	7	3713.935	-51.58	-25	Pass
3720	3730	1	CHP	8	3725.620	-51.31	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3570MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	715.450	-55.62	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3570MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3529.500	-50.93	-40	Pass
3530	3540	1	/	2	3532.000	-47.37	-25	Pass
3540	3549	1	/	3	3544.500	-46.94	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3597.500	-43.34	-13	Pass
3630	3720	1	/	5	3631.500	-50.17	-25	Pass
3720	37000	1	/	6	35514.500	-42.96	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3570MHz_Edge_1RB_Right_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-46.00	-40	Pass
3530	3540	1	CHP	2	3530.680	-45.18	-25	Pass
3540	3549	1	CHP	3	3542.425	-41.18	-13	Pass
3549	3550	0.03	/	4	3549.850	-56.20	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.050	-34.91	-13	Pass
3591	3630	1	CHP	6	3593.830	-40.80	-13	Pass
3630	3720	1	CHP	7	3718.945	-45.89	-25	Pass
3720	3730	1	CHP	8	3723.850	-45.77	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3570MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.000	-46.59	-40	Pass
3530	3540	1	CHP	2	3538.600	-43.36	-25	Pass
3540	3549	1	CHP	3	3542.650	-41.48	-13	Pass
3549	3550	0.38571	CHP	4	3549.850	-46.37	-13	Pass
3550	3590	0.38571	CHP	/	/	/	/	/
3590	3591	0.38571	CHP	5	3590.050	-42.43	-13	Pass
3591	3630	1	CHP	6	3596.500	-40.96	-13	Pass
3630	3720	1	CHP	7	3707.950	-45.66	-25	Pass
3720	3730	1	CHP	8	3727.450	-45.33	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	717.750	-56.18	-40	Pass

n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3125.500	-51.03	-40	Pass
3530	3564.99	1	/	2	3539.500	-52.26	-25	Pass
3564.99	3603.99	1	/	3	3599.000	-45.69	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3664.500	-41.90	-13	Pass
3684.99	3720	1	/	5	3698.000	-50.70	-25	Pass
3720	37000	1	/	6	36517.500	-43.78	-40	Pass

n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.795	-53.00	-40	Pass
3530	3619.98	1	CHP	2	3619.720	-52.61	-25	Pass
3619.98	3658.98	1	CHP	3	3656.260	-41.06	-13	Pass
3658.98	3659.98	0.03	/	4	3659.950	-30.66	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.210	-56.17	-13	Pass
3700.98	3710	1	CHP	6	3707.500	-42.26	-13	Pass
3710	3720	1	CHP	7	3719.785	-42.28	-25	Pass
3720	3730	1	CHP	8	3720.010	-43.07	-40	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Right Ant4



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.585	-52.91	-40	Pass
3530	3619.98	1	CHP	2	3618.340	-51.70	-25	Pass
3619.98	3658.98	1	CHP	3	3640.150	-39.78	-13	Pass
3658.98	3659.98	0.03	/	4	3659.815	-56.93	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.000	-35.27	-13	Pass
3700.98	3710	1	CHP	6	3704.005	-42.76	-13	Pass
3710	3720	1	CHP	7	3717.505	-45.73	-25	Pass
3720	3730	1	CHP	8	3722.545	-49.97	-40	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Right Ant4



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	895.300	-56.40	-40	Pass