

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n70 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1697.5	Edge_1RB_Left	22.46	/	/	20.49	/	/	<=30	Pass
		Edge_1RB_Right	22.53	/	/	20.56	/	/	<=30	Pass
		Outer_Full	22.60	/	/	20.63	/	/	<=30	Pass
		Inner_Full	23.01	/	/	21.04	/	/	<=30	Pass
		Inner_1RB_Left	23.04	/	/	21.07	/	/	<=30	Pass
		Inner_1RB_Right	23.12	/	/	21.15	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	22.93	/	/	20.96	/	/	<=30	Pass
		Edge_1RB_Right	22.91	/	/	20.94	/	/	<=30	Pass
		Outer_Full	22.98	/	/	21.01	/	/	<=30	Pass
		Inner_Full	23.46	/	/	21.49	/	/	<=30	Pass
		Inner_1RB_Left	23.50	/	/	21.53	/	/	<=30	Pass
		Inner_1RB_Right	23.51	/	/	21.54	/	/	<=30	Pass
	1707.5	Edge_1RB_Left	22.50	/	/	20.53	/	/	<=30	Pass
		Edge_1RB_Right	22.59	/	/	20.62	/	/	<=30	Pass
		Outer_Full	22.58	/	/	20.61	/	/	<=30	Pass
		Inner_Full	23.08	/	/	21.11	/	/	<=30	Pass
		Inner_1RB_Left	23.03	/	/	21.06	/	/	<=30	Pass
		Inner_1RB_Right	23.11	/	/	21.14	/	/	<=30	Pass
DFT-s-OFDM QPSK	1697.5	Edge_1RB_Left	22.48	/	/	20.51	/	/	<=30	Pass
		Edge_1RB_Right	22.47	/	/	20.50	/	/	<=30	Pass
		Outer_Full	22.44	/	/	20.48	/	/	<=30	Pass
		Inner_Full	23.46	/	/	21.49	/	/	<=30	Pass
		Inner_1RB_Left	23.54	/	/	21.57	/	/	<=30	Pass
		Inner_1RB_Right	23.69	/	/	21.72	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	22.45	/	/	20.48	/	/	<=30	Pass
		Edge_1RB_Right	22.49	/	/	20.52	/	/	<=30	Pass
		Outer_Full	22.45	/	/	20.48	/	/	<=30	Pass
		Inner_Full	23.51	/	/	21.54	/	/	<=30	Pass
		Inner_1RB_Left	23.60	/	/	21.64	/	/	<=30	Pass
		Inner_1RB_Right	23.62	/	/	21.66	/	/	<=30	Pass
	1707.5	Edge_1RB_Left	22.49	/	/	20.52	/	/	<=30	Pass
		Edge_1RB_Right	22.54	/	/	20.57	/	/	<=30	Pass
		Outer_Full	22.48	/	/	20.51	/	/	<=30	Pass
		Inner_Full	23.58	/	/	21.62	/	/	<=30	Pass
		Inner_1RB_Left	23.57	/	/	21.60	/	/	<=30	Pass
		Inner_1RB_Right	23.68	/	/	21.71	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1697.5	Edge_1RB_Left	21.35	/	/	19.38	/	/	<=30	Pass
		Edge_1RB_Right	21.40	/	/	19.43	/	/	<=30	Pass
		Outer_Full	21.44	/	/	19.48	/	/	<=30	Pass
		Inner_Full	22.43	/	/	20.46	/	/	<=30	Pass
		Inner_1RB_Left	22.35	/	/	20.38	/	/	<=30	Pass
		Inner_1RB_Right	22.41	/	/	20.44	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	21.31	/	/	19.34	/	/	<=30	Pass
		Edge_1RB_Right	21.35	/	/	19.38	/	/	<=30	Pass
		Outer_Full	21.49	/	/	19.52	/	/	<=30	Pass
		Inner_Full	22.42	/	/	20.46	/	/	<=30	Pass
		Inner_1RB_Left	22.36	/	/	20.39	/	/	<=30	Pass
		Inner_1RB_Right	22.37	/	/	20.40	/	/	<=30	Pass
	1707.5	Edge_1RB_Left	21.41	/	/	19.44	/	/	<=30	Pass

		Edge 1RB Right	21.39	/	/	19.42	/	/	<=30	Pass
		Outer Full	21.54	/	/	19.57	/	/	<=30	Pass
		Inner Full	22.55	/	/	20.58	/	/	<=30	Pass
		Inner 1RB Left	22.41	/	/	20.44	/	/	<=30	Pass
		Inner 1RB Right	22.46	/	/	20.50	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1697.5	Edge 1RB Left	21.06	/	/	19.09	/	/	<=30	Pass
		Edge 1RB Right	21.10	/	/	19.13	/	/	<=30	Pass
		Outer Full	20.96	/	/	18.99	/	/	<=30	Pass
		Inner Full	20.96	/	/	18.99	/	/	<=30	Pass
		Inner 1RB Left	21.08	/	/	19.11	/	/	<=30	Pass
		Inner 1RB Right	21.15	/	/	19.18	/	/	<=30	Pass
	1702.5	Edge 1RB Left	21.09	/	/	19.12	/	/	<=30	Pass
		Edge 1RB Right	21.11	/	/	19.14	/	/	<=30	Pass
		Outer Full	21.03	/	/	19.06	/	/	<=30	Pass
		Inner Full	20.97	/	/	19.00	/	/	<=30	Pass
		Inner 1RB Left	21.17	/	/	19.20	/	/	<=30	Pass
		Inner 1RB Right	21.15	/	/	19.18	/	/	<=30	Pass
	1707.5	Edge 1RB Left	21.18	/	/	19.21	/	/	<=30	Pass
		Edge 1RB Right	21.16	/	/	19.19	/	/	<=30	Pass
		Outer Full	21.06	/	/	19.09	/	/	<=30	Pass
		Inner Full	21.03	/	/	19.07	/	/	<=30	Pass
		Inner 1RB Left	21.17	/	/	19.21	/	/	<=30	Pass
		Inner 1RB Right	21.20	/	/	19.23	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1697.5	Edge 1RB Left	18.90	/	/	16.94	/	/	<=30	Pass
		Edge 1RB Right	18.94	/	/	16.97	/	/	<=30	Pass
		Outer Full	18.92	/	/	16.95	/	/	<=30	Pass
		Inner Full	18.86	/	/	16.89	/	/	<=30	Pass
		Inner 1RB Left	18.98	/	/	17.01	/	/	<=30	Pass
		Inner 1RB Right	18.97	/	/	17.00	/	/	<=30	Pass
	1702.5	Edge 1RB Left	16.42	/	/	14.45	/	/	<=30	Pass
		Edge 1RB Right	18.92	/	/	16.95	/	/	<=30	Pass
		Outer Full	18.94	/	/	16.97	/	/	<=30	Pass
		Inner Full	18.83	/	/	16.86	/	/	<=30	Pass
		Inner 1RB Left	18.96	/	/	16.99	/	/	<=30	Pass
		Inner 1RB Right	16.51	/	/	14.54	/	/	<=30	Pass
	1707.5	Edge 1RB Left	19.00	/	/	17.03	/	/	<=30	Pass
		Edge 1RB Right	19.05	/	/	17.08	/	/	<=30	Pass
		Outer Full	18.98	/	/	17.01	/	/	<=30	Pass
		Inner Full	18.86	/	/	16.89	/	/	<=30	Pass
		Inner 1RB Left	19.03	/	/	17.06	/	/	<=30	Pass
		Inner 1RB Right	19.08	/	/	17.11	/	/	<=30	Pass
CP-OFDM QPSK	1697.5	Edge 1RB Left	20.32	/	/	18.35	/	/	<=30	Pass
		Edge 1RB Right	20.46	/	/	18.49	/	/	<=30	Pass
		Outer Full	20.42	/	/	18.45	/	/	<=30	Pass
		Inner Full	21.95	/	/	19.98	/	/	<=30	Pass
		Inner 1RB Left	21.77	/	/	19.80	/	/	<=30	Pass
		Inner 1RB Right	21.89	/	/	19.92	/	/	<=30	Pass
	1702.5	Edge 1RB Left	19.90	/	/	17.93	/	/	<=30	Pass
		Edge 1RB Right	20.17	/	/	18.20	/	/	<=30	Pass
		Outer Full	20.40	/	/	18.43	/	/	<=30	Pass
		Inner Full	21.47	/	/	19.50	/	/	<=30	Pass
		Inner 1RB Left	21.88	/	/	19.91	/	/	<=30	Pass
		Inner 1RB Right	21.45	/	/	19.48	/	/	<=30	Pass
	1707.5	Edge 1RB Left	20.48	/	/	18.51	/	/	<=30	Pass
		Edge 1RB Right	20.49	/	/	18.52	/	/	<=30	Pass
		Outer Full	20.46	/	/	18.50	/	/	<=30	Pass
		Inner Full	22.01	/	/	20.04	/	/	<=30	Pass
		Inner 1RB Left	21.95	/	/	19.98	/	/	<=30	Pass
		Inner 1RB Right	22.00	/	/	20.03	/	/	<=30	Pass

CP-OFDM 16 QAM	1697.5	Edge 1RB Left	20.23	/	/	18.26	/	/	<=30	Pass
		Edge 1RB Right	20.36	/	/	18.39	/	/	<=30	Pass
		Outer_Full	20.51	/	/	18.54	/	/	<=30	Pass
		Inner_Full	21.46	/	/	19.49	/	/	<=30	Pass
		Inner 1RB Left	21.24	/	/	19.27	/	/	<=30	Pass
		Inner 1RB Right	21.36	/	/	19.39	/	/	<=30	Pass
	1702.5	Edge 1RB Left	19.79	/	/	17.82	/	/	<=30	Pass
		Edge 1RB Right	20.35	/	/	18.38	/	/	<=30	Pass
		Outer_Full	20.01	/	/	18.04	/	/	<=30	Pass
		Inner_Full	21.00	/	/	19.03	/	/	<=30	Pass
		Inner 1RB Left	20.79	/	/	18.82	/	/	<=30	Pass
		Inner 1RB Right	21.35	/	/	19.38	/	/	<=30	Pass
	1707.5	Edge 1RB Left	20.36	/	/	18.39	/	/	<=30	Pass
		Edge 1RB Right	20.39	/	/	18.42	/	/	<=30	Pass
		Outer_Full	20.55	/	/	18.58	/	/	<=30	Pass
		Inner_Full	21.50	/	/	19.53	/	/	<=30	Pass
		Inner 1RB Left	21.35	/	/	19.38	/	/	<=30	Pass
		Inner 1RB Right	21.43	/	/	19.46	/	/	<=30	Pass
CP-OFDM 64 QAM	1697.5	Edge 1RB Left	20.12	/	/	18.15	/	/	<=30	Pass
		Edge 1RB Right	20.22	/	/	18.25	/	/	<=30	Pass
		Outer_Full	20.01	/	/	18.04	/	/	<=30	Pass
		Inner_Full	19.91	/	/	17.94	/	/	<=30	Pass
		Inner 1RB Left	20.15	/	/	18.18	/	/	<=30	Pass
		Inner 1RB Right	20.21	/	/	18.24	/	/	<=30	Pass
	1702.5	Edge 1RB Left	20.10	/	/	18.13	/	/	<=30	Pass
		Edge 1RB Right	19.69	/	/	17.72	/	/	<=30	Pass
		Outer_Full	19.49	/	/	17.52	/	/	<=30	Pass
		Inner_Full	19.40	/	/	17.44	/	/	<=30	Pass
		Inner 1RB Left	20.10	/	/	18.13	/	/	<=30	Pass
		Inner 1RB Right	19.87	/	/	17.90	/	/	<=30	Pass
	1707.5	Edge 1RB Left	20.14	/	/	18.17	/	/	<=30	Pass
		Edge 1RB Right	20.21	/	/	18.24	/	/	<=30	Pass
		Outer_Full	20.06	/	/	18.09	/	/	<=30	Pass
		Inner_Full	19.92	/	/	17.95	/	/	<=30	Pass
		Inner 1RB Left	20.17	/	/	18.20	/	/	<=30	Pass
		Inner 1RB Right	20.27	/	/	18.30	/	/	<=30	Pass
CP-OFDM 256 QAM	1697.5	Edge 1RB Left	16.84	/	/	14.87	/	/	<=30	Pass
		Edge 1RB Right	16.99	/	/	15.03	/	/	<=30	Pass
		Outer_Full	16.88	/	/	14.91	/	/	<=30	Pass
		Inner_Full	16.83	/	/	14.86	/	/	<=30	Pass
		Inner 1RB Left	16.91	/	/	14.94	/	/	<=30	Pass
		Inner 1RB Right	17.02	/	/	15.05	/	/	<=30	Pass
	1702.5	Edge 1RB Left	16.91	/	/	14.94	/	/	<=30	Pass
		Edge 1RB Right	16.50	/	/	14.53	/	/	<=30	Pass
		Outer_Full	16.65	/	/	14.68	/	/	<=30	Pass
		Inner_Full	16.37	/	/	14.40	/	/	<=30	Pass
		Inner 1RB Left	17.16	/	/	15.19	/	/	<=30	Pass
		Inner 1RB Right	16.52	/	/	14.55	/	/	<=30	Pass
	1707.5	Edge 1RB Left	16.93	/	/	14.96	/	/	<=30	Pass
		Edge 1RB Right	16.96	/	/	14.99	/	/	<=30	Pass
		Outer_Full	16.92	/	/	14.95	/	/	<=30	Pass
		Inner_Full	16.89	/	/	14.92	/	/	<=30	Pass
		Inner 1RB Left	17.02	/	/	15.05	/	/	<=30	Pass
		Inner 1RB Right	17.02	/	/	15.05	/	/	<=30	Pass
Note1: Antenna Gain: Ant0: -1.97dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n70 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1700	Edge 1RB Left	22.53	/	/	20.56	/	/	<=30	Pass
		Edge 1RB Right	22.68	/	/	20.71	/	/	<=30	Pass
		Outer Full	22.58	/	/	20.61	/	/	<=30	Pass
		Inner Full	23.05	/	/	21.08	/	/	<=30	Pass
		Inner 1RB Left	23.10	/	/	21.13	/	/	<=30	Pass
		Inner 1RB Right	23.22	/	/	21.26	/	/	<=30	Pass
	1702.5	Edge 1RB Left	23.01	/	/	21.04	/	/	<=30	Pass
		Edge 1RB Right	23.09	/	/	21.12	/	/	<=30	Pass
		Outer Full	23.05	/	/	21.08	/	/	<=30	Pass
		Inner Full	23.53	/	/	21.56	/	/	<=30	Pass
		Inner 1RB Left	23.58	/	/	21.61	/	/	<=30	Pass
		Inner 1RB Right	23.06	/	/	21.09	/	/	<=30	Pass
	1705	Edge 1RB Left	22.67	/	/	20.70	/	/	<=30	Pass
		Edge 1RB Right	22.69	/	/	20.72	/	/	<=30	Pass
		Outer Full	22.62	/	/	20.65	/	/	<=30	Pass
		Inner Full	23.09	/	/	21.12	/	/	<=30	Pass
		Inner 1RB Left	23.18	/	/	21.21	/	/	<=30	Pass
		Inner 1RB Right	23.22	/	/	21.25	/	/	<=30	Pass
DFT-s-OFDM QPSK	1700	Edge 1RB Left	22.58	/	/	20.61	/	/	<=30	Pass
		Edge 1RB Right	22.61	/	/	20.64	/	/	<=30	Pass
		Outer Full	22.52	/	/	20.55	/	/	<=30	Pass
		Inner Full	23.46	/	/	21.49	/	/	<=30	Pass
		Inner 1RB Left	23.68	/	/	21.71	/	/	<=30	Pass
		Inner 1RB Right	23.77	/	/	21.80	/	/	<=30	Pass
	1702.5	Edge 1RB Left	22.61	/	/	20.64	/	/	<=30	Pass
		Edge 1RB Right	22.64	/	/	20.67	/	/	<=30	Pass
		Outer Full	22.52	/	/	20.55	/	/	<=30	Pass
		Inner Full	23.53	/	/	21.56	/	/	<=30	Pass
		Inner 1RB Left	23.76	/	/	21.79	/	/	<=30	Pass
		Inner 1RB Right	23.79	/	/	21.82	/	/	<=30	Pass
	1705	Edge 1RB Left	22.60	/	/	20.63	/	/	<=30	Pass
		Edge 1RB Right	22.62	/	/	20.66	/	/	<=30	Pass
		Outer Full	22.57	/	/	20.60	/	/	<=30	Pass
		Inner Full	23.56	/	/	21.59	/	/	<=30	Pass
		Inner 1RB Left	23.76	/	/	21.80	/	/	<=30	Pass
		Inner 1RB Right	23.64	/	/	21.67	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1700	Edge 1RB Left	21.48	/	/	19.51	/	/	<=30	Pass
		Edge 1RB Right	21.44	/	/	19.47	/	/	<=30	Pass
		Outer Full	21.52	/	/	19.55	/	/	<=30	Pass
		Inner Full	22.49	/	/	20.52	/	/	<=30	Pass
		Inner 1RB Left	22.45	/	/	20.48	/	/	<=30	Pass
		Inner 1RB Right	22.52	/	/	20.55	/	/	<=30	Pass
	1702.5	Edge 1RB Left	21.47	/	/	19.50	/	/	<=30	Pass
		Edge 1RB Right	21.50	/	/	19.53	/	/	<=30	Pass
		Outer Full	21.55	/	/	19.58	/	/	<=30	Pass
		Inner Full	22.52	/	/	20.55	/	/	<=30	Pass
		Inner 1RB Left	22.46	/	/	20.49	/	/	<=30	Pass
		Inner 1RB Right	22.52	/	/	20.55	/	/	<=30	Pass
	1705	Edge 1RB Left	21.38	/	/	19.41	/	/	<=30	Pass
		Edge 1RB Right	21.51	/	/	19.54	/	/	<=30	Pass
		Outer Full	21.55	/	/	19.58	/	/	<=30	Pass
		Inner Full	22.53	/	/	20.57	/	/	<=30	Pass
		Inner 1RB Left	22.46	/	/	20.49	/	/	<=30	Pass
		Inner 1RB Right	22.53	/	/	20.56	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1700	Edge 1RB Left	21.16	/	/	19.19	/	/	<=30	Pass
		Edge 1RB Right	21.19	/	/	19.22	/	/	<=30	Pass

		Outer_Full	21.02	/	/	19.05	/	/	<=30	Pass
		Inner_Full	21.04	/	/	19.07	/	/	<=30	Pass
		Inner_1RB_Left	21.20	/	/	19.23	/	/	<=30	Pass
		Inner_1RB_Right	21.23	/	/	19.26	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	21.21	/	/	19.25	/	/	<=30	Pass
		Edge_1RB_Right	21.24	/	/	19.27	/	/	<=30	Pass
		Outer_Full	21.01	/	/	19.04	/	/	<=30	Pass
		Inner_Full	21.07	/	/	19.10	/	/	<=30	Pass
	1705	Inner_1RB_Left	21.22	/	/	19.25	/	/	<=30	Pass
		Inner_1RB_Right	21.28	/	/	19.31	/	/	<=30	Pass
		Edge_1RB_Left	21.23	/	/	19.26	/	/	<=30	Pass
		Edge_1RB_Right	21.25	/	/	19.28	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1700	Outer_Full	21.04	/	/	19.07	/	/	<=30	Pass
		Inner_Full	21.04	/	/	19.07	/	/	<=30	Pass
		Inner_1RB_Left	21.30	/	/	19.33	/	/	<=30	Pass
		Inner_1RB_Right	21.33	/	/	19.36	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	19.05	/	/	17.08	/	/	<=30	Pass
		Edge_1RB_Right	19.15	/	/	17.18	/	/	<=30	Pass
		Outer_Full	19.01	/	/	17.04	/	/	<=30	Pass
		Inner_Full	18.92	/	/	16.95	/	/	<=30	Pass
	1705	Inner_1RB_Left	19.09	/	/	17.12	/	/	<=30	Pass
		Inner_1RB_Right	19.14	/	/	17.17	/	/	<=30	Pass
		Edge_1RB_Left	18.56	/	/	16.59	/	/	<=30	Pass
		Edge_1RB_Right	19.05	/	/	17.08	/	/	<=30	Pass
CP-OFDM QPSK	1700	Outer_Full	18.46	/	/	16.49	/	/	<=30	Pass
		Inner_Full	18.95	/	/	16.98	/	/	<=30	Pass
		Inner_1RB_Left	18.60	/	/	16.63	/	/	<=30	Pass
		Inner_1RB_Right	19.09	/	/	17.12	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	19.05	/	/	17.08	/	/	<=30	Pass
		Edge_1RB_Right	19.11	/	/	17.14	/	/	<=30	Pass
		Outer_Full	19.03	/	/	17.06	/	/	<=30	Pass
		Inner_Full	18.90	/	/	16.93	/	/	<=30	Pass
	1705	Inner_1RB_Left	19.11	/	/	17.14	/	/	<=30	Pass
		Inner_1RB_Right	19.15	/	/	17.18	/	/	<=30	Pass
		Edge_1RB_Left	20.43	/	/	18.46	/	/	<=30	Pass
		Edge_1RB_Right	20.60	/	/	18.63	/	/	<=30	Pass
CP-OFDM 16 QAM	1700	Outer_Full	20.56	/	/	18.59	/	/	<=30	Pass
		Inner_Full	22.03	/	/	20.06	/	/	<=30	Pass
		Inner_1RB_Left	21.90	/	/	19.93	/	/	<=30	Pass
		Inner_1RB_Right	22.01	/	/	20.05	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	20.01	/	/	18.04	/	/	<=30	Pass
		Edge_1RB_Right	20.80	/	/	18.83	/	/	<=30	Pass
		Outer_Full	20.47	/	/	18.50	/	/	<=30	Pass
		Inner_Full	22.01	/	/	20.04	/	/	<=30	Pass
	1705	Inner_1RB_Left	21.48	/	/	19.51	/	/	<=30	Pass
		Inner_1RB_Right	21.75	/	/	19.78	/	/	<=30	Pass
		Edge_1RB_Left	20.53	/	/	18.56	/	/	<=30	Pass
		Edge_1RB_Right	20.61	/	/	18.64	/	/	<=30	Pass
	1700	Outer_Full	20.56	/	/	18.60	/	/	<=30	Pass
		Inner_Full	22.03	/	/	20.06	/	/	<=30	Pass
		Inner_1RB_Left	21.98	/	/	20.01	/	/	<=30	Pass
		Inner_1RB_Right	22.04	/	/	20.07	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	20.32	/	/	18.35	/	/	<=30	Pass
		Edge_1RB_Right	20.45	/	/	18.48	/	/	<=30	Pass
		Outer_Full	20.52	/	/	18.55	/	/	<=30	Pass
		Inner_Full	21.43	/	/	19.46	/	/	<=30	Pass
	1700	Inner_1RB_Left	21.35	/	/	19.38	/	/	<=30	Pass
		Inner_1RB_Right	21.45	/	/	19.48	/	/	<=30	Pass
	1702.5	Edge_1RB_Left	20.49	/	/	18.52	/	/	<=30	Pass
		Edge_1RB_Right	20.60	/	/	18.63	/	/	<=30	Pass
		Outer_Full	20.56	/	/	18.59	/	/	<=30	Pass
		Inner_Full	22.03	/	/	20.06	/	/	<=30	Pass
	1705	Inner_1RB_Left	21.98	/	/	20.01	/	/	<=30	Pass
		Inner_1RB_Right	22.04	/	/	20.07	/	/	<=30	Pass

		Edge 1RB Right	19.96	/	/	17.99	/	/	<=30	Pass
		Outer Full	20.70	/	/	18.73	/	/	<=30	Pass
		Inner Full	21.25	/	/	19.28	/	/	<=30	Pass
		Inner 1RB Left	21.51	/	/	19.55	/	/	<=30	Pass
		Inner 1RB Right	20.94	/	/	18.97	/	/	<=30	Pass
	1705	Edge 1RB Left	20.37	/	/	18.40	/	/	<=30	Pass
		Edge 1RB Right	20.46	/	/	18.49	/	/	<=30	Pass
		Outer Full	20.53	/	/	18.56	/	/	<=30	Pass
		Inner Full	21.46	/	/	19.49	/	/	<=30	Pass
		Inner 1RB Left	21.42	/	/	19.45	/	/	<=30	Pass
	Inner 1RB Right	21.45	/	/	19.48	/	/	<=30	Pass	
CP-OFDM 64 QAM	1700	Edge 1RB Left	20.25	/	/	18.28	/	/	<=30	Pass
		Edge 1RB Right	20.31	/	/	18.34	/	/	<=30	Pass
		Outer Full	19.97	/	/	18.00	/	/	<=30	Pass
		Inner Full	19.95	/	/	17.98	/	/	<=30	Pass
		Inner 1RB Left	20.27	/	/	18.30	/	/	<=30	Pass
		Inner 1RB Right	20.28	/	/	18.31	/	/	<=30	Pass
	1702.5	Edge 1RB Left	20.17	/	/	18.20	/	/	<=30	Pass
		Edge 1RB Right	20.15	/	/	18.18	/	/	<=30	Pass
		Outer Full	19.47	/	/	17.50	/	/	<=30	Pass
		Inner Full	19.92	/	/	17.95	/	/	<=30	Pass
		Inner 1RB Left	19.73	/	/	17.76	/	/	<=30	Pass
		Inner 1RB Right	19.84	/	/	17.87	/	/	<=30	Pass
	1705	Edge 1RB Left	20.25	/	/	18.28	/	/	<=30	Pass
		Edge 1RB Right	20.26	/	/	18.29	/	/	<=30	Pass
		Outer Full	20.04	/	/	18.07	/	/	<=30	Pass
		Inner Full	19.98	/	/	18.01	/	/	<=30	Pass
		Inner 1RB Left	20.27	/	/	18.30	/	/	<=30	Pass
		Inner 1RB Right	20.29	/	/	18.32	/	/	<=30	Pass
CP-OFDM 256 QAM	1700	Edge 1RB Left	16.98	/	/	15.01	/	/	<=30	Pass
		Edge 1RB Right	17.10	/	/	15.13	/	/	<=30	Pass
		Outer Full	17.00	/	/	15.03	/	/	<=30	Pass
		Inner Full	16.85	/	/	14.88	/	/	<=30	Pass
		Inner 1RB Left	17.04	/	/	15.07	/	/	<=30	Pass
		Inner 1RB Right	17.08	/	/	15.11	/	/	<=30	Pass
	1702.5	Edge 1RB Left	16.98	/	/	15.01	/	/	<=30	Pass
		Edge 1RB Right	16.52	/	/	14.55	/	/	<=30	Pass
		Outer Full	16.47	/	/	14.50	/	/	<=30	Pass
		Inner Full	16.36	/	/	14.39	/	/	<=30	Pass
		Inner 1RB Left	16.55	/	/	14.58	/	/	<=30	Pass
		Inner 1RB Right	16.74	/	/	14.78	/	/	<=30	Pass
	1705	Edge 1RB Left	16.99	/	/	15.03	/	/	<=30	Pass
		Edge 1RB Right	17.02	/	/	15.05	/	/	<=30	Pass
		Outer Full	17.04	/	/	15.07	/	/	<=30	Pass
Inner Full		16.88	/	/	14.91	/	/	<=30	Pass	
Inner 1RB Left		17.07	/	/	15.10	/	/	<=30	Pass	
	Inner 1RB Right	17.09	/	/	15.12	/	/	<=30	Pass	
Note1: Antenna Gain: Ant0: -1.97dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n70 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1702.5	Edge 1RB Left	22.44	/	/	20.48	/	/	<=30	Pass
		Edge 1RB Right	22.59	/	/	20.62	/	/	<=30	Pass
		Outer Full	22.63	/	/	20.66	/	/	<=30	Pass

		Inner_Full	23.15	/	/	21.18	/	/	<=30	Pass
		Inner_1RB_Left	22.98	/	/	21.01	/	/	<=30	Pass
		Inner_1RB_Right	23.15	/	/	21.18	/	/	<=30	Pass
DFT-s-OFDM QPSK	1702.5	Edge_1RB_Left	22.53	/	/	20.56	/	/	<=30	Pass
		Edge_1RB_Right	22.57	/	/	20.60	/	/	<=30	Pass
		Outer_Full	22.60	/	/	20.63	/	/	<=30	Pass
		Inner_Full	23.61	/	/	21.64	/	/	<=30	Pass
		Inner_1RB_Left	23.64	/	/	21.67	/	/	<=30	Pass
		Inner_1RB_Right	23.74	/	/	21.78	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1702.5	Edge_1RB_Left	21.31	/	/	19.34	/	/	<=30	Pass
		Edge_1RB_Right	21.39	/	/	19.42	/	/	<=30	Pass
		Outer_Full	21.59	/	/	19.62	/	/	<=30	Pass
		Inner_Full	22.54	/	/	20.57	/	/	<=30	Pass
		Inner_1RB_Left	22.34	/	/	20.37	/	/	<=30	Pass
		Inner_1RB_Right	22.44	/	/	20.47	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1702.5	Edge_1RB_Left	21.07	/	/	19.10	/	/	<=30	Pass
		Edge_1RB_Right	21.21	/	/	19.24	/	/	<=30	Pass
		Outer_Full	21.09	/	/	19.12	/	/	<=30	Pass
		Inner_Full	21.11	/	/	19.14	/	/	<=30	Pass
		Inner_1RB_Left	21.12	/	/	19.15	/	/	<=30	Pass
		Inner_1RB_Right	21.20	/	/	19.23	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1702.5	Edge_1RB_Left	18.94	/	/	16.97	/	/	<=30	Pass
		Edge_1RB_Right	19.05	/	/	17.08	/	/	<=30	Pass
		Outer_Full	19.10	/	/	17.13	/	/	<=30	Pass
		Inner_Full	19.02	/	/	17.05	/	/	<=30	Pass
		Inner_1RB_Left	18.99	/	/	17.03	/	/	<=30	Pass
		Inner_1RB_Right	19.09	/	/	17.12	/	/	<=30	Pass
CP-OFDM QPSK	1702.5	Edge_1RB_Left	20.33	/	/	18.36	/	/	<=30	Pass
		Edge_1RB_Right	20.51	/	/	18.54	/	/	<=30	Pass
		Outer_Full	20.56	/	/	18.59	/	/	<=30	Pass
		Inner_Full	22.00	/	/	20.03	/	/	<=30	Pass
		Inner_1RB_Left	21.82	/	/	19.85	/	/	<=30	Pass
		Inner_1RB_Right	22.02	/	/	20.05	/	/	<=30	Pass
CP-OFDM 16 QAM	1702.5	Edge_1RB_Left	20.21	/	/	18.24	/	/	<=30	Pass
		Edge_1RB_Right	20.39	/	/	18.42	/	/	<=30	Pass
		Outer_Full	20.57	/	/	18.60	/	/	<=30	Pass
		Inner_Full	21.52	/	/	19.55	/	/	<=30	Pass
		Inner_1RB_Left	21.25	/	/	19.28	/	/	<=30	Pass
		Inner_1RB_Right	21.40	/	/	19.43	/	/	<=30	Pass
CP-OFDM 64 QAM	1702.5	Edge_1RB_Left	20.13	/	/	18.16	/	/	<=30	Pass
		Edge_1RB_Right	20.20	/	/	18.23	/	/	<=30	Pass
		Outer_Full	20.06	/	/	18.09	/	/	<=30	Pass
		Inner_Full	20.04	/	/	18.07	/	/	<=30	Pass
		Inner_1RB_Left	20.17	/	/	18.20	/	/	<=30	Pass
		Inner_1RB_Right	20.25	/	/	18.28	/	/	<=30	Pass
CP-OFDM 256 QAM	1702.5	Edge_1RB_Left	16.86	/	/	14.89	/	/	<=30	Pass
		Edge_1RB_Right	17.15	/	/	15.18	/	/	<=30	Pass
		Outer_Full	17.28	/	/	15.31	/	/	<=30	Pass
		Inner_Full	17.25	/	/	15.28	/	/	<=30	Pass
		Inner_1RB_Left	16.86	/	/	14.89	/	/	<=30	Pass
		Inner_1RB_Right	17.01	/	/	15.04	/	/	<=30	Pass
Note1: Antenna Gain: Ant0: -1.97dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_15M

5G NR n70 SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1702.5	Outer_Full	20	LV	-42.96	-0.0252	>=-2.5 & <=2.5	Pass
				HV	-311.45	-0.1829	>=-2.5 & <=2.5	Pass
			-30	NV	-589.79	-0.3464	>=-2.5 & <=2.5	Pass
			-20	NV	-361.49	-0.2123	>=-2.5 & <=2.5	Pass
			-10	NV	-320.48	-0.1882	>=-2.5 & <=2.5	Pass
			0	NV	-323.10	-0.1898	>=-2.5 & <=2.5	Pass
			10	NV	-321.21	-0.1887	>=-2.5 & <=2.5	Pass
			20	NV	-333.87	-0.1961	>=-2.5 & <=2.5	Pass
			30	NV	117.83	0.0692	>=-2.5 & <=2.5	Pass
			40	NV	-321.31	-0.1887	>=-2.5 & <=2.5	Pass
50	NV	-305.60	-0.1795	>=-2.5 & <=2.5	Pass			

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n70 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1702.5	Outer_Full	4.55	4.98	/	Pass
DFT-s-OFDM QPSK	1702.5	Outer_Full	4.52	5.00	/	Pass
DFT-s-OFDM 16 QAM	1702.5	Outer_Full	4.54	4.96	/	Pass
DFT-s-OFDM 64 QAM	1702.5	Outer_Full	4.57	4.99	/	Pass
DFT-s-OFDM 256 QAM	1702.5	Outer_Full	4.55	5.00	/	Pass
CP-OFDM QPSK	1702.5	Outer_Full	4.53	4.96	/	Pass
CP-OFDM 16 QAM	1702.5	Outer_Full	4.52	4.97	/	Pass
CP-OFDM 64 QAM	1702.5	Outer_Full	4.51	4.99	/	Pass
CP-OFDM 256 QAM	1702.5	Outer_Full	4.54	5.00	/	Pass

3.1.2 15_S_10M_NTNV


5G NR n70 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1702.5	Outer_Full	9.03	10.10	/	Pass
DFT-s-OFDM QPSK	1702.5	Outer_Full	9.04	9.72	/	Pass
DFT-s-OFDM 16 QAM	1702.5	Outer_Full	9.02	9.75	/	Pass
DFT-s-OFDM 64 QAM	1702.5	Outer_Full	9.05	9.71	/	Pass
DFT-s-OFDM 256 QAM	1702.5	Outer_Full	9.05	9.70	/	Pass
CP-OFDM QPSK	1702.5	Outer_Full	9.40	10.06	/	Pass
CP-OFDM 16 QAM	1702.5	Outer_Full	9.40	10.12	/	Pass
CP-OFDM 64 QAM	1702.5	Outer_Full	9.36	10.08	/	Pass
CP-OFDM 256 QAM	1702.5	Outer_Full	9.34	10.07	/	Pass

2.1.3 15_S_15M_NTNV


5G NR n70 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1702.5	Outer_Full	13.53	14.53	/	Pass
DFT-s-OFDM QPSK	1702.5	Outer_Full	13.51	14.59	/	Pass
DFT-s-OFDM 16 QAM	1702.5	Outer_Full	13.60	14.63	/	Pass
DFT-s-OFDM 64 QAM	1702.5	Outer_Full	13.59	14.58	/	Pass
DFT-s-OFDM 256 QAM	1702.5	Outer_Full	13.58	14.56	/	Pass
CP-OFDM QPSK	1702.5	Outer_Full	14.28	15.29	/	Pass
CP-OFDM 16 QAM	1702.5	Outer_Full	14.27	15.32	/	Pass
CP-OFDM 64 QAM	1702.5	Outer_Full	14.23	15.27	/	Pass
CP-OFDM 256 QAM	1702.5	Outer_Full	14.21	15.29	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM 1702.5MHz Outer_Full Ant0




n70_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM 1702.5MHz Outer_Full Ant0




n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1702.5MHz_Outer_Full_Ant0




3.2.2 15_S_10M_NTNV




n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_1702.5MHz_Outer_Full_Ant0




3.2.3 15_S_15M_NTNV




n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1702.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM 1702.5MHz_Outer_Full_Ant0



n70_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM 1702.5MHz_Outer_Full_Ant0



n70_15kHz_SISO_NTNV_15MHz_CP-OFDM_256_QAM_1702.5MHz_Outer_Full_Ant0



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_15M_NTNV


5G NR n70 SCS=15kHz SISO 15MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1702.5	Outer_Full	5.48	/	/	<=13	Pass
DFT-s-OFDM QPSK	1702.5	Outer_Full	6.34	/	/	<=13	Pass
CP-OFDM QPSK	1702.5	Outer_Full	8.47	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_15M_NTNV



n70 15kHz SISO NTN 15MHz CP-OFDM QPSK 1702.5MHz Outer Full Ant0



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n70 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1697.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1707.5	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1697.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1707.5	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1697.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1707.5	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_10M_NTNV


5G NR n70 SCS=15kHz SISO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1700	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1705	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1700	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1705	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1700	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1705	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.3 15_S_15M_NTNV


5G NR n70 SCS=15kHz SISO 15MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1702.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1697.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.500	-49.66	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	3829.000	-51.21	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1697.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.500	-24.21	-13	Pass
1694	1695	0.04995	CHP	2	1694.990	-33.02	-13	Pass
1695	1700	0.04995	CHP	/	/	/	/	/


n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1702.5MHz_Edge_1RB_Left_Ant0



n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1702.5MHz_Edge_1RB_Left_Ant0




n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1707.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1710	0.003	/	/	/	/	/	/
1710	1711	0.003	/	1	1710.006	-35.68	-13	Pass
1711	1715	1	CHP	2	1711.500	-40.70	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1707.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	906.450	-58.47	-13	Pass


n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1707.5MHz_Edge_1RB_Right_Ant0



n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1707.5MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1697.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.498	-38.90	-13	Pass
1694	1695	0.003	/	2	1694.992	-30.36	-13	Pass
1695	1700	0.003	/	/	/	/	/	/

n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1697.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	885.550	-58.50	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1697.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1686.500	-49.53	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	3390.500	-50.20	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1697.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.500	-24.19	-13	Pass
1694	1695	0.04995	CHP	2	1694.990	-32.26	-13	Pass
1695	1700	0.04995	CHP	/	/	/	/	/


n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0



n70_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0




n70 15kHz SISO NTN 5MHz DFT-s-OFDM QPSK 1707.5MHz Edge 1RB Right Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1710	0.003	/	/	/	/	/	/
1710	1711	0.003	/	1	1710.008	-34.25	-13	Pass
1711	1715	1	CHP	2	1711.500	-38.58	-13	Pass

n70 15kHz SISO NTN 5MHz DFT-s-OFDM QPSK 1707.5MHz Edge 1RB Right Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	908.400	-58.42	-13	Pass

n70 15kHz SISO NTN 5MHz DFT-s-OFDM QPSK 1707.5MHz Edge 1RB Right Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1617.500	-56.67	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1718.500	-47.53	-13	Pass

n70 15kHz SISO NTN 5MHz DFT-s-OFDM QPSK 1707.5MHz Outer_Full Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1710	0.04995	CHP	/	/	/	/	/
1710	1711	0.04995	CHP	1	1710.010	-35.31	-13	Pass
1711	1715	1	CHP	2	1711.500	-26.42	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1697.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.491	-40.70	-13	Pass
1694	1695	0.003	/	2	1694.992	-31.36	-13	Pass
1695	1700	0.003	/	/	/	/	/	/

n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1697.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	893.000	-58.43	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1697.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.500	-48.97	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	3390.500	-49.92	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1697.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.500	-24.31	-13	Pass
1694	1695	0.04995	CHP	2	1694.920	-31.61	-13	Pass
1695	1700	0.04995	CHP	/	/	/	/	/


n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0



n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0




n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1707.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1710	0.003	/	/	/	/	/	/
1710	1711	0.003	/	1	1710.005	-32.93	-13	Pass
1711	1715	1	CHP	2	1711.500	-40.60	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1707.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	878.050	-58.39	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1707.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1680.500	-56.86	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1715.500	-49.73	-13	Pass

n70_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1707.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1710	0.04995	CHP	/	/	/	/	/
1710	1711	0.04995	CHP	1	1710.040	-34.76	-13	Pass
1711	1715	1	CHP	2	1711.500	-26.31	-13	Pass

4.2.2 15_S_10M_NTNV




n70 15kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 1700MHz Edge 1RB Left Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.500	-50.03	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1715.500	-50.77	-13	Pass

n70 15kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 1700MHz Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.465	-24.83	-13	Pass
1694	1695	0.09727	CHP	2	1694.620	-32.52	-13	Pass
1695	1705	0.09727	CHP	/	/	/	/	/

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	875.050	-62.11	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.000	-50.72	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1717.000	-46.65	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_1705MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1710	0.003	/	/	/	/	/	/
1710	1711	0.003	/	1	1710.009	-41.91	-13	Pass
1711	1715	1	CHP	2	1711.501	-40.69	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_1705MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	884.100	-62.11	-13	Pass


n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_1705MHz_Edge_1RB_Right_Ant0



n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_1705MHz_Outer_Full_Ant0




n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_1700MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.498	-39.18	-13	Pass
1694	1695	0.003	/	2	1694.992	-38.22	-13	Pass
1695	1705	0.003	/	/	/	/	/	/

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_1700MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	903.500	-62.18	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_1700MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.500	-51.35	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1715.500	-50.53	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_1700MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.405	-26.14	-13	Pass
1694	1695	0.09727	CHP	2	1694.560	-33.55	-13	Pass
1695	1705	0.09727	CHP	/	/	/	/	/

n70 15kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1702.5MHz Edge 1RB Left Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	925.200	-62.31	-13	Pass

n70 15kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1702.5MHz Edge 1RB Left Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1680.500	-48.64	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1717.000	-41.75	-13	Pass

n70 15kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1705MHz Edge 1RB Right Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1710	0.003	/	/	/	/	/	/
1710	1711	0.003	/	1	1710.008	-37.82	-13	Pass
1711	1715	1	CHP	2	1711.501	-38.58	-13	Pass

n70 15kHz SISO NTN 10MHz DFT-s-OFDM QPSK 1705MHz Edge 1RB Right Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	906.200	-62.27	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_1705MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.000	-56.45	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1715.500	-43.56	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_1705MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1710	0.09727	CHP	/	/	/	/	/
1710	1711	0.09727	CHP	1	1710.005	-36.59	-13	Pass
1711	1715	1	CHP	2	1711.505	-27.97	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1700MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.499	-40.31	-13	Pass
1694	1695	0.003	/	2	1694.994	-40.44	-13	Pass
1695	1705	0.003	/	/	/	/	/	/

n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1700MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	921.100	-62.15	-13	Pass


n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1700MHz_Edge_1RB_Left_Ant0




n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1700MHz_Outer_Full_Ant0




n70 15kHz SISO NTN 10MHz CP-OFDM QPSK 1702.5MHz Edge 1RB Left Ant0



n70 15kHz SISO NTN 10MHz CP-OFDM QPSK 1702.5MHz Edge 1RB Left Ant0




n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1705MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1710	0.003	/	/	/	/	/	/
1710	1711	0.003	/	1	1710.005	-40.64	-13	Pass
1711	1715	1	CHP	2	1711.501	-40.34	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1705MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	903.350	-62.32	-13	Pass

n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1705MHz_Edge_1RB_Right_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.500	-56.78	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1715.500	-44.39	-13	Pass


n70_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1705MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1710	0.09727	CHP	/	/	/	/	/
1710	1711	0.09727	CHP	1	1710.275	-35.07	-13	Pass
1711	1715	1	CHP	2	1711.505	-27.23	-13	Pass


5.2.3 15_S_15M_NTNV

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1691.455	-40.08	-13	Pass
1694	1695	0.003	/	2	1694.994	-39.75	-13	Pass
1695	1710	0.003	/	/	/	/	/	/

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	887.500	-58.49	-13	Pass

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.000	-41.14	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1723.500	-43.91	-13	Pass

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1702.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.500	-30.58	-13	Pass
1694	1695	0.14534	CHP	2	1694.980	-34.98	-13	Pass
1695	1710	0.14534	CHP	/	/	/	/	/

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1691.439	-40.51	-13	Pass
1694	1695	0.003	/	2	1694.992	-39.66	-13	Pass
1695	1710	0.003	/	/	/	/	/	/

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	852.500	-58.52	-13	Pass

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.000	-41.90	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1723.500	-44.23	-13	Pass

n70_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1702.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.500	-26.98	-13	Pass
1694	1695	0.14587	CHP	2	1694.980	-33.30	-13	Pass
1695	1710	0.14587	CHP	/	/	/	/	/

n70 15kHz SISO NTN 15MHz CP-OFDM QPSK 1702.5MHz Edge 1RB Left Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1691.412	-42.07	-13	Pass
1694	1695	0.003	/	2	1694.992	-42.25	-13	Pass
1695	1710	0.003	/	/	/	/	/	/

n70 15kHz SISO NTN 15MHz CP-OFDM QPSK 1702.5MHz Edge 1RB Left Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	913.800	-58.31	-13	Pass

n70_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1702.5MHz_Edge_1RB_Left_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1694	1	/	1	1689.000	-42.19	-13	Pass
1694	1715	1	/	/	/	/	/	/
1715	17100	1	/	2	1724.000	-46.04	-13	Pass

n70_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1702.5MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1694	1	CHP	1	1693.420	-25.96	-13	Pass
1694	1695	0.15293	CHP	2	1694.340	-32.38	-13	Pass
1695	1710	0.15293	CHP	/	/	/	/	/