

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	23.28	/	/	22.26	/	/	<=33	Pass
		Edge_1RB_Right	23.19	/	/	22.17	/	/	<=33	Pass
		Outer_Full	23.32	/	/	22.30	/	/	<=33	Pass
		Inner_Full	23.83	/	/	22.81	/	/	<=33	Pass
		Inner_1RB_Left	23.86	/	/	22.84	/	/	<=33	Pass
		Inner_1RB_Right	23.77	/	/	22.75	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.13	/	/	22.11	/	/	<=33	Pass
		Edge_1RB_Right	23.25	/	/	22.23	/	/	<=33	Pass
		Outer_Full	23.22	/	/	22.20	/	/	<=33	Pass
		Inner_Full	23.71	/	/	22.69	/	/	<=33	Pass
		Inner_1RB_Left	23.71	/	/	22.69	/	/	<=33	Pass
		Inner_1RB_Right	23.84	/	/	22.82	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	23.19	/	/	22.17	/	/	<=33	Pass
		Edge_1RB_Right	23.24	/	/	22.22	/	/	<=33	Pass
		Outer_Full	23.25	/	/	22.23	/	/	<=33	Pass
		Inner_Full	23.77	/	/	22.75	/	/	<=33	Pass
		Inner_1RB_Left	23.71	/	/	22.69	/	/	<=33	Pass
		Inner_1RB_Right	23.78	/	/	22.76	/	/	<=33	Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	22.14	/	/	21.12	/	/	<=33	Pass
		Edge_1RB_Right	22.16	/	/	21.14	/	/	<=33	Pass
		Outer_Full	22.25	/	/	21.23	/	/	<=33	Pass
		Inner_Full	23.21	/	/	22.20	/	/	<=33	Pass
		Inner_1RB_Left	23.27	/	/	22.25	/	/	<=33	Pass
		Inner_1RB_Right	23.22	/	/	22.20	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.15	/	/	21.13	/	/	<=33	Pass
		Edge_1RB_Right	22.28	/	/	21.26	/	/	<=33	Pass
		Outer_Full	22.25	/	/	21.23	/	/	<=33	Pass
		Inner_Full	23.27	/	/	22.25	/	/	<=33	Pass
		Inner_1RB_Left	23.25	/	/	22.23	/	/	<=33	Pass
		Inner_1RB_Right	23.40	/	/	22.38	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	22.14	/	/	21.12	/	/	<=33	Pass
		Edge_1RB_Right	22.25	/	/	21.23	/	/	<=33	Pass
		Outer_Full	22.23	/	/	21.21	/	/	<=33	Pass
		Inner_Full	23.21	/	/	22.19	/	/	<=33	Pass
		Inner_1RB_Left	23.24	/	/	22.22	/	/	<=33	Pass
		Inner_1RB_Right	23.27	/	/	22.25	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1852.5	Edge_1RB_Left	21.09	/	/	20.07	/	/	<=33	Pass
		Edge_1RB_Right	21.10	/	/	20.08	/	/	<=33	Pass
		Outer_Full	21.30	/	/	20.28	/	/	<=33	Pass
		Inner_Full	22.10	/	/	21.08	/	/	<=33	Pass
		Inner_1RB_Left	22.08	/	/	21.06	/	/	<=33	Pass
		Inner_1RB_Right	22.02	/	/	21.01	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.18	/	/	20.17	/	/	<=33	Pass
		Edge_1RB_Right	21.20	/	/	20.18	/	/	<=33	Pass
		Outer_Full	21.37	/	/	20.35	/	/	<=33	Pass
		Inner_Full	22.20	/	/	21.18	/	/	<=33	Pass
		Inner_1RB_Left	22.10	/	/	21.08	/	/	<=33	Pass
		Inner_1RB_Right	22.21	/	/	21.19	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	21.27	/	/	20.25	/	/	<=33	Pass

		Edge_1RB_Right	21.29	/	/	20.27	/	/	<=33	Pass
		Outer_Full	21.47	/	/	20.45	/	/	<=33	Pass
		Inner_Full	22.26	/	/	21.24	/	/	<=33	Pass
		Inner_1RB_Left	22.09	/	/	21.07	/	/	<=33	Pass
		Inner_1RB_Right	22.13	/	/	21.11	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1852.5	Edge_1RB_Left	20.88	/	/	19.86	/	/	<=33	Pass
		Edge_1RB_Right	20.89	/	/	19.87	/	/	<=33	Pass
		Outer_Full	20.86	/	/	19.84	/	/	<=33	Pass
		Inner_Full	20.84	/	/	19.82	/	/	<=33	Pass
		Inner_1RB_Left	20.91	/	/	19.89	/	/	<=33	Pass
		Inner_1RB_Right	20.94	/	/	19.92	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.94	/	/	19.92	/	/	<=33	Pass
		Edge_1RB_Right	21.00	/	/	19.98	/	/	<=33	Pass
		Outer_Full	20.85	/	/	19.83	/	/	<=33	Pass
		Inner_Full	20.85	/	/	19.83	/	/	<=33	Pass
		Inner_1RB_Left	20.98	/	/	19.96	/	/	<=33	Pass
		Inner_1RB_Right	21.07	/	/	20.05	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	21.01	/	/	19.99	/	/	<=33	Pass
		Edge_1RB_Right	21.16	/	/	20.14	/	/	<=33	Pass
		Outer_Full	20.97	/	/	19.95	/	/	<=33	Pass
		Inner_Full	20.96	/	/	19.94	/	/	<=33	Pass
		Inner_1RB_Left	21.01	/	/	19.99	/	/	<=33	Pass
		Inner_1RB_Right	21.16	/	/	20.14	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1852.5	Edge_1RB_Left	18.74	/	/	17.72	/	/	<=33	Pass
		Edge_1RB_Right	18.78	/	/	17.76	/	/	<=33	Pass
		Outer_Full	18.77	/	/	17.75	/	/	<=33	Pass
		Inner_Full	18.71	/	/	17.69	/	/	<=33	Pass
		Inner_1RB_Left	18.77	/	/	17.75	/	/	<=33	Pass
		Inner_1RB_Right	18.82	/	/	17.80	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.81	/	/	17.79	/	/	<=33	Pass
		Edge_1RB_Right	18.81	/	/	17.79	/	/	<=33	Pass
		Outer_Full	18.78	/	/	17.76	/	/	<=33	Pass
		Inner_Full	18.69	/	/	17.67	/	/	<=33	Pass
		Inner_1RB_Left	18.85	/	/	17.83	/	/	<=33	Pass
		Inner_1RB_Right	18.86	/	/	17.84	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	18.84	/	/	17.82	/	/	<=33	Pass
		Edge_1RB_Right	18.95	/	/	17.93	/	/	<=33	Pass
		Outer_Full	18.92	/	/	17.90	/	/	<=33	Pass
		Inner_Full	18.82	/	/	17.80	/	/	<=33	Pass
		Inner_1RB_Left	18.93	/	/	17.91	/	/	<=33	Pass
		Inner_1RB_Right	19.02	/	/	18.00	/	/	<=33	Pass
CP-OFDM QPSK	1852.5	Edge_1RB_Left	20.16	/	/	19.14	/	/	<=33	Pass
		Edge_1RB_Right	20.25	/	/	19.24	/	/	<=33	Pass
		Outer_Full	20.27	/	/	19.25	/	/	<=33	Pass
		Inner_Full	21.81	/	/	20.79	/	/	<=33	Pass
		Inner_1RB_Left	21.68	/	/	20.66	/	/	<=33	Pass
		Inner_1RB_Right	21.75	/	/	20.73	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.25	/	/	19.23	/	/	<=33	Pass
		Edge_1RB_Right	20.40	/	/	19.38	/	/	<=33	Pass
		Outer_Full	20.33	/	/	19.31	/	/	<=33	Pass
		Inner_Full	21.81	/	/	20.79	/	/	<=33	Pass
		Inner_1RB_Left	21.77	/	/	20.75	/	/	<=33	Pass
		Inner_1RB_Right	21.83	/	/	20.81	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	20.32	/	/	19.30	/	/	<=33	Pass
		Edge_1RB_Right	20.42	/	/	19.40	/	/	<=33	Pass
		Outer_Full	20.41	/	/	19.39	/	/	<=33	Pass
		Inner_Full	21.93	/	/	20.92	/	/	<=33	Pass
		Inner_1RB_Left	21.87	/	/	20.85	/	/	<=33	Pass
		Inner_1RB_Right	21.92	/	/	20.90	/	/	<=33	Pass

CP-OFDM 16 QAM	1852.5	Edge_1RB_Left	20.09	/	/	19.07	/	/	<=33	Pass
		Edge_1RB_Right	20.18	/	/	19.16	/	/	<=33	Pass
		Outer_Full	20.31	/	/	19.29	/	/	<=33	Pass
		Inner_Full	21.31	/	/	20.29	/	/	<=33	Pass
		Inner_1RB_Left	21.08	/	/	20.06	/	/	<=33	Pass
		Inner_1RB_Right	21.18	/	/	20.16	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.15	/	/	19.13	/	/	<=33	Pass
		Edge_1RB_Right	20.27	/	/	19.25	/	/	<=33	Pass
		Outer_Full	20.35	/	/	19.33	/	/	<=33	Pass
		Inner_Full	21.34	/	/	20.32	/	/	<=33	Pass
		Inner_1RB_Left	21.31	/	/	20.29	/	/	<=33	Pass
		Inner_1RB_Right	21.27	/	/	20.25	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	20.22	/	/	19.20	/	/	<=33	Pass
		Edge_1RB_Right	20.38	/	/	19.36	/	/	<=33	Pass
		Outer_Full	20.49	/	/	19.47	/	/	<=33	Pass
		Inner_Full	21.41	/	/	20.39	/	/	<=33	Pass
		Inner_1RB_Left	21.44	/	/	20.42	/	/	<=33	Pass
		Inner_1RB_Right	21.35	/	/	20.33	/	/	<=33	Pass
CP-OFDM 64 QAM	1852.5	Edge_1RB_Left	19.87	/	/	18.85	/	/	<=33	Pass
		Edge_1RB_Right	19.99	/	/	18.97	/	/	<=33	Pass
		Outer_Full	19.84	/	/	18.82	/	/	<=33	Pass
		Inner_Full	19.75	/	/	18.73	/	/	<=33	Pass
		Inner_1RB_Left	19.91	/	/	18.89	/	/	<=33	Pass
		Inner_1RB_Right	20.01	/	/	18.99	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.96	/	/	18.95	/	/	<=33	Pass
		Edge_1RB_Right	19.99	/	/	18.97	/	/	<=33	Pass
		Outer_Full	19.87	/	/	18.85	/	/	<=33	Pass
		Inner_Full	19.75	/	/	18.73	/	/	<=33	Pass
		Inner_1RB_Left	19.98	/	/	18.96	/	/	<=33	Pass
		Inner_1RB_Right	20.04	/	/	19.02	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	20.01	/	/	18.99	/	/	<=33	Pass
		Edge_1RB_Right	20.16	/	/	19.14	/	/	<=33	Pass
		Outer_Full	19.95	/	/	18.93	/	/	<=33	Pass
		Inner_Full	19.87	/	/	18.85	/	/	<=33	Pass
		Inner_1RB_Left	20.09	/	/	19.07	/	/	<=33	Pass
		Inner_1RB_Right	20.19	/	/	19.17	/	/	<=33	Pass
CP-OFDM 256 QAM	1852.5	Edge_1RB_Left	16.67	/	/	15.65	/	/	<=33	Pass
		Edge_1RB_Right	16.82	/	/	15.80	/	/	<=33	Pass
		Outer_Full	16.72	/	/	15.70	/	/	<=33	Pass
		Inner_Full	16.67	/	/	15.65	/	/	<=33	Pass
		Inner_1RB_Left	16.74	/	/	15.72	/	/	<=33	Pass
		Inner_1RB_Right	16.83	/	/	15.81	/	/	<=33	Pass
	1880	Edge_1RB_Left	16.77	/	/	15.75	/	/	<=33	Pass
		Edge_1RB_Right	16.85	/	/	15.83	/	/	<=33	Pass
		Outer_Full	16.75	/	/	15.73	/	/	<=33	Pass
		Inner_Full	16.69	/	/	15.67	/	/	<=33	Pass
		Inner_1RB_Left	16.62	/	/	15.60	/	/	<=33	Pass
		Inner_1RB_Right	16.86	/	/	15.84	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	16.82	/	/	15.80	/	/	<=33	Pass
		Edge_1RB_Right	16.80	/	/	15.78	/	/	<=33	Pass
		Outer_Full	16.85	/	/	15.83	/	/	<=33	Pass
		Inner_Full	16.82	/	/	15.80	/	/	<=33	Pass
		Inner_1RB_Left	16.88	/	/	15.86	/	/	<=33	Pass
		Inner_1RB_Right	16.85	/	/	15.83	/	/	<=33	Pass
Note1: Antenna Gain: Ant0: -1.02dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1855	Edge 1RB Left	23.44	/	/	22.42	/	/	<=33	Pass
		Edge 1RB Right	23.4	/	/	22.38	/	/	<=33	Pass
		Outer Full	23.37	/	/	22.35	/	/	<=33	Pass
		Inner Full	23.85	/	/	22.83	/	/	<=33	Pass
		Inner 1RB Left	23.97	/	/	22.95	/	/	<=33	Pass
		Inner 1RB Right	23.9	/	/	22.88	/	/	<=33	Pass
	1880	Edge 1RB Left	23.31	/	/	22.29	/	/	<=33	Pass
		Edge 1RB Right	23.49	/	/	22.47	/	/	<=33	Pass
		Outer Full	23.38	/	/	22.36	/	/	<=33	Pass
		Inner Full	23.85	/	/	22.83	/	/	<=33	Pass
		Inner 1RB Left	23.85	/	/	22.83	/	/	<=33	Pass
		Inner 1RB Right	23.99	/	/	22.97	/	/	<=33	Pass
	1905	Edge 1RB Left	23.41	/	/	22.39	/	/	<=33	Pass
		Edge 1RB Right	23.37	/	/	22.35	/	/	<=33	Pass
		Outer Full	23.39	/	/	22.37	/	/	<=33	Pass
		Inner Full	23.88	/	/	22.86	/	/	<=33	Pass
		Inner 1RB Left	23.92	/	/	22.90	/	/	<=33	Pass
		Inner 1RB Right	23.91	/	/	22.89	/	/	<=33	Pass
DFT-s-OFDM QPSK	1855	Edge 1RB Left	22.28	/	/	21.26	/	/	<=33	Pass
		Edge 1RB Right	22.31	/	/	21.29	/	/	<=33	Pass
		Outer Full	22.25	/	/	21.23	/	/	<=33	Pass
		Inner Full	23.22	/	/	22.20	/	/	<=33	Pass
		Inner 1RB Left	23.39	/	/	22.37	/	/	<=33	Pass
		Inner 1RB Right	23.40	/	/	22.38	/	/	<=33	Pass
	1880	Edge 1RB Left	22.32	/	/	21.30	/	/	<=33	Pass
		Edge 1RB Right	22.45	/	/	21.43	/	/	<=33	Pass
		Outer Full	22.39	/	/	21.37	/	/	<=33	Pass
		Inner Full	23.33	/	/	22.31	/	/	<=33	Pass
		Inner 1RB Left	23.31	/	/	22.29	/	/	<=33	Pass
		Inner 1RB Right	23.56	/	/	22.54	/	/	<=33	Pass
	1905	Edge 1RB Left	22.33	/	/	21.31	/	/	<=33	Pass
		Edge 1RB Right	22.33	/	/	21.31	/	/	<=33	Pass
		Outer Full	22.31	/	/	21.29	/	/	<=33	Pass
		Inner Full	23.25	/	/	22.23	/	/	<=33	Pass
		Inner 1RB Left	23.44	/	/	22.42	/	/	<=33	Pass
		Inner 1RB Right	23.40	/	/	22.38	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1855	Edge 1RB Left	21.20	/	/	20.18	/	/	<=33	Pass
		Edge 1RB Right	21.24	/	/	20.22	/	/	<=33	Pass
		Outer Full	21.42	/	/	20.40	/	/	<=33	Pass
		Inner Full	22.23	/	/	21.21	/	/	<=33	Pass
		Inner 1RB Left	22.22	/	/	21.20	/	/	<=33	Pass
		Inner 1RB Right	22.19	/	/	21.17	/	/	<=33	Pass
	1880	Edge 1RB Left	21.31	/	/	20.29	/	/	<=33	Pass
		Edge 1RB Right	21.36	/	/	20.34	/	/	<=33	Pass
		Outer Full	21.42	/	/	20.40	/	/	<=33	Pass
		Inner Full	22.36	/	/	21.34	/	/	<=33	Pass
		Inner 1RB Left	22.24	/	/	21.22	/	/	<=33	Pass
		Inner 1RB Right	22.41	/	/	21.39	/	/	<=33	Pass
	1905	Edge 1RB Left	21.28	/	/	20.26	/	/	<=33	Pass
		Edge 1RB Right	21.37	/	/	20.35	/	/	<=33	Pass
		Outer Full	21.46	/	/	20.44	/	/	<=33	Pass
		Inner Full	22.30	/	/	21.28	/	/	<=33	Pass
		Inner 1RB Left	22.24	/	/	21.22	/	/	<=33	Pass
		Inner 1RB Right	22.25	/	/	21.23	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1855	Edge 1RB Left	20.97	/	/	19.95	/	/	<=33	Pass
		Edge 1RB Right	21.07	/	/	20.05	/	/	<=33	Pass

		Outer_Full	20.88	/	/	19.86	/	/	<=33	Pass
		Inner_Full	20.92	/	/	19.90	/	/	<=33	Pass
		Inner_1RB_Left	21.02	/	/	20.00	/	/	<=33	Pass
		Inner_1RB_Right	21.05	/	/	20.03	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.09	/	/	20.07	/	/	<=33	Pass
		Edge_1RB_Right	21.12	/	/	20.10	/	/	<=33	Pass
		Outer_Full	20.90	/	/	19.88	/	/	<=33	Pass
		Inner_Full	20.93	/	/	19.91	/	/	<=33	Pass
		Inner_1RB_Left	21.12	/	/	20.10	/	/	<=33	Pass
		Inner_1RB_Right	21.15	/	/	20.13	/	/	<=33	Pass
	1905	Edge_1RB_Left	21.07	/	/	20.05	/	/	<=33	Pass
		Edge_1RB_Right	21.17	/	/	20.15	/	/	<=33	Pass
		Outer_Full	20.95	/	/	19.93	/	/	<=33	Pass
		Inner_Full	21.00	/	/	19.98	/	/	<=33	Pass
		Inner_1RB_Left	21.13	/	/	20.11	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1855	Inner_1RB_Right	21.21	/	/	20.19	/	/	<=33	Pass
		Edge_1RB_Left	18.72	/	/	17.70	/	/	<=33	Pass
		Edge_1RB_Right	18.82	/	/	17.80	/	/	<=33	Pass
		Outer_Full	18.89	/	/	17.87	/	/	<=33	Pass
		Inner_Full	18.68	/	/	17.66	/	/	<=33	Pass
		Inner_1RB_Left	18.76	/	/	17.74	/	/	<=33	Pass
	1880	Inner_1RB_Right	18.85	/	/	17.83	/	/	<=33	Pass
		Edge_1RB_Left	18.93	/	/	17.91	/	/	<=33	Pass
		Edge_1RB_Right	18.97	/	/	17.95	/	/	<=33	Pass
		Outer_Full	18.94	/	/	17.92	/	/	<=33	Pass
		Inner_Full	18.82	/	/	17.80	/	/	<=33	Pass
	1905	Inner_1RB_Left	18.96	/	/	17.94	/	/	<=33	Pass
		Inner_1RB_Right	19.00	/	/	17.98	/	/	<=33	Pass
		Edge_1RB_Left	18.93	/	/	17.91	/	/	<=33	Pass
		Edge_1RB_Right	19.05	/	/	18.03	/	/	<=33	Pass
		Outer_Full	19.03	/	/	18.01	/	/	<=33	Pass
		Inner_Full	18.83	/	/	17.81	/	/	<=33	Pass
CP-OFDM QPSK	1855	Inner_1RB_Left	18.95	/	/	17.93	/	/	<=33	Pass
		Inner_1RB_Right	19.07	/	/	18.05	/	/	<=33	Pass
		Edge_1RB_Left	20.18	/	/	19.16	/	/	<=33	Pass
		Edge_1RB_Right	20.33	/	/	19.31	/	/	<=33	Pass
		Outer_Full	20.32	/	/	19.30	/	/	<=33	Pass
		Inner_Full	21.84	/	/	20.82	/	/	<=33	Pass
	1880	Inner_1RB_Left	21.70	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Right	21.70	/	/	20.68	/	/	<=33	Pass
		Edge_1RB_Left	20.41	/	/	19.39	/	/	<=33	Pass
		Edge_1RB_Right	20.45	/	/	19.43	/	/	<=33	Pass
		Outer_Full	20.41	/	/	19.39	/	/	<=33	Pass
	1905	Inner_Full	21.89	/	/	20.88	/	/	<=33	Pass
		Inner_1RB_Left	21.88	/	/	20.86	/	/	<=33	Pass
		Inner_1RB_Right	21.91	/	/	20.89	/	/	<=33	Pass
		Edge_1RB_Left	20.38	/	/	19.36	/	/	<=33	Pass
		Edge_1RB_Right	20.52	/	/	19.50	/	/	<=33	Pass
		Outer_Full	20.50	/	/	19.48	/	/	<=33	Pass
CP-OFDM 16 QAM	1855	Inner_Full	21.98	/	/	20.96	/	/	<=33	Pass
		Inner_1RB_Left	21.84	/	/	20.82	/	/	<=33	Pass
		Inner_1RB_Right	21.95	/	/	20.93	/	/	<=33	Pass
		Edge_1RB_Left	20.06	/	/	19.04	/	/	<=33	Pass
		Edge_1RB_Right	20.18	/	/	19.16	/	/	<=33	Pass
		Outer_Full	20.27	/	/	19.25	/	/	<=33	Pass
	1880	Inner_Full	21.26	/	/	20.24	/	/	<=33	Pass
		Inner_1RB_Left	21.07	/	/	20.05	/	/	<=33	Pass
		Inner_1RB_Right	21.17	/	/	20.15	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.25	/	/	19.23	/	/	<=33	Pass

		Edge_1RB_Right	20.36	/	/	19.34	/	/	<=33	Pass
		Outer_Full	20.45	/	/	19.43	/	/	<=33	Pass
		Inner_Full	21.34	/	/	20.32	/	/	<=33	Pass
		Inner_1RB_Left	21.29	/	/	20.27	/	/	<=33	Pass
		Inner_1RB_Right	21.29	/	/	20.27	/	/	<=33	Pass
	1905	Edge_1RB_Left	20.26	/	/	19.24	/	/	<=33	Pass
		Edge_1RB_Right	20.42	/	/	19.40	/	/	<=33	Pass
		Outer_Full	20.47	/	/	19.45	/	/	<=33	Pass
		Inner_Full	21.40	/	/	20.38	/	/	<=33	Pass
		Inner_1RB_Left	21.27	/	/	20.25	/	/	<=33	Pass
	Inner_1RB_Right	21.37	/	/	20.35	/	/	<=33	Pass	
CP-OFDM 64 QAM	1855	Edge_1RB_Left	19.92	/	/	18.90	/	/	<=33	Pass
		Edge_1RB_Right	20.05	/	/	19.03	/	/	<=33	Pass
		Outer_Full	19.78	/	/	18.76	/	/	<=33	Pass
		Inner_Full	19.74	/	/	18.72	/	/	<=33	Pass
		Inner_1RB_Left	19.96	/	/	18.94	/	/	<=33	Pass
		Inner_1RB_Right	20.05	/	/	19.03	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.06	/	/	19.04	/	/	<=33	Pass
		Edge_1RB_Right	20.15	/	/	19.13	/	/	<=33	Pass
		Outer_Full	19.91	/	/	18.89	/	/	<=33	Pass
		Inner_Full	19.81	/	/	18.79	/	/	<=33	Pass
		Inner_1RB_Left	20.10	/	/	19.08	/	/	<=33	Pass
		Inner_1RB_Right	20.16	/	/	19.14	/	/	<=33	Pass
	1905	Edge_1RB_Left	20.04	/	/	19.02	/	/	<=33	Pass
		Edge_1RB_Right	20.22	/	/	19.20	/	/	<=33	Pass
		Outer_Full	20.00	/	/	18.98	/	/	<=33	Pass
		Inner_Full	19.88	/	/	18.86	/	/	<=33	Pass
		Inner_1RB_Left	20.10	/	/	19.08	/	/	<=33	Pass
		Inner_1RB_Right	20.23	/	/	19.22	/	/	<=33	Pass
CP-OFDM 256 QAM	1855	Edge_1RB_Left	16.70	/	/	15.68	/	/	<=33	Pass
		Edge_1RB_Right	16.86	/	/	15.84	/	/	<=33	Pass
		Outer_Full	16.81	/	/	15.79	/	/	<=33	Pass
		Inner_Full	16.70	/	/	15.68	/	/	<=33	Pass
		Inner_1RB_Left	16.75	/	/	15.73	/	/	<=33	Pass
		Inner_1RB_Right	16.88	/	/	15.86	/	/	<=33	Pass
	1880	Edge_1RB_Left	16.87	/	/	15.85	/	/	<=33	Pass
		Edge_1RB_Right	16.90	/	/	15.88	/	/	<=33	Pass
		Outer_Full	14.90	/	/	13.88	/	/	<=33	Pass
		Inner_Full	16.74	/	/	15.72	/	/	<=33	Pass
		Inner_1RB_Left	16.91	/	/	15.89	/	/	<=33	Pass
		Inner_1RB_Right	16.95	/	/	15.93	/	/	<=33	Pass
	1905	Edge_1RB_Left	16.94	/	/	15.92	/	/	<=33	Pass
		Edge_1RB_Right	17.00	/	/	15.98	/	/	<=33	Pass
		Outer_Full	16.98	/	/	15.96	/	/	<=33	Pass
Inner_Full		16.80	/	/	15.78	/	/	<=33	Pass	
Inner_1RB_Left		16.93	/	/	15.91	/	/	<=33	Pass	
	Inner_1RB_Right	17.05	/	/	16.03	/	/	<=33	Pass	
Note1: Antenna Gain: Ant0: -1.02dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge_1RB_Left	23.35	/	/	22.33	/	/	<=33	Pass
		Edge_1RB_Right	23.31	/	/	22.29	/	/	<=33	Pass
		Outer_Full	23.39	/	/	22.37	/	/	<=33	Pass

		Inner_Full	23.83	/	/	22.81	/	/	<=33	Pass
		Inner_1RB_Left	23.84	/	/	22.82	/	/	<=33	Pass
		Inner_1RB_Right	23.82	/	/	22.80	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.16	/	/	22.14	/	/	<=33	Pass
		Edge_1RB_Right	23.46	/	/	22.44	/	/	<=33	Pass
		Outer_Full	23.39	/	/	22.37	/	/	<=33	Pass
		Inner_Full	23.87	/	/	22.85	/	/	<=33	Pass
		Inner_1RB_Left	23.69	/	/	22.67	/	/	<=33	Pass
		Inner_1RB_Right	23.98	/	/	22.96	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	23.33	/	/	22.31	/	/	<=33	Pass
		Edge_1RB_Right	23.28	/	/	22.26	/	/	<=33	Pass
		Outer_Full	23.44	/	/	22.42	/	/	<=33	Pass
		Inner_Full	23.85	/	/	22.83	/	/	<=33	Pass
		Inner_1RB_Left	23.86	/	/	22.84	/	/	<=33	Pass
		Inner_1RB_Right	23.79	/	/	22.77	/	/	<=33	Pass
DFT-s-OFDM QPSK	1857.5	Edge_1RB_Left	22.13	/	/	21.11	/	/	<=33	Pass
		Edge_1RB_Right	22.28	/	/	21.26	/	/	<=33	Pass
		Outer_Full	22.25	/	/	21.23	/	/	<=33	Pass
		Inner_Full	23.23	/	/	22.21	/	/	<=33	Pass
		Inner_1RB_Left	23.23	/	/	22.21	/	/	<=33	Pass
		Inner_1RB_Right	23.34	/	/	22.32	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.15	/	/	21.13	/	/	<=33	Pass
		Edge_1RB_Right	22.40	/	/	21.38	/	/	<=33	Pass
		Outer_Full	22.30	/	/	21.29	/	/	<=33	Pass
		Inner_Full	23.29	/	/	22.27	/	/	<=33	Pass
		Inner_1RB_Left	23.25	/	/	22.23	/	/	<=33	Pass
		Inner_1RB_Right	23.50	/	/	22.48	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	22.34	/	/	21.32	/	/	<=33	Pass
		Edge_1RB_Right	22.26	/	/	21.24	/	/	<=33	Pass
		Outer_Full	22.37	/	/	21.35	/	/	<=33	Pass
		Inner_Full	23.32	/	/	22.30	/	/	<=33	Pass
		Inner_1RB_Left	23.47	/	/	22.45	/	/	<=33	Pass
		Inner_1RB_Right	23.32	/	/	22.30	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1857.5	Edge_1RB_Left	21.04	/	/	20.02	/	/	<=33	Pass
		Edge_1RB_Right	21.17	/	/	20.15	/	/	<=33	Pass
		Outer_Full	21.37	/	/	20.35	/	/	<=33	Pass
		Inner_Full	22.18	/	/	21.17	/	/	<=33	Pass
		Inner_1RB_Left	22.07	/	/	21.05	/	/	<=33	Pass
		Inner_1RB_Right	22.41	/	/	21.39	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.12	/	/	20.10	/	/	<=33	Pass
		Edge_1RB_Right	21.18	/	/	20.16	/	/	<=33	Pass
		Outer_Full	21.40	/	/	20.38	/	/	<=33	Pass
		Inner_Full	22.20	/	/	21.18	/	/	<=33	Pass
		Inner_1RB_Left	22.06	/	/	21.04	/	/	<=33	Pass
		Inner_1RB_Right	22.30	/	/	21.28	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	21.17	/	/	20.15	/	/	<=33	Pass
		Edge_1RB_Right	21.26	/	/	20.24	/	/	<=33	Pass
		Outer_Full	21.43	/	/	20.41	/	/	<=33	Pass
		Inner_Full	22.19	/	/	21.17	/	/	<=33	Pass
		Inner_1RB_Left	22.24	/	/	21.22	/	/	<=33	Pass
		Inner_1RB_Right	22.12	/	/	21.10	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1857.5	Edge_1RB_Left	20.87	/	/	19.85	/	/	<=33	Pass
		Edge_1RB_Right	20.98	/	/	19.97	/	/	<=33	Pass
		Outer_Full	20.88	/	/	19.86	/	/	<=33	Pass
		Inner_Full	20.89	/	/	19.88	/	/	<=33	Pass
		Inner_1RB_Left	20.87	/	/	19.85	/	/	<=33	Pass
		Inner_1RB_Right	21.00	/	/	19.98	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.93	/	/	19.91	/	/	<=33	Pass
		Edge_1RB_Right	20.93	/	/	19.91	/	/	<=33	Pass

		Outer_Full	20.89	/	/	19.87	/	/	<=33	Pass
		Inner_Full	20.89	/	/	19.87	/	/	<=33	Pass
		Inner_1RB_Left	20.91	/	/	19.89	/	/	<=33	Pass
		Inner_1RB_Right	21.05	/	/	20.03	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	20.98	/	/	19.96	/	/	<=33	Pass
		Edge_1RB_Right	21.13	/	/	20.11	/	/	<=33	Pass
		Outer_Full	20.94	/	/	19.92	/	/	<=33	Pass
		Inner_Full	20.97	/	/	19.95	/	/	<=33	Pass
		Inner_1RB_Left	21.05	/	/	20.03	/	/	<=33	Pass
		Inner_1RB_Right	21.13	/	/	20.11	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1857.5	Edge_1RB_Left	18.71	/	/	17.69	/	/	<=33	Pass
		Edge_1RB_Right	18.85	/	/	17.83	/	/	<=33	Pass
		Outer_Full	18.85	/	/	17.83	/	/	<=33	Pass
		Inner_Full	18.80	/	/	17.78	/	/	<=33	Pass
		Inner_1RB_Left	18.70	/	/	17.68	/	/	<=33	Pass
		Inner_1RB_Right	18.85	/	/	17.83	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.73	/	/	17.71	/	/	<=33	Pass
		Edge_1RB_Right	18.80	/	/	17.78	/	/	<=33	Pass
		Outer_Full	18.92	/	/	17.90	/	/	<=33	Pass
		Inner_Full	18.77	/	/	17.75	/	/	<=33	Pass
		Inner_1RB_Left	18.82	/	/	17.80	/	/	<=33	Pass
		Inner_1RB_Right	18.86	/	/	17.84	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	18.85	/	/	17.83	/	/	<=33	Pass
		Edge_1RB_Right	18.93	/	/	17.91	/	/	<=33	Pass
		Outer_Full	18.97	/	/	17.95	/	/	<=33	Pass
		Inner_Full	18.91	/	/	17.89	/	/	<=33	Pass
		Inner_1RB_Left	18.86	/	/	17.85	/	/	<=33	Pass
		Inner_1RB_Right	18.94	/	/	17.92	/	/	<=33	Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Left	20.16	/	/	19.15	/	/	<=33	Pass
		Edge_1RB_Right	20.28	/	/	19.26	/	/	<=33	Pass
		Outer_Full	20.38	/	/	19.36	/	/	<=33	Pass
		Inner_Full	21.82	/	/	20.80	/	/	<=33	Pass
		Inner_1RB_Left	21.67	/	/	20.65	/	/	<=33	Pass
		Inner_1RB_Right	21.72	/	/	20.70	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.23	/	/	19.21	/	/	<=33	Pass
		Edge_1RB_Right	20.26	/	/	19.24	/	/	<=33	Pass
		Outer_Full	20.35	/	/	19.33	/	/	<=33	Pass
		Inner_Full	21.84	/	/	20.82	/	/	<=33	Pass
		Inner_1RB_Left	21.73	/	/	20.71	/	/	<=33	Pass
		Inner_1RB_Right	21.79	/	/	20.77	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	20.24	/	/	19.22	/	/	<=33	Pass
		Edge_1RB_Right	20.43	/	/	19.41	/	/	<=33	Pass
		Outer_Full	20.46	/	/	19.44	/	/	<=33	Pass
		Inner_Full	21.88	/	/	20.86	/	/	<=33	Pass
		Inner_1RB_Left	21.69	/	/	20.67	/	/	<=33	Pass
		Inner_1RB_Right	21.86	/	/	20.84	/	/	<=33	Pass
CP-OFDM 16 QAM	1857.5	Edge_1RB_Left	20.02	/	/	19.00	/	/	<=33	Pass
		Edge_1RB_Right	20.15	/	/	19.13	/	/	<=33	Pass
		Outer_Full	20.38	/	/	19.36	/	/	<=33	Pass
		Inner_Full	21.30	/	/	20.28	/	/	<=33	Pass
		Inner_1RB_Left	21.02	/	/	20.00	/	/	<=33	Pass
		Inner_1RB_Right	21.18	/	/	20.16	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.41	/	/	19.39	/	/	<=33	Pass
		Edge_1RB_Right	20.16	/	/	19.14	/	/	<=33	Pass
		Outer_Full	20.35	/	/	19.33	/	/	<=33	Pass
		Inner_Full	21.29	/	/	20.27	/	/	<=33	Pass
		Inner_1RB_Left	21.14	/	/	20.13	/	/	<=33	Pass
		Inner_1RB_Right	21.37	/	/	20.35	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	20.12	/	/	19.10	/	/	<=33	Pass

		Edge 1RB Right	20.29	/	/	19.27	/	/	<=33	Pass
		Outer Full	20.45	/	/	19.43	/	/	<=33	Pass
		Inner Full	21.37	/	/	20.35	/	/	<=33	Pass
		Inner 1RB Left	21.13	/	/	20.11	/	/	<=33	Pass
		Inner 1RB Right	21.31	/	/	20.29	/	/	<=33	Pass
CP-OFDM 64 QAM	1857.5	Edge 1RB Left	19.82	/	/	18.80	/	/	<=33	Pass
		Edge 1RB Right	19.99	/	/	18.97	/	/	<=33	Pass
		Outer Full	19.83	/	/	18.81	/	/	<=33	Pass
		Inner Full	19.83	/	/	18.81	/	/	<=33	Pass
		Inner 1RB Left	19.88	/	/	18.86	/	/	<=33	Pass
		Inner 1RB Right	20.02	/	/	19.00	/	/	<=33	Pass
		Edge 1RB Left	19.90	/	/	18.88	/	/	<=33	Pass
	1880	Edge 1RB Right	20.00	/	/	18.98	/	/	<=33	Pass
		Outer Full	19.88	/	/	18.86	/	/	<=33	Pass
		Inner Full	19.85	/	/	18.83	/	/	<=33	Pass
		Inner 1RB Left	19.92	/	/	18.90	/	/	<=33	Pass
		Inner 1RB Right	20.00	/	/	18.99	/	/	<=33	Pass
		Edge 1RB Left	20.02	/	/	19.00	/	/	<=33	Pass
	1902.5	Edge 1RB Right	20.10	/	/	19.08	/	/	<=33	Pass
		Outer Full	19.95	/	/	18.93	/	/	<=33	Pass
		Inner Full	19.92	/	/	18.90	/	/	<=33	Pass
		Inner 1RB Left	20.01	/	/	18.99	/	/	<=33	Pass
		Inner 1RB Right	20.14	/	/	19.13	/	/	<=33	Pass
		Edge 1RB Left	16.64	/	/	15.62	/	/	<=33	Pass
	CP-OFDM 256 QAM	1857.5	Edge 1RB Right	16.74	/	/	15.72	/	/	<=33
Outer Full			16.83	/	/	15.81	/	/	<=33	Pass
Inner Full			16.77	/	/	15.75	/	/	<=33	Pass
Inner 1RB Left			16.68	/	/	15.67	/	/	<=33	Pass
Inner 1RB Right			16.82	/	/	15.80	/	/	<=33	Pass
Edge 1RB Left			16.69	/	/	15.67	/	/	<=33	Pass
1880		Edge 1RB Right	16.79	/	/	15.77	/	/	<=33	Pass
		Outer Full	16.86	/	/	15.84	/	/	<=33	Pass
		Inner Full	16.80	/	/	15.78	/	/	<=33	Pass
		Inner 1RB Left	16.79	/	/	15.77	/	/	<=33	Pass
		Inner 1RB Right	16.84	/	/	15.82	/	/	<=33	Pass
		Edge 1RB Left	16.82	/	/	15.80	/	/	<=33	Pass
1902.5		Edge 1RB Right	16.85	/	/	15.83	/	/	<=33	Pass
		Outer Full	16.94	/	/	15.92	/	/	<=33	Pass
	Inner Full	16.84	/	/	15.82	/	/	<=33	Pass	
	Inner 1RB Left	16.85	/	/	15.83	/	/	<=33	Pass	
	Inner 1RB Right	16.95	/	/	15.93	/	/	<=33	Pass	
Note1: Antenna Gain: Ant0: -1.02dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15_S_20M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge 1RB Left	23.33	/	/	22.31	/	/	<=33	Pass
		Edge 1RB Right	23.29	/	/	22.27	/	/	<=33	Pass
		Outer Full	23.39	/	/	22.37	/	/	<=33	Pass
		Inner Full	23.9	/	/	22.88	/	/	<=33	Pass
		Inner 1RB Left	23.84	/	/	22.82	/	/	<=33	Pass
	1880	Inner 1RB Right	23.78	/	/	22.76	/	/	<=33	Pass
		Edge 1RB Left	23.2	/	/	22.18	/	/	<=33	Pass
		Edge 1RB Right	23.54	/	/	22.52	/	/	<=33	Pass
		Outer Full	23.43	/	/	22.41	/	/	<=33	Pass

		Inner_Full	23.9	/	/	22.88	/	/	<=33	Pass
		Inner_1RB_Left	23.75	/	/	22.73	/	/	<=33	Pass
		Inner_1RB_Right	23.94	/	/	22.92	/	/	<=33	Pass
	1900	Edge_1RB_Left	23.38	/	/	22.36	/	/	<=33	Pass
		Edge_1RB_Right	23.3	/	/	22.28	/	/	<=33	Pass
		Outer_Full	23.47	/	/	22.45	/	/	<=33	Pass
		Inner_Full	23.98	/	/	22.96	/	/	<=33	Pass
		Inner_1RB_Left	23.97	/	/	22.95	/	/	<=33	Pass
		Inner_1RB_Right	23.81	/	/	22.79	/	/	<=33	Pass
DFT-s-OFDM QPSK	1860	Edge_1RB_Left	22.21	/	/	21.19	/	/	<=33	Pass
		Edge_1RB_Right	22.31	/	/	21.29	/	/	<=33	Pass
		Outer_Full	22.23	/	/	21.22	/	/	<=33	Pass
		Inner_Full	23.30	/	/	22.28	/	/	<=33	Pass
		Inner_1RB_Left	23.25	/	/	22.23	/	/	<=33	Pass
		Inner_1RB_Right	23.38	/	/	22.36	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.22	/	/	21.20	/	/	<=33	Pass
		Edge_1RB_Right	22.51	/	/	21.49	/	/	<=33	Pass
		Outer_Full	22.39	/	/	21.37	/	/	<=33	Pass
		Inner_Full	23.37	/	/	22.35	/	/	<=33	Pass
		Inner_1RB_Left	23.30	/	/	22.28	/	/	<=33	Pass
		Inner_1RB_Right	23.60	/	/	22.58	/	/	<=33	Pass
	1900	Edge_1RB_Left	22.45	/	/	21.43	/	/	<=33	Pass
		Edge_1RB_Right	22.33	/	/	21.31	/	/	<=33	Pass
		Outer_Full	22.38	/	/	21.36	/	/	<=33	Pass
		Inner_Full	23.42	/	/	22.40	/	/	<=33	Pass
		Inner_1RB_Left	23.53	/	/	22.51	/	/	<=33	Pass
		Inner_1RB_Right	23.21	/	/	22.19	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1860	Edge_1RB_Left	21.08	/	/	20.06	/	/	<=33	Pass
		Edge_1RB_Right	21.23	/	/	20.21	/	/	<=33	Pass
		Outer_Full	21.36	/	/	20.34	/	/	<=33	Pass
		Inner_Full	22.27	/	/	21.25	/	/	<=33	Pass
		Inner_1RB_Left	22.10	/	/	21.08	/	/	<=33	Pass
		Inner_1RB_Right	22.14	/	/	21.12	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.18	/	/	20.16	/	/	<=33	Pass
		Edge_1RB_Right	21.23	/	/	20.21	/	/	<=33	Pass
		Outer_Full	21.43	/	/	20.41	/	/	<=33	Pass
		Inner_Full	22.35	/	/	21.33	/	/	<=33	Pass
		Inner_1RB_Left	22.08	/	/	21.06	/	/	<=33	Pass
		Inner_1RB_Right	22.35	/	/	21.33	/	/	<=33	Pass
	1900	Edge_1RB_Left	21.18	/	/	20.16	/	/	<=33	Pass
		Edge_1RB_Right	21.33	/	/	20.31	/	/	<=33	Pass
		Outer_Full	21.45	/	/	20.43	/	/	<=33	Pass
		Inner_Full	22.35	/	/	21.33	/	/	<=33	Pass
		Inner_1RB_Left	22.29	/	/	21.27	/	/	<=33	Pass
		Inner_1RB_Right	22.18	/	/	21.16	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1860	Edge_1RB_Left	20.89	/	/	19.88	/	/	<=33	Pass
		Edge_1RB_Right	21.00	/	/	19.98	/	/	<=33	Pass
		Outer_Full	20.84	/	/	19.82	/	/	<=33	Pass
		Inner_Full	20.90	/	/	19.88	/	/	<=33	Pass
		Inner_1RB_Left	20.93	/	/	19.91	/	/	<=33	Pass
		Inner_1RB_Right	21.05	/	/	20.03	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.95	/	/	19.93	/	/	<=33	Pass
		Edge_1RB_Right	21.01	/	/	19.99	/	/	<=33	Pass
		Outer_Full	20.93	/	/	19.91	/	/	<=33	Pass
		Inner_Full	20.89	/	/	19.87	/	/	<=33	Pass
		Inner_1RB_Left	21.03	/	/	20.01	/	/	<=33	Pass
		Inner_1RB_Right	21.02	/	/	20.00	/	/	<=33	Pass
	1900	Edge_1RB_Left	20.96	/	/	19.94	/	/	<=33	Pass
		Edge_1RB_Right	21.16	/	/	20.14	/	/	<=33	Pass

		Outer_Full	20.94	/	/	19.92	/	/	<=33	Pass
		Inner_Full	20.91	/	/	19.89	/	/	<=33	Pass
		Inner_1RB_Left	20.99	/	/	19.97	/	/	<=33	Pass
		Inner_1RB_Right	21.23	/	/	20.21	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1860	Edge_1RB_Left	18.75	/	/	17.73	/	/	<=33	Pass
		Edge_1RB_Right	18.87	/	/	17.85	/	/	<=33	Pass
		Outer_Full	18.86	/	/	17.84	/	/	<=33	Pass
		Inner_Full	18.91	/	/	17.89	/	/	<=33	Pass
		Inner_1RB_Left	18.77	/	/	17.75	/	/	<=33	Pass
		Inner_1RB_Right	18.90	/	/	17.88	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.82	/	/	17.80	/	/	<=33	Pass
		Edge_1RB_Right	18.86	/	/	17.84	/	/	<=33	Pass
		Outer_Full	18.89	/	/	17.87	/	/	<=33	Pass
		Inner_Full	18.86	/	/	17.84	/	/	<=33	Pass
		Inner_1RB_Left	18.84	/	/	17.82	/	/	<=33	Pass
		Inner_1RB_Right	18.88	/	/	17.86	/	/	<=33	Pass
	1900	Edge_1RB_Left	18.84	/	/	17.82	/	/	<=33	Pass
		Edge_1RB_Right	19.02	/	/	18.00	/	/	<=33	Pass
		Outer_Full	19.00	/	/	17.98	/	/	<=33	Pass
		Inner_Full	18.91	/	/	17.89	/	/	<=33	Pass
		Inner_1RB_Left	18.91	/	/	17.89	/	/	<=33	Pass
		Inner_1RB_Right	19.04	/	/	18.02	/	/	<=33	Pass
CP-OFDM QPSK	1860	Edge_1RB_Left	20.22	/	/	19.20	/	/	<=33	Pass
		Edge_1RB_Right	20.42	/	/	19.40	/	/	<=33	Pass
		Outer_Full	20.31	/	/	19.29	/	/	<=33	Pass
		Inner_Full	21.88	/	/	20.86	/	/	<=33	Pass
		Inner_1RB_Left	21.70	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Right	21.81	/	/	20.79	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.27	/	/	19.25	/	/	<=33	Pass
		Edge_1RB_Right	20.41	/	/	19.39	/	/	<=33	Pass
		Outer_Full	20.40	/	/	19.38	/	/	<=33	Pass
		Inner_Full	21.89	/	/	20.87	/	/	<=33	Pass
		Inner_1RB_Left	21.74	/	/	20.72	/	/	<=33	Pass
		Inner_1RB_Right	21.80	/	/	20.78	/	/	<=33	Pass
	1900	Edge_1RB_Left	20.23	/	/	19.21	/	/	<=33	Pass
		Edge_1RB_Right	20.52	/	/	19.50	/	/	<=33	Pass
		Outer_Full	20.41	/	/	19.39	/	/	<=33	Pass
		Inner_Full	21.94	/	/	20.92	/	/	<=33	Pass
		Inner_1RB_Left	21.73	/	/	20.71	/	/	<=33	Pass
		Inner_1RB_Right	21.94	/	/	20.92	/	/	<=33	Pass
CP-OFDM 16 QAM	1860	Edge_1RB_Left	20.04	/	/	19.02	/	/	<=33	Pass
		Edge_1RB_Right	20.23	/	/	19.21	/	/	<=33	Pass
		Outer_Full	20.33	/	/	19.31	/	/	<=33	Pass
		Inner_Full	21.38	/	/	20.36	/	/	<=33	Pass
		Inner_1RB_Left	21.07	/	/	20.05	/	/	<=33	Pass
		Inner_1RB_Right	21.20	/	/	20.18	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.12	/	/	19.10	/	/	<=33	Pass
		Edge_1RB_Right	20.26	/	/	19.24	/	/	<=33	Pass
		Outer_Full	20.41	/	/	19.39	/	/	<=33	Pass
		Inner_Full	21.36	/	/	20.35	/	/	<=33	Pass
		Inner_1RB_Left	21.36	/	/	20.34	/	/	<=33	Pass
		Inner_1RB_Right	21.21	/	/	20.19	/	/	<=33	Pass
	1900	Edge_1RB_Left	20.13	/	/	19.11	/	/	<=33	Pass
		Edge_1RB_Right	20.39	/	/	19.37	/	/	<=33	Pass
		Outer_Full	20.43	/	/	19.42	/	/	<=33	Pass
		Inner_Full	21.48	/	/	20.46	/	/	<=33	Pass
		Inner_1RB_Left	21.15	/	/	20.13	/	/	<=33	Pass
		Inner_1RB_Right	21.35	/	/	20.33	/	/	<=33	Pass
CP-OFDM 64 QAM	1860	Edge_1RB_Left	19.85	/	/	18.83	/	/	<=33	Pass

		Edge 1RB Right	20.02	/	/	19.00	/	/	<=33	Pass	
		Outer Full	19.80	/	/	18.78	/	/	<=33	Pass	
		Inner Full	19.86	/	/	18.84	/	/	<=33	Pass	
		Inner 1RB Left	19.89	/	/	18.87	/	/	<=33	Pass	
		Inner 1RB Right	20.06	/	/	19.04	/	/	<=33	Pass	
	1880	Edge 1RB Left	19.95	/	/	18.93	/	/	<=33	Pass	
		Edge 1RB Right	20.06	/	/	19.04	/	/	<=33	Pass	
		Outer Full	19.91	/	/	18.89	/	/	<=33	Pass	
		Inner Full	19.86	/	/	18.84	/	/	<=33	Pass	
		Inner 1RB Left	19.98	/	/	18.96	/	/	<=33	Pass	
	1900	Inner 1RB Right	20.03	/	/	19.01	/	/	<=33	Pass	
		Edge 1RB Left	19.98	/	/	18.96	/	/	<=33	Pass	
		Edge 1RB Right	20.19	/	/	19.17	/	/	<=33	Pass	
		Outer Full	19.91	/	/	18.89	/	/	<=33	Pass	
		Inner Full	19.94	/	/	18.92	/	/	<=33	Pass	
	CP-OFDM 256 QAM	1860	Inner 1RB Left	19.99	/	/	18.97	/	/	<=33	Pass
			Inner 1RB Right	20.18	/	/	19.16	/	/	<=33	Pass
			Edge 1RB Left	16.64	/	/	15.63	/	/	<=33	Pass
			Edge 1RB Right	16.86	/	/	15.85	/	/	<=33	Pass
			Outer Full	16.77	/	/	15.75	/	/	<=33	Pass
Inner Full			16.86	/	/	15.84	/	/	<=33	Pass	
1880		Inner 1RB Left	16.70	/	/	15.68	/	/	<=33	Pass	
		Inner 1RB Right	16.89	/	/	15.87	/	/	<=33	Pass	
		Edge 1RB Left	16.78	/	/	15.76	/	/	<=33	Pass	
		Edge 1RB Right	16.86	/	/	15.84	/	/	<=33	Pass	
		Outer Full	16.88	/	/	15.86	/	/	<=33	Pass	
		Inner Full	16.82	/	/	15.80	/	/	<=33	Pass	
1900		Inner 1RB Left	16.83	/	/	15.81	/	/	<=33	Pass	
		Inner 1RB Right	16.86	/	/	15.84	/	/	<=33	Pass	
		Edge 1RB Left	16.74	/	/	15.72	/	/	<=33	Pass	
		Edge 1RB Right	17.02	/	/	16.00	/	/	<=33	Pass	
		Outer Full	16.94	/	/	15.92	/	/	<=33	Pass	
		Inner Full	16.92	/	/	15.90	/	/	<=33	Pass	
		Inner 1RB Left	16.81	/	/	15.79	/	/	<=33	Pass	
		Inner 1RB Right	17.02	/	/	16.00	/	/	<=33	Pass	
Note1: Antenna Gain: Ant0: -1.02dBi; Note2: EIRP=Conducted Power+Antenna Gain											

1.1.5 15_S_25M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 25MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1862.5	Edge 1RB Left	23.23	/	/	22.21	/	/	<=33	Pass
		Edge 1RB Right	23.24	/	/	22.22	/	/	<=33	Pass
		Outer Full	23.23	/	/	22.21	/	/	<=33	Pass
		Inner Full	23.84	/	/	22.82	/	/	<=33	Pass
		Inner 1RB Left	23.8	/	/	22.78	/	/	<=33	Pass
		Inner 1RB Right	23.82	/	/	22.80	/	/	<=33	Pass
	1880	Edge 1RB Left	23.16	/	/	22.14	/	/	<=33	Pass
		Edge 1RB Right	23.41	/	/	22.39	/	/	<=33	Pass
		Outer Full	23.45	/	/	22.43	/	/	<=33	Pass
		Inner Full	23.94	/	/	22.92	/	/	<=33	Pass
		Inner 1RB Left	23.69	/	/	22.67	/	/	<=33	Pass
	1897.5	Inner 1RB Right	23.92	/	/	22.90	/	/	<=33	Pass
		Edge 1RB Left	23.29	/	/	22.27	/	/	<=33	Pass
		Edge 1RB Right	23.32	/	/	22.30	/	/	<=33	Pass
		Outer Full	23.33	/	/	22.31	/	/	<=33	Pass

		Inner_Full	23.99	/	/	22.97	/	/	<=33	Pass
		Inner_1RB_Left	23.85	/	/	22.83	/	/	<=33	Pass
		Inner_1RB_Right	23.84	/	/	22.82	/	/	<=33	Pass
DFT-s-OFDM QPSK	1862.5	Edge_1RB_Left	22.08	/	/	21.06	/	/	<=33	Pass
		Edge_1RB_Right	22.25	/	/	21.23	/	/	<=33	Pass
		Outer_Full	22.18	/	/	21.16	/	/	<=33	Pass
		Inner_Full	23.27	/	/	22.25	/	/	<=33	Pass
		Inner_1RB_Left	23.19	/	/	22.17	/	/	<=33	Pass
		Inner_1RB_Right	23.34	/	/	22.32	/	/	<=33	Pass
		Edge_1RB_Left	22.18	/	/	21.16	/	/	<=33	Pass
	1880	Edge_1RB_Right	22.38	/	/	21.36	/	/	<=33	Pass
		Outer_Full	22.43	/	/	21.42	/	/	<=33	Pass
		Inner_Full	23.40	/	/	22.38	/	/	<=33	Pass
		Inner_1RB_Left	23.22	/	/	22.20	/	/	<=33	Pass
		Inner_1RB_Right	23.52	/	/	22.50	/	/	<=33	Pass
	1897.5	Edge_1RB_Left	22.32	/	/	21.30	/	/	<=33	Pass
		Edge_1RB_Right	22.32	/	/	21.30	/	/	<=33	Pass
		Outer_Full	22.33	/	/	21.31	/	/	<=33	Pass
		Inner_Full	23.45	/	/	22.43	/	/	<=33	Pass
		Inner_1RB_Left	23.40	/	/	22.38	/	/	<=33	Pass
		Inner_1RB_Right	23.38	/	/	22.36	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1862.5	Edge_1RB_Left	21.09	/	/	20.07	/	/	<=33	Pass
		Edge_1RB_Right	21.21	/	/	20.19	/	/	<=33	Pass
		Outer_Full	21.33	/	/	20.31	/	/	<=33	Pass
		Inner_Full	22.23	/	/	21.21	/	/	<=33	Pass
		Inner_1RB_Left	22.00	/	/	20.98	/	/	<=33	Pass
		Inner_1RB_Right	22.20	/	/	21.18	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.11	/	/	20.09	/	/	<=33	Pass
		Edge_1RB_Right	21.15	/	/	20.13	/	/	<=33	Pass
		Outer_Full	21.42	/	/	20.40	/	/	<=33	Pass
		Inner_Full	22.38	/	/	21.36	/	/	<=33	Pass
		Inner_1RB_Left	22.08	/	/	21.06	/	/	<=33	Pass
		Inner_1RB_Right	22.27	/	/	21.25	/	/	<=33	Pass
	1897.5	Edge_1RB_Left	21.10	/	/	20.08	/	/	<=33	Pass
		Edge_1RB_Right	21.38	/	/	20.36	/	/	<=33	Pass
		Outer_Full	21.31	/	/	20.29	/	/	<=33	Pass
		Inner_Full	22.41	/	/	21.39	/	/	<=33	Pass
		Inner_1RB_Left	22.47	/	/	21.45	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1862.5	Inner_1RB_Right	22.21	/	/	21.19	/	/	<=33	Pass
		Edge_1RB_Left	20.89	/	/	19.87	/	/	<=33	Pass
		Edge_1RB_Right	20.95	/	/	19.93	/	/	<=33	Pass
		Outer_Full	20.80	/	/	19.78	/	/	<=33	Pass
		Inner_Full	20.86	/	/	19.85	/	/	<=33	Pass
		Inner_1RB_Left	20.96	/	/	19.94	/	/	<=33	Pass
	1880	Inner_1RB_Right	21.01	/	/	19.99	/	/	<=33	Pass
		Edge_1RB_Left	20.92	/	/	19.90	/	/	<=33	Pass
		Edge_1RB_Right	20.93	/	/	19.91	/	/	<=33	Pass
		Outer_Full	20.94	/	/	19.92	/	/	<=33	Pass
		Inner_Full	20.90	/	/	19.88	/	/	<=33	Pass
		Inner_1RB_Left	20.93	/	/	19.91	/	/	<=33	Pass
	1897.5	Inner_1RB_Right	20.98	/	/	19.96	/	/	<=33	Pass
		Edge_1RB_Left	20.87	/	/	19.85	/	/	<=33	Pass
		Edge_1RB_Right	21.18	/	/	20.16	/	/	<=33	Pass
		Outer_Full	20.82	/	/	19.80	/	/	<=33	Pass
		Inner_Full	20.92	/	/	19.90	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1862.5	Inner_1RB_Left	20.90	/	/	19.88	/	/	<=33	Pass
		Inner_1RB_Right	21.19	/	/	20.17	/	/	<=33	Pass
		Edge_1RB_Left	18.75	/	/	17.73	/	/	<=33	Pass
		Edge_1RB_Right	18.81	/	/	17.79	/	/	<=33	Pass

		Outer_Full	18.80	/	/	17.78	/	/	<=33	Pass
		Inner_Full	18.85	/	/	17.83	/	/	<=33	Pass
		Inner_1RB_Left	18.79	/	/	17.77	/	/	<=33	Pass
		Inner_1RB_Right	18.87	/	/	17.85	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.72	/	/	17.70	/	/	<=33	Pass
		Edge_1RB_Right	18.85	/	/	17.83	/	/	<=33	Pass
		Outer_Full	18.95	/	/	17.93	/	/	<=33	Pass
		Inner_Full	18.86	/	/	17.84	/	/	<=33	Pass
		Inner_1RB_Left	18.77	/	/	17.75	/	/	<=33	Pass
		Inner_1RB_Right	18.83	/	/	17.81	/	/	<=33	Pass
	1897.5	Edge_1RB_Left	18.70	/	/	17.68	/	/	<=33	Pass
		Edge_1RB_Right	19.01	/	/	17.99	/	/	<=33	Pass
		Outer_Full	18.84	/	/	17.82	/	/	<=33	Pass
		Inner_Full	18.95	/	/	17.93	/	/	<=33	Pass
		Inner_1RB_Left	18.76	/	/	17.74	/	/	<=33	Pass
CP-OFDM QPSK	1862.5	Inner_1RB_Right	19.07	/	/	18.05	/	/	<=33	Pass
		Edge_1RB_Left	20.21	/	/	19.19	/	/	<=33	Pass
		Edge_1RB_Right	20.36	/	/	19.34	/	/	<=33	Pass
		Outer_Full	20.23	/	/	19.22	/	/	<=33	Pass
		Inner_Full	21.86	/	/	20.84	/	/	<=33	Pass
		Inner_1RB_Left	21.71	/	/	20.69	/	/	<=33	Pass
	1880	Inner_1RB_Right	21.88	/	/	20.86	/	/	<=33	Pass
		Edge_1RB_Left	20.26	/	/	19.24	/	/	<=33	Pass
		Edge_1RB_Right	20.26	/	/	19.24	/	/	<=33	Pass
		Outer_Full	20.40	/	/	19.38	/	/	<=33	Pass
		Inner_Full	21.88	/	/	20.86	/	/	<=33	Pass
		Inner_1RB_Left	21.71	/	/	20.69	/	/	<=33	Pass
	1897.5	Inner_1RB_Right	21.77	/	/	20.75	/	/	<=33	Pass
		Edge_1RB_Left	20.21	/	/	19.19	/	/	<=33	Pass
		Edge_1RB_Right	20.48	/	/	19.46	/	/	<=33	Pass
		Outer_Full	20.26	/	/	19.24	/	/	<=33	Pass
		Inner_Full	21.90	/	/	20.88	/	/	<=33	Pass
CP-OFDM 16 QAM	1862.5	Inner_1RB_Left	21.69	/	/	20.67	/	/	<=33	Pass
		Inner_1RB_Right	21.99	/	/	20.97	/	/	<=33	Pass
		Edge_1RB_Left	20.05	/	/	19.04	/	/	<=33	Pass
		Edge_1RB_Right	20.19	/	/	19.17	/	/	<=33	Pass
		Outer_Full	20.25	/	/	19.24	/	/	<=33	Pass
		Inner_Full	21.30	/	/	20.28	/	/	<=33	Pass
	1880	Inner_1RB_Left	21.10	/	/	20.08	/	/	<=33	Pass
		Inner_1RB_Right	21.25	/	/	20.23	/	/	<=33	Pass
		Edge_1RB_Left	20.08	/	/	19.06	/	/	<=33	Pass
		Edge_1RB_Right	20.10	/	/	19.08	/	/	<=33	Pass
		Outer_Full	20.40	/	/	19.38	/	/	<=33	Pass
	1897.5	Inner_Full	21.33	/	/	20.31	/	/	<=33	Pass
		Inner_1RB_Left	21.10	/	/	20.08	/	/	<=33	Pass
		Inner_1RB_Right	21.20	/	/	20.18	/	/	<=33	Pass
		Edge_1RB_Left	20.08	/	/	19.06	/	/	<=33	Pass
		Edge_1RB_Right	20.37	/	/	19.35	/	/	<=33	Pass
CP-OFDM 64 QAM	1862.5	Outer_Full	20.34	/	/	19.32	/	/	<=33	Pass
		Inner_Full	21.39	/	/	20.37	/	/	<=33	Pass
		Inner_1RB_Left	21.12	/	/	20.10	/	/	<=33	Pass
		Inner_1RB_Right	21.41	/	/	20.39	/	/	<=33	Pass
		Edge_1RB_Left	19.90	/	/	18.88	/	/	<=33	Pass
		Edge_1RB_Right	19.98	/	/	18.96	/	/	<=33	Pass
	1880	Outer_Full	19.76	/	/	18.74	/	/	<=33	Pass
		Inner_Full	19.84	/	/	18.82	/	/	<=33	Pass
		Inner_1RB_Left	19.93	/	/	18.91	/	/	<=33	Pass
		Inner_1RB_Right	20.04	/	/	19.02	/	/	<=33	Pass
		Edge_1RB_Left	19.86	/	/	18.84	/	/	<=33	Pass

CP-OFDM 256 QAM		Edge 1RB Right	19.97	/	/	18.95	/	/	<=33	Pass
		Outer Full	19.93	/	/	18.91	/	/	<=33	Pass
		Inner Full	19.82	/	/	18.81	/	/	<=33	Pass
		Inner 1RB Left	19.92	/	/	18.90	/	/	<=33	Pass
		Inner 1RB Right	20.03	/	/	19.01	/	/	<=33	Pass
	1897.5	Edge 1RB Left	19.87	/	/	18.85	/	/	<=33	Pass
		Edge 1RB Right	20.19	/	/	19.17	/	/	<=33	Pass
		Outer Full	19.82	/	/	18.80	/	/	<=33	Pass
		Inner Full	19.95	/	/	18.93	/	/	<=33	Pass
		Inner 1RB Left	19.91	/	/	18.89	/	/	<=33	Pass
		Inner 1RB Right	20.24	/	/	19.22	/	/	<=33	Pass
		Edge 1RB Left	16.67	/	/	15.65	/	/	<=33	Pass
		Edge 1RB Right	16.80	/	/	15.78	/	/	<=33	Pass
	1862.5	Outer Full	16.72	/	/	15.70	/	/	<=33	Pass
		Inner Full	16.85	/	/	15.83	/	/	<=33	Pass
		Inner 1RB Left	16.73	/	/	15.71	/	/	<=33	Pass
		Inner 1RB Right	16.82	/	/	15.81	/	/	<=33	Pass
	1880	Edge 1RB Left	16.70	/	/	15.68	/	/	<=33	Pass
		Edge 1RB Right	16.77	/	/	15.75	/	/	<=33	Pass
		Outer Full	16.93	/	/	15.91	/	/	<=33	Pass
		Inner Full	16.82	/	/	15.80	/	/	<=33	Pass
		Inner 1RB Left	16.73	/	/	15.72	/	/	<=33	Pass
		Inner 1RB Right	16.86	/	/	15.84	/	/	<=33	Pass
	1897.5	Edge 1RB Left	16.52	/	/	15.50	/	/	<=33	Pass
		Edge 1RB Right	16.80	/	/	15.78	/	/	<=33	Pass
		Outer Full	16.77	/	/	15.75	/	/	<=33	Pass
		Inner Full	16.77	/	/	15.75	/	/	<=33	Pass
		Inner 1RB Left	16.57	/	/	15.55	/	/	<=33	Pass
		Inner 1RB Right	16.92	/	/	15.90	/	/	<=33	Pass

Note1: Antenna Gain: Ant0: -1.02dBi;
Note2: EIRP=Conducted Power+Antenna Gain

1.1.6 15_S_30M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1865	Edge 1RB Left	23.19	/	/	22.17	/	/	<=33	Pass
		Edge 1RB Right	23.35	/	/	22.33	/	/	<=33	Pass
		Outer Full	23.28	/	/	22.26	/	/	<=33	Pass
		Inner Full	23.85	/	/	22.83	/	/	<=33	Pass
		Inner 1RB Left	23.72	/	/	22.70	/	/	<=33	Pass
		Inner 1RB Right	23.87	/	/	22.85	/	/	<=33	Pass
	1880	Edge 1RB Left	23.07	/	/	22.05	/	/	<=33	Pass
		Edge 1RB Right	23.32	/	/	22.30	/	/	<=33	Pass
		Outer Full	23.42	/	/	22.40	/	/	<=33	Pass
		Inner Full	23.88	/	/	22.86	/	/	<=33	Pass
		Inner 1RB Left	23.65	/	/	22.63	/	/	<=33	Pass
		Inner 1RB Right	23.9	/	/	22.88	/	/	<=33	Pass
	1895	Edge 1RB Left	23.27	/	/	22.25	/	/	<=33	Pass
		Edge 1RB Right	23.26	/	/	22.24	/	/	<=33	Pass
		Outer Full	23.41	/	/	22.39	/	/	<=33	Pass
		Inner Full	23.99	/	/	22.97	/	/	<=33	Pass
		Inner 1RB Left	23.89	/	/	22.87	/	/	<=33	Pass
		Inner 1RB Right	23.8	/	/	22.78	/	/	<=33	Pass
DFT-s-OFDM QPSK	1865	Edge 1RB Left	21.93	/	/	20.91	/	/	<=33	Pass
		Edge 1RB Right	22.30	/	/	21.28	/	/	<=33	Pass
		Outer Full	22.21	/	/	21.19	/	/	<=33	Pass

		Inner_Full	23.22	/	/	22.20	/	/	<=33	Pass
		Inner_1RB_Left	23.13	/	/	22.11	/	/	<=33	Pass
		Inner_1RB_Right	23.35	/	/	22.33	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.05	/	/	21.03	/	/	<=33	Pass
		Edge_1RB_Right	22.28	/	/	21.26	/	/	<=33	Pass
		Outer_Full	22.28	/	/	21.26	/	/	<=33	Pass
		Inner_Full	23.26	/	/	22.24	/	/	<=33	Pass
		Inner_1RB_Left	23.18	/	/	22.16	/	/	<=33	Pass
		Inner_1RB_Right	23.39	/	/	22.37	/	/	<=33	Pass
	1895	Edge_1RB_Left	22.22	/	/	21.20	/	/	<=33	Pass
		Edge_1RB_Right	22.28	/	/	21.26	/	/	<=33	Pass
		Outer_Full	22.34	/	/	21.32	/	/	<=33	Pass
		Inner_Full	23.39	/	/	22.37	/	/	<=33	Pass
		Inner_1RB_Left	23.29	/	/	22.27	/	/	<=33	Pass
		Inner_1RB_Right	23.20	/	/	22.18	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1865	Edge_1RB_Left	21.02	/	/	20.01	/	/	<=33	Pass
		Edge_1RB_Right	21.14	/	/	20.12	/	/	<=33	Pass
		Outer_Full	21.32	/	/	20.31	/	/	<=33	Pass
		Inner_Full	22.23	/	/	21.21	/	/	<=33	Pass
		Inner_1RB_Left	21.93	/	/	20.92	/	/	<=33	Pass
		Inner_1RB_Right	22.21	/	/	21.19	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.00	/	/	19.98	/	/	<=33	Pass
		Edge_1RB_Right	21.09	/	/	20.07	/	/	<=33	Pass
		Outer_Full	21.32	/	/	20.30	/	/	<=33	Pass
		Inner_Full	22.31	/	/	21.29	/	/	<=33	Pass
		Inner_1RB_Left	21.93	/	/	20.91	/	/	<=33	Pass
		Inner_1RB_Right	22.16	/	/	21.14	/	/	<=33	Pass
	1895	Edge_1RB_Left	21.12	/	/	20.10	/	/	<=33	Pass
		Edge_1RB_Right	21.30	/	/	20.29	/	/	<=33	Pass
		Outer_Full	21.36	/	/	20.34	/	/	<=33	Pass
		Inner_Full	22.39	/	/	21.37	/	/	<=33	Pass
		Inner_1RB_Left	22.20	/	/	21.18	/	/	<=33	Pass
		Inner_1RB_Right	22.15	/	/	21.13	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1865	Edge_1RB_Left	20.84	/	/	19.82	/	/	<=33	Pass
		Edge_1RB_Right	20.94	/	/	19.92	/	/	<=33	Pass
		Outer_Full	20.82	/	/	19.80	/	/	<=33	Pass
		Inner_Full	20.88	/	/	19.86	/	/	<=33	Pass
		Inner_1RB_Left	20.87	/	/	19.85	/	/	<=33	Pass
		Inner_1RB_Right	20.99	/	/	19.97	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.81	/	/	19.79	/	/	<=33	Pass
		Edge_1RB_Right	20.84	/	/	19.83	/	/	<=33	Pass
		Outer_Full	20.83	/	/	19.81	/	/	<=33	Pass
		Inner_Full	20.80	/	/	19.78	/	/	<=33	Pass
		Inner_1RB_Left	20.83	/	/	19.81	/	/	<=33	Pass
		Inner_1RB_Right	20.93	/	/	19.91	/	/	<=33	Pass
	1895	Edge_1RB_Left	20.93	/	/	19.91	/	/	<=33	Pass
		Edge_1RB_Right	21.14	/	/	20.12	/	/	<=33	Pass
		Outer_Full	20.86	/	/	19.84	/	/	<=33	Pass
		Inner_Full	20.90	/	/	19.88	/	/	<=33	Pass
		Inner_1RB_Left	20.95	/	/	19.93	/	/	<=33	Pass
		Inner_1RB_Right	21.17	/	/	20.15	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1865	Edge_1RB_Left	18.69	/	/	17.67	/	/	<=33	Pass
		Edge_1RB_Right	18.82	/	/	17.80	/	/	<=33	Pass
		Outer_Full	18.82	/	/	17.80	/	/	<=33	Pass
		Inner_Full	18.91	/	/	17.89	/	/	<=33	Pass
		Inner_1RB_Left	18.71	/	/	17.69	/	/	<=33	Pass
		Inner_1RB_Right	18.87	/	/	17.85	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.64	/	/	17.62	/	/	<=33	Pass
		Edge_1RB_Right	18.70	/	/	17.68	/	/	<=33	Pass

		Outer_Full	18.86	/	/	17.84	/	/	<=33	Pass
		Inner_Full	18.77	/	/	17.75	/	/	<=33	Pass
		Inner_1RB_Left	18.71	/	/	17.69	/	/	<=33	Pass
		Inner_1RB_Right	18.90	/	/	17.88	/	/	<=33	Pass
	1895	Edge_1RB_Left	18.75	/	/	17.73	/	/	<=33	Pass
		Edge_1RB_Right	18.94	/	/	17.92	/	/	<=33	Pass
		Outer_Full	18.86	/	/	17.85	/	/	<=33	Pass
		Inner_Full	18.92	/	/	17.90	/	/	<=33	Pass
		Inner_1RB_Left	18.81	/	/	17.79	/	/	<=33	Pass
		Inner_1RB_Right	19.03	/	/	18.01	/	/	<=33	Pass
CP-OFDM QPSK	1865	Edge_1RB_Left	20.16	/	/	19.15	/	/	<=33	Pass
		Edge_1RB_Right	20.36	/	/	19.34	/	/	<=33	Pass
		Outer_Full	20.26	/	/	19.24	/	/	<=33	Pass
		Inner_Full	21.83	/	/	20.81	/	/	<=33	Pass
		Inner_1RB_Left	21.70	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Right	21.81	/	/	20.79	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.10	/	/	19.08	/	/	<=33	Pass
		Edge_1RB_Right	20.26	/	/	19.24	/	/	<=33	Pass
		Outer_Full	20.28	/	/	19.26	/	/	<=33	Pass
		Inner_Full	21.75	/	/	20.73	/	/	<=33	Pass
		Inner_1RB_Left	21.57	/	/	20.55	/	/	<=33	Pass
		Inner_1RB_Right	21.68	/	/	20.66	/	/	<=33	Pass
	1895	Edge_1RB_Left	20.20	/	/	19.18	/	/	<=33	Pass
		Edge_1RB_Right	20.49	/	/	19.47	/	/	<=33	Pass
		Outer_Full	20.31	/	/	19.29	/	/	<=33	Pass
		Inner_Full	21.85	/	/	20.83	/	/	<=33	Pass
		Inner_1RB_Left	21.81	/	/	20.79	/	/	<=33	Pass
		Inner_1RB_Right	22.01	/	/	20.99	/	/	<=33	Pass
CP-OFDM 16 QAM	1865	Edge_1RB_Left	20.00	/	/	18.98	/	/	<=33	Pass
		Edge_1RB_Right	20.18	/	/	19.16	/	/	<=33	Pass
		Outer_Full	20.32	/	/	19.30	/	/	<=33	Pass
		Inner_Full	21.35	/	/	20.33	/	/	<=33	Pass
		Inner_1RB_Left	21.05	/	/	20.04	/	/	<=33	Pass
		Inner_1RB_Right	21.17	/	/	20.15	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.97	/	/	18.95	/	/	<=33	Pass
		Edge_1RB_Right	20.07	/	/	19.05	/	/	<=33	Pass
		Outer_Full	20.34	/	/	19.32	/	/	<=33	Pass
		Inner_Full	21.25	/	/	20.23	/	/	<=33	Pass
		Inner_1RB_Left	20.96	/	/	19.94	/	/	<=33	Pass
		Inner_1RB_Right	21.09	/	/	20.07	/	/	<=33	Pass
	1895	Edge_1RB_Left	20.58	/	/	19.56	/	/	<=33	Pass
		Edge_1RB_Right	20.94	/	/	19.92	/	/	<=33	Pass
		Outer_Full	20.34	/	/	19.33	/	/	<=33	Pass
		Inner_Full	21.38	/	/	20.36	/	/	<=33	Pass
		Inner_1RB_Left	21.80	/	/	20.78	/	/	<=33	Pass
		Inner_1RB_Right	22.08	/	/	21.06	/	/	<=33	Pass
CP-OFDM 64 QAM	1865	Edge_1RB_Left	19.82	/	/	18.80	/	/	<=33	Pass
		Edge_1RB_Right	19.95	/	/	18.93	/	/	<=33	Pass
		Outer_Full	19.82	/	/	18.80	/	/	<=33	Pass
		Inner_Full	19.80	/	/	18.78	/	/	<=33	Pass
		Inner_1RB_Left	19.87	/	/	18.85	/	/	<=33	Pass
		Inner_1RB_Right	19.66	/	/	18.64	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.81	/	/	18.79	/	/	<=33	Pass
		Edge_1RB_Right	19.61	/	/	18.59	/	/	<=33	Pass
		Outer_Full	19.84	/	/	18.82	/	/	<=33	Pass
		Inner_Full	19.79	/	/	18.77	/	/	<=33	Pass
		Inner_1RB_Left	19.86	/	/	18.84	/	/	<=33	Pass
		Inner_1RB_Right	19.96	/	/	18.95	/	/	<=33	Pass
	1895	Edge_1RB_Left	19.45	/	/	18.43	/	/	<=33	Pass

CP-OFDM 256 QAM		Edge 1RB Right	19.69	/	/	18.67	/	/	<=33	Pass	
		Outer Full	19.87	/	/	18.85	/	/	<=33	Pass	
		Inner Full	19.89	/	/	18.87	/	/	<=33	Pass	
		Inner 1RB Left	19.49	/	/	18.47	/	/	<=33	Pass	
		Inner 1RB Right	19.72	/	/	18.70	/	/	<=33	Pass	
	1865	Edge 1RB Left	16.64	/	/	15.62	/	/	<=33	Pass	
		Edge 1RB Right	16.81	/	/	15.79	/	/	<=33	Pass	
		Outer Full	16.84	/	/	15.83	/	/	<=33	Pass	
		Inner Full	16.81	/	/	15.79	/	/	<=33	Pass	
		Inner 1RB Left	16.67	/	/	15.65	/	/	<=33	Pass	
		Inner 1RB Right	16.83	/	/	15.81	/	/	<=33	Pass	
		1880	Edge 1RB Left	16.59	/	/	15.57	/	/	<=33	Pass
			Edge 1RB Right	16.77	/	/	15.75	/	/	<=33	Pass
			Outer Full	16.82	/	/	15.80	/	/	<=33	Pass
			Inner Full	16.77	/	/	15.75	/	/	<=33	Pass
			Inner 1RB Left	16.64	/	/	15.62	/	/	<=33	Pass
			Inner 1RB Right	16.76	/	/	15.74	/	/	<=33	Pass
		1895	Edge 1RB Left	16.72	/	/	15.70	/	/	<=33	Pass
			Edge 1RB Right	16.97	/	/	15.95	/	/	<=33	Pass
			Outer Full	16.86	/	/	15.84	/	/	<=33	Pass
Inner Full	16.88		/	/	15.86	/	/	<=33	Pass		
Inner 1RB Left	16.80		/	/	15.78	/	/	<=33	Pass		
Inner 1RB Right	16.99		/	/	15.97	/	/	<=33	Pass		
Note1: Antenna Gain: Ant0: -1.02dBi; Note2: EIRP=Conducted Power+Antenna Gain											

1.1.7 15_S_35M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 35MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1867.5	Edge 1RB Left	23.14	/	/	22.12	/	/	<=33	Pass
		Edge 1RB Right	23.35	/	/	22.33	/	/	<=33	Pass
		Outer Full	23.22	/	/	22.20	/	/	<=33	Pass
		Inner Full	23.83	/	/	22.81	/	/	<=33	Pass
		Inner 1RB Left	23.64	/	/	22.62	/	/	<=33	Pass
		Inner 1RB Right	23.92	/	/	22.90	/	/	<=33	Pass
	1880	Edge 1RB Left	23.08	/	/	22.06	/	/	<=33	Pass
		Edge 1RB Right	23.34	/	/	22.32	/	/	<=33	Pass
		Outer Full	23.4	/	/	22.38	/	/	<=33	Pass
		Inner Full	23.9	/	/	22.88	/	/	<=33	Pass
		Inner 1RB Left	23.68	/	/	22.66	/	/	<=33	Pass
		Inner 1RB Right	23.88	/	/	22.86	/	/	<=33	Pass
	1892.5	Edge 1RB Left	23.11	/	/	22.09	/	/	<=33	Pass
		Edge 1RB Right	23.25	/	/	22.23	/	/	<=33	Pass
		Outer Full	23.35	/	/	22.33	/	/	<=33	Pass
		Inner Full	23.97	/	/	22.95	/	/	<=33	Pass
		Inner 1RB Left	23.61	/	/	22.59	/	/	<=33	Pass
		Inner 1RB Right	23.77	/	/	22.75	/	/	<=33	Pass
DFT-s-OFDM QPSK	1867.5	Edge 1RB Left	21.93	/	/	20.91	/	/	<=33	Pass
		Edge 1RB Right	22.22	/	/	21.20	/	/	<=33	Pass
		Outer Full	22.09	/	/	21.07	/	/	<=33	Pass
		Inner Full	23.18	/	/	22.17	/	/	<=33	Pass
		Inner 1RB Left	23.02	/	/	22.00	/	/	<=33	Pass
		Inner 1RB Right	23.31	/	/	22.29	/	/	<=33	Pass
	1880	Edge 1RB Left	22.16	/	/	21.14	/	/	<=33	Pass
		Edge 1RB Right	22.38	/	/	21.36	/	/	<=33	Pass
		Outer Full	22.32	/	/	21.30	/	/	<=33	Pass

		Inner_Full	23.39	/	/	22.37	/	/	<=33	Pass
		Inner_1RB_Left	23.26	/	/	22.24	/	/	<=33	Pass
		Inner_1RB_Right	23.52	/	/	22.50	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	22.03	/	/	21.01	/	/	<=33	Pass
		Edge_1RB_Right	22.14	/	/	21.12	/	/	<=33	Pass
		Outer_Full	22.29	/	/	21.27	/	/	<=33	Pass
		Inner_Full	23.36	/	/	22.34	/	/	<=33	Pass
		Inner_1RB_Left	23.17	/	/	22.15	/	/	<=33	Pass
		Inner_1RB_Right	23.22	/	/	22.20	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1867.5	Edge_1RB_Left	20.97	/	/	19.95	/	/	<=33	Pass
		Edge_1RB_Right	21.04	/	/	20.02	/	/	<=33	Pass
		Outer_Full	21.26	/	/	20.24	/	/	<=33	Pass
		Inner_Full	22.18	/	/	21.16	/	/	<=33	Pass
		Inner_1RB_Left	21.90	/	/	20.88	/	/	<=33	Pass
		Inner_1RB_Right	22.17	/	/	21.15	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.07	/	/	20.05	/	/	<=33	Pass
		Edge_1RB_Right	21.22	/	/	20.20	/	/	<=33	Pass
		Outer_Full	21.48	/	/	20.46	/	/	<=33	Pass
		Inner_Full	22.41	/	/	21.39	/	/	<=33	Pass
		Inner_1RB_Left	21.95	/	/	20.93	/	/	<=33	Pass
		Inner_1RB_Right	22.23	/	/	21.21	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	21.02	/	/	20.00	/	/	<=33	Pass
		Edge_1RB_Right	21.33	/	/	20.31	/	/	<=33	Pass
		Outer_Full	21.34	/	/	20.32	/	/	<=33	Pass
		Inner_Full	22.43	/	/	21.41	/	/	<=33	Pass
		Inner_1RB_Left	22.29	/	/	21.27	/	/	<=33	Pass
		Inner_1RB_Right	22.15	/	/	21.13	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1867.5	Edge_1RB_Left	20.80	/	/	19.78	/	/	<=33	Pass
		Edge_1RB_Right	20.83	/	/	19.81	/	/	<=33	Pass
		Outer_Full	20.77	/	/	19.75	/	/	<=33	Pass
		Inner_Full	20.81	/	/	19.79	/	/	<=33	Pass
		Inner_1RB_Left	20.78	/	/	19.76	/	/	<=33	Pass
		Inner_1RB_Right	20.91	/	/	19.89	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.91	/	/	19.89	/	/	<=33	Pass
		Edge_1RB_Right	20.98	/	/	19.96	/	/	<=33	Pass
		Outer_Full	20.92	/	/	19.90	/	/	<=33	Pass
		Inner_Full	20.89	/	/	19.88	/	/	<=33	Pass
		Inner_1RB_Left	20.92	/	/	19.90	/	/	<=33	Pass
		Inner_1RB_Right	21.05	/	/	20.03	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	20.83	/	/	19.81	/	/	<=33	Pass
		Edge_1RB_Right	21.06	/	/	20.04	/	/	<=33	Pass
		Outer_Full	20.82	/	/	19.80	/	/	<=33	Pass
		Inner_Full	20.86	/	/	19.84	/	/	<=33	Pass
		Inner_1RB_Left	20.89	/	/	19.87	/	/	<=33	Pass
		Inner_1RB_Right	21.21	/	/	20.20	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1867.5	Edge_1RB_Left	18.62	/	/	17.60	/	/	<=33	Pass
		Edge_1RB_Right	18.69	/	/	17.67	/	/	<=33	Pass
		Outer_Full	18.77	/	/	17.75	/	/	<=33	Pass
		Inner_Full	18.86	/	/	17.84	/	/	<=33	Pass
		Inner_1RB_Left	18.66	/	/	17.64	/	/	<=33	Pass
		Inner_1RB_Right	18.77	/	/	17.75	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.72	/	/	17.70	/	/	<=33	Pass
		Edge_1RB_Right	18.89	/	/	17.87	/	/	<=33	Pass
		Outer_Full	18.90	/	/	17.88	/	/	<=33	Pass
		Inner_Full	18.92	/	/	17.90	/	/	<=33	Pass
		Inner_1RB_Left	18.75	/	/	17.73	/	/	<=33	Pass
		Inner_1RB_Right	18.95	/	/	17.93	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	18.64	/	/	17.62	/	/	<=33	Pass
		Edge_1RB_Right	18.94	/	/	17.92	/	/	<=33	Pass

		Outer_Full	18.80	/	/	17.78	/	/	<=33	Pass
		Inner_Full	18.87	/	/	17.85	/	/	<=33	Pass
		Inner_1RB_Left	18.67	/	/	17.65	/	/	<=33	Pass
		Inner_1RB_Right	19.02	/	/	18.00	/	/	<=33	Pass
CP-OFDM QPSK	1867.5	Edge_1RB_Left	20.08	/	/	19.06	/	/	<=33	Pass
		Edge_1RB_Right	20.28	/	/	19.26	/	/	<=33	Pass
		Outer_Full	20.22	/	/	19.20	/	/	<=33	Pass
		Inner_Full	21.83	/	/	20.81	/	/	<=33	Pass
		Inner_1RB_Left	21.64	/	/	20.62	/	/	<=33	Pass
		Inner_1RB_Right	21.87	/	/	20.85	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.21	/	/	19.19	/	/	<=33	Pass
		Edge_1RB_Right	20.36	/	/	19.34	/	/	<=33	Pass
		Outer_Full	20.40	/	/	19.38	/	/	<=33	Pass
		Inner_Full	21.86	/	/	20.84	/	/	<=33	Pass
		Inner_1RB_Left	21.62	/	/	20.60	/	/	<=33	Pass
		Inner_1RB_Right	21.80	/	/	20.78	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	20.16	/	/	19.14	/	/	<=33	Pass
		Edge_1RB_Right	20.46	/	/	19.44	/	/	<=33	Pass
		Outer_Full	20.25	/	/	19.23	/	/	<=33	Pass
		Inner_Full	21.82	/	/	20.80	/	/	<=33	Pass
		Inner_1RB_Left	21.65	/	/	20.63	/	/	<=33	Pass
		Inner_1RB_Right	21.93	/	/	20.91	/	/	<=33	Pass
CP-OFDM 16 QAM	1867.5	Edge_1RB_Left	20.01	/	/	18.99	/	/	<=33	Pass
		Edge_1RB_Right	20.27	/	/	19.25	/	/	<=33	Pass
		Outer_Full	20.27	/	/	19.26	/	/	<=33	Pass
		Inner_Full	21.35	/	/	20.33	/	/	<=33	Pass
		Inner_1RB_Left	20.99	/	/	19.97	/	/	<=33	Pass
		Inner_1RB_Right	21.13	/	/	20.11	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.06	/	/	19.04	/	/	<=33	Pass
		Edge_1RB_Right	20.19	/	/	19.17	/	/	<=33	Pass
		Outer_Full	20.42	/	/	19.40	/	/	<=33	Pass
		Inner_Full	21.37	/	/	20.35	/	/	<=33	Pass
		Inner_1RB_Left	21.04	/	/	20.02	/	/	<=33	Pass
		Inner_1RB_Right	21.22	/	/	20.20	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	20.01	/	/	18.99	/	/	<=33	Pass
		Edge_1RB_Right	20.32	/	/	19.30	/	/	<=33	Pass
		Outer_Full	20.28	/	/	19.26	/	/	<=33	Pass
		Inner_Full	21.34	/	/	20.32	/	/	<=33	Pass
		Inner_1RB_Left	21.02	/	/	20.00	/	/	<=33	Pass
		Inner_1RB_Right	21.36	/	/	20.34	/	/	<=33	Pass
CP-OFDM 64 QAM	1867.5	Edge_1RB_Left	19.73	/	/	18.71	/	/	<=33	Pass
		Edge_1RB_Right	19.87	/	/	18.85	/	/	<=33	Pass
		Outer_Full	19.75	/	/	18.73	/	/	<=33	Pass
		Inner_Full	19.79	/	/	18.77	/	/	<=33	Pass
		Inner_1RB_Left	19.82	/	/	18.80	/	/	<=33	Pass
		Inner_1RB_Right	19.89	/	/	18.87	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.69	/	/	18.67	/	/	<=33	Pass
		Edge_1RB_Right	19.90	/	/	18.88	/	/	<=33	Pass
		Outer_Full	19.75	/	/	18.73	/	/	<=33	Pass
		Inner_Full	19.75	/	/	18.74	/	/	<=33	Pass
		Inner_1RB_Left	19.81	/	/	18.79	/	/	<=33	Pass
		Inner_1RB_Right	19.95	/	/	18.93	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	19.77	/	/	18.75	/	/	<=33	Pass
		Edge_1RB_Right	20.15	/	/	19.13	/	/	<=33	Pass
		Outer_Full	19.80	/	/	18.78	/	/	<=33	Pass
		Inner_Full	19.83	/	/	18.81	/	/	<=33	Pass
		Inner_1RB_Left	19.88	/	/	18.86	/	/	<=33	Pass
		Inner_1RB_Right	20.19	/	/	19.17	/	/	<=33	Pass
CP-OFDM 256 QAM	1867.5	Edge_1RB_Left	16.58	/	/	15.56	/	/	<=33	Pass

		Edge_1RB_Right	16.75	/	/	15.73	/	/	<=33	Pass
		Outer_Full	16.75	/	/	15.73	/	/	<=33	Pass
		Inner_Full	16.82	/	/	15.80	/	/	<=33	Pass
		Inner_1RB_Left	16.65	/	/	15.63	/	/	<=33	Pass
		Inner_1RB_Right	16.77	/	/	15.75	/	/	<=33	Pass
	1880	Edge_1RB_Left	16.53	/	/	15.51	/	/	<=33	Pass
		Edge_1RB_Right	16.74	/	/	15.72	/	/	<=33	Pass
		Outer_Full	16.78	/	/	15.76	/	/	<=33	Pass
		Inner_Full	16.72	/	/	15.70	/	/	<=33	Pass
		Inner_1RB_Left	16.62	/	/	15.60	/	/	<=33	Pass
		Inner_1RB_Right	16.79	/	/	15.77	/	/	<=33	Pass
	1892.5	Edge_1RB_Left	16.43	/	/	15.41	/	/	<=33	Pass
		Edge_1RB_Right	16.80	/	/	15.78	/	/	<=33	Pass
		Outer_Full	16.81	/	/	15.79	/	/	<=33	Pass
		Inner_Full	16.84	/	/	15.82	/	/	<=33	Pass
		Inner_1RB_Left	16.65	/	/	15.63	/	/	<=33	Pass
		Inner_1RB_Right	17.00	/	/	15.98	/	/	<=33	Pass
Note1: Antenna Gain: Ant0: -1.02dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.8 15_S_40M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 40MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1870	Edge_1RB_Left	23.19	/	/	22.17	/	/	<=33	Pass
		Edge_1RB_Right	23.46	/	/	22.44	/	/	<=33	Pass
		Outer_Full	23.29	/	/	22.27	/	/	<=33	Pass
		Inner_Full	23.81	/	/	22.79	/	/	<=33	Pass
		Inner_1RB_Left	23.73	/	/	22.71	/	/	<=33	Pass
		Inner_1RB_Right	23.99	/	/	22.97	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.23	/	/	22.21	/	/	<=33	Pass
		Edge_1RB_Right	23.43	/	/	22.41	/	/	<=33	Pass
		Outer_Full	23.44	/	/	22.42	/	/	<=33	Pass
		Inner_Full	23.94	/	/	22.92	/	/	<=33	Pass
		Inner_1RB_Left	23.78	/	/	22.76	/	/	<=33	Pass
		Inner_1RB_Right	23.94	/	/	22.92	/	/	<=33	Pass
	1890	Edge_1RB_Left	23.18	/	/	22.16	/	/	<=33	Pass
		Edge_1RB_Right	23.35	/	/	22.33	/	/	<=33	Pass
		Outer_Full	23.34	/	/	22.32	/	/	<=33	Pass
		Inner_Full	23.99	/	/	22.97	/	/	<=33	Pass
		Inner_1RB_Left	23.71	/	/	22.69	/	/	<=33	Pass
		Inner_1RB_Right	23.92	/	/	22.90	/	/	<=33	Pass
DFT-s-OFDM QPSK	1870	Edge_1RB_Left	22.09	/	/	21.07	/	/	<=33	Pass
		Edge_1RB_Right	22.40	/	/	21.38	/	/	<=33	Pass
		Outer_Full	22.22	/	/	21.20	/	/	<=33	Pass
		Inner_Full	23.27	/	/	22.26	/	/	<=33	Pass
		Inner_1RB_Left	23.22	/	/	22.20	/	/	<=33	Pass
		Inner_1RB_Right	23.57	/	/	22.55	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.20	/	/	21.18	/	/	<=33	Pass
		Edge_1RB_Right	22.39	/	/	21.37	/	/	<=33	Pass
		Outer_Full	22.36	/	/	21.34	/	/	<=33	Pass
		Inner_Full	23.36	/	/	22.34	/	/	<=33	Pass
		Inner_1RB_Left	23.32	/	/	22.30	/	/	<=33	Pass
		Inner_1RB_Right	23.53	/	/	22.51	/	/	<=33	Pass
	1890	Edge_1RB_Left	22.16	/	/	21.14	/	/	<=33	Pass
		Edge_1RB_Right	22.41	/	/	21.39	/	/	<=33	Pass
		Outer_Full	22.29	/	/	21.27	/	/	<=33	Pass

		Inner_Full	23.43	/	/	22.41	/	/	<=33	Pass
		Inner_1RB_Left	23.25	/	/	22.23	/	/	<=33	Pass
		Inner_1RB_Right	23.18	/	/	22.16	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1870	Edge_1RB_Left	21.13	/	/	20.11	/	/	<=33	Pass
		Edge_1RB_Right	21.25	/	/	20.23	/	/	<=33	Pass
		Outer_Full	21.37	/	/	20.35	/	/	<=33	Pass
		Inner_Full	22.29	/	/	21.27	/	/	<=33	Pass
		Inner_1RB_Left	21.98	/	/	20.96	/	/	<=33	Pass
		Inner_1RB_Right	22.68	/	/	21.66	/	/	<=33	Pass
		Edge_1RB_Left	21.15	/	/	20.13	/	/	<=33	Pass
	1880	Edge_1RB_Right	21.26	/	/	20.24	/	/	<=33	Pass
		Outer_Full	21.42	/	/	20.40	/	/	<=33	Pass
		Inner_Full	22.37	/	/	21.35	/	/	<=33	Pass
		Inner_1RB_Left	22.05	/	/	21.03	/	/	<=33	Pass
		Inner_1RB_Right	22.30	/	/	21.28	/	/	<=33	Pass
	1890	Edge_1RB_Left	21.14	/	/	20.12	/	/	<=33	Pass
		Edge_1RB_Right	21.45	/	/	20.43	/	/	<=33	Pass
		Outer_Full	21.34	/	/	20.32	/	/	<=33	Pass
		Inner_Full	22.41	/	/	21.39	/	/	<=33	Pass
		Inner_1RB_Left	22.05	/	/	21.03	/	/	<=33	Pass
		Inner_1RB_Right	22.25	/	/	21.23	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1870	Edge_1RB_Left	20.93	/	/	19.91	/	/	<=33	Pass
		Edge_1RB_Right	21.03	/	/	20.01	/	/	<=33	Pass
		Outer_Full	20.84	/	/	19.82	/	/	<=33	Pass
		Inner_Full	20.87	/	/	19.85	/	/	<=33	Pass
		Inner_1RB_Left	20.97	/	/	19.95	/	/	<=33	Pass
		Inner_1RB_Right	21.08	/	/	20.06	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.98	/	/	19.96	/	/	<=33	Pass
		Edge_1RB_Right	21.06	/	/	20.04	/	/	<=33	Pass
		Outer_Full	20.88	/	/	19.86	/	/	<=33	Pass
		Inner_Full	20.87	/	/	19.85	/	/	<=33	Pass
		Inner_1RB_Left	20.96	/	/	19.94	/	/	<=33	Pass
	1890	Inner_1RB_Right	21.11	/	/	20.09	/	/	<=33	Pass
		Edge_1RB_Left	20.90	/	/	19.88	/	/	<=33	Pass
		Edge_1RB_Right	21.22	/	/	20.20	/	/	<=33	Pass
		Outer_Full	20.80	/	/	19.78	/	/	<=33	Pass
		Inner_Full	20.86	/	/	19.85	/	/	<=33	Pass
		Inner_1RB_Left	20.94	/	/	19.92	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1870	Inner_1RB_Right	21.27	/	/	20.25	/	/	<=33	Pass
		Edge_1RB_Left	18.80	/	/	17.78	/	/	<=33	Pass
		Edge_1RB_Right	18.87	/	/	17.85	/	/	<=33	Pass
		Outer_Full	18.85	/	/	17.83	/	/	<=33	Pass
		Inner_Full	18.90	/	/	17.88	/	/	<=33	Pass
		Inner_1RB_Left	18.82	/	/	17.80	/	/	<=33	Pass
	1880	Inner_1RB_Right	18.91	/	/	17.89	/	/	<=33	Pass
		Edge_1RB_Left	18.79	/	/	17.77	/	/	<=33	Pass
		Edge_1RB_Right	18.95	/	/	17.93	/	/	<=33	Pass
		Outer_Full	18.89	/	/	17.87	/	/	<=33	Pass
		Inner_Full	18.86	/	/	17.84	/	/	<=33	Pass
		Inner_1RB_Left	18.83	/	/	17.81	/	/	<=33	Pass
	1890	Inner_1RB_Right	18.97	/	/	17.95	/	/	<=33	Pass
		Edge_1RB_Left	18.89	/	/	17.87	/	/	<=33	Pass
		Edge_1RB_Right	19.08	/	/	18.06	/	/	<=33	Pass
		Outer_Full	18.82	/	/	17.80	/	/	<=33	Pass
		Inner_Full	18.85	/	/	17.83	/	/	<=33	Pass
CP-OFDM QPSK	1870	Inner_1RB_Left	18.80	/	/	17.79	/	/	<=33	Pass
		Inner_1RB_Right	19.11	/	/	18.09	/	/	<=33	Pass
		Edge_1RB_Left	20.25	/	/	19.23	/	/	<=33	Pass
		Edge_1RB_Right	20.42	/	/	19.40	/	/	<=33	Pass

		Outer_Full	20.39	/	/	19.37	/	/	<=33	Pass
		Inner_Full	21.89	/	/	20.87	/	/	<=33	Pass
		Inner_1RB_Left	21.74	/	/	20.72	/	/	<=33	Pass
		Inner_1RB_Right	21.88	/	/	20.86	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.26	/	/	19.24	/	/	<=33	Pass
		Edge_1RB_Right	20.40	/	/	19.38	/	/	<=33	Pass
		Outer_Full	20.39	/	/	19.37	/	/	<=33	Pass
		Inner_Full	21.84	/	/	20.83	/	/	<=33	Pass
		Inner_1RB_Left	21.55	/	/	20.54	/	/	<=33	Pass
		Inner_1RB_Right	21.91	/	/	20.89	/	/	<=33	Pass
	1890	Edge_1RB_Left	20.23	/	/	19.21	/	/	<=33	Pass
		Edge_1RB_Right	20.60	/	/	19.58	/	/	<=33	Pass
		Outer_Full	20.33	/	/	19.31	/	/	<=33	Pass
		Inner_Full	21.84	/	/	20.82	/	/	<=33	Pass
		Inner_1RB_Left	21.73	/	/	20.71	/	/	<=33	Pass
CP-OFDM 16 QAM	1870	Inner_1RB_Right	22.06	/	/	21.04	/	/	<=33	Pass
		Edge_1RB_Left	20.10	/	/	19.08	/	/	<=33	Pass
		Edge_1RB_Right	20.28	/	/	19.26	/	/	<=33	Pass
		Outer_Full	20.41	/	/	19.39	/	/	<=33	Pass
		Inner_Full	21.37	/	/	20.35	/	/	<=33	Pass
		Inner_1RB_Left	21.13	/	/	20.11	/	/	<=33	Pass
	1880	Inner_1RB_Right	21.28	/	/	20.26	/	/	<=33	Pass
		Edge_1RB_Left	20.26	/	/	19.24	/	/	<=33	Pass
		Edge_1RB_Right	20.51	/	/	19.49	/	/	<=33	Pass
		Outer_Full	20.42	/	/	19.40	/	/	<=33	Pass
		Inner_Full	21.34	/	/	20.32	/	/	<=33	Pass
	1890	Inner_1RB_Left	21.11	/	/	20.09	/	/	<=33	Pass
		Inner_1RB_Right	21.31	/	/	20.29	/	/	<=33	Pass
		Edge_1RB_Left	20.11	/	/	19.09	/	/	<=33	Pass
		Edge_1RB_Right	20.45	/	/	19.43	/	/	<=33	Pass
		Outer_Full	20.36	/	/	19.34	/	/	<=33	Pass
CP-OFDM 64 QAM	1870	Inner_Full	21.34	/	/	20.32	/	/	<=33	Pass
		Inner_1RB_Left	21.14	/	/	20.12	/	/	<=33	Pass
		Inner_1RB_Right	21.45	/	/	20.43	/	/	<=33	Pass
		Edge_1RB_Left	19.95	/	/	18.93	/	/	<=33	Pass
		Edge_1RB_Right	20.06	/	/	19.04	/	/	<=33	Pass
	1880	Outer_Full	19.87	/	/	18.85	/	/	<=33	Pass
		Inner_Full	19.88	/	/	18.86	/	/	<=33	Pass
		Inner_1RB_Left	19.99	/	/	18.97	/	/	<=33	Pass
		Inner_1RB_Right	20.10	/	/	19.08	/	/	<=33	Pass
		Edge_1RB_Left	19.94	/	/	18.92	/	/	<=33	Pass
		Edge_1RB_Right	20.15	/	/	19.13	/	/	<=33	Pass
	1890	Outer_Full	19.91	/	/	18.89	/	/	<=33	Pass
		Inner_Full	19.75	/	/	18.73	/	/	<=33	Pass
		Inner_1RB_Left	19.88	/	/	18.86	/	/	<=33	Pass
		Inner_1RB_Right	20.07	/	/	19.05	/	/	<=33	Pass
		Edge_1RB_Left	19.93	/	/	18.91	/	/	<=33	Pass
CP-OFDM 256 QAM	1870	Edge_1RB_Right	20.27	/	/	19.25	/	/	<=33	Pass
		Outer_Full	19.81	/	/	18.79	/	/	<=33	Pass
		Inner_Full	19.81	/	/	18.79	/	/	<=33	Pass
		Inner_1RB_Left	19.99	/	/	18.97	/	/	<=33	Pass
		Inner_1RB_Right	20.28	/	/	19.26	/	/	<=33	Pass
		Edge_1RB_Left	16.72	/	/	15.70	/	/	<=33	Pass
	1880	Edge_1RB_Right	16.88	/	/	15.86	/	/	<=33	Pass
		Outer_Full	16.87	/	/	15.85	/	/	<=33	Pass
		Inner_Full	16.90	/	/	15.88	/	/	<=33	Pass
		Inner_1RB_Left	16.81	/	/	15.79	/	/	<=33	Pass
		Inner_1RB_Right	16.91	/	/	15.89	/	/	<=33	Pass
	1890	Edge_1RB_Left	16.65	/	/	15.63	/	/	<=33	Pass

		Edge_1RB_Right	16.87	/	/	15.85	/	/	<=33	Pass
		Outer_Full	16.85	/	/	15.83	/	/	<=33	Pass
		Inner_Full	16.77	/	/	15.75	/	/	<=33	Pass
		Inner_1RB_Left	16.73	/	/	15.71	/	/	<=33	Pass
		Inner_1RB_Right	16.93	/	/	15.91	/	/	<=33	Pass
	1890	Edge_1RB_Left	16.75	/	/	15.73	/	/	<=33	Pass
		Edge_1RB_Right	17.05	/	/	16.03	/	/	<=33	Pass
		Outer_Full	16.83	/	/	15.81	/	/	<=33	Pass
		Inner_Full	16.82	/	/	15.80	/	/	<=33	Pass
		Inner_1RB_Left	16.80	/	/	15.79	/	/	<=33	Pass
		Inner_1RB_Right	17.10	/	/	16.08	/	/	<=33	Pass
Note1: Antenna Gain: Ant0: -1.02dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_40M

5G NR n2 SCS=15kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-0.85	-0.0005	>=-2.5 & <=2.5	Pass
				HV	-1.94	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-3.15	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-1.35	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-3.81	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	0.01	0.0000	>=-2.5 & <=2.5	Pass
			10	NV	-0.85	-0.0005	>=-2.5 & <=2.5	Pass
			20	NV	-0.24	-0.0001	>=-2.5 & <=2.5	Pass
			30	NV	2.05	0.0011	>=-2.5 & <=2.5	Pass
			40	NV	4.32	0.0023	>=-2.5 & <=2.5	Pass
			50	NV	3.42	0.0018	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	4.56	4.98	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	4.53	4.97	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	4.55	5.00	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	4.57	4.98	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	4.55	5.00	/	Pass
CP-OFDM QPSK	1880	Outer_Full	4.51	5.00	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	4.52	4.91	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	4.51	4.97	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	4.54	5.00	/	Pass

3.1.2 15_S_10M_NTNV

5G NR n2 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	9.02	9.69	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	9.04	9.70	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	9.03	9.74	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	9.06	9.70	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	9.04	9.69	/	Pass
CP-OFDM QPSK	1880	Outer_Full	9.39	10.05	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	9.40	10.06	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	9.35	10.09	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	9.35	10.09	/	Pass

3.1.3 15_S_15M_NTNV

5G NR n2 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	13.53	14.53	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	13.54	14.59	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	13.61	14.62	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	13.61	14.58	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	13.60	14.61	/	Pass
CP-OFDM QPSK	1880	Outer_Full	14.29	15.31	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	14.27	15.32	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	14.24	15.28	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	14.24	15.28	/	Pass

3.1.4 15_S_20M_NTNV

5G NR n2 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	18.05	19.40	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	18.14	19.42	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	18.08	19.45	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	18.11	19.37	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	18.10	19.42	/	Pass
CP-OFDM QPSK	1880	Outer_Full	19.19	20.44	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	19.15	20.51	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	19.14	20.49	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	19.08	20.44	/	Pass

3.1.5 15_S_25M_NTNV

5G NR n2 SCS=15kHz SISO 25MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	23.29	24.72	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	23.13	24.77	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	23.11	24.73	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	23.13	24.75	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	23.20	24.79	/	Pass
CP-OFDM QPSK	1880	Outer_Full	23.96	25.60	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	24.01	25.64	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	23.98	25.62	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	23.95	25.59	/	Pass

3.1.6 15_S_30M_NTNV

5G NR n2 SCS=15kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	28.88	30.85	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	28.84	30.92	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	28.83	30.84	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	28.86	30.83	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	28.92	30.89	/	Pass
CP-OFDM QPSK	1880	Outer_Full	28.90	30.84	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	28.89	30.87	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	28.86	30.83	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	28.79	30.83	/	Pass

3.1.7 15_S_35M_NTNV

5G NR n2 SCS=15kHz SISO 35MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	32.55	34.86	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	32.48	34.87	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	32.47	34.83	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	32.55	34.83	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	32.64	34.97	/	Pass
CP-OFDM QPSK	1880	Outer_Full	33.97	36.33	/	Pass


CP-OFDM 16 QAM	1880	Outer_Full	34.02	36.38	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	33.97	36.30	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	33.96	36.25	/	Pass

3.1.8 15_S_40M_NTNV


5G NR n2 SCS=15kHz SISO 40MHz NTNV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	38.88	41.34	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	38.85	41.48	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	38.87	41.51	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	38.93	41.45	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	38.98	41.65	/	Pass
CP-OFDM QPSK	1880	Outer_Full	38.93	41.66	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	38.94	41.98	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	38.94	41.52	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	38.95	41.45	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM 1880MHz Outer Full Ant0




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM 1880MHz Outer Full Ant0




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




3.2.2 15_S_10M_NTNV




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




3.2.3 15_S_15M_NTNV




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant0



n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




3.2.4 15_S_20M_NTNV


n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant0



n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




3.2.5 15_S_25M_NTNV


n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant0



n2_15kHz_SISO_NTNV_25MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




3.2.6 15_S_30M_NTNV


n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_30MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant0



n2_15kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_30MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




3.2.7 15_S_35M_NTNV


n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




3.2.8 15_S_40M_NTNV




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant0



n2_15kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant0



n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant0



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_40M_NTNV


5G NR n2 SCS=15kHz SISO 40MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	4.80	/	/	<=13	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	5.25	/	/	<=13	Pass
CP-OFDM QPSK	1880	Outer_Full	7.51	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_40M_NTNV



n2 15kHz SISO NTN 40MHz CP-OFDM QPSK 1880MHz Outer Full Ant0



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		1907.5	Edge_1RB_Right	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass
	DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	Refer To Test Graph			
Outer_Full			Refer To Test Graph				Pass
1880		Edge_1RB_Left	Refer To Test Graph				Pass
		1907.5	Edge_1RB_Right	Refer To Test Graph			
Outer_Full			Refer To Test Graph				Pass
CP-OFDM QPSK		1852.5	Edge_1RB_Left	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		1907.5	Edge_1RB_Right	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass

5.1.2 15_S_25M_NTNV

5G NR n2 SCS=15kHz SISO 25MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1862.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
	1897.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1862.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
	1897.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1862.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
	1897.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass


5.1.3 15_S_40M_NTNV

5G NR n2 SCS=15kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1870	Edge 1RB Left	Refer To Test Graph				Pass


		Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
	1890	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
DFT-s-OFDM QPSK	1870	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1890	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM QPSK	1870	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1890	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1852.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-50.41	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3700.500	-56.02	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1852.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.420	-29.28	-13	Pass
1849	1850	0.04973	CHP	2	1849.990	-37.37	-13	Pass
1850	1855	0.04973	CHP	/	/	/	/	/


n2 15kHz SISO NTN 5MHz DFT-s-OFDM PI/2 BPSK 1880MHz Edge 1RB Left Ant0



n2 15kHz SISO NTN 5MHz DFT-s-OFDM PI/2 BPSK 1880MHz Edge 1RB Left Ant0




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.008	-36.15	-13	Pass
1911	1915	1	CHP	2	1911.857	-41.40	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	899.000	-65.90	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1626.500	-64.25	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1916.000	-52.04	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.04973	CHP	/	/	/	/	/
1910	1911	0.04973	CHP	1	1910.010	-34.79	-13	Pass
1911	1915	1	CHP	2	1911.500	-25.82	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-40.48	-13	Pass
1849	1850	0.003	/	2	1849.992	-32.13	-13	Pass
1850	1855	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	881.350	-66.13	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-50.59	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3700.500	-56.82	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-29.27	-13	Pass
1849	1850	0.04973	CHP	2	1849.990	-36.05	-13	Pass
1850	1855	0.04973	CHP	/	/	/	/	/


n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0



n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-36.81	-13	Pass
1911	1915	1	CHP	2	1911.500	-39.54	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	925.850	-66.11	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1489.000	-64.27	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1915.500	-50.92	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.04973	CHP	/	/	/	/	/
1910	1911	0.04973	CHP	1	1910.080	-36.26	-13	Pass
1911	1915	1	CHP	2	1911.500	-26.42	-13	Pass


n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant0



n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-51.13	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3701.000	-57.57	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1852.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-28.28	-13	Pass
1849	1850	0.04973	CHP	2	1849.990	-35.61	-13	Pass
1850	1855	0.04973	CHP	/	/	/	/	/


n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0



n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-35.02	-13	Pass
1911	1915	1	CHP	2	1911.500	-41.44	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	914.450	-66.09	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1389.000	-64.30	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1915.500	-52.08	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1907.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.04973	CHP	/	/	/	/	/
1910	1911	0.04973	CHP	1	1910.010	-33.24	-13	Pass
1911	1915	1	CHP	2	1911.500	-24.63	-13	Pass

5.2.2 15_S_25M_NTNV




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_1862.5MHz_Edge_1RB_Left Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1843.500	-51.28	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	19077.000	-57.69	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_1862.5MHz_Outer_Full Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.390	-32.36	-13	Pass
1849	1850	0.24774	CHP	2	1849.500	-37.50	-13	Pass
1850	1875	0.24774	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_PI/2_BPSK_1880MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	881.800	-65.63	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_PI/2_BPSK_1880MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-60.48	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3736.000	-56.89	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1885	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-53.67	-13	Pass
1911	1915	1	CHP	2	1911.501	-42.92	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	871.850	-66.06	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_PI/2_BPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1836.000	-64.25	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1921.500	-51.11	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_PI/2_BPSK_1897.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1885	1910	0.24774	CHP	/	/	/	/	/
1910	1911	0.24774	CHP	1	1910.140	-36.61	-13	Pass
1911	1915	1	CHP	2	1912.600	-31.55	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1862.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.494	-42.02	-13	Pass
1849	1850	0.003	/	2	1849.995	-50.17	-13	Pass
1850	1875	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1862.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	784.350	-66.15	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1862.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1838.000	-50.46	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3701.500	-57.09	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1862.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1847.040	-32.41	-13	Pass
1849	1850	0.24774	CHP	2	1849.410	-38.78	-13	Pass
1850	1875	0.24774	CHP	/	/	/	/	/


n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0



n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1885	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.011	-52.38	-13	Pass
1911	1915	1	CHP	2	1911.511	-40.77	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	765.900	-65.60	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1843.000	-62.25	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1921.500	-50.03	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_QPSK_1897.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1885	1910	0.24774	CHP	/	/	/	/	/
1910	1911	0.24774	CHP	1	1910.020	-35.66	-13	Pass
1911	1915	1	CHP	2	1912.180	-28.97	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1862.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.489	-43.74	-13	Pass
1849	1850	0.003	/	2	1849.994	-52.88	-13	Pass
1850	1875	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1862.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	899.200	-65.95	-13	Pass


n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1862.5MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1862.5MHz_Outer_Full_Ant0




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0



n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1885	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-53.13	-13	Pass
1911	1915	1	CHP	2	1911.523	-42.99	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	887.550	-66.04	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1897.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1843.500	-62.99	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1921.000	-50.66	-13	Pass

n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1897.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1885	1910	0.24774	CHP	/	/	/	/	/
1910	1911	0.24774	CHP	1	1910.830	-35.87	-13	Pass
1911	1915	1	CHP	2	1911.850	-30.12	-13	Pass

5.2.3 15_S_40M_NTNV




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1870MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-49.46	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3701.000	-57.35	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1870MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1846.575	-33.44	-13	Pass
1849	1850	0.41479	CHP	2	1849.995	-29.07	-13	Pass
1850	1890	0.41479	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1880MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	897.800	-66.14	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1880MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1841.500	-46.03	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1919.000	-49.78	-13	Pass


n2 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1890MHz Edge 1RB Right Ant0



n2 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1890MHz Edge 1RB Right Ant0




n2 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1890MHz Edge 1RB Right Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1839.500	-57.90	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1915.500	-46.08	-13	Pass

n2 15kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 1890MHz Outer_Full Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870	1910	0.41479	CHP	/	/	/	/	/
1910	1911	0.41479	CHP	1	1910.005	-33.23	-13	Pass
1911	1915	1	CHP	2	1913.020	-33.33	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1870MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.491	-40.60	-13	Pass
1849	1850	0.003	/	2	1849.995	-37.58	-13	Pass
1850	1890	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1870MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	907.750	-65.88	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1870MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1843.000	-46.19	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3701.500	-55.47	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1870MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.375	-33.54	-13	Pass
1849	1850	0.41479	CHP	2	1849.995	-29.67	-13	Pass
1850	1890	0.41479	CHP	/	/	/	/	/


n2 15kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1880MHz Edge 1RB Left Ant0



n2 15kHz SISO NTN 40MHz DFT-s-OFDM QPSK 1880MHz Edge 1RB Left Ant0




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1890MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.009	-41.59	-13	Pass
1911	1915	1	CHP	2	1911.501	-39.42	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1890MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	919.800	-65.86	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1890MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1831.500	-55.03	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1915.500	-44.30	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1890MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870	1910	0.41479	CHP	/	/	/	/	/
1910	1911	0.41479	CHP	1	1910.005	-32.88	-13	Pass
1911	1915	1	CHP	2	1913.965	-34.47	-13	Pass


n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1870MHz_Edge_1RB_Left_Ant0



n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1870MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1870MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-48.49	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	4729.500	-56.71	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1870MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1846.710	-32.55	-13	Pass
1849	1850	0.41479	CHP	2	1849.995	-30.08	-13	Pass
1850	1890	0.41479	CHP	/	/	/	/	/


n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0



n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant0




n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1890MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-41.80	-13	Pass
1911	1915	1	CHP	2	1911.508	-41.70	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1890MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	812.500	-66.10	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1890MHz_Edge_1RB_Right_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1831.000	-54.51	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1916.000	-44.83	-13	Pass

n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1890MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870	1910	0.41479	CHP	/	/	/	/	/
1910	1911	0.41479	CHP	1	1910.005	-32.13	-13	Pass
1911	1915	1	CHP	2	1912.165	-32.52	-13	Pass